THIS INSTRUMENT WAS PREPARED BY: Richard J. Carter, Jr., Esq Powell Goldstein LLP 1201 West. Peachtree Street 14th Floor Atlanta, Georgia 30309 **AFTER RECORDED RETURN TO:** Victor H. Lott, Esq. Adams & Reese LLP 11 North Water Street Suite 23200 Mobile, Alabama 36602	**STATE OF TENNESSEE** **COUNTY OF CAMPBELL** THE ACTUAL CONSIDERATION OR VALUE WHICHEVER IS GREATER FOR THIS TRANSFER IS $ 37,945,099.29 Lee County, agent Lee County, Affiant (Print Name} SWORN TO AND SUBSCRIBED BEFORE ME, THIS THE 17th DAY OF DECEMBER, 2007 Peggy D. Johnson Notary Public MY COMMISSION EXPIRES: 3/10/08 (AFFIX SEAL)

PEGGY D. JOHNSON STATE OF TENNESSEE NOTARY PUBLIC MOORE COUNTY

SPECIAL WARRANTY DEED

(Campbell County, Tennessee)

ADDRESS NEW OWNER(S) AS FOLLOWS	SEND TAX BILLS TO:	MAP-PARCEL NUMBERS
CORRIGAN TLP LLC **c/o Molpus Woodlands Group, LLC** **654 North State Street** **Jackson, MS 39202**	**CORRIGAN TLP LLC** **c/o Molpus Woodlands Group, LLC** **654 North State Street** **Jackson, MS 39202**	**See Exhibit "D" hereto**

THIS SPECIAL WARRANTY DEED, made as of the 17th day of December, 2007 by and between ATAYA HARDWOODS, LLC, a Delaware limited liability company, having an address of c/o RMK Timberland Group, 260 Peachtree Street, Suite 1800, Atlanta, Georgia 30303, Grantor, and CORRIGAN TLP LLC, a Delaware limited liability company, having an

address of c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202, Grantee.

WITNESSETH: That for and in consideration of the sum of $_____, ALL FULLY PAID, the receipt and sufficiency of which are hereby acknowledged, Grantor has bargained and sold and does hereby grant, sell and convey unto Grantee, its successors and assigns, forever, the surface lands situated in Campbell County, Tennessee, and more particularly described on Exhibit "A" attached hereto and made a part hereof.

TOGETHER WITH those matters shown or described on Exhibit "B" attached hereto and made a part hereof.

SUBJECT TO (i) the mineral reservation contained in that certain Special Warranty Deed dated July 1, 2003 from BLC Properties, LLC to Ataya Hardwoods, LLC recorded in Book W399, Page 1 in the Register's Office of Campbell County, Tennessee (the "Mineral Reservation"); (ii) that certain Surface Damage and Royalty Agreement dated July 1, 2003 (the "SDRA") by and between BLC Properties, LLC and Ataya Hardwoods, LLC recorded in Book M66, Pages 699-822 in the Register's Office of Campbell County, Tennessee; and (iii) the Permitted Encumbrances shown or described on Exhibit "C" attached hereto and made a part hereof.

TO HAVE AND TO HOLD the same, in fee simple, together with all the appurtenances thereunto belonging unto Grantee, its successors and assigns, forever, Grantor hereby specially warrants that Grantor will forever warrant the title against all persons claiming under Grantor, and defend the Real Property so granted to Grantee, its successors and assigns, against every person lawfully claiming the same or any part thereof under Grantor but not otherwise, excepting the above described Mineral Reservation and SDRA and all matters shown as Permitted Encumbrances on Exhibit "C" attached hereto and incorporated herein.

MAP NUMBERS AND PARCEL NUMBERS are on Exhibit "D" attached hereto and made a part hereof.

RESPONSIBLE TAX PAYOR: Subject to proration as agreed by the parties, the 2007 ad valorem taxes shall be the responsibility of Grantee, Corrigan TLP LLC, whose address is c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202.

IN TESTIMONY WHEREOF, Grantor has hereunto executed this Special Warranty Deed as of the day and year first above written.

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: Gregory S. Williams
Name: Gregory S. Williams
Title: SVP

BK/PG: W441/1-235
07009921

235 PGS : AL - WARRANTY DEED	
JUNE BATCH: 34938	
12/20/2007 - 02:00 PM	
VALUE	39945099.29
MORTGAGE TAX	0.00
TRANSFER TAX	147796.87
RECORDING FEE	1175.00
DP FEE	2.00
REGISTER'S FEE	1.00
TOTAL AMOUNT	148974.87

STATE OF TENNESSEE, CAMPBELL COUNTY
DORMAS MILLER
REGISTER OF DEEDS

STATE OF Georgia)
)
COUNTY OF Cobb)

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared ~~Sr. Vice President~~ Gregory S. Williams, as of Regions Bank, the Manager of ATAYA HARDWOODS, LLC, a Delaware Limited Liability Company, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence and who, upon his/her oath, subscribed and sworn to, and acknowledged himself/herself to be the Sr. Vice Pres. of Regions Bank, who is the Manager of Ataya Hardwoods, LLC, the within named Grantor, and that he/she, on behalf of such Manager, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as Sr. Vice Pres. of such Manager, as his/her free act and deed.

Witness my hand and seal at office this 17th day of December, 2007.

Annique J. Cooke
NOTARY PUBLIC, STATE OF Georgia
My Commission Expires: August 16, 2010

(SEAL)

ANNIQUE J. COOKE NOTARY PUBLIC EXPIRES GEORGIA AUG. 16, 2010 COBB COUNTY

::ODMA\PCDOCS\ATL\1239579\1

EXHIBIT "A"
Legal Description

[To Be Attached]

DEED EXHIBIT "A"

Legal Description

All of the lands situated in Claiborne County, Tennessee which were conveyed to BLC Properties LLC from J.M. Huber Corporation by Special Warranty Deed dated July 5, 2001 and of record in Book 1073, at Page 30 et seq. in the records of the Office of the Register of Claiborne County, Tennessee, to which reference is made for a more particular description thereof, including, without limitation, the property described in the legal descriptions set forth below and the other Exhibits annexed hereto.

All of the lands situated in Campbell County, Tennessee which were conveyed to BLC Properties LLC from J.M. Huber Corporation by Special Warranty Deed dated July 5, 2001 and of record in Book 381, at Page 6 et seq. in the records of the Office of the Register of Campbell County, Tennessee, to which reference is made for a more particular description thereof, including, without limitation, the property described in the legal descriptions set forth below and the other Exhibits annexed hereto.

Notwithstanding the legal descriptions set forth below and the other Exhibits annexed hereto, this Deed does not convey, nor purport or intend to convey, any land or interest in land that was not conveyed in the deeds to BLC Properties LLC set forth above.

EXHIBIT "A"

All that tract or parcel of land lying and being in Claiborne and Campbell Counties, Kentucky, more particularly described as follows:

TRACT NO. 432

A tract of land lying in the 4th Civil District of Claiborne County, Tennessee, on Poor Valley Ridge and Double Mountain, and being the land which was granted by the State of Tennessee to Thomas Protidence by Grant #2494g, dated March 14,1842, on Entry #987, dated February 5,1838. Being the same land conveyed by Mary A. Pursifull to Alex. A. Arthur, trustee, by deed dated February 16,1891, and by Marshall Cottrell to the American Association, Ltd. by deed dated January 22,1892.Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett,Master Commissioner by deed dated April 30,1895 and recorded in Book of Deeds 74,Vol 3,page 19 to 37.
Sold to Cumberland Gap National Historical Park 70.0 acres off S.E. Section.
American Association Incorporated owns 94 acres in fee.

TRACT NO. 438

A Tract of land lying in Claiborne County, Tenn., in the 4th Civil District, adjoining the lands of Annanias Ely, Mathew Sharp, WM. Carr and D.C. Gibson, containing 290 acres. Conveyed by C.W. Russell to Alex A. Arthur, trustee, by deed dated 11th of March 1887, recorded at Tazewell, in deed book O, Vol.2,page 329. Being a portion of the same property conveyed ti the American Association Incorporated by James H. Bartlett,Master Commissioner, by deed dated April 30,1895, and recorded in Book of Deeds 74, Vol.3,page 19 to 37.
Sold to W.C. Bolton on Nov. 16,1926-153 acres surface.
American Association Incorporated owns 137.0 acres in fee and mineral rights on 153.0 acres.

TRACT NO. 439

A tract of land lyihg in Claiborne County, Tenn., on the south side of Double Mountain, bounded on the north and west by lands of the Asheville Land Co. and on the south and e ast by the Russell tract, and the Baldridge and the S.E. Cottrell grant 42140, and bei the land granted to M.V. Cottrellbby Tennessee grant 42085.Being the land conveyed by C.B. White and others to Alex A. Arthur, trustee, by deed dated 17th of April 1891, recorded at Tazewell in Book S,Vol 2,page 567.Being a portion of the same property deed dated April 30,1895, and recorded in Book of Deeds 74, Vol 3,page 19 to 37. Containing 69.0 acres after selling 6 acres on N.E. Boundary to the Cumberland Gap National Historical Park.

TRACT NO. 440

A Tract of land lying in Claiborne County, Tenn., in the 3rd Civil District, on the waters of Gap Creek and Poor Valley Ridge, adjoining the lands of C.W. Russell on the east,John Carr and Wm. Carr on the south, B.F. McCreary on the west and Gibson lands on the north, Containing 353 20-100 acres. Conveyed by Mathew Sharp and wife to Alex A. Arthur,Trustee, by deed dated 1st od September ,1887, recorded at Tazewell in Book O, Vol 2,page 397. Being a portion of the same property conveyed to the American Association Incorporated by Jamed H. Bartlett ,Master Commissioner by deed dated April 30,1895 and recorded in Book of Deeds 74,Vol 3,page 19 to 37.
248 acres on south side of Poor Valley Ridge was sold to Samuel & Robert Pearman August 14,1911.
American Association Inc, owns 105.2 acres in fee and 248.0 acres of iron ore rights.

TRACT NO. 442

A tract of land lying in Claiborne County, Tenn., on the waters of Keg Branch, on Poor Valley Ridge, bounded on the north by lands purchased by Alec A. Arthur from D.C. Gibson, on the west by a tract purchased from Sharp and Carr, and on the south and east by the lands of McCreary, containing 47 19-100 acres. Being the same land conveyed by George McCreary to Alex. A. Arthur, Trustee, by deed dated 16th of June, 1890, recorded at Tazewell Tenn., in Book S, Vol 2, page 209. Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded in Book of Deeds 74, Vol 3, page 19 to 37.

Sold 10½ acres of surface on south side of Poor Valley ridge to Ray Templin Jan. 1, 1945. American Association Inc, owns all mineral rights on 10½ acres and xxxxx owns in fee 36.7 acres.

TRACT NO. 443

A TRACT of land lying in Claiborne County,Tenn., in the 3rd Civil District Being the same land conveyed by Carr and Sharp to Alex. A. Arthur ,trustee, by deed dated 1st of September,1887, recorded at Tazewell, Tenn,. in deed Book P,Vol 2page 10.

Being a portion of the same property conveyed to the American Assodiation Inc. by James H. Bartlett, Master Commissioner by deed dated April 30,1895 and recorded in Book of Deeds 74, Col 3,page 19 to 37.

Sold 122½ acres of surface on south side Poor Valley Ridge to Ray Templin Jan.1,1945.

American Association Inc. owns 80.9 acres in fee and all mineral rights on 122.5 acres.

TRACT NO.443A

Joins 443 on N.E, corner, contains about 10 acres. Conveyed from G.W. Montgomery To American Association Incorporated by deed dated Sept. 9,1897. Registered in Book 3, page 82 and Book 7,Vol.3 ,page 516 Claiborne County Tenn.

American Association inc. owns 10 acres in fee.

TRACT NO.445

A Tract of land lying in Claiborne County, Tenn., 3rd Civil District,,on Double Mountai adjbining the Gibson tract, containing 150 acres. Being the same land conveyed to John H. Carr to Alex. A. Arthur, trustee,by deed dated 1st. of September,1887, recorded at Tazewell, Tenn., in Book P, Vol 2,page 36. Being a portion of the same property conveye to the American Association Incorporated by James H. Bartlett, Master Commissioner by deed dated April 30,1895, and recorded in Book of Deeds 74+Vol 3-page 19 to 37.

TRACT NO. 445A

Atract of lahd in Claiborne County, Tennessee, on south side of Cumberland Mountain . Purchased from Charles Seymour by deed dated December 15,1898, recorded Feb. 28,1899 in Deed Book 6, Vol 3,page 303 & 304 ,at Tazewell, Tennessee, and more particularly described as follows:-

Beginning on a sourwood, Black gum and tripple beech, Maybery's corner in Henderson County line;thence north 40 west 4 3/5 poles to a black gum; thence N 64½ west 59 poles to a stone;thence north 2 east 78 poles to two chestnuts; thence north 36 east 214 poles to a black oak; thence noeth 62 west 27 poles to a Spruce pine and birch; thence south 47 west 78 poles to a black walnut and white oak; thence south 69 west 39 poles to a white oak; thence north 2 east 127 poles to a chestnut and chestnut oak on top of Cumberland Mountain at east end of a high rock; thence with extreme height of said Mountain eastwardly to a rock corner of the Cumberland Gap National Historic park; thence with the Cumberland Gap National Historical Park south 5-42 west 4570.86 feet to the top of Powell Mountain; thence with the top of said Powell Mountain westwa 110 poles to three chestnut oaks on top of said mountain; thence south 30 east 96 pole to a Black gum and three white oaks and a large stone, C.W. Russell and Matthew Sharp's corner;thence south 47½ west 454 poles to a chestnut in Henderson County line;thence with said line North 43 west 180 poles to a cedar on a bluff; thence south 47 west 83 poles to the beginning. Containing 1049.5 acres in fee after exeluding Tract No. 445.

TRACT NO. 446

A tract of land lying in Claiborne County, Tenn., in the 3rd Civil District, on Town Creek, being a part of the Walker 190 acre tract, bounded on the northeast by the Gibson 2000 acre tract, on the southeast by the Billingsley land, on the southwest by Town Creek, on the northwest by the Otey Mill place, containing 20 14-100 acres. Conveyed by D.C. Gibson and others to Alex A. Arthur, trustee, by deed dated 31st of October, 1887, recorded at Tazewell, Tenn., in Book P, Vol 2, page 133. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner by deed dated April 30, 1895 and recorded in Book of Deeds 74, Vol 3, pages 19 to 37.

American Association Inc. owns 20.14 acres in fee.

TRACT NO. 446A

A tract in Claiborne County, Tenn., containing 40 acres conveyed from Z.S. Gibson and wife to American Association Inc., May 19, 1898. Recorded in Claiborne County, Tenn. Book 3, page 86 and in Book of Deeds No. 7, Vol 3, page 441.

American Association Inc. owns 40.0 acres in fee.

TRACT NO. 447

A TRACT of land lying in Claiborne County, Tenn., in the 3rd Civil District, on the northwest prong of Town Creek, extending from the foot of Poor Valley Ridge to the top of Cumberland mountain, bounded on the north by the top of Cumberland Mountain, on the east by D.C. Gibdon and, on the south and west by lands of I.B. Sharp, containing 137 72-100 acres. Being the same land conveyed by John Burns to Alex. A. Arthur, trustee, by deed dated 22nd October, 1887, recorded at Tazewell, Tenn., in Book O, Vol 2, page 473. Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded in Book of Deeds 74, Vol 3, page 19 to 37.

American Association Inc. owns 137.72 acres in fee.

TRACT NO. 449

A tract of land lying in Claiborne County, Tenn., in the 3rd Civil District, on Poor Valley Ridge and Cumberland mountain, and the east prong of Town Creek, lying north of and adjoining the D. C. Gibson home place, east of and adjoining the John Burns land south of the top of Cumberland mountain, and west of and adjoining the Walker place, containing 341 2-100 acres. Being the same land conveyed by D. C. Gibson and others to Alex A. Arthur, trustee, by deed dated 31st of October, 1887, recorded at Tazewell, Tenn., in Book P, vol 2, page 12. Being a portion of the same property conveyed to the American Association Incorporated by James H. Barlett, Master Commissioner, by deed dated April 30, 1895 and recorded in Book of Deeds 74, Vol 3, page 19 to 37.

American Association Incorporated owns 341.02 acres in fee.

TRACT NO. 450

A tract of land lying in Claiborne County, Tenn., in the 3rd Civil District, being all that part of the Kincaid 2500 acre tract lying between the 341 2-100 acre tract conveyed by D. C. Gibson to Alex. A. Arthur, trustee, and the Gibson 2000 acre tract, bounded on the north by the top of Cumberland mountain, on the east by the east boundary of said Kincaid 2500 acre survey, on the south by the Walker place, and on the west by the Gibson 341 acre tract above mentioned, containing 105 4-10 acres. Being the same land conveyed byyD. C. Gibson and others, to Alex. A. Arthur, trustee by deed dated 31st of October, 1887, recorded at Tazewell, Tenn., in deed book P, Vol 2, page 12. Being a portion of the same property conveyed to the American Association Inc. by James H. Barlett, Master Commissioner, by deed dated April 30, 1895 and recorded in Book of Deeds 74, Vol 3, page 19 to 37.

American Association Inc. owns 105.40 acres in fee.

TRACT NO. 451

A tract of land lying in Claiborne County, Tenn., in the 3rd Civil District, on Town Creek, Double and Cumberland Mountain, bounded on the north by Kincaid 2500 acre survey, on the east by Gibson now Arthur 2000 acre tract, on the south by the Otey M place, Z. S. Gibson and D. C. Gibson home place, on the west of lands conveyed to A. Arthur, by Gibson, and known as the Walker place, containing 250 56-100 acres. Conveyed by D. C. Gibson and others to Alex. A. Arthur, trustee, by deed dated 31st Oct. 1887, recorded at Tazewell, Tenn., in book P, vol 2, page 133. Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded in Book of Deeds 74, Vol 3, page 19 to 37.

American Association Inc. owns 250.56 acres in fee.

TRACT NO. 452

A tract of land lying in Claiborne County, Tenn., on the south side of Cumberland mountain, bounded on the north and west by lands heretofore conveyed by D. C. Gibson A.A. Arthur, on the east by the lands of the Asheville Land Co., on the south by the Walker land, conveyed to Alex. A. Arthur by D. C. Gibson, containing 34¼ acres, being patent in the name of Z. S. Gibson, No. 42200. Being the same land conveyed by Z.S. to Alex. A. Arthur, trustee, by deed dated 12th of Sept., 1890, recorded at Tazewell in deed book S, Vol 2, page 391. Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded in Book of Deeds 74, Vol 3, page 19 to 37.

American Association Inc. owns 34.25 acres in fee.

TRACT NO. 463A

A tract of land lying in Claiborne County, Tenn., on the top and southeast side of Cumberland mountain, bounded on the north by lands of the American Association, Ltd., bought from Addison Bowman, on the east by the Matt Dunn lands, on the southwest and west by the John Kivett and C.W. Bowman lands, containing 101 1-10 acres. Conveyed by J.H. Yaden to Alex A. Arthur, trustee, by deed dated 6th November, 1890, recorded at Tazewell, in book T. Vol 2, page 249. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded in Book of Deeds 74, Vol 3, page 19 to 37. American Association Incorporated owns 101.1 acres in fee.

TRACT NO. 473

A tract of land lying in Campbell and Claiborne Counties, Tenn., on Cumberland Mountain. Beginning at large poplar and hickory on a branch near the county line of Campbell and Claiborne counties; thence N 76 E 800 poles to poplar and white oak; th N 14 W 400 poles to a stake; thence S 76 W 800 poles to a stake; thence S 14 E 400 poles to beginning, being land granted by the State of Tennessee to John Cooke and David Richardson by grant No. 22677, entry number 902, containing 500 acres more or less. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 recorded in Claiborne County Book of Deeds 74, Vol 3, page 19 to 37 and in Campbell County, in Trust Deed Book E, page 343 to 363 and 364 to 384.

473-A

A tract of land lying in Campbell and Claiborne Counties, Tenn., on the south side of Cumberland Mountain being entry 844 to David Richardson and John Cooke. Beginning a a hickory, poplar and white oak on the grant line of Henderson & Co. where the line dividing Campbell and Claiborne counties crosses the same; thence with the grant lin S 76 W 520 poles to letter H corner; same course continued 280 poles to a stake by t side of Isaac Kogar spring branch; thence N 45 W 455 poles to a stake on the top of the mountain; thence N 76 E 800 poles to a stake on top of the mountain; thence S 45 450 poles to the beginning. Containing 1000 acres more or less. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded in Claibon County in Book of Deeds 74, Vol 3, page 19 to 37; and in Campbell County in Trust De Book E, page 343 to 363 and 364 to 384. June 9, 1902. Paid $500.00/

TRACTS 473 -473-A and 473-B contain 2000 acres more or less. 700 Acres of surface sold off the above tracts on South side of Cumberland Mountain to W. H. Parrot and W. F. Maddox. Deed Nov. 2, 1922, recorded in Campbell County, Tenn. Note book 4, page 77 and book of deeds 69, vol 1, page 299.

American Association Incorporated own 1300 acres in fee and 700 acres mineral rights.

TRACT NO. 474

An undivided interest in a tract of land lying in Campbell County, Tenn., on both sides of Cumberland Mountain near the owens farm and adjoining the W. A. Owens 144 acre tract and the Cocke and Richardson entry 844, containing 600 acres more or less. Conveyed by Bowman, Petree and Amis to Alex A. Arthur, trustee, by deed dated 1st of August, 1887, recorded at Jacksboro in book X, page 534, reserving to said Bowman, Petree and Amix the right to the joint use of the timber on 50 acres on the eastcorner tract to be alid off by lines parallel with grant lines of entry 844 to Cocke and Richa Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded at Jacksboro, Tenn., in trust deed book E., Page 343 to 363 and 364 to 384. Sold 400 acres of surface to Parrott and Maddox on south side of Cumberland Mtn. by deed dated Nov. 2, 1922. American Association Inc. owns 200 acres in fee and 400 acres

TRACT NO. 492

A tract of land lying in Claiborne County, Tenn., being all the lands of A. Gatliff in grant 4176 lying north of the crest of Cumberland Mountain, adjoining land formerly owned by J.H. S. Morrison, John Burns, D.C. Gibson, E. A. Hall, et al, and others, containi 644 48-100 acres. Being the same land conveyed by A. Gatliff to Alex A. Arthur, trustee, by deed dated 17th of April, 1890, recorded at Tazewell, Tenn., in Book S, Vol 2, page 232. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn. in Book of Deeds 74, Vol 3, page 19 to 37.

American Association Incorporated owns 644.48 acres in fee.

TRACT NO. 493

A tract of land lying in Claiborne County, Tenn., in the Third Civil DistrictBeing the sa land conveyed by Preston Turner and others to Alex A. Arthur, trustee, by deed dated 16th of August, 1889, recorded at Tazewell, Tenn., in Book S, Vol 2, page 120. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, page 19 to 37.

American Association Incorporated owns 50.68 acres in fee.

TRACT NO. 494

A tract of land lying in Claiborne County, Tenn., between latitude 36 30 and Walker' line, on Cumberland and Mingo Mountain, being grant No. 3854 from State of Kentucky TO J.H. S. Morrison, adjoining the State line between Kentucky and Tennessee on Little Creek and the waters of Yellow Creek and adjoining land formerly owned by F.A. Hall et al., A. Gatliff, the Gibson 2000 acre grant, and others, and described in a deed from J.H. S. Morrison and others to Alex A. Arthur, trustee, dated 31st day of January, 1887, recorded at Tazewell, Tenn., in Book M Vol.12,page 101. Being a portion of the sa property conveyed to American Association Incorporated by James H. Bartlett, Master Commissioner by deed dated April 30,1895 and recorded in Book of Deeds 74; Vol.3,; pages 19 to 37.,and more particularly described as follows:

BEGINNING at seven pines, stone and two black oaks standing on top of Cumberland Mountain, said trees being corner trees between States of Tennessee and Kentucky; running thence with the State line, S. 88 W.1694 poles to a stone, beech and two maples, and sourwood standing on the east bank of Bennetts Fork of Yellow Creek, the beginning corner of the 25,000 acre survey Patented in the name of Craig and Gibson; thence with their lines S. 1¼ E. 414 poles to a doublechestnut oak and white oak on top of Mingo Mountain; thence S. 26¼ E. 300 poles to a stake on the north side of Cumberland Mountain;thence N. 68 E.1570 poles to two hickories,two birches and three large rocks on top of the mountain;thence N. 4¼ E. 18 poles to a pine and black gum; thence N. 46 E. 32 poles to 5 hickories;thence N. 42¼ E. 56 poles to a pine and bluff of rock; thence N. 38 E. 48 poles to the beginning containing 3137 acres more or less after excepting and excluding from the foregoing boundary the boundaries set out in the grants issued by the Commonwealth of Kentucky as follows:-

Grant #3688 to William Watson Tract #496 -80 acres
Grant #2073 to Robert George Tract #495, 169.76
~~Grant #1588 to James D. George Tract #498,~~
Grant,#1588 to James D. George Tract #498, 53
Grant #2072 to Robert George Tract #493, 50.68
Grant #3636 to S.C. Davis Tract #497 133.15
Kern Lake Company-392.41 acres.

TRACT NO. 495

A tract of land lying in Claiborne County, Tenn., on top of Mingo Mountain at the head of Langley Branch of Bennetts Fork of Yellow Creek, being land covered by grant t Robert George No. 2073, adjoining land formerly owned by J,H.S. Morrison et al, known as the Langley place, containing 169 76-100 acres. Being the same land conveyed by A. Gatliff to Alex A. Arthur, trustee, by deed dated 1st of January,1890, recorded at Tazewell, Tenn., in Book S, Vol 2,page 256.Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn. in Book of Deeds 74, Vol 3,page 19 to 37. American Association Incorporated owns 169.76 acres in fee.

TRACT NO. 496.

Being a portion of the same property conveyed to the American Association Incorp· by James H. Bartlett, Master Commissioner, by deed dated April 30,1895, and recorded · Tazewell,Tenn. in Book of Deeds 74, Vol 3,page 19 to 37.American Association Incorpor· owns 206 acres in fee.

TRACT NO. 497

A tract of land lying in Claiborne County, Tenn.,on the north side of Mingo Mountain on the waters of Bennett Fork of Yellow Creek,adjoining the lands formerly owned by J.H.S. Morrison et al, and F.A. Hull and others. Being the landx covered by grant 3636 in name of S.C. Davis, containing 133 15-100 acres. Being the same land conveyed by C.F Rogers to Alex A. Arthur, trustee, by deed dated 11th of August,1890,recorded at Tazew Tenn.,in Book T, Vol 2,page 147.Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner,by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3,page 19 to 37. American Association Incorporated owns 133.15 acres in fee.

TRACT NO. 498

A tract of land lying in Claiborne County, Tenn.,on Bennett Fork of Yellow Creek, adjoining the state line between Ky. and Tenn. Beginning at a white oak and gum on the south side of the road and north side of Bennett Hork;thence N 36 E 40 poles to a beech; thence N 65 E 5 poles to a stake in the state line and with same N 89 E 176 poles to a stake;thence S 18 E 58 poles to a stake;thence S 86 W 106 poles to the beginning.Containing 53 acres.Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3,page 19 to 37. American Association Incorporated owns 53 acres in fee.
498-A-1/4 acre-$1000.00 Lee A. Turner 2/55/1902.

TRACT NO. 499

A tract of land lying in Claiborne County, Tenn., on the head of Little Yellow Creek and Tackett Creek, being a 35 acre grant to Hogan & Gibson, adjoining land formerly owned by A, Gatliff, F.A. Hull et al, and D.C. Gibson, et al, containing 36 68-100 acres. Being the same land conveyed by D.C. Gibson et al to Alex A. Arthur, trustee, by deed dated 2nd of Nov.,1887, recorded at Tazewell, Tenn., in Book O, Vol 2,page 515. And being a portion of the same property conveyed tothe American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3,page 19 to 37. American Association Inc. owns 36.68 acres in fee.

TRACT NO. 500

A tract of land lying in Claiborne County, Tenn., on the waters of Tackett Creek near the head of the same, including a part of what is known as the Cupp place,adjoining land formerly owned by Hull, Wyman & Cairns,and the Gibson 36 acre tract, having a net acreage of 59 63-100 acres. Conveyed by D.C. Gibson et al to A.A. Arthur, trustee, by deed dated 2nd of Nov.,1887, recorded at Tazewell, Tenn., in Book O, Vol 2,page 515.Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74,Vol 3,page 19 to 37. American Association Inc. owns 59.63 acres in fee.

TRACT NO. 501

A tract of land lying in Claiborne County, Tenn., on Beech Rock House Fork of Bennett Fork of Yellow Creek, on Mingo Mountain, adjoining land formerly owned by F.A. Hull et al and Ben Wyatt, containing 140 45-100 acres.Being the same land conveyed by M.J. Moss to Alex A. Arthur, trustee, by dded dated 24th of May,1887, recorded at Tazewell, Tenn., in Book O, Vol 2,page 404. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3,page 19 to 37. American Association Incorporated owns 140.45 acres in fee.

TRACT NO. 502

A tract of land lying in Claiborne County, Tenn., in the 4th Civil District on both sides of Bennett Fork of Yellow Creek, being the S.C. Davis grants Nos. 3635 and 3637, adjoining the state line between Ky, and Tenn. and lands formerly owned by F.A.Hull et al and J.M. Moss and others, containing 291 2-10 acres. Conveyed by Benjamin Wyatt to Alex. A. Arthur, trustee, by deed dated 18th of June,1887, recorded at Tazewell, Tenn., in Book O, Vol 2,page 325. Being a portion of the same property conveyed to American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated Apr. 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3,page 19 to 37. American Association Incorporated owns (291.2 acres in fee.)

TRACT NO. 502-A

A tract of land lying in Claiborne County on the waters of Bennett Fork of Yellow Creek and containing 1/4 acre that was conveyed to American Association Incorporated from Lee A. Turner and wife by deed dated April 23,1900, and recorded at Tazewell, Tenn., in Deed Book 10, Vol 3,page 293 and 294. American Association Inc. owns .25 acres in fee.

TRACT NO. 503

A tract of land lying in Claiborne County, Tenn., on the head waters of Bennett's Fork of Yellow Creek, and of Tackett's Creek, adjoining the State line between Kentucky and Tennessee, and the crest of Cumberland Mountain and lands formerly owned BY J.H.S. Morrison et al, A. Gatliff, C.W. Bowman, Hopper and Marsee and others, Being the same land conveyed by Hull, Wyman and Cairns to Alex. A. Arthur, Trustee by deed dated 25th of Nov.,1890,recorded at Tazewell, Tenn., in Book U, Vol 2,page 4.

Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner by deed dated April 30,1895 ,and recorded in Book of Deeds 74, Vol 3,page 19 to 37, and being more particularly described as follows:-

BEGINNING on a Rock Monument in the State line on the east side of Bennetts Fork, the same being the northwest corner of a 2000 acre survey in the name of J.H. S. Morrison et al; running thence with said Morrisons west boundary S. 1-27E. 408.69 poles to a double chestnut oak and white oak on top of a Spur of Mingo Mountain and west of the Watson gap, corner of said Morrisons survey; thence leaving Morrisons survey south crossing the head of Little Yellow Creek 454.74 poles to a stake on top of Cumberland Mountain with two black oaks, Chestnuts, and two black pine pointers;thence southwestward with the meanders of the Crest of Cumberland Mountain when reduced to a straight line S. 50 W. 659 poles to a stake;thence leaving the top of Cumberland Mountain N. 35 3/4 passing two chestnut stumps and three small chestnuts, the beginning corner of the Bowman 400 acre survey grant #3184 at 5½ poles,continuing with said Bowman grant #3184, crossing Tacketts Creek at 177.80 poles,in all 643 poles to a hickory and Black locust on Log Mountain, corner to the same;thence continuing with said Bowman survey N. 39-25 E.46.53 poles to a black oak , corner of the same;thence still with said Bowman grant N. 9 W. 350 poles to a stake. corner of the same:thence N. 17 W. 80 poles to a stake;thence N 87 W. 110 poles to a stake; thence leaving the Bowman survey N. 301.51 poles to a Hick on the top of the Log Mountain where the State line between Kentucky and Tennessee crosses the same;thence with the said line eastward 1030 poles to the place of beginni Containing 4360 acres more or less afterexcluding and deducting the following interio tracts:

Tract 499-36.68 acres.
Tract 500- 59.63''
Tract 501-140.45 ''
Tract 502-291.20 ''
Tract 502-A .25 ''
Tract 504-371.60 ''
Tract 505- 385.25 acres.
Tract 506-112.00 ''
Tract 507-180.00''
Tract 508- 54.50 ''
Tract 515- 103.10''

#503-A is 25,000 acres grant bought in 1903 to clear titles

TRACT No. 504

A tract of land lying in Claiborne County, Tenn., on the waters of Tackett Creek and Owens Branch of Bennett Fork, bounded on the southwest by land formerly owned by J.W. Carroll, and adjoining lands formerly owned by Hull, Wyman and Cairns and held under the Moss and Vanbever grant No. 3554, containing 371 60/100 acres. Being the same land which was conveyed by C.H. Rogers to Alex A. Arthur, trustee, by deed dated 15th of January,1890, recorded at Tazewell, Tenn., in deed book S,Vol 2,page 224. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895 ,and recorded at Tazewell, Tenn. in Book of Deeds 74, Vol 3,page 19 to 37.

TRACT NO. 505

A tract of lahd lying in Claiborne County, Tenn., on Mingo Mountain and Tackett Creek, adjoining lands formerly owned by C.H. Rogers, Hopper, and Marsee and Hull, Wyman and Cairns, containing 385 1/4 acres more or less. Being the same land conveyed by J.W. Carroll to A.A. Arthur, trustee, by deed dated 1st of Feb.,1887, recorded at Tazewell, Tenn., in Book O, Vol 2,page 154. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner,by deed dated April 30,1895, and recorded at Tazewell,Tenn., in Book of Deeds 74, Vol 3,page 19 to 37.

TRACT NO. 506

A tract of lahd lying in Claiborne County, Tenn., on Walker's line and in Coal Gap, the head waters of Bennett Fork of Yellow Creek, being the Jefferson Craig grant no. 3195, adjoining lands formerly owned by Hull, Wyman and Cairns,containing 112 acres. Being the same land conveyed by D.C. Gibson et al to Alex A. Arthur, trustee, by deed dated March 17,1887, recorded at Tazewell, Tenn., in Book O, Vol.2,page 266. Being a p of the same property conveyed to the American Association Inc. by James H. Barlett Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3,page 19 to 37.

TRACT NO. 507

A tract of land lying in Claiborne County, Tenn., on the left hand fork of Bennett Fork of Yellow Creek, being the Heffersen Craig grant No. 3196 adjoining land formerly owned by D.C. GIbson and Hull, Wyman and Cairns,containing 180 acres. Being the same land conveyed by D.C. Gibson and others to Alex A. Arthur, trustee, by deed dated 17th of March,1887, recorded at Hazewell, Tenn.,in Book O, Vol.2,page 266. Being a portion of the same property conveyed to the American Association Incorporated by James H. Barlett,Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell,Ter in Book of Deeds 74, Vol 3,page 19 to 37.

TRACT NO. 508

A tract of land lying in Claiborne County, Tenn., on the waters of Bennett Fork of Yel Creek, Rogers and Hull, Wyman and Cairns, containing 54½ acres. Being the same land conveyed to D.C. Gibson and others to Alex A. Arthur, trustee, by deed dated 17th of March, 1887, recorded at Tazewell, Tenn., in Book O, Vol 2, page 266. Being a portion of the same propert conveyed to the American Association Incorporated by James H. Bartlett, Master Commissio by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, page 19 to 37.

TRACT NO. 509

A tract of land lying in Claiborne County, Tenn., in 3rd Civil District, on Tackett Creek, Cumberland and Log Mountains, and being a part of the Cornelius Bowman 1400 acre grant, adjoining lands formerly owned by Hopper and Marsee and Hull, Wyman & Cairns, and others, containing 147 8-10 acres. Conveyed by Hopper and Marsee to Alex A. Arthur, trustee, by deed dated 1st of Sept. 1887, recorded at Tazewell, Tenn., in Book P, Vol 2, page 34. Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, page 19 to 37.

TRACT NO. 510

A tract of land lying in Claiborne County, Tenn., in the First Civil District, on the north side of Cumberland Mountain and on Tackett Creek, adjoining land formerly owned by Hopper and Marsee, and the lands of W.P. Hubbard, containing 280 9-10 acres. Conveyed by C.W. Bowman and wife to Alex A. Arthur, trustee, by deed dated 1st of Sept., 1887, recorded at Tazewell, Tenn., in Book P, Vol 2, page 199. Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, page 19 to 37.

TRACT NO. 511

A tract of land lying in Claiborne County, Tenn., in the First Civil District, on Tackett Creek, Cumberland Mmmmk and Log Mountain, and being a part of the Cornelius Bowman 1400 acre survey, adjoining land formerly owned by Hull, Wyman & Cairns, J.W. Carroll, C.W. Bowman and others, containing 340 51-100 acres. Conveyed by Hopper and Marsee To Alex A. Arthur, trustee, by deed dated 1st of Sept., 1887, recorded at Tazewell, Tenn., in Book P, Vol 2, page 27. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol. 3, page 19 to 37. Tract #681 bought to clear title on above described land.

TRACT NO. 512

A tract of land lying in Claiborne County, Tenn., in the first Civil District, on Thackett Creek, on Cumberland and Log Mountain, and being a part of the Cornelius Bowman 1400 acre survey, adjoining lands formerly owned by C. W. Bowman and Hopper and Marsee, containing 157 44-100 acres. Being the same land conveyed by Hopper and Marsee to A. A. Arthur, trustee, by deed dated 1st of Sept., 1887, recorded at Tazewell, Tenn., in deed book P, vol 2, page 20. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in book of Deeds 74, vol 2 page 19 to 37.

TRACT NO. 513

A tra ct of land lying in the Third Civil District of Claiborne County, Tenn., on Tackett Creek and Log Mountain, adjoining land of James Hopper, William H. Marsee, and others, and being part of Cornelius Bowman 1400 acre tract survey, containing 192 31-100 acres. Conveyed by W. H. Marsee, administrator of James H. Marsee to Alex A. Arthur, trustee, by deed dated 18th of Oct. 1887, and registered at Tazewell, Tenn., in deed book P, vol 2 page 2. Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in book of deeds 74, vol 3, page 19 to 37.

TRACT NO. 514

A tract of land lying in Claiborne County, Tenn., in the First Civil District, on coope Ridge of Log Mountain and Tackett Creek, adjoining land formerly owned by W. H. Marsee and John Teague, containing 67 37-100 acres. Conveyed by C.W. Bowman and wife to Alex. A. Arthur, trustee, by deed dated 1st of Sept., 1887, recorded at Tazewell, Tenn., in bok P, vol 2, page 199. Being a portion of the same property conveyed to the American Association Inc., by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded at Tazewell, Tenn., in Book of Deeds 74, vol 3, page 19 to 37.

TRACT NO. 515

A tract of land lying in Claiborne County, Tenn., on Log Mtn. and Sugar Branch, between Walker's line and line of latitude 36 to 30 north, adjoining on east lands purchased by Alex. A. Arthur from Hull, Wyman & Cairns, on the west lands purchased from C. W. Bowman including what is known as the Bryson place, containing 103 10-100 acres. Being same land conveyed by J.M.K. Sharp and others to Alex.A. Arthur, trustee, by deed dated 10th Nov., 1890, recorded at Tazewell, Tenn., in Book S, vol 2 page 512. Being a portion of the same property conveyed to American Association Inc. by Jas. H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded at Tazewell, Tenn., in book of deeds 74, vol 3, page 19 to 37. Also in 515 file-deed frm F.M.K. Sharp dated 3/17/1896.

TRACT NO. 516

A tract of land lying in Claiborne County, Tenn.,in the First Civil District, on Log Mountain and the waters of Cedar Fork, adjoining lands formerly owned by Hull, Wyman and Cairns,A. Gabliff,Jacob S. Marsee, C.H. Rogers, Hopper and Marsee and others, containing 1984 14-100 acres. Being the same land conveyed by C,W. Bowman and wife to Alex. A. Arthur, trustee,by deed dated 1st of Sept.,1887, recorded at Tazewell,Tenn. in Book P, Vol 2,page 199. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April30,1895, and recorded at Tazewell, Tenn.,in Book of Deeds 74,Vol .3,page 19 to 37.

TRACT NO. 517

A tract of land lying in Claiborne County, Tenn., on the head waters of Valley Creek being land which was conveyed by T.R. Hatfield to Jas. Johnson, adjoining the lands of Wm. Moyers, A.J. Bailey and lands formerly owned by C.W. Bowman and Alex A. Arthur, trustee, containing 88 75-100 acres. Conveyed to C.H. Rogers by James Johnson and wife by deed dated 10th of Dec., 1890, nadorded at Tazewell, Tenn., in Book U, Vol 2,page 48. And being a portion of the same property conveyed to the American Assodiation Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn.,in Book of Deeds 74, Vol. 3,page 19 to 37.

TRACT NO. 518

A Tract of land lying in Claiborne County, Tenn., on both sides of Valley Creek, and being the lands held under the following grants: Levi Harp 3380; Levi Harp 3603; William Teague 3437;a part of W.H. Harp 3180;the Joshua Tye grant and part of the Cornelius Bowman 1400 acre grant, adjoining lands formerly owned by C.W. Bowman, C.H. Rogers,and land of J.C. Colson, Kitzy Marsee and W.K. Sharp,containing 790 1-10 acres. Being land which was conveyed to C.H. Rogers by W.D. Williams, by deed dated 11th of Dec.,1890, recorded at Tazewell, Tenn., in Book U,Vol 2,page 55. And being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April30,1895,recorded at Tazewell,Tenn., in Book of Deeds 74,Vol.3,page 19 to 37.

TRACT NO. 519

A tract of land lying in Claiborne County, Tenn., on Valley Creek, being part of Levi Harp grant 3380,adjoining lands formerly owned by Mack Clouse and A. Gatliff, containing 96 1/3 acres. Conveyed to C.H. Rogers by W.D. Williams and wife by deed dated 11th of Dec.,1890, recorded at Tazewell, Tenn.,in Book U, Vol 2,page 55. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner,by deed dated April 30,1895 ,recorded at Tazewell, Tenn., in Book of Deeds 74,Vol.3,pg. 19 to 37.

TRACT NO. 520

A tract of land lying in Claiborne County, Tenn., in the First Civil District, north side of Cumberland Mountain, and south side of Tackett Creek, being part of the Cornelius Bowman 1500 acre survey, adjoining the lands formerly owned by C.W. Bowman and adjoining the latitude line and lands formerly owned by Daniel Bowman, containing 856 54-100 acres. Conveyed by Addison Bowman and others to Alex. A, Arthur, trustee, by deed dated 4th of June, 1888, recorded at Tazewell, Tenn., in Book P, Vol 2, page 190. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, page 19 to 37.

TRACT NO. 521

A tract of land lying in Claiborne County, Tenn., on north side of Cumberland Mountain and south of Tackett Creek, bounded on north by lands formerly owned by J.H. BOWman and D.H. Bowman, on east by lands formerly owned by Addison Bowman and the Bowman mail rese on south by the line of Henderson & Co.'s Powell Valley survey, on west by the west boundary line of the Cornelius Bowman 1500 acre grant no. 24341, containing 881 ½ acres. Conveyed to C.H. Rogers by Daniel Bowman and wife by deed dated 17th of Jan., 1891, rec at Tazewell, Tenn., in Book U, Vol 2, page 72. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissi by deed dated April 30, 1895, recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, pag 19 to 37.

TRACT NO. 522

A tract of land lying in Campbell County, Tenn., known as entry 720 and grant No1 20632, to Wm. Herring, adjoining lands formerly owned by Charles Seymour and Bowman, Petree an Amis, containing 250 acres. Conveyed by McNew and Powers to Alex A. Arthur, trustee, by dated 14th of May, 1889, recorded at Jacksboro, in Book Z, page 246. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett Master Commissioner, by deed dated April 30, 1895, recorded at Jacksboro, Tenn., in Trus Deed Book E, page 343 to 363 and 364 to 384.

TRACT NO. 523

A tract of land lying in Campbell County, Tenn., known as entry No. 678 and grant No. 2 to Wm. Herring, adjoining lands formerly owned by Charles Seymour, J.L. Miller, E.S. Hollingsworth, and others, containing 300 acres. Conveyed by McNew and Powers to Alex A. Arthur, trustee, by deed dated 14th of May, 1889, recorded at Jacksboro, in Boo Z, page 246. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Jacksboro, Tenn., in Trust Deed Book E, page 343 to 363 and 364 to 384

TRACT NO. 524

A tract of land lying in Campbell And Claiborne Counties, Tenn., known as entry 1044 grant 22351, to Alvis Kincaid, adjoining lands formerly owned by Bowman, Petree and Am. J. C. Taylor, and Charles Seymour, containing 1200 acres. Conveyedby Charles Seymour to Alex A. Arthur, trustee, by deed dated 26 of August, 1887, recorded at Jacksboro, Tenn., in Book X, page 550. Being a part of the same prope rty conveyed to the America Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Jacksboro, Tenn., in Trust Deed Book E, page 343 to 363 and 364 to 384. Tract 524-B bought Jan. 19 1907 con ains 300 acres-$1000.00. Sold 65 acres of surface on south side of Cumberland Mountain off the 1200 acre tract to W.H. Parrott and W.F. Maddox by deed dated May 19, 1927. American Association Inc. owns 1435 acres in fee and 65 acres Mineral rights.

TRACT NO. 525

A tract of land lying in Claiborne County, Tenn., in the First Civil District, on Cumberland and Log Mountains, and on Tackett Creek and the waters of Clear Fork, adjoining lands formerly owned by Addison Bowman and other, J. M. Bowman, A. Gatliff, W.D. Williams and others, containing 1754 76-100 acres. Conveyed by C. W. Bowman and wife, to Alex A. Arthur, trustee, by deed dated 1st of Sept. 1887, recorded at Tazewell, Tenn. in book P, vol 2, page 199. Being a portion of the same property conveyed to the American Association incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, vol 3, page 19 to 37. Tract #881 and tract 603A were bought to clear title on #525.

TRACT NO. 526

A Tract of labd lying in Claiborne County, Tenn.,on the waters of Straight Creek, adjoini the T.H. Bowman lands, the C.W. Bowman 1475 acre tract, Daniel Bowman Puncheon Camp tract and lands formerly owned by J.H. AND D.H. Bowman, and the Taylor and Harris lands, and being part of the Cornelius Bowman 1400 acre grant 3184, containing 1982 16-100 acres. Conveyed to C.H. Rogers by J.M. Bowman and wife by deed dated 22nd of Dec. 1890, recorded at Tazewell, Tenn., in Book U, Vol 2, page 61. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioners, by deed dated April30,1895 and recorded in Book of Deeds 74 Vol 3, page 19 to 37, at Tazewell, Tenn.

TRACT NO. 527

A tract of land lying in Claiborne County, Tenn., on waters of Straight Creek adjoining the latitude line and lands formerly owned by T.H. Bowman ,JC. Taylor, and J.H. And D. H. Bowman and the Hollowell land, and being a small portion of the Cornelius Bowman 1500 acre survey and a part of the Cornelius Bowman 1400 acres. Conveyed to C.H. Rogers by three deeds, one from G.W. Taylor, dated 12th of Dec.,1890, recorded at Tazewell, Tenn., in Book U,Vol.2,page 51; one from G.H. Harris dated 12th of Dec.,1890, recorded at Tazewell, Tenn. in Book U, Vol 2,page 53; and one from J.H. And D.H. Bowman dated 22nd of Jan., 1891, recorded at Tazewell, Tenn., in Book U, Vol 2,page 17. Contains 1531 ± acres, Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett,Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol. 3,page 19 to 37.

TRACT NO. 528.

A tract of land lying in Claiborne County, Tenn., on the waters of Tackett Creek, and adjoining the latitude line and land formerly owned by Jones, Knight, Longmire and Huffaker, Daniel Bowman and Addison Bowman and other, containing 548 42-100 acres. Conveyed by D.H. BOwman et al to A.A. Arthur, trustee by deed dated 21st of Dec. 1887, recorded at Tazewell, Tenn., in Book P, Vol 2,page 251. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895 and recorded at Tazewell, Tenn., in Book of Deeds 74,Vol.3,page 19 to 37.

TRACT NO. 529

A tract of land lying in the First Civil District of Claiborne County, Tenn., on north side of Cumberland Mountain and on Tackett Creek, being that part of grants nos.28366 and 28376 to Elijah Jones and T.B. Knight, which is included within the following boundary, bounded on north by the latitude line, on the east by the west line of the Cornelius Bow 1500 acre grant, on south by the top of Cumberland Mountain, and on west by the Alvis Kincaid grant, issued on Campbell county entry No. 1044, and the J.C. Taylor grant, issued on Claiborne County entry No. 1346, containing 1679 acres. Being the same land conveyed by C.H. Rogers to Alex A. Arthur, trustee, by deed dated 15th of June,1891, recorded at Tazewell, Tenn.,in Book V, Vol 2,page 551. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner,by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol.3,page 19 to 37. Tract #529A-See #681 File.

TRACT NO. 530

A tract of land lying in Claiborne County, Tenn., on Ben's Branch, waters of Tackett Creek, and on Log Mountain, being a portion of the Cornelius Bowman 1480 acre survey, adjoining the latitude line, and lands formerly owned by Harris and Taylor, and J.C. Taylor, containing 321 50-100 acres. Conveyed to C.H. Rogers by W.G. Taylor and wife and G.M. Harris and wife and J.C. Taylor and wife, by deeds dated respectively 12th of Dec., 1890, and Dec. 11, 1890, recorded in Book U, Vol.2, pages 36 and 30, respectively, at Tazewell, Tenn., being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol.3, page 19 to 37.

TRACT NO. 531

A tract of land lying in Claiborne County, Tenn., on the waters of Straight Creek and Rock Creek and Clear Fork of Cumberland River, being land covered by the following grants: No. 2896 to M.C., S.M.C., T.H. AND John Bowman, No. 3181 and 1032 to John Bowman No. 2892 to Dugg Chadwell, No. 3273 to Luke W. Leforce, No. 1029 and 1812 to William Bowman, Jr., 1714 to Wm. Bowman, No. 3988 to T.H. Bowman, No. 3041 to George W. Crews, adjoining lands formerly owned by the Bostic heirs. Mack Clouse, A. Gatliff, James Bowman, Hiram Harris, the Teague heirs and the Hallowell land, conveyed by T.H. Bowman to C.H. Rogers by deed dated 24th of Sept., 1890, recorded at Tazewell in Book U Vol.2, page 66 containing 1432 and 72/100 acres after excluding the land heretofore conveyed by T.H. Bowman to N.M. Johnson and J.M. Smith and a small tract about 1/2 acre on Rock creek, heretofore, conveyed by T.H. Bowman to the Methodist Church, being where the church now stands; also 36 feet square at the family graveyard, including the graves and described in a deed from C.H. Rogers to Alex A. Arthur, trustee, recorded at Tazewell, in Book X, Vol.2, page 13. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol.3, page 19 to 37. The excluded 1/2 acre was purchased from Pearl Sharp, widow, by deed dated Oct., 15, 1935. Recorded at Tazewell, Tenn., in Deed Book #66, page 480. Recorded in Deed Book #14. Vol.3, pages 255, 256, 257. The association bought the Teague heirs interes to clear title on Aug. 1, 1902 for $1519.05. American Association Inc. owns 1433.22 acre in fee.

TRACT NO.536

A tract of land lying in Claiborne County, Tenn., on Buffalo Branch of waters of Tackett Creek, adjoining lands of S.M. Marsee, John Adams, Jonathan Hurst and S.M. Miller ,and being covered by the T.H. Bowman grant No. 3179,and the Charles Cole grant No. 1895, containing 231 91-100 acres.Conveyed to C.H. Rogers by T.H. Bowman by deed dated 24th of Sept.,1890, recorded at Tazewell, in Book U, Vol.2,page 66. Being a portion of the same property conveyed to the American Association Incorporat by James H. Bartlett, Master Commissioner,by deed dated April 30,1895,and recorded a Tazewell, Tenn., in Book of Deeds 74, Vol.3, page 19 to 37.

TRACT NO. 532

A tract of land lying in Claiborne County, Tenn., on Ben's Branch, waters of Tackett C and Log Mountain ,being covered by the grant to Elijah Bowman, No. 3492 and grant to J Bowman No. 3033, adjoining land formerly owned by P. Hopkins, James Johnson J.C. Tayl and others, containing 117 acres.Conveyed to C.H. Rogers by G.W. Taylor and G.M. Harri by deed dated 12th of December 1890, and by J.G. Taylor by deed dated 11th of Dec., 1890,recorded at Tazewell, ~~xxx~~ in Book U, Vol.2,page 36 and 30 respectively.Being a portion of the land conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895 and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol.3, page 19 to 37.

TRACT NO. 533

A tract of land lying in Claiborne County, Tenn., on thewaters of Rock Creek,and being all of the T.H. Bowman grant No. 3443, and a part of the Nathan Cross grant No. 2889, and adjoining the William Harris 200 acre tract, and the James Johnson and J.C. Taylor lands, containing 86 3-10 acres. Conveyed to ~~xxx~~ C.H. Rogers by W.P. Hopkins an wife by deed dated 11th of December,1890, recorded at Tazewell in Book U, Vol.2,page 19. Being a portion of the same property conveyed to the American Association Incorpor by James H. Bartlett,Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn.,in Book of Deeds 74, Vol.3,page 19 to 37.

TRACT NO. 534

A tract of land lying in Claiborne County, Tenn.,on the waters of Rock Creek, and bein a part of the Nathan Cross grant No. 2889, adjoining the W.H. Thomas and the W.P. Hopk lands, containing 200 acres.Conveyed to W.H. Rogers by Wm. Harris and wife by deed dat 10th of December,1890, recorded at Tazewell, Tenn., in Book U, Vol.2,page 38. Being a portion of the same property ~~xxxxxxxx~~ conveyed to the American Association Incorpora by James H. Bartlett, Master Commissioner, by deed dated April 30,1895,and recorded at Tazewell, Tenn.,in Book of Deeds 74, Vol. 3,page 19 to 37.

TRACT NO. 535

A tract of land lying in Claiborne County, Tenn., on the waters of Rock Creek, being the west end of the Nathan Cress grant No. 2889, adjoining W.H. Thomas tract, the Wi. Harbis, Wm. Whomas and C.M. Marsee lands, containing 35¼ acres. Conveyed to C.H. Rogers by W.H. Thomas by deed dated 22nd dec.,1890, recorded at Tazewell, in Book U, Vol.2,page 33. Being a portion of the same property conveyed to the American Associa Incorporated by James H. Bartlett, Master Commissioner,by deed dated April 30,1895 and recorded at Tazewell, Tenn.,in Book of Deeds 74, Vol. 3,page 19 to 37.

TRACT NO. 537

A tract of land lying in Claiborne County, Tenn., on the waters of Rock Creek, adjoining the J. M. Marlor, C.M. Marsee and WM. Harris lands, being a part of the John L. Marlor grant No. 3053, being the same land which was conveyed by John L. Marlor to W.H. homas containing 37 1-10 acres and conveyed to C.H. Rogers by W.H. Thomas the 22nd of December, 1890, recorded at Tazewell, in book U, vol 2, page 33. Being a portion of the same property conveyed to the American Association incorporated by James H. Bartlett Master Commissioner, by deed dated April 30, 1895 and recorded at Tazewell, Tenn., in Book of Deeds 74, vol 3, page 19 to 37.

TRACT NO. 538

A tract of land lying in Claiborne County, Tenn., on the waters of Rock Creek, being a part of the John L. Marlor grant 3053, adjoining the T.H. Bowman, John M.M. Marlor, Jr. Wm. and W.H. homas and John Hall lands, containing 130 9-10 acres. Conveyed to C.H. Rogers by C.M. Marsee by deed dated 17th of January, 1891, recorded at Tazewell, Tenn. in book U, vol 2, page 32. Being a portion of the same property conveyed to the America Association Incorporated, by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, vol 3, page 19 to

TRACT NO. 539

A tract of land lying in Claiborne County, Tenn., on the waters of Straight Creek and Tackett Creek, on Log Mountain, adjoining the Hiram Harris, James W. Mink, William Taylor, J.C. Taylor and W.P. Hopkins land, containing 247 8-10 acres. Conveyed to W.H. Rogers by James Johnson by deed dated 10th of Dec. 1890, recorded at Tazewell in Book U, vol 2, page 48. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner by Deed dated April 3 1895 and recorded at Tazewell, Tennessee in book of deeds 74, vol. 3, page 19 to 37.

TRACT NO. 540

A tract of land lying in Claiborne County, Tenn., on the waters of Straight Creek and Tackett Creek, adjoining lands formerly owned by J.W. Mink, James Johnson and A. Gatliff, containing 23 5-10 acres. Conveyed to C.H. Rogers by James Johnson by deed dated 10th of Dec., 1890, recorded at Tazewell in Book U, vol 2, page 48. Being a porti of the same property conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded at Tazewell,

TRACT NO. 541

A tract of land lying in Claiborne County, Tenn., on the waters of Straight Creek and Cl. Fork of Cumberland River, being part of the George W. Cress grant No. 3041, adjoining the Hiram Harris, James Johnson, J.C. Tayl, or and the Hallowell lands, containing 97¼ acr Conveyed to C.H. Rogers by James W. Mink and wife by deed dated 22nd of Dec., 1890, recorded at Tazewell in book U, vol 2, page 21. Being a portion of the land conveyed to the American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded at Tazewell, Tenn., in Book of Deeds 74, vol 3, page 19 to 37.

TRACT NO. 542

A tract of land lying in Claiborne County, Tenn., on the waters of Rock Creek and Straigh Creek, adjoining the T.H. Bowman, Hallowell & Co., Jas. W. Mink, Jas. Johnson and H.C. Patrick lands, being part of the following grants: Geo. W.Cress No. 3041, L. W. LeForce No. 3273, and William Bowman, Jr. No. 1029, containing 211 4-10 acres. Conveyed to C.H. Rogers by Hiram Harris and wife by deed dated 22nd Dec., 1890, recorded at Tazewell in book U, vol 2, page 23. Being a portion of the same property conveyed to the America Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn.. in Book of Deeds 74, vol 3, page 19

TRACT NO. 543

A tract of land lying in Claiborne County, Tenn., on the waters of Rock Creek and Str Creek, adjoining the T.H. Bowman and Hiram Harris lands, containing 64¼ acres. Conve to C.H. Rogers by H.C. Patrick and wife by deed dated 22nd of Jan. 1891, recorded at Tazewell, in book U, vol 2, page 59. Being a portion of the same property conveyed t American Aseociation incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, vol 3, pa 37.

TRACT NO. 544

A tract of land lying in Claiborne County, Tenn., on the south side of the ridge divi waters of Clear Fork and Bear Creek; beginning on a black oak the beginning corner of grant No. 3290; thence N 2¢ W 40 poles to a stake; thence N 54 3/4 W 28 poles to a ch oak corner Harp 3290; thence N 6 E 44 poles to a stake; thence N 6 W 90 poles to a st thence N 27 E 127.75 poles to a stake on top of ridge dividing Bear creek and Clear f thence with the top of said ridge N 68 E 8.30 poles; thence N 50 E 14.12 poles; thenc 74 E 12.72 poles; thence N 68 E 23.50 poles to the E boundry of Harp No. 3290; thence the same S 37 W 168 poles to a stake; thence S 3 E 19¼ poles to the line of a tract f owned by W.D. Williams; thence with the same S. 66 E 21 poles to the S.E. boundary of Harp No. 3290, and with the same N 30 3/4 E 11.25 poles to the beginning. Containing 26.25 acres. Conveyed by W. D. Williams to C.H. Rogers by deed dated 19th of May, 189 registered at Tazewell in deed book T., vol 2, page 473. Bought by deed dated Feb. 2 from J. H. Bartlett, Special Commissioner.

TRACT NO. 545

A tract of land lying in Claiborne County, Tenn., on the east side of Rock Creek, bou on the north and west by the T.H. Bowman lands, on the south by land formerly owned b. C.M. Marsee, and on the east by the John M.Marlow land, containing 8 acres, and being same land conveyed by C.M.Marsee and John M. Marlow to S.H. Rogers by deed dated 21 of May, 1891, registered at Tazewell in deed book T., vol. 2, page 573, which deed : referred to and made a part hereof for a more full and perfect description of said la: Bought from H. H. Bartlett, Special Commissioner, by deed dated Feb. 24, 1896.

TRACT NO. 546

A tract of land lying in Claiborne County, Tenn., on waters of Buffalo Branch of Tackett Creek, and being the James Harp entry No. 1344; beginning at 3 poplars begin corner of Harp entry No. 1344; thence with the various lines of said Harp N. 88.10 E 118.40 poles to a chestnut and chestnut oak; thence S 2 W 7 poles to a stake; thence S 88 42.75 poles to a sourwood; thence S 27 E 21 poles to a stake; thence S 88 E 24 poles to a stake; thence S 43 E 12 poles to a stake; thence S 36¼ W 44.50 poles to a chestnut oak; thence S 12¼ W 78.40 poles to a stake; thence S 56 3/4 W 24.07 poles; thence N 25 7 W 40.50 poles to a white oak; thence N 73 49 W 104.70 poles to a chestnu oak; thence N 14 3 W 98.62 poles to the beginning. Containing 119 acres more or less. Conveyed by Jonathan Hurst to C.H. Rogers by deed dated 26 February, 1891, registered at Tazewell in Deed book U, vol 2, page 142. Bought from J. H. Barlett, Special Commissioner, by deed dated February 24, 1896.

TRACT NO. 547

A tract pf land lying in Claiborne County, Tenn., on the waters of Tackett Creek and Ben's Branch, adjoining Knight and Jones and Rachel Huffaker lands and others, being parts of entries Nos. 844 and 541 to David Wilson and conveyed to J.F. Longmire by J.M. Vanbebber and J.R. Cawood by deed dated Aug.,1861, registered at Tazewell in Book O, Vol.2,page 253. Also all the right,title and interest acquired to and land by J.F. Longmire and wife by possession outside of the boundary set out in said deed or grants near to and adjoining the same, and especially is it intended to cover and convey the right and title of said Longmire and wife to what is known as the Ben Hidge place, and the land actually enclosed there, whether that land falls inside or outside of the boundaries set out in said deed or grants.And being the same land describ in a deed from J.F. Longmire and wife to C.H. Rogers, dated 12th of May,1891, registered at Tazewell, in Book T, Vol.2,page 416, which deeds and grants are hereby referred to and made part hereof for a more full and perfect description of said lands. Contains 100 acres, Bought from J.H. Barllett, Special Commissioner, by deed dated Feb. 24,1896.

TRACT NO. 548

A tract of land lying in Claiborne County, Tenn., on waters of Tackett Creek, adjoining the lands of J.F. Longmire, Knight and Jones lands and others, being part of entries Nos. 814, and 541 to David Wilson and beingthhe portion of said grants conveyed to Wiley Huffaker by David Wilson by deed dated the 3 of Sept., 1855, registered at Tazewell in Book X, page 107. And also any lands lying outside of the boundary covered by said deed or grants to which Rachel Huffaker had any right, title or claim by virtue of any possession which she or her vendors have had on the same and being the same land described in andeed from Rahhel Huffaker to C.H. Rogers, dated the 20th of March, 189 registered at Tazewell in Book T, Vol.2, page 410, which deeds and grants are hereby referred to and made part hereof for a more full and perfect description of said lands. Contains 80¼ acres. Bought from J.H. Bartlett, Special Commissioner, by deed dated Feb. 24, 1896.

TRACT NO. 550

An undivided three-fourth interest in a tract of land lying in Claiborne County, Tenn on the waters of Clear Fork of Cumberland River and Valley Creek, known as the Bosti land, adjoining lands formerly owned by T.H. Bowman and Mack Clouse and others, contai 285¼ acres. Conveyed by Ancil Gatliff to A.A. Arthur, Trustee, by deed dated 8th of M 1881, and described in a deed from C.H. Rogers to American Association, Limited; dated 7th of August, 1893, recorded at Tazewell in deed book Y, Vol.2, page 591. Being a portion of the same property conveyed to the American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol.3, page 19 to 37.

TRACT NO. 550-A

An undivided ~~interest~~ one-fourth interest in a 285¼ acre tract of land lying in Claiborne County, Tenn.

In Book L, Vol.2, page 131, which title bond and grant are hereby referred to and made part hereof for a more full and perfect description of said land.

3rd Tract consisting of two pieces, one lying inside the Cornelius Bowman 1400 acre survey, and described as follows: beginning on top of Log Mountain on the divide of th waters of Ben's Branch and Straight Creek on a stake in the line of the 1400 acre surv made by Cornelius Bowman; thence S E to a rock lettered AY; thence with 1 you rocks tc letter B; thence with the top of the ridge to a long rock with the letter C; thence southerly to a stake at the west corner of his Tennessee survey where it joins the latitude line; thence westwardly with said line to the 1400 acre survey line; thence wi said line to the beginning, being the same land conveyed to J.C. Taylor by Cornelius Bowman by deed dated the 9th of Jan. 1859, registered at Tazewell in Book S, Vol2., page 196, which deed is hereby referred to and made part hereof for a more full and perfec description of said land. The other lying between the waters of Clear Fork and Cumberland Mountain and described as follows: beginning on the latitude line at a stal in the S.W. corner of Cornelius Bowman's 1400 acre survey; thence eastwardly with sai line until it strikes the line of Cornelius Bowman's Tennessee survey; thence with th

Tennessee survey line to the Wilson line; thence with the said line to the beginni stone on the latitude line; thence south course with the Wilson line 125 poles to a stake; thence with a conditional line a more east course to a big cliff at the top of a ridge to a pine and sourwood; thence on a conditional line to the Camp rock near the big persimmon on the waters of Straight Creek; thence down with the water of said creek where the 1400 acre survey crosses the said creek; thence with line of s surbey to the beginning, bbeing the same labd conveyed by C.W. Bowman and wife to Debora M. Taylor by deed dated 28th February, 1873, registered at Tazewell, Tenn., in Book 1, Vol.2, page 06, which deed is hereby refemred to and made part hereof for a more full and perfect description of said land;

4th tract lying on the waters of Rock Creek, Straight Creek and Clear Fork of Cumberl River, and adjoining the C.M. Marsee 130 acre and 8 acre tracts, the H. Pat rock 64 ac tract, the Hiram Harris land, the James Johnson 247 acre tract, and the John Huddlest survey, being the same land granted by the State of Kentucky to C.W. Cress by for a more full and perfect description of said land. Also and other lands owneddby J.C. Tay in the 1st Civil District of said county. All of said tracts contain 500 acres more o less and were conveyed by J.C. Taylor and wife to C.H. Rogers by deed dated 11th of Dec.189 , registered at Tazewell in Book U, Vol.2, page 30, where deed is hereby referr to and made part hereof to showrthe lands and interest in lands hereby intended to be sold and conveyed. Bought from J.H. Bartlett, Special Commissioner, by deed dated Feb and others, being the land conveyed by J.F. King and wife to C.H. Rogers by deed dated 20th of May, 1891, and described in a deed from C.H. Rogers to the American Association Ltd., dated 7th of Aug. 1893, registered at Tazewell in Book Y, Vol.2, page 591 to 599, which deeds are hereby referred and made part hereof for a more full and perfect description of said land. Bought from J.H. Bartlett, Special Commissioner, by deed dated Feb. 24, 1896.

TRACT NO. 551

An undivided three-fourths interest in a tract of land lying in Claiborne County, Tenn., on both sides of Straight Creek of Clear Fork of Cumberland River, including the mouth of Straight Creek, known as the Bostic land, adjoining the lands formerly owned by T.H. Bowman, the Teague heirs and others, containing 306 acres. Conveyed by Ancil Gatliff to Alex A. Arthur, trustee, by deed dated 24th of August, 1891, registered at Tazewell in de book Z, Vol 2, page 487. Being a portion of the same property conveyed to the American Association Incorporated by James H. Barylett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, page 19 to 37. This tract includes #553 and 554, also covers 551A. American Association Inc. owns 306 acres in fee. Tract 551A covers other 1/4 interest.

TRACT NO. 551-A

An undivided one-fourth interest in a 306 acre tract of land lying in Claiborne County, Tenn.,on both sides of Straight Creek of Clear Fork of Cumberland River, including the south of Straight Creek,known as the Bostic land, adjoining the lands formerly owned by T.H. Bowman the Teague heirs and others, being the same land conveyed by J.F. King and wife to C.H. Rogers by deed dated 20th of May,1891; and it is also intended to sell and convey anyother tracts of land or interest in lands that C.H. Rogers owned on 7th of Aug.,1893, within the boundaries of the lands of American Association,Ltd., on the waters of Tackett Creek and Clear Fork of Cumberland River which undivided one-fourth interest and otherslands mentioned are described in a deed from C.H. Rogers to American Association .Ltd.,dated 7th of August,1893,registered at Tazewell,in Deed Book Y, Vol. 2,page 591 to 599. which is hereby referred to and made part hereof for a more full and perfect description of land and interest in lands. Also, the following lots in the town of Cumberland Gap ,Claiborne County ,Tenn., as shown by plat on file in Register's office at Tazewell, in said county, as follows: Lot 26 Block D,fronting 25 feet on Lynn Street and about 140 feet deep;Lot 23 Block D, situate at the extreme E end of said block fronting about 87 feet on Cumberland Drive and 60 feet on Colwyn Stree Lot 11 Block E fronting 25 feet on Pennlyn Street, and 100 feet deep; Lot 19 Block A, fronting 25 feet on Colwyn Street and 125 feet deep;Lot 4, Block 1, fronting 50 feet on on Colwyn Street and 145 feet deep;and Lot 10 Block D,fronting 25 feet on Colwyn Street, and 125 feet deep. Bought from J.H. Bartlett, Special Commissioner, by deed dated Feb. 24,1896. Tract 551-A bought to clear tract 551.

TRACT NO. 552

An undivided three-fourths interest in a tract of land lying in Claiborne County,Tenn., on the ridge dividing the waters of Straight Creek and Valley Creek, known as Bostic land adjoining land formerly owned by T.H. Bowman and others, containing 112 acres. Conveyed by Ancil Gatliff to Alex A. Arthur, trustee, by deed dated 24 of August,1891, registered at Tazewell in deed book Z, Vol 2,page 487. Being a portion of the same property conveyed to the American Association Incorporated by James H. Bartlett,Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3,page 19 to 37.

TRACT NO. 553

An undivided three-fourths interest in a tract of land lying in Campbell County, Tenn., on the waters of Straight Creek of Clear Fork of Cumberland River, known as the Bos land, adjoining lands formerly owned by T.H. Bowman, Teague heirs and others, containi 40 1/3 acres. Conveyed by Ancil Gatliff to Alex A. Arthur, trustee, by deddddated 24th of Aug., 1891, registered at Jacksboro in deed Book 31, page 377. Being a portion of same property conveyed to American Association Inc., by James H. Bartlett, Master Commissioner by deed dated April 30, 1895, recorded at Jacksboro, Tenn., in Trust Deed Book E, page 343 to 363 and 364 to 384. (Included in tract 551.)

TRACT NO. 554

An undivided three-fourth interest in tract of land lying in Campbell County, Tenn., on waters of Straight Creek of Cumberland River, known as Bostic land, adjoining the Teague heirs land, C.M. Marsee and land formerly owned by H.C. Pattick, containing 9-3/4 acres, conveyed by Ancil Gatliff to Alex A. Arthur, Trustee, by deed dated 24th of August, 1891, recorded at Jacksboro in deed book 31, page 377. Being a portion of the same property conveyed to American Association Inc., by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, recorded at Jacksboro, Tenn., in Trust Deed Book E, page 343 to 363 and 364 to 384. (Included in tract 551.)

TRACTS Nos. 555, 556, 556-A, 557, 558, 558-A, 559 560, 561 and 562

A tract of land lying in Campbell County, Tenn., on north side of Cumberland Mtn. and Davis Creek and its waters, adjoining lands of Elizabeth Culpper, K.L. Chadwell, Big Creek Gap Coal & Iron Co.'s land, and lands formerly owned by McNew and Powers, Chas. Seymour, Russell Miller and others, containing 2756.20 acres. Conveyed by Ancil Gatliff to Alex A. Arthur, trustee, by two deeds, one dated 25 of Apr., 1891, and other 30 of Jan., 1891, both registered at Jacksboro in deed book 31, pages 344 and 347. Being a portion of the same property conveyed to American Association Inc., by James H. Bartlett, Master Commissioner, by deed dated Apr. 30, 1895, recorded at Jacksboro, Tenn. in Trust Deed Bk. E. pg. 343 to 363 & 364 to 384.

TRACT NO. 563

A tract of land lying in Claiborne add Campbell counties, Tenn., between Walker's li and latitude 36 30 north. east of Cumberland River and Tackett Creek, adjoining land formerly owned by L.F. King, containing 21 acres. Conveyed to Ancil Gatliff by L.H. King and others, 1st of May, 1891, recorded at Jacksboro in book 28, page 433. Being portion of the same property conveyed to American Association Inc., by James H. Bart Master Commissioner, by deed dated April 30, 1895, and recorded at Jacksboro, Tenn., in Trust Deed Book E, page 343 to 363 and 364 to 384.

TRACT NO. 564

A tract of land lying in Claiborne and Campbell Counties, Tenn., on south side of Tackett Creek, adjoining the latitude line and lands formerly owned by Chas. Seymour and J.H. and L.F. King, containing 132 acres. Conveyed to Ancil Gatliff to LH. King, et al, by deed dated May 1st.,1891, recorded at Jacksboro in book 28, page 424. Bein a portion of the same property conveyed to American Assofiation Inc., by James H. Bartlett, Master Commissioner, by deed dated April 30,1895 and recorded at Jacksboro Tenn., in Trust Deed Book E,page 343 to 363 and 364 to 384.

TRACT NO. 565

A tract of land lying in Campbell County, Tenn. and described as follows: beginning a white oak, standing about 15 poles northeast of Tackett Creek, beginning corner of said King grant #2882; running thence S 35-3/4 E crossing Laurel Branch 66 poles to a stake; thence N 80 E 12.75 poles to a white oak stump; thence S 5 E 53.60 poles Creek 31.50 poles to two beech pointers; thence S 35 E 89.25 poles crossing Tackett Creek twice to a black locust;thence S 45-10 W 15.70 poles to a white oak and dogwood in the latitude line; thence N 87 W 152 poles to a stake; thence N 8 W 129 poles to a stake; thence N 33-51 E crossing Tackett Creek 90.50 poles to the place of beginning. Containing 139¾ acres. Being the same land conveyed to L.H. King to Ancil Gatliff by deed dated May 1,1891, registered at Jacksboro in Book 28, page 422, on May 14, 1891, and conveyed by Ancil Gatliff to Alex A. Arthur, trustee by deed dated May 8,1891. Being a portion of the same property conveyed to American Assofiation Incorporated by James H. Bartlett, Master Commissioner, by deed dated Apr. 30,1895, and recorded at Jacksboro, Tenn., in Trust Deed Book E,page 343 to 363 and 364 to 384.

TRACT NO. 566

A tract of land lying in Claiborne and Campbell Counties, Tenn.,on north side of Cumberla Mountain, on water of Tackett Creek, adjoining lands formerly owned by Charles Seymour and L.H. King and Lewis King, containing 132¾ acres. Conveyed by J.F. King to Ancil Gatli: by deed dated 1st of May,1891, recorded at Jacksboro in Book 28,page 430. Being a portion of the same property conveyed to American Association Incorporated by James H. Bartlett, Master Commissioner,by deed dated April 30,1895, and recorded at Jacksboro, Tenn., in Trust Deed Book E, page 343 to 363 and 364 to 384.

TRACT No. 569

A tract of land lying in Claiborne andoCampbell Counties, Tenn., containing 100 acres. on the north side of Cumberland Mountain and on waters of Tackett Creek, adjoining Campbell and Allborne County line (as it stood in 1888) and line of latitude north 36 30 and the top of Cumberland mountain, from McLane Rock to the county line above mentioned Also including all rights and title under grant No. 42141 by the State of Tenn. to J.F. King, Being the same land conveyed to Ancil Gatliff by two deeds; One from L.H. King and other dated 13 of May,1891, and one from J.F. King, dated 12 of May,1891, and recorded at Jacksboro in book 28, pages 432 and 428 respectively.Being a portion of the same property conveyed to American Association Incorporated by James H. Bartlett,Master-Commissioner,by deed dated Apr. 30.1895, and recorded at Jacksboro,Tenn. in Trust Deed Book E, page 343 to 363 and 364 to 384.

TRACT NO. 571

A tract of land lying in Claiborne County, Tenn. on waters of Valley Creek, adjoining the lands claimed by Dave Williams and Kitsy Marcy and lands formerly owned by W.F. Sharp, the Bostic heirs and Bowman,containing 119½ acres. Conveyed by A. Gatliff to American Assn. Incorporated by deed dated Oct. 15,1895, registered at Tazewell,Tenn., in Deed Book #3, Vol 3,page 70-72

TRACT NO. 572

A tract of land lying in Bell County, Ky.,and Claiborne County, Tenn. on Clear Fork of Cumberland River , opposite the mouth of Daniel Branch and on the state line between Ky. and Tenn. adjoining lands formerly owhed by A. Gatliff, containing 62 acres. Conveyed by Jacob S. Marsee to Ancil Gatliff by deed dated Sept.,1891, recorded at Pineville in Book 34, page 1 and at Tazewell in book 3, Vol 2,page 12. Being a portion of the same property conveyed to American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895,and recorded at Tazewell,Tenn., in Book of Deeds 74,Vol 3,page 19 to 37. American Association Inc, owns 59½ acres in fee and 2½ acres mineral rights. (Sold 2½ acres surface to Boards of Education for Bell and Claiborne Counties-Jan .15,1936.)

TRACT NO. 573

A tract of land lying in Claiborne County,Tenn., on the waters of Elisha Branch of Clear Fork of Cumberland River,adjoining the state line between Kentucky and Tennessee,and lands formerly owned by John Davis and A. Gatliff, containing 130½ acres.Conveyed by A. Gatliff to Alex A. Arthur,Trustee, by deed dated 24th of August,1891,registered at Tazewell in deed book Z, Vol 2,page 487. Being a portion of the same property conveyed to American Association Incorporated by James H. Bartlett, Master Commissioner,by deed dated April 30,1895,recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3,page 19 to 37.

TRACT NO. 574

A tract of land lying in Claiborne County, Tenn., on the waters of Slear Fork of Cumberland River, adjoining the state line between Kentucky and Tennessee and lands formerly owned by Jacob S. Marsee, John Davis and G.W. Sprowl, A. Gatliff and others, containing 453 acres. Conveyed by Jacob S. Marsee to Ancil Gatliff by deed dated 17 of Sept., 1891 , recorded at Tazewell in Book 3, Vol 2, page 12. Being a portion of the same property conveyed to American Association Incorporated by James H. Bartlett, MasterrCommissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, page 19 to 37.

TRACT NO. 575

A tract of land lying in Claiborne County, Tenn., on the waters of Clear Fork of Cumberland River, adjoining the state line between Kentucky and Tennessee and lands formerly owned by Jacob S. Marsee, A.Gatliff, John Davis and others, containing 57 8-10 acres .Conveyed by Ancil Gatliff to Alex A. Arthur, trustee, by deed dated 24 of Aug., 1891, registered at Tazewell in deed book Z, Vol 2, page 487. Being a portion of the same property to American Association Incorporated by James H. Bartlett, MasterrCommissioner by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, page 19 to 37.

TRACT NO. 577

A tract of land lying in Claiborne County, Tenn., on the waters of Clear Fork of Cumberland River, on north side of spur dividing the waters of Bear Creek and Straight ~~Fork~~ Fork of Clear Fork, adjoining lands formerly owned by Jacob S. Marsee, C.W. Bowman, G.W. Sprowl and A. Gatliff, containing 21 acres. Conveyed by Jacob S. Marsee to Ancil Gatliff by deed dated 17th of Sept., 1891, recorded at Tazewell in Book 3, Vol 2, page 12. Being a portion of the same property conveyed to American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30,1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol 3, page 19 to 37.

TRACT NO. 578

A tract of land lying in Claiborne County, Tenn., on the waters of New Cabin Fork of Bennett Fork of Yellow Creek, adjoining lands formerly owned by Hull, Wyman & Cairns, C.B. Bowman and Jacob Marsee and others, containing 49 acres. Conveyed by G.W. Sprowl to Ancil Gatliff by deed dated 8th of August, 1891, recorded at Tazewell in Book X, Vol 2, page 113. Being a portion of the same property conveyed to American Association Inc. by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol. 3, page 19 to 37.

TRACT No. 580

A tract of land lying in Claiborne County, Tenn., and Bell County, Ky., being patent No. 45103 on Burrell Fork, waters of Yellow Creek, adjoining land formerly owned by Hull, Wyman and Cairns and C.W. Short, containing 210 acres. Being the same land conveyed by C.W. Short to Alex A. Arthur, trustee, by deed dated 1st of June, 1889, recorded at Pineville in Book 8, page 620. And being a portion of the same property conveyed to American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895, and recorded at Tazewell, Tenn., in Book of Deeds 74, Vol. 3, page 19 to 37.

TRACT NO. 586

A tract of land lying in Campbell and Claiborne Counties, Tehn., being part of the A.L. Clapp patent No. 3883, described as follows: Beginning where the state line between Kentucky and Tennessee crosses the Clear Fork of Cumberland River; running thence with its meanders down said Clear Fork, passing the mouth of Valley Creek and Straight Creek to the mouth of Tackett Creek, then up said Tackett Creek with its meanders where the same crosses latitude line, the same being the south boundary of the Clapp grant No. 3883; thence with the lines of said Clapp grant east to the southeast corner of the same; thence with the east boundary of said Clapp grant north to the state line between Kentucky and Tennessee, at the northeast corner of said Clapp grant; thence with said line west to the beginning. containing 1306.00 acres more or less. Being the same land conveyed to Ancil Gatliff to the American Association Limited, by two deeds dated 23 of December, 1893, recorded at Tazewell, Tenn., in book Z, Vol 2, page 166 and 168 and at Jacksboro in Book 30, page 603. Being a portion of the same property conveyed to American Association Incorporated by James H. Bartlett, Master Commissioner, by deed dated April 30, 1895 and recorded at Jacksboro, Tenn., in Trust Deed Book E, page 343 to 363 and 364 to 384, and at Tazewell, Tenn., in Book of Deeds 74, Vol .3, page 19 to 37. This is part of a grant bought to clear title on other tracts on which there are records. No acreage.

TRACT NO. 598

From A. Gatliff to American Association Inc, by deed dated Oct. 15, 1895, recorded at Campbell County, Tenn. in deed Book C, page 32. Contains 701 acres.

Beginning on a chestnut tree, the eastern most corner of grant #2406 in name of James Falkner, a corner also of grant #2533 in name of James King, and corner of lands of Isham Rains and of Craig Teague's lands; running thence with line of Falkner grant # 2406 aforesaid, N 34 11 W 178 poles to a black oak in said line corner of the lands of J.M. Hembree; thence leaving the lines of the Falkner grant and with Hembree along a marked line S 51 W 18 20/100 poles; thence S 62 32 W 27 26/100 poles to a gate post corner of Hembree; thence with the road N 46 W 7 28/100 poles to a stake standing N22½ E 1 28/100 poles from the southwest corner of Carr's old mill on Trace Branch; thence N 26° 7 32/100 poles to a stake in Trace Branch; thence down said branch N 47 W 3 75/100 poles; thence leaving the branch N 75 W 5 47/100 poles to a stake on southwest bank of same between two dogwoods marked as a corner; thence S 43 W 27 26/100 poles to a dogwood; thence S 50 3/4 W 18 62/100 poles to a large chestnut; thence S 52½ W 62 85/100 poles

to a black oak in a hollow; thence S 59 W 4 86/100 poles to a small chestnut; thence S 56 W 5 94/100 poles to a stake and white oak; thence S 34¼ W 2 66/100 poles to a dead pine on a rocky point corner of Hembree; thence S 88¼ W 3 poles to a stake in the S.W. grant and continuing with Hembree N 44¼ W 56 8 /100 poles to a black gum on the point of a ridge corner of said Falkner patent; thence N 55¼ W 65 69/100 poles to a stake formerly black oak and chestnut corner of Falkner 2406 and corner of James T. Curd grant 3889; thence leaving the line of Falkner grant and with that of said Curd grant S 51¼ W 100 poles to a stake corner of the same; thence containuing with ss Curd grant N 40 W 28 poles to where the line of the same crosses the line of Wm. Carr grant #4006; thence with the line of said Carr grant S 15¼ W 90 poles to a white oak beginning corner of the same and a corner of James Falkner grant #2546; thence with the lines of the last named patent S 43 9 W 98 poles to a chestnut corner of the same; thence S 8 W 50 50/100 poles to a beech on the south bank of the Kier of Williams Brar in the line of Falkner grant 2546 and conditional corner between G.B. Williams and Wm. Carr; thence leaving the Falkner patent line and with a marked conditional line betwe Carr and Williams the following courses; S 85¼ E 8 84/100 poles to a black gum, N 63 3 E 794/100 poles ,N 58 E 3 20/100 poles, N 67¼ E 5 44/100 poles, N 58¼ E 5 70/100 poles N 64 E 4 29/100 poles,N 69 E 4 poles, N 70 E 3 28/100 poles, N 74 E 5 20/100 poles , N 58¼ E 3 48/100 poles. N 38¼ E 7 poles, N 43 E 2 36/100 poles, N 68¼ E 3 12/100 poi to a walnut at the Hickory Gap; thence with the top of a ridge N 81¼ E 3 42/100 poles, S 52 E 3 99/100 poles, S 88 E 3 50/100 poles, N 83¼ E 4 40/100 poles, N 62¼ E 18 16/1 poles N 83¼ E 12 52/100 poles, S 69¼ E 10 42/100 poles, S 72¼ E 4 64/100 poles, S 62 E poles to a white oak; thence S 25 3/4 E 22 44/100 poles to a white oak; thence S 14 W 16/100 poles, S 32 W 4 64/100 poles, S 20 W 7 88/100 poles, S 6¼W 5 42/100 poles, S 15 E 10 5/100 poles to a sourwood, S 20 E 14 26/100 poles to a black oak on the top of a high point; thence continuing with the top of the ridge S 27 E 2 32/100 poles to a pine; thence S 26 E 8 poles to a hickory; thence S 33 E 6 72/100 poles to a hickor thence S 31 E 7 82/100 poles ; thence S 28 E 6 58/100 poles, S 15¼ E 7 30/100 poles, S 8 78/100 poles,S 25 E 25 4/100 poles, S 16¼ E 16 39/100 poles to a large black oak cor pf G.B. Williams and John Marlow's heirs; thence leaving Williams and with the lines of said Marlow's heirs N 70 3/4 E 32 3/100 poles to a white oak; thence N 66 3/4 E 41 poles to a large poplar corner between Marlow and Lambdin heirs; thence wit the lines of said Lambdin heirs N 65 E 50 68/100 poles to a black gum; thence S 79 E 8 12/100 poles to three chestnuts corner of the lands of S.J. McKinney; thence with th lines of S.J. McKinney along the top of a ridge and with a marked line S 85 W 3 poles, N 40 W 7 36/100 poles, N 28 W 11 4/100 poles, N9¼ W 20 92/100 poles, N 5 W 8 40/100 poles, North 8 22/100 poles, N 20 W 17 82/100 poles, N 44 W 23 90/100 poles to a stake between a chestnut and black gum; thence leaving the top of the ridge N 28 10 E 43 9/10 poles to a maple tree on the south bank of Clear Fork; thence to the middle of Clear F and up same as it meanders and out on the north bank of same all of which when reduced to a straight line is S 75 15 E 28 11/100 poles to a stake between beech and spruce pi pointers on the east bank of Laurel Branch and north bank of Clear Fork; thence up the

point of a ridge S 89¼ E 50 40/100 poles, S 76 E 7 60/100 poles, S 67 E 5 poles; thence along the top of said ridge S 65¼ E 6 poles, S 64¼ E 7 40/100 poles, S 55¼ E 7 44/100 poles, to a white oak and dogwood; thence S 14 E 6 20/100 poles, S 2¼ E 10 44/100 poles, S 26¼ E 24 96/100 poles to a hickory on the north side of a hollow; thence S 21 20 E 1[illegible] poles to a stake with maple and hickory pointers; thence N 89 10 E 32 48/100 poles to [illegible] maple;

Tract No. 589 continued;

thence S 61¼ E. 17 50/100 poles to a white oak corner of the lands of James Rains; thence leaving McKinney and with the lines of James Rains N 39 3/4 E 4 16/100 poles, N 33¼ E 4 67/100 poles to a black gum; thence N 30 E 11 20/100 poles to a stake; thence N 24 3/4 E 4 26/100 poles to a sourwood; thence N 35 E 4 8/100 poles to a black gum; thence N 3[illegible] 3/4 E 4 34/100 poles to a white oak; thence N 49¼ E 4 66/100 poles to a stake; thence N 58 ¼ E 3 36/100 poles, N 53 3/4 E 14 62/100 poles to a stake; thence N 55¼ E 8 86/100 poles to a stake on the divide line between Sawyers Branch and Trace Branch; thence along said divide the following courses, N 63 E 2 24/100 poles, N 53 E 3 68/100 poles, N 48½ E 33 84/100 poles poles to a whiteoak about 10 poles northeast of the gap in the ridge through which the trail from Sawyers Branch and Trace Branch passes; thence N 9 E 26 76 poles to a stake with a black gum pointer; thence N 42¼ E 38 60/100 poles to a black gum corner of Rene Buchanan grant #2291 and corner of the Isham Rains lands; thence N 16 22 E 32 30/100 poles to the place of beginning.

TRACT 2.

Beginning on a stake set between a dead white oak and black gum the southwest corner of James King grant No 2553; running thence with the lines of said King grant S83¼ E 47 poles to a stake corner of the same; thence S 87 3/4 E crossing the Laurel Fork 68 poles to make in the line of said King grant; thence leaving the King grant S 2¼ W 58 3/4 poles to a stake between a black oak and dead chestnut corner of James Falkner grant No 2406; thence with the lines of said Falkner grant S 58 W 54 88/100 poles to a chestnut; thence S 21¼ W 40 27/100 poles to a black oak; thence S 11¼ E 33 poles to a stake corner of said Falkner patent; thence leaving said Falkner grant and with the lines of other lands of Wm. Carr S 51¼ W crossing the Laurel Fork 100 poles to a stake on the north side of Clear Fork and near the same; thence N 40 W 28 poles to the line of Josiah Leaches survey; thence with the lines of the same N 15¼ E 46 1/2 poles to a poplar corner of the same; thence N 62 1/4 E 10 poles to a stake; thence N 18 E 13¼ poles to a white oak; thence N 6¼ W 34 8/10 poles to a black gum; thence N 40 W 28 poles to the line of the Thomas Bruce 50 acre patent owned by Josiah Leach; thence with said Bruce patent N10¼ W17½ poles to a black oak corner of the same; thence N 62 W 14 3/4 poles to the line of the James Cooper grant No. 3293; thence with the same N 36 E 21 poles to a stake corner of the same. Thence leaving Cooper N 38 E 61 poles to the place of beginning.

All of #598 tract contains 701, acres.

TRACT NO. 599

Contains 113 80/100 acres. From A. Gatliff to American Association Incorporated by deed dated Oct. 15,1895, and recorded at Campbell County, Tenn., in Deed Book C, page 32. Lying in Campbell County, Tenn., an both sides of Clear Fork of Cumberland River,adjoining land bounded by the following parties; Henry Gibson,Isham Rains, James Rains,Wm. Carr and J.D. Bills, BEGINNING on a stake on the N bank of Clear Fork a corner of Henry Gibson. Said stake stands a short distance below the mouth of Tackett Creek and is S 30 E 2 and 70/100 poles from a small black walnut tree ;running thence with Henry Gibson N 40 24 E 10 92/100 poles to a rock set in the ground, his corner;thence N 27 E 30 15/100 poles to a stake with chestnut,maple and dogwood pointers; thence N 72 23 E 27 13/100 pole to a stake in the forks of a branch with a white oak pointer corner of Isham Rains;thence leaving Gibson and with Isham Rains up said branch with its meanders N 15 W 4 27/100 poles; N 19½ W3 65/100 poles; N 10 W 14 84/100 poles; N 4 W 7 4/100 poles to a sassafras in a hollow corner of Isham And James Rains; thence leaving Isham Rains and with James Rains W 17 67/100 poles to a black gum on a ridge; thence N 28½ W 28 50/100 poles to a white oak;corner of Wm. Carr; thence leaving Rains and with Carr N 61½ W 17 50/100 poles to a maple, S 89 degrees and 10 minutes W 32 48/100 poles to a stake with Maple and hickory pointers; thence N 21 20 W 18 4/100 poles to a hickory on the N side of a hollow; thence N 36 30 W 24 96/100 poles to a chestnut;thence N 2½ W 10 44/100 poles to a stake;thence N 14 W 6 28/100 poles to a white oak and dogwood on a ridge; thence with the top of said ridge N 5½ W 7 44/100 poles;N 64½ W 7 40/100 poles; N 65½ W 6 poles; down the point of said ridge N 67 W 5 poles; N 76 W 7 60/100 poles;N 89½ W 50 40/100 poles to a stake between beech and spruce pine pointers on the east bank of Laurel Bra and north bank of Clear Fork of Cumberland River; thence tothe middle of Clear Fork and down same with its meanders and out on the south bank of same to a maple tree all of which when reduced to a straight line is N 75 15 W 28 11/100 poles; thence continui with said Wm. Carr S 28 10 W 43 9/100 poles to a stake between a chestnut and black gu on the top of a ridge; thence with said ridge and a marked line S44 E 23 90/100 poles; S 20 E 17 82/100 poles; south 8 22/100 poles; S 5 E 8 40/100; S 9½ E 20 92/100 poles; S 28 E 11 40/100 poles; S 40 E 7 36/100 poles; N 85 E 3 poles to three chestnuts; then 53 50 E 9 10/100 poles to a black gum and godwood corner of J.D. Bills and Wm. Carr; thence leaving Carr and with said Bills N 75 E 12 60/100 poles to a white oak; thence 61 E 3 40/100 poles to a hickory;thence N 67 E 2 80/100 poles to a black gum; thence 65 E 9 poles to a brich; thence N 70 E 4 71/100 poles to a beech; thence N 59½ E 14 po to a stump hole, formerly three lynns on the south bank of Clear Fork; thence to the middle of Clear Fork and up with the meanders of the same and out on the north bank to the beginning, all of which when reduced to a straight line is S 41 E 127 6/100 pol Containing 113 8/10 acres. Courses by magnetic meridian of 1891. Variation 2 degrees e east.

TRACT NO. 600

Contains 58 58/100 acres. From A. Gatliff to American Association Incorporated by dee
dated Oct.15,1895,recorded at Campbell County, Tennessee, in Deed Book C, page 32.
Lying in Campbell County, State of Tennessee, on the waters of Sawyers Branch of Clea
Fork of Cumberland River, adjoining the lands of Isham Rains, S.P. McKinney, Wm. Carr
BEGINNING on a black gum corner of the Rene Buchanan grant 2291 corner also of the
lands of Wm. Carr, and Isham Rains; running thence with Isham Rains S 21 3/4 East 5 X
poles to a white oak;thence south 20 east 5-37/100 poles to a dogwood; thence south 16-3/4
east 3-96/100 poles to a stake;thence south 20 east 5-17/100 poles to a sourwood;then
south 13-¼ east 5-17/100 poles to a white oak; thence south 15-¼ east 4-88/100 poles
to a dogwood; thence south 20 3/4 east 4-15/100 poles to a white oak; thence south 13
east 2-88/100 poles to a black gum; thence south 13-3/4 east 10-6/100 poles; thence s
24 east 9-95/100 poles to a black oak; thence south 16 east 6-20/100 poles;thence so
11¼ east 2-37/100 poles to a beech; thence south 12¼ east 3-12/100 poles to a rock wi
a white oak pointer in the middle of the Sawyers Branch;thence down said Sawyers Brar
with the meanders of the same the following courses, south 37 west 7-59/100 poles;
south 42¼ west 11-14/100 poles;south 2¼ west 11-66/100 poles; south 17 west 14-16/10(
poles;south 18-3/4 west 9-57/100 poles; south 10¼ west 11-38/100 poles; thence leavi
branch south 9¼ west 4-73/100 poles to a birch on the west bank of Sawyers Branch at
falls of the same;thence south 53¼ west 4-25/100 poles to a stake;thence south 48¼ w
4-72/100 poles to a stake;thence south 55 west 4-72/100 poles to a white oak;south 5:
west 7-53/100 poles to a stake;thence south 55 west 6-68/100 poles to a white oak;th
south 55 west 1-44/100 poles to another white oak;thence north 79 -10 west 26-30/100
poles to a maple;thence south 74 west 7-24/100 poles to a large chestnut;thence nort
89-3/4 west 13-35/100 poles to a sassafras in a hollow corner of Isham Rains and S.J
McKinney;thence leaving the Isham Rains lines and with S.J. McKinney west 17-6
poles to a black gum on a ridge, north 28-15 west 28-50/100 poles to a white oak cor
of S.J. McKinney and Wm. Carr; thence leaving McKinney and with Carr north 39-3/4 ea
16/100 poles;thence north 33¼ east 4-67/100 poles to a black gum;thence north 30 ea
11-20/100 poles to a stake;thence north 24-3/4 east 4-26/100 poles to a sourwood;the
north 35 east 4-8/100 poles to a black gum;thence north 38-3/4 east 4-34/100 poles t
a white oak;thence north 49¼ east 4-68/100 poles to a stake;thence north 58¼ east 3-
poles;thence north 53-3/4 east 14-62/100 poles to a stake;thence north 55¼ east 8-8(
poles to a stake on thedivide between Sawyers and Trace Branches;thence along said c
the following courses; North 63 east 2-24/100 poles;north 53 east 68/100 poles;north

~~east 33-84/100 poles to a white oak about 10 poles northeast of the gap in the ridge~~ through which the trail from Sawyers Branch to Trace Branch passes; thence north 9-50 east 26-67/100 poles to a stake and black gum; thence north 42¾ east 38-60/100 poles to the place of beginning. Containing 58-6/10 acres, Courses by magnetic meridian of 1891. There is reserved and excepted from the above tract the following boundary which encloses the Rains graveyard. Beginning on a rock set in the ground which stand south 72-3, east 88/100 poles from the white oak corner of the entire tract which is on the ridge betw Sawyers and Trace Branches and 10 poles northeast of the gap where the road connecting said branches crosses said ridge. From said rock the boundary runs north 74 east 1-70/100 poles to a rock corner set in the ground; thence north 18 west 1-84/100 poles to a rock corner set in the ground; thence south 72 west 1-74/100 poles to a rock; thence south 20-¼ east 1-76/100 poles to the place of beginning, containing 2/100 acres. Said tract contains after said reservation 58 and 58/100 acres.

TRACT NO. 601

Contains 154-40/100 acres. From A. Gatliff to American Association Incorporated by deed dated Oct. 15, 1895, and recorded at Campbell County, Tennessee in Deed Book C, page 32. Lying in Campbell County, State of Tennessee, on the north side of Clear Fork of Cumberland River, opposite and above the mouth of Tackett Creek, adjoining the lands of David Evans, Craig Teague, Wm. Carr, John McKinney and Henry Gibson. BEGINNING on an s on the north bank of Clear Fork about two poles below the first ford of same where the county road crosses, abov themouth of Tackett Creek, the same being a corner of David Evans; running thence with said David Evans south 72¾ W. 1.16 poles to a fence post thence with said fence (and with Davis Evans) when reduced to a straight line north 74¾ west 22.77 poles to a white oak; thence with a marked conditional line north 39 west 2/58 pokes; thence north 26 west 7/52 poles to three maples; thence north 46-3/4 west 5.64 poles to a service; thence north 46 west 6/16 poles to a black oak; thence north 48-3/4 west 3.32 poles to a chestnut and sourwood; thence north 45-3/4 west 5.36 poles to a maple thence north 43-3/4 east 6/12 poles to a chestnut; thence north 44 east 7.80 poles to a maple corner of David Evans and Craig Teague; thence leaving David Evans and with the lines of Craig Teague north 54¼ west 46.77 poles to a white oak on the divide betwee Sawyers Branch; and Clear Fork; thence along said ridge or divide with a marked line north 20 east 9.26 poles to a stake with hickory and sourwood pointers; thence north 19-50 east 6.62 poles to a dogwood; thence north 14¾ east .70 poles to a white oak; thence north 12 east 7.64 poles to a white oak; thence north 16¾ east 13.04 poles to a spanish oak; thence north 9 east 6.34 poles to a rock with two dogwood and chestnut oak pointers; thence north 15 east 8.44 poles to a stake; thence north 6¾ east 7.80 poles to a maple; thence north 23 east 9.92 poles to a stake; thence north 13-3/4 east 6.68 poles; thence nc 18 east 5.96 poles; thence north 9¾ west 5.63 poles; thence north 1-40 west 2.09 poles

to a sourwood about 1 pole north of the trail leading to Roses Creek from Sawyers Branch ;thence continuing with Craig Teague and along the divide between Sawyers Branch and Roses Creek North 10 west 6.88 poles to a black oak;thence north 5-3/4 west 6 poles to a stake with white oak and chestnut pointers;thence north 22 west 9.11 poles to a stake with three black oak pointers;thence north 30 west 4.93 poles to three chestnuts;thence north 44¼ west 7.73 poles to a stake;thence north 66¼ west 7.28 poles to bare chestnuts; thence north 66¼ West 8.84 poles to a stake;thende north 64¼ west 5.08 poles to a white oak;thence north 70-3/4 W 15.51 poles to a white oak;thence south 87¼ west 9.80 poles; thence north 83¼ west 9.44 poles to a maple;thence north 54 west 7.16 poles;thence north 62¼ west 5.17 poles to a stake;thence north 58¼ west 5.84 poles to a stake;thence north 70¼ west 8.58 poles to a large chestnut corner of Rene Buchanan grant 2291 and of James Falkner 2406; thence leaving the lines of Craig Teague and with the lines of Wm. Carr south 31¼ east 13.84 poles;thence south 19¼ east 5.68 poles to a white oak; thence south 6¼ east 9.68 poles; thence south 23¼ west 2.88 poles to a black gum corne of Rene Buchanan grant 2291 corner also of Wm.Carr and James Rains;thence leaving Carr and with James Rains S 21-3/4 east 5.12 poles to a white oak;thence S 20 east 5.37 poles to a dogwood;thence S 16-3/4 east 3.96 poles to a stake;thence S 20 east 5.17 poles to a sourwood;thence S 13¼ east 5.17 poles to a white oak;thence S 15¼ east 4.88 poles to a dogwood;thence S 28-3/4 east 4.15 poles to a white oak;thence S 13¼ E. 2.88 poles to a black gum;thence S 13-3/4 E 10.06 poles; thence S 24 E 9.95 poles to a black oak;thende S 16 E 6.20 poles ;thence S 11¼ east 2.27 poles to a beech;thence S east 3.12 poles to a rock with a white oak pointer in the middle of Sawyers Branch; thence down said Sawyers Branch with themmeanders of the same the following courses. South 37 W 7.59 poles;south 42¼ west 11.14 poles; S 2¼ west 11.66 poles;South 17 west 14.16 poles; S 18-3/4 W. 9.57 poles;S 10¼ W. 11.38 poles;thence leaving the branhh S 4.73 poles to a birch on west bank of Sawyers Branch at the falls of the same;thence 53¼ w. 4.25 poles to a stake;thence S 48¼ W 4.72 poles to a stake;thence S 55 W 4.72 p to a white oak;thence S 54 W 7.53 poles to a stake;thence S 55 W 6.68 poles to a white oak;thence S 54 W 1.44 poles to a white oak; thence N 79-10 W. 26.30 poles to a maple;thence S 74 W 7.24 poles to a large chestnut;thence N 89-3/4 south 18.35 poles to a sassafras in a hollow corner of James Rains and of S.J. McKinney; thence down said hollow and branch with themmeanders of the same the following courses Tract No. 601 continued

south 4 east 7.04 poles; South 10 east 14.84 poles; S 19¼ east 3.65 poles; South 15 east 4.77 poles to the forks of the branch or hollow, leaving S.J. McKinney and with the line of Henry Gibson the same being the meanders of the branch, south 43¼ west 11. poles; south 55¼ west 7 poles; south 11-3/4 west 8.22 poles; south 18 west 7.18 poles; south 22 east 5.54 poles; south 6¼ west 5.70 poles; south 33¼ west 3.48 poles; south 2 west 1.44 poles; south 45¼ east 1.53 poles; south 15 west to mouth of branch and cours

continued to the middle of Clear Fork just below the mouth of [illegible]; thence up the middle of Clear Fork with the meanders of the same to opposite the beginning point; thence direct to the beginning. Containing 154 and 4/10 acres. Courses of magnetic meridian of 1891. Variation 2 degrees and 10 minutes east. American Association Incorp owns 154.40 acres in fee.

TRACT NO. 602

Contains 181 1/3 acres. From A. Gatliff and wife to American Association Incorporated deed dated October 15, 1895, and recorded at Campbell County, Tennessee, in deed book 32 Folio 137. Lying in Campbell County, Tennessee, on both sides of Trace Branch, adjoinin the lands of William Carr, A.J. Terry and L.S. Casey. BEGINNING on a black oak in the N.E. Boundary line of grant #2406 in the name of James Falkner, said black oak being also a corner of the Wm. Carr lands; thence with the lines of the Wm. Carr lands along a marked line S 51 W 18 20/100 poles; thence S 62 32W 27 26/100 poles to a gate post corner of Carr; thence with the road N 46 W 7 28/100 poles from the S.W. Corner of Carr's old mill on Trace Branch; thence N 26 W 7 32/100 poles to a stake in Trace Branch thence down said branch N 47 W 3 75/100 poles; thence leaving the branch N 75 W 5 47/10 poles to a stake on the S.W. bank of the same between two dogwoods marked as corners; thence S 43 W 27 26/100 poles to a dogwood; thence S 50 3/4 W 18 62/100 poles to a large chestnut; thence S 52½ W 62 85/100 poles to a black oak in a hollow; thence S 59 W 4 86/100 poles to a small chestnut; thence S 56 W 5 94/100 poles to a stake and white oak; thence S 34½ W 2 66/100 poles to a dead pine on a rocky point corner of Wm Carr; thence S 88½ W 3 poles to a stake in the S.W. Boundary line of said James Falkner grant 2406; thence continuing with Carr and with the lines of said Falkner grant N 44½ W 56 8/100 poles to a black gum on the point of a ridge corner of said Falkner patent; thence N 55½ W 65 69/100 poles to a stake formerly a black oak and chestnut corner of Falkner #2406 and corner of James T. Curd 3889; thence continuing with said Falkner line N 11½ W 33 poles [illegible] with the top of a ridge to a black oak; thence N 21½ E 40 27/100 poles to a chestnut; thence N 58 E 54 88/100 poles to a stake between a black oak and dead chestnut corner of the Falkner patent; thence N 9½ E 35 10/100 poles to a stake and chestnut stump on the divide between Laurel Fork and Trace Branch; thence leaving the lines of the Falkner grant and with a marked conditional line between Hembree and A.J. Terry along the top of a ridge S 37½ E 6 64/100 poles; S 58 E 5 16/100 poles; S 50½ E 7 46/100 poles; S 55 E 5 20/100 poles; S 49½ E 7 48/100 poles; S 38 E 5 56/100 poles; S 24 E 5 60/100 poles; S 41½ E 7 12/100 poles; S 60 E 5 64/100 poles; S 82½ E 13 52/100 poles; S 75½ E 4 82/100 poles to a white oak in a gap; thence continuing along said conditional marked line S 64 E 3 28/100 poles; N 44 E 4 64/100 poles; N 50 E 13 36/100 poles; N 63½ E 2 90/100 poles to a stake between white oak and chestnut corners; thence leaving the ridge but continuing with said conditional marked line S 81 E 3 60/100 poles; N 79 E 5 44/100 poles; S 78 E 10 46/100 poles; N 81½ E 4 40/100 poles; to a black gum; thence S 87 E 5 60/100 poles; N 71 E 4 44/100 poles; N 50 E 2 26/100 poles; N 55 E 2 80/100 poles to a beech and hickory corner of A.J. Terry and in the line of James Falkner grant 2406 before mentioned; thence with the

TRACT NO. 603

Lying in the 1st Civil District of Claiborne County, Tenn., opposite Whitley County, Ky., between Walker's line and parallel ~~~~ of latitude line 36-30 noth. BEGINNING on a white oak and chestnut on a ridge between St. Fork and Valley Creek; running thence S 40 poles to a chestnut oak; thence S 57 E 88 poles to a white oak on top of another ridge; thence S 28 W 48 poles to two chestnut oaks; thence S 79 W 38 poles to a poplar and white oak; thence S 20 E 38 poles to a white oak and black oak; thence N 64 W 38 poles to a chestnut; thence N 13 W 155 poles to the beginning, being the same land covered by patent #3049 from the Commonwealth of Kentucky to Wm. H. Harp dated Nov. 16,1851, which said patent is referred to for a more full andcomplete description of said land. (Sur. April 21,1851) deed from Wm. H. Harp to American Association Inc., Sept. 28,1898, registe: in Claiborne County in Book #8, Vol #3, page #32. The above tract covers 588 on tract map and was bought to clear #586. American Association Inc. owns 100 acres in fee.

603-A

BEGINNING at a chestnut oak, maple and hickory; thence running S 63 E 36 poles to a chestnut oak; thence S 21 E 23 poles to a dogwood; thence S 50 E 4 poles to a hickory; thence S 70 E 30 poles to a chestnut oak; beech and mountain birch; thence S 7 W 16 poles to two small chestnuts; thence S 1 E 240 poles to a sugar tree; thence S 39 W 40 poles to a hickory; thence S 65 E 58 poles to two chestnut oaks and a maple on top of the mountain; thence S 21 W 12 poles to a large chestnut; thence N 66 W 100 poles to a stake; thence N 29 E 150 poles to a stake in a line of Levi Harp's Sawyer Survey; thence S52 E 40 poles to the beginning, being the same land covered by paten t #3655 from the Commonwealth of Kentucky to William Harp, Jr., dated Dec. 23,1859, which said patent is referred to for a more full and complete description of said land. (Surv. Dec. 10, 1855.) Deed from Wm. H. Harp to American Association Inc., Sept. 28,1898, registered in Claiborne County in Book #8, Vol #3, page #32, etc.
The above tract covers 589 an tract map and clear title on #525.

TRACT NO. 604

Contains 94 acres. From John Davis & wife to American Association Inc. by deed dated Jan. 26,1901-65 acres. Recorded in Claiborne Co., Tenn. in Deed Book 11, Vol.3, pages 295,296 & 297. From Wyatie Jones and wife to American Association Inc. by deed dated Apr 3,1899- 29 acres. Recorded in Bell County, Ky. in Deed Book 51, page 346. A tract of land situated in Claiborne County, Tenn. on Clear Fork of Cumberland River and described as follows: Beginning at a black gum between Clear Fork and Bear Creek and in north boundary of land of Am. Association; thence with lands of said Association S 74-12W 24.06 poles to a chestnut oak, corner of same; thence N 46-21 W 124.81 poles to two hickories on the top of said divide between Clear Fork and Bear Creek; thence S 72-07 W 32.93 poles to a chestnut oak; thence N 12-12-44 W 31 poles to a dobble chestnut; thence

leaving land of said Assn. N 70 E 4 poles to a stake in line of Jno. Davis,now Associ 130½ acre tract;thence with said tract S 11½ E 10.80 poles to a double chestnut,corner of same;thence N 76 E 10.36 poles to two chestnuts;thence N 55-35 E 8.15 poles to a ch thence N 51 E 15 poles to a chestnut;thence N 64½ E 7.28 poles to a chestnut;thence N 88-3/4 E 18.70 poles to a chestnut;thence S 74-10 E 19.20 poles to an ash;thence N 87½ 8.44 poles to a chestnut;thence S 86-3/4 E 39.56 poles to a lynn;thence N 74 E 7.04 pol to a Spanish oak;thence S 54 E. 12.43 poles to a sugar tree;thence S 52-3/4 E. 8.92 pol to a gum and sugartree;thence S 88 E 75 poles to a stake; thence leaving said 103½ care tract S 87 E 29.41 poles to two chestnuts and a hickory;thence N 5-3/4 W. 4.64 poles to a sugartree and two dogwoods;thence N 23-11 E 12.80 poles to a dogwood;thence 44-32 E 16.60 poles to two chestnuts, the southeast corner of the John Davis,now Associ 57.80 acre tract;thence with said tract S 89½ E 25.76 poles to a chestnut;thence N 57-10 E 11.95 poles to an ash;thence N 71½ E 20 poles to an ash;thence S 45 E 16.92 poles a buckeye,the southeast corner of said 57.80 acre tract; thence leaving said tract N 68-3/4 E 17½ poles to a black oak; thence S 10½ E 9.64 poles to a chestnut;thence S 27-36 E 18.70 poles to a white oak on top of Log Mountain,the 3rd corner of J.S. Marsee, now Association 453 acre tract; thence S 54-35 W 24.80 poles to a sugartree and hickory on top of Log Mtn., and corner of Association lands; thence with the lands of the Association S 61½ W 187½ poles when reduced to a straight line to a chestnut oak,corner of H. Knight Grant No.1902; thence with said Knight grant and lands of the Association N 79-48 W 28.50 poles to the place of beginning.Tract #2-55 ac and Tract #3-10 acres from John Davis and wife.

TRACT NO. 606

Contains 200 acres. From A.A. Treece, Trustee, to American Association Inc., by deed dated April30,1895,recorded at Claiborne Co., Tenn., in Book 7, Vol.3,page 420.Tax deed Ralph Alexander, Clerk, to American Association Inc, by Tax deed dated Oct. 4,1900, recorded at Claiborne County, Tenn., in Deed Book # 11, Vol.3,page 125.Trustee deed, S.M. Miller, Trustee to American Association Inc., by deed dated Dec. 9,1899, recorded at Claiborne County, Tenn., in Deed Book 6,Vol.3,page 479.

Lying and being in the 1st Civil District of Claiborne County, Tenn.,on waters of Straight Creek, the same being the lands on which the said R.M. Johnson now resides and the lands bought by the said Johndon from William A. Harp and the land formerly owned in common by the said R.M. Johnson and J.M. SMITH,THE TRACT BEING now suffounded on every side by the lands of American Association Limited, it being the intention of the said Johnson to convey by this instrument his original one-half undivided interest in said land. Being the same land described in deed of tract from R.M. Johnson to A.N. Treece,March 27,1895.

TRACT NO. 607

Contains 9 acres more or less- from John Mullenax, et al, to American Association Inc. by deed dated Oct. 25,1899, recorded in Claiborne County,Tenn., in Deed Book #8, Vol.

8,page 526-29. Situated in Claiborne County,Tenn. and partly in Bell County, Ky; on wats of Clear Fork of Cumberland River.Beginning at a chestnut corner of 130½ acre tract formerly owned by John Davis;thence with the lines of said 130½ acre tract N 86. E 4.80 p to five lynns ;thence N 31 E 60 poles toa stake in north boundary of the Preston Davis grant #1896; thence with line of said Preston Davis grant S 88 E 41 poles to the lines of the Preston Davis grant #3044; thence with the same N 26½ W to state line between Kentucky and Tenn.;thence continuing N 26½ W 26½ poles with grant #3044 to a blazed chestnut and chestnut oak, corner of the same;thence S 62-3/4 W 21 poles to a sourwood and chestnut; thence southwardly a straight line to the beginning.It being the intention to convey all the land between the closing line of the above tract and lands of the American Association so as to give said Association a solid boundary.

Also 25 acres more or less-from John Mullenax, single, and John Davis and wife,and Lee Davis and wife by deed dated Oc 6,1899, to American Association Inc. situated in Claibor County, Tenn;,on waters of Clear Fork of Cumberland River and bounded as follows:-on the north by land heretofore conveyed by Thomas Davis to Robert Jones and Fayette Sowders, by deed dated Jan. 6,6,1894, on the east by a tract of 130½ acres formerly owned by John Davis, now owned by the American Association,on the south by said 130½ acre tract and also by land formerly owned by Robert Jones, and on the west by lands of the American Association. American Association Incorporated owns 34 acres in fee.

TRACT NO. 608

Contain 30.46 acres from Andrew J. Cupp and wife to American Association Inc. by deed dat Feb. 7,1900, recorded at Claiborne County, Tenn.,in Deed Book 10;Vol.3,pages 163-65. Tract No. 608-A is same as 608.From Wm. R. Lawson and others to American Association Inc. by deed dated Feb. 7,1900, recorded at Claiborne County,Tenn. in Deed Book 10, Vol. 3,pages 161-3. Beginning at a maple in a line of the land conveyed by C.W. Bowman to Alex A. Arthur, trustee, also a corner of land formerly owned by W.D. Williams;thence S 20½ W 9 40/100 poles to a chestnut oak;thence S 42-3/4 W 12 12/100 poles to a black gum; thence S 5½ W 6 32/100 poles to a white oak;thence S 4½ W 6 80/100 poles to a black gum;thence S 1½ W 6 56/100 poles to a chestnut oak;thence S 13 E 7 8/100 poles to a black gum; thence S 5½ E 7 20/100 poles to a chewtnut oak;thence S 50 E 9 12/100 poles to a chestnut;thence S 54½ E 5 76/100 poles to a white black gum;thence S 56½ E 6 64/100 poles tp a black gum; thence S 62½ E 16 36/100 poles to a white oak on east bank of a small branch; thence S 61 E 5 20/100 poles to a chestnut oak; thence S 64½ E 7 36/100 poles to a black gum; thence S 68½ E 11 12/100 poles to a white oak; thence S 73 E 7 32/1 poles to a chestnut oak; thence N 24½ E 6 16/100 poles to a black gum; thence N 24½ E 6 64 poles to a white oak; thence N 22 E 4 20/100 poles to a chestnut oak; thence N 21½E 6 44/1 poles to a white oak; thence N 25-3/4 E 6 16/100 poles to a chestnut;thence N 50 E 8 76/10 poles to a ~~XXXXXX~~ chestnut oak; thence N 46½ E 7 92/100 poles to a chestnut oak;thence N 43½ E 8 76/100 poles to a black gum;thence N 49½ E 9 32/100 poles to a locust;thence N 36 4 64/100 poles to a chestnut oak; thence N 41 degrees 38 minutes west 2½ poles to a line of the land deeded by C.W. Bowman to Alex A. Arthur. Trustee: thence with said line

north 74 degrees 16 minutes west 93 poles to the beginning.Being the same land heretofore conveyed by W.D. Williams to J.D. Parker,it being the intention hereof to convey all the land covered by said deed, with all hereditaments,rights,reversions and appurtenances thereto belonging, or in anywise appertaining, hereby releasing all claim to homestead and Dower therein. American Association Inc. owns 30:46 acres in fee..... by order of the said court known as the Arthur-Barnard grants-Tract lying in said Claiborne County and extendingg into Campbell County,. in cause #802,J.S. Stearns et vs., the Ashville Land Company, and described in the records of said court, and title in me by decree rendered the 15 day of April,1898, entered in Book 9, pages 124 and 1 of the records of said court. This land is such land as the Grantees under Grants #42 and 42,134,acquired under said grants, and the possession of said grantees and their assigns the Ashville Land Company, which said grants are hereby referred to for a full and particular description of said lands.Conveyed by Charles Seymour to the American Association Inc., by deed dated Dec. 15, 1898, registered at Tazewell, Tenn., in Deed Book #6,Vo.#3, page 305,etc. and also registered in Campbell County, Tenn., in Deed Book #6,pages 139 and 137, etc.

Tract #609 (Barnard grant)is grant #42134-clears title on other tracts.

Tract #610(Arthur grant) is grant #42133-clears title on other tracts.

TRACT NO. 613

219.60 Acres. From Calvin Teague and wife to American Association Inc. Quit claim de August 14,1902. Recorded in Claiborne County, Tenn. Also from C.M. Marsee to America Association Inc. Deed dated May 22,1900, recorded in deed book 10, Vol.3,page 348-35 June 13,1900. First tracts lying on Clear Fork and Valley Creek and described as fol Beginning at a black gum, the north side of Cleaf Fork and east og Still House Holle about one pole, a corner of William Teague grant #3552 and D. Hamblin grant #3517; thence with said Teague N 3-39 W. 90.98 poles to a maple snag;thence N 69-30 E 50.58 poles to a stake;thence N 32 W 8 poles to a hickory;thence N 11-04 E 31.28 poles to a sugartree foot of a bluff; thence N 25-26 E.20.20 poles to a stake in a branch, and in a line of of J. Marsee Warrant #657;thence leaving said Teague and with Marse N 50-20 W 43.47 poles to a chestnut oak;thence N 38-12 E 22.80 poles to a chestnut oak;thence N 57-10 E 20.49 poles to a hickory;thence N 11½ W 7.62 poles to three ash corner of Marsee Warrant #857;thence S 59½ E 6.68 poles to a stake, southwest corner of J. Partin grant #2900;thence with said Partin and a conditional line between Jacob and C.M. Marsee N 21 E 96 poles to the center of Ambrosia Branch about 8 poles east a large poplar and gum marked as a corner;thence N 21 E to the state line between Kentucky and Tennessee;thence with the state line eastwardly 109 poles to the center of Western Daniel's Branch;thence leaving the state line down the center of W Daniel's Branch with its meanders 88 poles when reduced to a straight line to the center of Clear Fork; thence down the center of Clear Fork with its menaders 71 pole

when reduced to a straight line to a small ash at the mouth of a branch in the conditional line between H. Sowders and C.M. Marsee; thence leaving said Clear Fork and up the branch the conditional line S 41-3/4 E 5.44 poles; thence S 34½ E 5.64 poles thence S 28-3/4 E. 6.92 poles; thence S 8½ E 1.12 poles to a buckeye below a cliff; thence S 78½ E 3.68 poles; thence S 84½ E 6.12 poles; thence S 46 E 5.96 poles; thence S 61 E 8.84 poles; thence S 59½ E 6.36 poles; thence S 82-3/4 E 4 poles; thence S 72 E 8. poles; thence S 56 E 8.28 poles to a poplar; thence S 41 E 9.92 poles; thence S 54-3/4 E 5.84 poles; thence D 68-3/4 E 8.96 poles; thence S 66 E 8.84 poles; thence S 63 E 7.68 poles to a small ash on the bank of a branch; thence S 63½ E 14.08 poles; thence N 82½ E 6.96 poles; thence S 62-3/4 E 6.24 poles; thence S 56 E 11.92 poles; thence S 43½ E 7.64 poles; thence S 38½ E 10.32 poles; thence N 86 E 18.12 poles; thence N 89½ E 9.64 poles; thence S 75 E 12.66 poles to a chestnut oak, head of a branch and a cor between Marsee and Harrison Sowders; thence S 53-57 E leaving the branch 28.74 poles to a stake the southeast corner of Daniel Sowders grant #3549; thence with said grant S 36 W 100 poles to a stake, corner to the same and corner of C.M. Marsee grant #4111

Being the same property conveyed by J.M. Huber Corporation to BLC Properties, LLC by Special Warranty Deed dated July 5, 2001 and recorded in Warranty Deed Book 1073, Page 30 in the office of the Register of Deeds of Claiborne County, Tennessee; and in Warranty Deed Book 381, Page 6 in the Office of the Register of Deeds of Campbell County, Tennessee.

LESS AND EXCEPT THE POLLOWING:

All that Tract or parcel of land lying and being in Campbell County, Tennessee

BEGINNING at a concrete monument (Station # 1 on "Exhibit A" attached hereto), on the northerly side of the road up Davis Creek, this point is further described by its T.V.A. State plane coordinates which are X-2,582,085.13 and Y-764,387.51. this point is still further described as being witnessed by a 6 inch poplar with three hacks on it and old yellow paint on it bearing S. 32° 20' E. on a distance of 12 feet from said concrete monument; thence with a yellow paintad line of the J. M. Huber Corporation N. 77° 55' W. 259.58 feet to a steel rail corner (Station # 2 on "Exhibit A" attached hereto) witnessed by a 9 inch double hickory with old yellow paint on it; thence leaving the Huber Corporation line and through the lands of the Huber Corporation S. 80° 30' W. 2,036.72 feet to a steel rail corner (Station # 3 on "Exhibit A" attached hereto); thence N. 27° 00' W. 995.32 feet to a concrete monument corner (Station # 4 on "Exhibit A" attached hereto) of the Huber Corporation on the westerly side of a hollow, this point is further described as being on a line of the Alvis Kincaid grants number 1041 and number 1042; thence with the above mentioned line of grants 1041 and 1042 and again with yellow paint of the J. M. Huber Corporation S. 51° 26' 11" W. 1,953.59 feet to a steel rail (Station # 5 on "Exhibit A" attached hereto) on the crest of a ridge, this point is further described as also being on a line of the above mentioned Kincaid grants 1041 and 1042. All bearings are based on the Magnetic Meridian of 1987. To convert these magnetic bearings to Tennessee Lambert Grid courses, convert them to azimuths and subtract 04° 14' 54".

Being the same property conveyed by J.M. Huber Corporation to Mountain Land and Reclamation Services, Inc. by Quitclaim Deed dated August 9, 1989 and recorded in Warranty Deed Book 290, Page 45, in the office of the Register of Deeds in Campbell County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Campbell County, Tennessee

PARCEL #1

BEGINNING at a right of way marker on the northwest proposed uncontrolled right of way line at the point of intersection with the existing south right of way line of the Southern Railroad, said marker located 70.71 feet left of centerline station 18+66.04; thence with the said existing railroad right of way line north 89 degrees 39 minutes 11 seconds east 126.21 feet to a point on the existing northwest right of way line of State Route #90; thence with the said existing right of way line south 37 degrees 52 minutes 59 seconds west 100.24 feet to a corner common to The J.M. Huber Corporation; thence with the Huber Corporation property line north 76 degrees 07 minutes 01 seconds west 94.75 feet to a turn; thence north 83 degrees 52 minutes 01 seconds west 15.8 feet to a point on the northwest proposed uncontrolled right of way line; thence with the said proposed uncontrolled right of way line north 38 degrees 35 minutes 04 seconds east 69.19 feet to the Point of BEGINNING.

PARCEL #2

BEGINNING at a right of way marker on the northwest proposed uncontrolled right of way line at the point of intersection with the existing northwest right of way line of State Route #90, said marker located 40.18 feet left of centerline station 23+59.78; thence with the said existing northwest right of way line westerly on a curve to the left of radius of 1,095.92 feet an arc distance of 44.28 feet to a point; thence north 89 degrees 21 minutes 00 seconds west 110.50 feet to a point; thence southwesterly on a curve to the left of radius of 204.85 feet an arc distance of 176.63 feet to a point on the existing north right of way line of the Southern Railroad; thence with the said railroad existing north right of way line south 89 degrees 39 minutes 11 seconds west 103.03 feet to a right of way marker on the northwest proposed uncontrolled right of way line, said marker located 89.71 feet left of centerline station 19+75.15; thence with the said proposed uncontrolled right of way line north 38 degrees 35 minutes 04 seconds east 169.27 feet to a right of way marker located 155.0 feet left of centerline station 21+00; thence north 85 degrees 25 minutes 07 seconds east 131.97 feet to a right of way marker located 130.0 feet left of centerline station 22+00; thence north 64 degrees 24 minutes 14 seconds east 118.24 feet to a right of way marker located 170 feet left of centerline station 23+00; thence south 29 degrees 30 minutes 35 seconds east 142.92 feet to the Point of BEGINNING.

Containing 1.420 acres, more or less in the two above described parcels.

Being the same property conveyed by J.M. Huber Corporation to State of Tennessee by Warranty Deed recorded in Warranty Deed Book 299, Page 26 in the office of the Register of Deeds in Campbell County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Campbell County, Tennessee

Part of the J.M. Huber Corporation's tract 4-11-1 on the south side of Davis Creek Road, Davis Creek, 8.3 miles along Davis Creek Road from the intersection of said road and Tennessee Highway 90, Campbell County, Tennessee

Beginning at an iron pin (set) on the south right-of-way line of Davis Creek Road with this point being further described as bearing N 36 degrees 29' 01"W 300.24 feet from a railroad spike (set) in the center of a 32 inch Red Oak stump marked for a J.M. Huber Corporation corner

THENCE North 69 degrees 47 minutes 30 seconds East for a distance of 115.39 feet with the south right-of-way line of Davis Creek Road to an iron pin (set) 8 feet west of the center of a small drain

THENCE South 59 degrees 18 minutes 20 seconds East for a distance of 87.75 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set) 6 feet west of a small drain

THENCE South 14 degrees 50 minutes 49 seconds East for a distance of 119.88 feet to an iron pin (set) under a utility line and 8 feet west of a small drain

THENCE South 67 degrees 08 minutes 12 seconds West for a distance of 100.03 feet with the utility line to an iron pin (set)

THENCE North 37 degrees 26 minutes 51 seconds West for a distance of 201.13 feet leaving the utility line and through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Faye Brooks by Quitclaim Deed dated July 7, 1997 and recorded in Warranty Deed Book 348, Page 765 in the office of the Register of Deeds in Campbell County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Campbell County, Tennessee

Part of the J.M. Huber Corporation's tract 4-11-1 on the north side of Davis Creek Road, Davis Creek, 8.05 miles along Davis Creek Road from the intersection of said road and Tennessee Highway 90, Campbell County, Tennessee

Beginning at an iron pin (set) on the north right-of-way line of Davis Creek Road with this point being further described as bearing N 56 degrees 11' 31"E 1181.15 feet from a railroad spike (set) in the center of a 32 inch Red Oak Stump marked for a J.M. Huber Corporation corner

THENCE North 33 degrees 10 minutes 50 seconds West for a distance of 128.58 feet leaving Davis Creek Road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 64 degrees 06 minutes 08 seconds East for a distance of 147.31 feet continuing through the lands of Huber to an iron pin (set)

THENCE South 37 degrees 04 minutes 30 seconds East for a distance of 103.90 feet continuing through the lands of Huber to an iron pin (set) on the north right-of-way
line of Davis Creek Road

THENCE South 54 degrees 29 minutes 04 seconds West for a distance of 153.31 feet with the north right-of-way line of Davis Creek Road to the point of beginning

---

Being the same property conveyed by J.M. Huber Corporation to John LeMar by Quitclaim Deed dated July 7, 1997 and recorded in Warranty Deed Book 348, Page 81 in the office of the Register of Deeds in Campbell County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Campbell County, Tennessee

Part of the J.M. Huber Corporation's tract 4-11-1 on the southeast side of Davis Creek Road, Davis Creek, 7.9 miles along Highway 90, Campbell County, Tennessee

Beginning at an iron pin (set) on the southeast right-of-way line of Davis Creek Road with this point being further described as bearing N 54 degrees 59' 25"E 1885.72 feet from a railroad spike (set) in the center of a 32 inch Red Oak stump marked for a J.M. Huber Corporation corner

THENCE North 67 degrees 38 minutes 00 seconds East for a distance of 60.33 feet with the southeast right-of-way line of Davis Creek Road to an iron pin (set)

THENCE North 60 degrees 44 minutes 25 seconds East for a distance of 49.76 feet continuing with the southeast right-of-way line of Davis Creek Road to an iron pin (set)

THENCE South 68 degrees 25 minutes 50 seconds East for a distance of 187.72 feet leaving Davis Creek Road and through the lands of the J.M. Huber Corporation to an iron pin (set) near the north bank of Davis Creek

THENCE South 68 degrees 25 minutes 50 seconds East for a distance of 35.00 feet continuing through the lands of Huber to a point in the center of Davis Creek

THENCE South 40 degrees 33 minutes 26 seconds West for a distance of 194.13 feet down and with the center of Davis Creek to a point in the center of said creek

THENCE North 44 degrees 41 minutes 06 seconds West for a distance of 35.00 feet leaving Davis Creek and continuing through the lands of Huber to an iron pin (set) near the north bank of Davis Creek

THENCE North 44 degrees 41 minutes 06 seconds West for a distance of 221.11 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Maude LeMar by Quitclaim Deed dated July 7, 1997 and recorded in Warranty Deed Book 348, Page 107 in the office of the Register of Deeds in Campbell County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Campbell County, Tennessee

Part of the J.M. Huber Corporation's tract 4-11-1 on the south side of Davis Creek Road, Davis Creek, 8.1 miles along Davis Creek Road from the intersection of said road with Tennessee Highway 90, Campbell County, Tennessee

Beginning at an iron pin (set) on the south right-of-way line of Davis Creek Road in an existing fence line with this point being further described as bearing N 58 degrees 11' 23" E 1144.90 feet from a railroad spike (set) in the center of a 32 inch Red Oak marked for a J.M. Huber Corporation corner

THENCE South 29 degrees 06 minutes 40 seconds East for a distance of 73.16 feet leaving Davis Creek Road and through the lands of the J.M. Huber Corporation, with the fence, to a nail (set) in a 30 inch double Sycamore on the north bank of Davis Creek

THENCE South 29 degrees 06 minutes 40 seconds East for a distance of 15.00 feet leaving the fence and continuing through the lands of Huber to a point in the center of Davis Creek

THENCE South 69 degrees 30 minutes 24 seconds West for a distance of 48.56 feet down the center of Davis Creek to a point in the center of said creek

THENCE South 47 degrees 03 minutes 07 seconds West for a distance of 59.93 feet down the center of Davis Creek to a point

THENCE South 38 degrees 47 minutes 17 seconds West for a distance of 57.35 feet down the center of Davis Creek to a point

THENCE South 45 degrees 22 minutes 34 seconds West for a distance of 96.08 feet down the center of Davis Creek to a point

THENCE South 79 degrees 35 minutes 49 seconds West for a distance of 104.61 feet down the center of Davis Creek to a point

THENCE North 85 degrees 17 minutes 46 seconds West for a distance of 42.58 feet down the center of Davis Creek to a point

THENCE South 80 degrees 46 minutes 38 seconds West for a distance of 248.12 feet down the center of Davis Creek to a point under a utility line

THENCE North 72 degrees 21 minutes32 seconds West for a distance of 40.91 feet continuing down the center of Davis Creek to a point

THENCE North 41 degrees 05 minutes 09 seconds West for distance of 90.63 feet down the center of Davis Creek to a point

THENCE North 46 degrees 27 minutes 30 seconds West for a distance of 55.16 feet down the center of Davis Creek to a point in the center of said creek on the south right-of-way line of Davis Creek Road

THENCE North 59 degrees 22 minutes 25 seconds East for a distance of 37.41 feet leaving Davis Creek and with the south right-of-way line of Davis Creek Road to an iron pin (set)

THENCE North 64 degrees 10 minutes 25 seconds East for a distance of 75.44 feet continuing with the south line of the road to an iron pin (set)

THENCE North 75 degrees 13 minutes 03 seconds East for a distance of 66.66 feet continuing with the south line of the road to an iron pin (set)

THENCE North 81 degrees 22 minutes 35 seconds East for a distance of 80.11 feet continuing with the south line of the road to an iron pin (set)

THENCE North 80 degrees 55 minutes 05 seconds East for a distance of 246.49 feet continuing with the south line of the road to an iron pin (set)

THENCE North 79 degrees 01 minutes 47 seconds East for a distance of 71.65 feet continuing with the south line of the road to an iron pin (set)

THENCE North 71 degrees 52 minutes 43 seconds East for a distance of 69.50 feet continuing with the south line of the road to an iron pin (set)

THENCE North 63 degrees 06 minutes 00 seconds East for a distance of 62.78 feet continuing with the south line of the road to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to Earl & Ruth Lawson by Quitclaim Deed dated July 8, 1997 and recorded in Warranty Deed Book 358, Page 113 in the office of the Register of Deeds in Campbell County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Campbell County, Tennessee

Part of the J.M. Huber Corporation's tract 4-11-1 on the south side of Davis Creek Road, Davis Creek, 8.25 miles along Davis Creek Road from the intersection of said road and Tennessee Highway 90, Campbell County, Tennessee

Beginning at an iron pin (set) on the south right-of-way line of Davis Creek Road, 8 feet west of the center of a small drain, with this point being further described as bearing N 14 degrees 01'.13" W 289.89 feet from a railroad spike (set) in the center of a 32 inch Red Oak stump marked for a J.M. Huber Corporation corner

THENCE North 69 degrees 21 minutes 54 seconds East for a distance of 141.15 feet with the south right-of-way line of Davis Creek Road to an iron pin (set)

THENCE North 74 degrees 08 minutes 54 seconds East for a distance of 103.75 feet with the south right-of-way line of Davis Creek Road to an iron pin set

THENCE South 21 degrees 05 minutes 56 seconds East for a distance of 11.15 feet leaving Davis Creek Road and through the lands of the J.M. Huber Corporation to a wooden fence post (found) in an old fence line

THENCE South 14 degrees 00 minutes 00 seconds East for a distance of 55.61 feet with the old fence to a wooden fence post (found)

THENCE South 15 degrees 14 minutes 03 seconds East for a distance of 75.59 feet to a wooden fence post (found)

THENCE South 21 degrees 35 minutes 34 seconds East for a distance of 39.60 feet with the old fence to an iron pin (set) at the base of a wooden fence post (found)

THENCE South 70 degrees 00 minutes 21 seconds West for a distance of 189.03 feet leaving the fence and continuing through the lands of the J.M. Huber Corporation to an iron pin (set) under a utility line with said pin being 8 feet west of the center of a small drain

THENCE North 14 degrees 50 minutes 49 seconds West for a distance of 119.88 feet leaving the utility line and continuing through the lands of the J. M. Huber Corporation to an iron pin (set) 6 feet west of the center of the small drain

THENCE North 59 degrees 18 minutes 20 seconds West for a distance of 87.75 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Earl & Ruth Lawson by Quitclaim Deed dated July 8, 1997 and recorded in Warranty Deed Book 348, Page 117 in the office of the Register of Deeds in Campbell County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Campbell County, Tennessee

Part of the J.M. Huber Corporation's tract 4-11-1F on the waters of Clear Fork, Just west of Tennessee Highway 90, approximately 4,000 feet from the Campbell County - Claiborne County line, Campbell County, Tennessee

Beginning at an iron pin (set) on the north right-of-way line of the Southern Railroad with this point being further described as bearing S 79 degrees 34' 25"W 394.21 feet from a concrete highway right-of-way monument (found), a corner of parcel 2 as shown on Tennessee Department of Transportation project number BRS-90(1)

THENCE South 79 degrees 06 minutes 50 seconds West for a distance of 103.70 feet with the north right-of-way line of the Southern Railroad to a point in a 15 foot wide, dirt-covered access road with this point being further described as being the point of curvature of a horizontal curve

THENCE along a curve to the left having a radius of 2505.54 feet and an arc length of 35.86 feet, being subtended by a chord of South 79 degrees 05 minutes 08 seconds West for a distance of 35.14 feet continuing with the north right-of-way line of the railroad to an iron pin (set)

THENCE North 10 degrees 59 minutes 19 seconds East for a distance of 87.69 feet leaving the railroad and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 25 degrees 06 minutes 05 seconds East for a distance of 31.12 feet continuing through the lands of Huber to an iron pin (set)

THENCE South 87 degrees 16 minutes 20 seconds East for a distance of 120.09 feet continuing through the lands of Huber to an iron pin set

THENCE South 08 degrees 53 minutes 02 seconds West for a distance of 83.17 feet continuing through the lands of Huber to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Eva Mozingo by Quitclaim Deed dated July 8, 1997 and recorded in Warranty Deed Book 348, Page 164 in the office of the Register of Deeds in Campbell County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Campbell County, Tennessee

Part of the J.M. Huber Corporation's tract 4-11-1F on the waters of Clear Fork, just west of Tennessee Highway 90, approximately 4,000 feet from Campbell County - Claiborne County line, Campbell County, Tennessee

Beginning at an iron pin (set) on the north right-of-way line of the Southern Railroad with this point being further described as bearing S 79 degrees 27' 05" W 533.75 feet from a concrete highway right-of-way monument (found), a corner of parcel 2 as shown on Tennessee Department of Transportation project number BRS-90(1)

THENCE along a curve to the left having a radius of 2505.54 feet and being subtended by a chord of South 76 degrees 51 minutes 21 seconds West for a distance of 46.90 feet to a point in the center of a 15 foot wide, dirt-covered, access road on the north right-of-way line of the railroad

THENCE continuing along the curve to the left having a radius of 2505.54 feet and being subtended by a chord of South 76 degrees 10 minutes 31 seconds West for a distance of 11.76 feet to an iron pin (set) on the north right-of-way line of the railroad

THENCE continuing along the curve to the left having a radius of 2505.54 feet and being subtended by a chord of South 75 degrees 04 minutes 16 seconds West for a distance of 85.78 feet to an iron pin (set) on the north right-of-way line of the railroad

THENCE North 09 degrees 52 minutes 42 seconds West for a distance of 72.74 feet leaving the railroad right-of-way and through the lands of the J.M. Huber Corporation to a point in the center of a 15 foot wide, dirt-covered, access road

THENCE North 09 degrees 52 minutes 41 seconds West for a distance of 23.58 feet leaving the road and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 06 degrees 07 minutes 05 seconds East for a distance of 121.68 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 62 degrees 05 minutes 20 seconds East for a distance of 97.44 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 38 degrees 02 minutes 05 seconds East for a distance of feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 25 degrees 06 minutes 05 seconds West for a distance of 31.12 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 10 degrees 59 minutes 19 seconds West for a distance of 87.69 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning as shown in Exhibit "A" attached

Together with and subject to covenants, easements, and restrictions of record.

Said property contains 0.78 acres as determined by survey of Mark A. Comparoni, Tennessee P.L.S. Number 1626 on 05/16/97-06/02/97

There is excepted from this conveyance all mineral rights of every kind to which the J.M. Huber Corporation currently has title.

There is reserved from this conveyance a 15 foot wide easement for purposes of Ingress and egress and commercial purposes as deemed necessary by the J.M. Huber Corporation with this easement located along an existing dirt road and said easement's centerline being more particularly described as follows:

Beginning at a point on the north right-of-way line of the Southern Railroad in the center of a 15 foot wide, dirt-covered access road with this point being further described as bearing South 76 degrees 51 minutes 21 seconds West 46.90 feet from the beginning corner of the above described 0.78 acre tract, thence leaving the railroad right-of-way line and through the lands of the J.M. Huber Corporation the following courses and distances, North 38 degrees 27 minutes 37 seconds West 25.16 feet, North 23 degrees 53 minutes 10 seconds West 9.19 feet, north 67 degrees 36 seconds West 17.54 feet, North 81 degrees 30 minutes 21 seconds West 10.87 feet, South 73 degrees 59 minutes 29 seconds West 12.71 feet, South 49 degrees 40 minutes 41 seconds West 4.98 feet to a point in the westerly line of the above described 0.78 acre tract

Being the same property conveyed by J.M. Huber Corporation to Geneva Teague by Warranty Deed dated July 8, 1997 and recorded in Warranty Deed Book 348, Page 167 in the office of the Register of Deeds in Campbell County, Tennessee.

LESS AND EXCEPT THE FOLLOWING:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, near the Kentucky-Tennessee State Line, Claiborne County, Tennessee

Beginning at an iron pin (set) on the northerly right-of-way line of a 30 foot wide, gravel-covered access road, this point is further described as bearing S 44 degrees 28' 12" W 1536.53 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE South 63 degrees 56 minutes 15 seconds West for a distance of 92.68 feet with the northerly right-of-way line of the above-mentioned road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 35 degrees 42 minutes 33 seconds West for a distance of 136.95 feet leaving the road and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)on the southerly right-of-way line of the Norfolk and Southern Railroad

THENCE North 52 degrees 01 minutes 40 seconds East for a distance of 88.26 feet with the southerly right-of-way line of the Norfolk and Southern Railroad to an iron pin (set)

THENCE South 36 degrees 52 minutes 45 seconds East for a distance of 156.00 feet leaving the railroad and through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to George Reed, Jr. by Quitclaim Deed dated July 7, 1997 and recorded in Warranty Deed Book 242, Page 452 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, near the Kentucky-Tennessee State Line, Claiborne County, Tennessee

Beginning at an iron pin (set) on the northerly right-of-way line of a 30 foot wide gravel-covered access road, this point is further described as bearing S 46 degrees 58' 48" W 1735.38 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 43 degrees 24 minutes 42 seconds West for a distance of 107.41 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set)on the southerly right-of-way line of the Norfolk and Southern Railroad

THENCE North 52 degrees 11 minutes 15 seconds East for a distance of 130.37 feet with the southerly right-of-way line of the Norfolk and Southern Railroad to an iron pin (set)

THENCE South 35 degrees 42 minutes 33 seconds East for a distance of 136.95 feet leaving the railroad and through the lands of the J.M. Huber Corporation to an iron pin (set)on the northerly right-of-way line of the above mentioned access road

THENCE South 66 degrees 48 minutes 15 seconds West for a distance of 118.70 feet continuing through the lands of the J.M. Huber Corporation and with the northerly right-of-way line of the road to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Eurtha Davis by Quitclaim Deed dated July 7, 1997 and recorded in Warranty Deed Book 242, Page 442 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, near the Kentucky-Tennessee State Line, Claiborne County, Tennessee

Beginning at an iron pin (set) on the southerly right-of-way line of a 30 foot gravel covered access road, this point is further described as bearing S 44 degrees 02' 01" W 1600.79 feet from a railroad spike(set) in the centerline of Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE South 31 degrees 21 minutes 15 seconds East for a distance of 154.75 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin(set) near the north bank of Clear Fork

THENCE North 87 degrees 48 minutes 52 seconds West for a distance of 142.29 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) near the north bank of Clear Fork

THENCE North 32 degrees 03 minutes 40 seconds West for a distance of 98.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin(set) on the southerly right-of-way line of the above mentioned gravel road

THENCE North 68 degrees 59 minutes 13 seconds East for a distance of 121.79 feet with the southerly line of the road and continuing through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Bertha Dukes by Quitclaim Deed dated July 7, 1997 and recorded in Warranty Deed Book 242, Page 445 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, just south of Tennessee Highway 90, and just south of the Kentucky-Tennessee State Line, Claiborne County, Tennessee

Beginning at an iron pin (set) on the northerly right-of-way line of a 30 foot wide gravel-covered access road, this point is further described as bearing S 43 degrees 30' 59" W 1014.09 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 40 degrees 19 minutes 17 seconds West for a distance of 102.69 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set) on the southerly right-of-way line of the Norfolk and Southern Railroad

THENCE North 52 degrees 08 minutes 20 seconds East for a distance of 149.33 feet with the southerly right-of-way line of the Norfolk and Southern Railroad to an iron pin (set)

THENCE South 82 degrees 41 minutes 35 seconds East for a distance of 84.53 feet leaving the railroad and through the lands of the J.M. Huber corporation to an iron pin (set) on the northerly right-of-way line of the above mentioned road

THENCE South 40 degrees 21 minutes 32 seconds West for a distance of 208.91 feet with the northerly right-of-way line of the road to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Harry England by Quitclaim Deed dated July 7, 1997 and recorded in Warranty Deed Book 242, Page 463 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, near the Kentucky-Tennessee State Line, Claiborne County, Tennessee

Beginning at an iron pin (set) on the northerly right-of-way line of a 30 foot wide, gravel-covered access road, this point is further described as bearing S 44 degrees 28' 12" W 1536.53 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 36 degrees 52 minutes 45 seconds West for a distance of 156.0 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set) on the southerly right-of-way line of the Norfolk an Southern Railroad

THENCE North 52 degrees 15 minutes 11 seconds East for a distance of 79.77 feet with the above-mentioned south right-of-way line to an iron pin set on said right-of-way line

THENCE South 34 degrees 31 minutes 13 seconds East for a distance of 187.65 feet leaving the railroad and continuing through the lands of the J.M. Huber Corporation to an iron pin (set) in the northerly right-of-way line of the above-mentioned road, this point is further described as being in a woven-wire fence line approximately 3 feet from where the fence corners

THENCE South 75 degrees 55 minutes 29 seconds West for a distance of 78.15 feet leaving the fence and with the northerly right-of-way line of the road to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Jack Gaylor by Quitclaim Deed dated July 7, 1997 and recorded in Warranty Deed Book 242, Page 484 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, near the Kentucky-Tennessee State Line, Claiborne County, Tennessee

Beginning at an iron pin (set) that bears South 23 degrees 14' 38" West 792.79 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 43 degrees 44 minutes 09 seconds West for a distance of 117.69 feet through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 06 degrees 25 minutes 03 seconds East for a distance of 53.72 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) near the south bank of Clear Fork

THENCE North 80 degrees 53 minutes 21 seconds East for a distance of 74.80 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 42 degrees 48 minutes 00 seconds East for a distance of 138.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 62 degrees 01 minutes 09 seconds West for a distance of 104.46 feet crossing a gravel-covered access road and continuing through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Mary L. Willis by Quitclaim Deed dated July 7, 1997 and recorded in Warranty Deed Book 242, Page 487 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, near the Kentucky-Tennessee State Line, Claiborne, County, Tennessee.

Beginning at an iron pin (set) on the northerly right-of-way line of a 30 foot wide, gravel-covered access road, this point is further described as being in a woven-wire fence line, and this point is still further described as bearing S 42 degrees 52' 51" W 1470.43 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 34 degrees 31 minutes 13 seconds West for a distance of 187.65 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set) on the southerly right-of-way line of the Norfolk and Southern Railroad

THENCE North 52 degrees 03 minutes 12 seconds East for a distance of 72.37 feet with the southerly right-of-way line of the railroad to an iron pin set

THENCE South 34 degrees 56 minutes 46 seconds East for a distance of 206.39 feet leaving the railroad and through the lands of the J.M. Huber Corporation to an iron pin set in a woven-wire fence line, this point is further described as being on the northerly right-of-way line of the above-mentioned road

THENCE South 66 degrees 31 minutes 58 seconds West for a distance of 75.17 feet with the northerly right-of-way line of the road to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Rose Moore by Quitclaim Deed dated July 8, 1997 and recorded in Warranty Deed Book 242, Page 562 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.M. Huber corporation in the community of Pruden, on the waters of Clear Fork, near the Kentucky-Tennessee State Line, Claiborne County, Tennessee

Beginning at an iron pin (set) on the northerly right-of-way line of a 30 foot wide gravel-covered access road, this point is further described as bearing S 41 degrees 16' 27" W 1271.53 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church.

THENCE North 41 degrees 48 minutes 40 seconds West for a distance of 121.08 feet leaving the road and through the land of the J.M. Huber Corporation to an iron pin (set)

THENCE North 36 degrees 06 minutes 19 seconds East for a distance of 114.97 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 48 degrees 47 minutes 10 seconds East for a distance of 120.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the northerly right-of-way line of the above mentioned access road

THENCE South 31 degrees 20 minutes 30 seconds West for a distance of 25.68 feet with the northerly right-of-way line of the road to an iron pin (set)

THENCE South 34 degrees 49 minutes 48 seconds West for a distance of 36.19 feet continuing with the northerly line of the road to an iron pin (set)

THENCE South 39 degrees 31 minutes 59 seconds West for a distance of 67.97 feet with the northerly line of the road to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Arlene Davis by Quitclaim Deed dated July 8, 1997 and recorded in Warranty Deed Book 564, Page 564 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tracts 3-11-4 and 4-11-1 owned by the J.M. Huber Corporation on the Kentucky-Tennessee State Line, in the community of Pruden, just south of Tennessee Highway 90, on the waters of Clear Fork, Bell County, Kentucky and Claiborne County, Tennessee

Beginning at an iron pin (set) on the southerly right-of-way line of the Norfolk and Southern Railroad, this point is further described as being on the easterly right-of-way line of a 30 foot wide gravel-covered access road, this point is still further described as bearing S 48 degrees 02' 49" W 697.58 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 51 degrees 59 minutes 34 seconds East for a distance of 98.40 feet leaving the road and with the southerly right-of-way line of the Norfolk and Southern Railroad to an iron pin (set)

THENCE South 37 degrees 50 minutes 39 seconds East for a distance of 87.69 feet leaving the railroad and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 38 degrees 37 minutes 44 seconds West for a distance of 196.44 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 03 degrees 04 minutes 19 seconds West for a distance of 162.35 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Larry Teague by Quitclaim Deed dated July 8, 1997 and recorded in Warranty Deed Book 242, Page 595 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Parts of Tracts 3-11-4 and 4-11-1 owned by the J.M. Huber Corporation on the Kentucky-Tennessee Line, in the community of Pruden, just north of Tennessee Highway 90, on the waters of Clear Fork, Bell County, Kentucky and Claiborne County, Tennessee

Beginning at an iron pin (set) on the northerly right-of-way line of Tennessee Highway 90, this point is further described as bearing S 58 degrees 07' 25" W 1206.45 feet from a railroad spike (set) in the centerline of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 10 degrees 58 minutes 02 seconds West for a distance of 93.82 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 12 degrees 23 minutes 41 seconds East for a distance of 76.44 feet continuing through the lands of the J.M. Huber Corporation and crossing the Kentucky-Tennessee State Line into Kentucky to an iron pin (set)

THENCE North 70 degrees 37 minutes 36 seconds East for a distance of 75.29 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 24 degrees 44 minutes 26 seconds East for a distance of 106.61 feet continuing through the lands of the J.M. Huber Corporation and re-crossing the Kentucky-Tennessee Sate Line back into Tennessee to an iron pin (set) on the northerly right-of-way line of Tennessee Highway 90

THENCE South 50 degrees 16 minutes 11 seconds West for a distance of 148.50 feet with the above-mentioned northerly right-of-way line to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Marilyn Teague by Quitclaim Deed dated July 8, 1997 and recorded in Warranty Deed Book 242, Page 597 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.N. Huber Corporation in the community of Pruden, on the waters of Clear Fork, near the Kentucky-Tennessee State Line, Claiborne County, Tennessee

Beginning at an iron pin (set) on the northerly right-of-way line of a 30 foot wide access road, this point is further described as bearing S 41 degrees 48' 13" W 1142.38 feet from a railroad spike (set) in the centerline of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 48 degrees 47 minutes 10 seconds West for a distance of 120.00 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 04 degrees 27 minutes 20 seconds West for a distance of 44.93 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the southerly right-of-way line of the Norfolk and Southern Railroad

THENCE North 52 degrees 02 minutes 57 seconds East for a distance of 114.81 feet with the southerly right-of-way line of the railroad to an iron pin (set)

THENCE South 40 degrees 19 minutes 17 seconds East for a distance of 102.69 feet leaving the railroad and through the lands of the J.M. Huber Corporation to an iron pin (set) on the northerly right-of-way line of the above-mentioned road

THENCE South 28 degrees 33 minutes 20 seconds West for a distance of 132.26 feet with the northerly right-of-way line of the road to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Leona Teague by Quitclaim Deed dated July 8, 1997 and recorded in Warranty Deed Book 242, Page 606 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Part of tract 4-11-1 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, near the Kentucky-Tennessee State Line, Claiborne County, Tennessee

Beginning at an iron pin(set) on the northerly right-of-way line of a 30 foot wide, gravel-covered access road, this point is further described as bearing S 41 degrees 20' 48"W 1318.89 feet from a railroad spike (set) in the centerline of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE South 46 degrees 25 minutes 46 seconds West for a distance of 83.31 feet with the northerly right-of-way line of the above mentioned road and through the lands of the J.M. Huber Corporation to an iron pin (set) in a woven-wire fence line

THENCE North 34 degrees 56 minutes 46 seconds West for a distance of 206.39 feet leaving the road and continuing through the lands of the J.M. Huber Corporation to an iron pin(set) in on the southerly right-of-way line of the Norfolk and Southern Railroad

THENCE North 52 degrees 53 minutes 15 seconds East for a distance of 83.73 feet leaving the railroad and continuing through the lands of the J.M. Huber Corporation to an iron pin (set) approximately 1.2 feet south of the Southerly right-of-way line of the Norfolk and Southern Railroad

THENCE South 34 degrees 34 minutes 09 seconds East for a distance of 197.07 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Postal Service (Helen Russell) by Quitclaim Deed dated July 8, 1997 and recorded in Warranty Deed Book 242, Page 609 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at a point on the north right-of-way line of lands abandoned by CSX Transportation, Inc., said point being located at the common corner of land now or formerly owned by the United States of America, Nellie June Tolliver, and AHH Properties; thence South 41°51'42" West, 201.64 feet along the west line of land now or formerly owned by the United States of America to a point located in the north line of land now or formerly owned by O. B. Webb; thence North 48°12'18" West, 56.13 feet along said north line to a point located in the east right-of-way line of Roslyn Avenue; thence North 48°11'38" West, 50.50 feet to a point located in the west right-of-way line of Roslyn Avenue, said point also being located in the north line of land now or formerly owned by Ann White; thence North 48°11'38" West, 98.90 feet along said north line to a point; thence North 41°54'24" East, 30.00 feet to a point; thence North 48°05'36" West, 208.00 to a point; thence North 41°54'24" East 142.01 feet to a point located in the west line of land now or formerly owned by AHH Properties; thence along said west line the following three bearings and distances,

South 48°05'36" East, 208.00 feet to a point,
North 41°51'42" East, 30.00 feet to a point,
South 48°05'36" East, 205.42 feet to the Point of Beginning.

Containing 1.63 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to United States of America by Warranty Deed dated April 9, 1986 and recorded in Warranty Deed Book 173, Page 678 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel rail in the Westerly Right-of-Way line of Roslyn Street which point is further described by Tennessee Grid Coordinates which are X-2,684,932.51 Y-810,132.09; thence with this Street Right-of-Way line S. 39° 10' E. 49.86 feet to a steel pin which is the Northeasterly corner of Lot No. 3 belonging to Oxford; thence with the Northerly line of Lot 3 (Oxford property) S. 50° 50' W. 150.00 feet to a steel pin; thence leaving Lot No. 3 S. 50° 50' W. 44.43 feet to a stake in an old fence; thence with the old fence N. 26° 50' W. 50.93 feet to a steel rail; thence leaving the old fence N. 50° 48' E. 183.55 feet to the BEGINNING, containing 0.21 Acre.

Being the same property conveyed by J.M. Huber Corporation to Ogle Oxford by Warranty Deed dated May 20, 1986 and recorded in Warranty Deed Book 175, Page 229 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a stake on the southerly edge of Ashton Road as it is now located, this point is further described by its Tennessee Grid Coordinates which are Y-810,922.05 X-2,686,369.10; thence leaving Ashton Road and with the southwesterly line of Lot No. 9, S. 31° 03' E. 231.93 feet to a stake in the line of a tract of land owned by the J.M. Huber Corporation; thence leaving Lot No. 9 and with the northerly line of the Huber Corporation tract S. 43° 00' W. 135.96 feet to a stake; thence leaving the J. M. Huber Corporation line and with the northeasterly line of Lot No. 7, N. 20° 52' W. 239.45 feet to a stake; thence continuing with the northeasterly line of Lot No. 7, N. 18° 20' E. 79.27 feet to a stake on the southerly right-of-way of Ashton Road; thence leaving the Lot No. 7 line and with the southerly right-of-way of Ashton Road S. 87° 36' E. 33.01 feet to the BEGINNING, containing 0.59 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to Robert L. Askew and Elizabeth A. Askew by Warranty Deed dated July 17, 1986 and recorded in Warranty Deed Book 175, Page 618 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING at a triangular-shaped mark in a rock on the crest of Cumberland Mountain, this point is further described as bearing N 35° 28'E on a distance of 374.55 feet from T.V.A. triangulation station T W W 35, and also as being a corner of the J. M. Huber Corporation, thence with the crest of Cumberland Mountain and through the land of the J. M. Huber Corporation N 65° 28'E 64.94 feet to a triangular-shaped mark in a large flat rock, thence N 57° 40'E 53.79 feet to a stake, thence crossing Arch Rock and continuing with the ridge N 62° 13'E 379.30 feet to a triangular-shaped mark in a rock, thence N 66° 58' E 92.16 feet to a stake, thence S 76° 29'E 172.27 feet to a stake, thence S 80° 34'E 121.99 feet to a stake, thence N 67° 59'E 235.13 feet to a stake, thence S 79° 40'E 134.44 feet to a stake, thence S 61° 34'E 55.49 feet to a stake, thence S 79° 31'E 155.55 feet to a stake on a minor peak of the ridge, thence continuing with the ridge N 38° 32'E 146.66 feet to a stake by a large rock, thence N 77° 22'E 120.02 feet to a stake, thence N 62° 58'E 194.20 feet to a triangular-shaped mark in a rock, thence N 70° 20'E 75.66 feet to a stake, thence S 49° 35'E passing a small gap in the ridge at 65 feet, in all 133.21 feet to a stake, thence S 86° 34'E 145.27 feet to a stake, thence continuing with the ridge S 67° 33'E 74.17 feet to a triangular-shaped mark in a rock, thence N 71° 16'E 134.60 feet to a stake, thence N 47° 18'E 207.75 feet to a stake by a large rock, thence N 29° 10'E 143.45 feet to a stake, thence N 64° 09'E 104.44 feet to a stake, thence N 53° 47'E 105.84 feet to a triangular-shaped mark in a rock,thence N 58° 22'E 138.27 feet to a stake, thence N 81° 58'E 79.42 feet to a stake, thence N 58° 24'E 88.22 feet to a stake, thence N 50° 00'E 109.60 feet to a stake, thence N 37° 08' E 44.98 feet to a stake, thence N 85° 40'E 65.84 feet to a triangular-shaped mark in a large rock, thence S 40° 20'E 44.78 feet to a tack in a one (1) inch stump, thence continuing with the ridge S 81° 01'E 62.40 feet to a stake, thence S 81° 43'E 109.78 feet to a stake, thence S 68° 32'E 90.90 feet to a stake, thence S 82° 12'E 92.80 feet to a stake, thence S 81° 02'E 81.41 feet to a stake, thence S 79° 04'E 58.28 feet to a stake, thence S 71° 48'E 91.52 feet to a stake, thence N 71° 43'E 102.19 feet to a stake, thence N 73° 23'E 36.24 feet to a stake, thence N 50° 00'E 60.14 feet to a stake, thence N 41° 53'E 113.51 feet to a stake, thence N 64° 36'E 139.83 feet to a triangular-shaped mark in a large rock,thence N 58° 43'E 82.97 feet to a triangular-shaped mark in a large rock flush with the top of the ground, thence N 76° 40'E 150.63 feet to a stake, thence N 58° 39'E 54.81 feet to a triangular-shaped mark in a large rock, thence

N 75° 15'E 89.23 feet to a triangular-shaped mark in a large rock for a corner, thence leaving the crest of Cumberland Mountain and down a drain S 12° 46'E 157.18 feet to a stake, thence S 08° 13'E 151.03 feet to a stake, thence S 14° 52'E passing a bluff in the drain at 20 feet, in all 159.60 feet to a stake, thence S 13° 56'E passing a bluff in the drain at 20 feet, in all 121.37 feet to a stake, thence S 11° 45'E 249.32 feet to a stake, thence continuing down the drain S 15° 17'E 313.39 feet to a stake, thence S 25° 05'E 168.11 feet to a stake, thence S 05° 26'W passing a bluff in the drain at 30 feet, in all 258.06 feet to a stake, thence S 11° 25'W 194.61 feet to a stake, thence S 03° 23'W 238.25 feet to a stake, thence continuing down the drain the following courses and distances S 22° 32'E 91.74 feet, S 06° 53'E 201.31 feet, S 51° 54'E 111.71 feet, S 08° 59'W 78.03 feet, S 60° 29'E 104.60 feet, S 19° 37'E 132.53 feet, S 48° 59'E 148.25 feet, S 70° 29'E 78.07 feet, S 54° 30'E 161.56 feet, S 19° 06'E 94.95 feet to a stake, thence S 55° 47'E crossing a dirt road at 13 feet, in all 97.61 feet to a stake, thence continuing down the drain S 30° 01'E 99.32 feet to a stake, thence S 32° 15'W 136.82 feet to a triangular-shaped mark in a rock, thence S 27° 46'E 60.27 feet to a stake, thence S 32° 24'W 70.63 feet to a stake, thence S 28° 19'E 101.15 feet to a stake, thence S 43° 43'E 27.00 feet to a point in the drain, thence S 17° 55'W crossing an old dirt road at about 60 feet, in all 110.23 feet to a new concrete monument on the bank of the drain, thence S 03° 04'E 74.66 feet to a new concrete monument on the Northerly bank of Town Creek, thence S 04° 59'W crossing Town Creek at about 20 feet, in all 156.52 feet to an old concrete monument corner of the J. M. Huber Corporation, this point is further described as being witnessed by a 24 inch Hickory with YELLOW and old RED paint on it, and also by a 15 inch Beech with YELLOW paint on it, thence with the YELLOW painted line of the J. M.Huber Corporation S 47° 48' W 118.28 feet to a stake, thence S 47° 29'W crossing the crest of the ridge and an old jeep trail at about 20 feet, in all 118. 32 feet to a stake, thence S 48° 01'W 175.23 feet to a stake, thence S 47° 48'W crossing a small branch at 50 feet, in all 1867.18 feet to an old concrete monument, thence S 47° 47'W 34.77 feet to a stake, thence S 47° 43'W 294.63 feet to a stake, thence S 47° 52'W 418.05 feet to an old concrete monument corner, thence N 22° 45'W 152.22 feet to stake, thence N 21° 13'W 203.81 feet to a stake, thence N 22° 42'W 268.80 feet to a stake, thence N 22° 31'W crossing the crest of a spur at 380 feet, in all 392.40 feet to a stake, thence N 22° 21'W 288.77 feet to an old concrete monument on the Northerly bank of Town Creek, thence S 49° 19'W crossing Town Creek at about 160 feet, in all 177.55 feet to an old concrete monument on the Southerly bank of Town Creek, thence S 64° 50'W 52.67 feet to an old concrete monument, thence S 60° 19'W 86.46 feet to an old concrete monument in an old log road, thence continuing with the YELLOW painted line of the J. M. Huber

Corporation S 77° 34'W 157.08 feet to a mark in a rock under the surface of the ground, thence S 71° 48'W 144.53 feet to an old concrete monument on the Southerly side of Town Creek, thence S 75° 33'W 151.80 feet to an old concrete monument witnessed by a 30 inch Beech and a 12 inch hollow Maple, thence S 64° 01'W 291.06 feet to an old concrete monument, thence S 39° 19'W crossing a drain at about 80 feet, in all 104.31 feet to an old concrete monument, thence S 68° 52'W 232.30 feet to an old concrete monument, thence N 84° 06'W 216.48 feet to an old concrete monument corner in a bottom, thence N 17° 12'W crossing Town Creek at about 60 feet, in all 72.60 feet to an old concrete monument on the Northerly bank of Town Creek, thence N 18° 56'W 287.54 feet to an old concrete monument in an old dirt road, and at the East edge of a field, thence N 16° 57'W crossing a fence at about 70 feet, in all 167.80 feet to a stake, thence N 16° 57'W 215.76 feet to a stake, thence N 16° 56'W 262.22 feet to a stake, thence N 17° 30'W crossing the crest of a ridge at about 45 feet, in all 65.20 feet to a stake, thence N 16° 26'W 134.14 feet to a stake, thence N 17° 10' W crossing a branch at about 100 feet, in all 141.70 feet to a stake, thence N 16° 44'W 253.70 feet to a stake, thence N 17° 06'W 341.83 feet to a stake, thence N 16°56'W 225.74 feet to a stake, thence N 16° 56'W 165.71 feet to a stake, thence N 16° 57'W 160.28 feet to a stake, thence N 16° 56'W 272.83 feet to a stake, thence continuing with the YELLOW painted line of the J. M. Huber Corporation N 16° 57'W 1288.07 feet to the BEGINNING.

Being the same property conveyed by J.M. Huber Corporation to John Asher and Mary Alice Asher by Warranty Deed dated December 16, 1986 and recorded in Warranty Deed Book 177, Page 625 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING at a concrete monument on the northerly Right-of-way line of Ashton Road which point is further described by its Tennessee Grid Coordinates which are X-2,686,512.05 Y-810,979.61 this point being the southerly corner of Lot No. 11; thence with the northerly Right-of-Way line of Ashton Road S. 82° 54' W. 142.37 feet to a stake; thence N. 87° 36'W.172.88 feet to a stake; thence N. 73° 49'W. 27.09 feet to a steel pin; thence leaving the northerly Right-of-way of Ashton Road N. 20° 00'W. 92.96 feet to a steel pin; thence N. 45° 00' W. 22.23 feet to a steel pin; thence N. 50°54' E. 103.56 feet to a stake on the southerly Right-of-way line of Colwyn St.; thence with this southerly Right-of-Way N. 88° 56'E. 50.00 feet to a traingular shaped mark in the sidewalk; thence leaving the southerly Right-Of-Way of Colwyn Street S. 02° 35' E. 55.48 feet to a stake witnessed by a 36 inch white oak; thence S. 75° 08' E. 114.57 feet to a stake; thence S. 08° 27' E. 58.03 feet to a steel pin; thence around a right hand curve the Long Chord of which is S. 79° 49' E. 137.59 feet to the BEGINNING

Being the same property conveyed by J.M. Huber Corporation to M. Daniel Hamlet by Warranty Deed dated July 2, 1986 and recorded in Warranty Deed Book 177, Page 306 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin on the northerly Right-of-way line of Colwyn Street which point is further described by its Tennessee Grid Coordinates which are X-2,686,892.29 Y-811,518.30 this point being the southeasterly corner of this lot and is also the southwesterly corner of Lot Number 17 (being the Robert Douglas property); thence with the northerly Right-of-way of Colwyn Street S. 59° 22' W. 99.52 feet to a steel pin; thence N. 30° 38' W. 149.92 feet to a steel pin; thence N. 59° 23' E. 99.87 feet to a concrete monument which point is also the northwesterly corner of Lot Number 17, thence with the westerly line of Lot Number 17 S. 30° 30' E. 149.97 feet to the POINT OF BEGINNING, containing 0.34 acre, more or less.

Being the same property conveyed by J.M. Huber Corporation to Stella M. Hopper by Warranty Deed dated October 21, 1986 and recorded in Warranty Deed Book 177, Page 195 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at a point on the northerly right of way of the Seaboard System Railroad at the common corner between the Nellie June Tolliver property and Travelers Hotel Properties; thence along said northerly right of way South 48°18'20" East 536.57 feet; thence South 48°06'34" East 456.45 feet; thence North 41°49'42" East 19.03 feet; thence South 39°35'01" East 15.23 feet; thence South 48°55'17" East 180.57 feet; thence South 52°22'53" East 195.61 feet; thence leaving the northerly line of said right of way South 37°36'56" West 240.01 feet to a point on the southerly right of way of the Seaboard System Railroad; thence along said southerly right of way, North 52°22'51" West 204.39 feet; thence North 48°11'56" West 204.38 feet; thence North 41°48'32" East 19.04 feet; thence North 48°11'56" West 200.08 feet; thence North 48°02'50" West 216.71 feet; thence North 47°56'22" West 74.11 feet; thence North 48°50'42" West 79.15 feet; thence North 48°11'42" West 72.32 feet; thence North 48°11'52" West 65.07 feet; thence North 48°11'39" West 62.60 feet; thence North 48°11'52" West 223.21 feet; thence leaving said southerly right of way North 41°51'42" East 201.64 feet to the point of beginning.

Containing 6.86 acres more or less.

Being the same property conveyed by J.M. Huber Corporation to United States of America by Special Warranty Deed dated February 23, 1987 and recorded in Warranty Deed Book 178, Page 522 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin in the southerly Right-of-Way line of Colwyn Street which point is further described by its Tennessee Grid Coordinates which are X-2,686,608.16 Y-811,231.09 this point being the north easterly corner of this lot and is also the northwesterly corner of Lot No. 13; thence leaving Colwyn Street and with the westerly line of Lot No. 13 S. 30° 08' E. 144.89 feet to a steel pin in the northerly Right-of-Way line of an extension of Ashton Road as it is now located; thence with the norhterly Right-of-Way line of this road S. 56° 55' W. 99.30 feet to a steel pin; thence leaving this road and with the easterly line of Lot No. 11 N. 24° 58' W. 162.38 feet to a steel pin in the southerly Right-of-Way line of Colwyn Street; thence with Colwyn Street around a left hand curve of 943.78 feet radius the long chord of which is N. 67° 46' E. 85.35 feet to the place of BEGINNING. Containing 0.32 acre.

Being the same property conveyed by J.M. Huber Corporation to Edna Goodrich by Warranty Deed dated October 17, 1983 and recorded in Warranty Deed Book 161, Page 391 in the office of the Register of Deeds in Claiborne County, Tennessee.

THIS PAGE IS

INTENTIONALLY DELETED

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin on the northerly Right-of-Way line of Colwyn Street which point is further described by its Tennessee Grid Coordinates which are X-2,686,841.58 Y-811,432.67, this point being the southeasterly corner of this lot and is also the southwesterly corner of Lot No. 16; thence with the northerly Right-of-Way of Colwyn Street S. 59° 32' W. 100.29 feet to a concrete monument; thence N. 30° 37' W. 149.98 feet to a concrete monument; thence N. 59° 21' E. 100.23 feet to a steel pin which point is also the northwesterly corner of Lot No. 16; thence with the westerly line of Lot No. 16 S. 30° 38' E. 150.00 feet to the POINT OF BEGINNING, containing 0.34 acre.

Being the same property conveyed by J.M. Huber Corporation to James Lambdin and Cynthia Lambdin by Warranty Deed dated September 13, 1983 and recorded in Warranty Deed Book 161, Page 132 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin on the northerly Right-of-Way line of Colwyn Street which point is further described by its Tennessee Grid Coordinates which are X-2,687,094.59 Y-811,582.53, this point being the southeasterly corner of this lot; thence with the northerly Right-of-Way of Colwyn Street S. 59° 22' W. 94.32 feet to a steel pin which point is also the southeasterly corner of Lot No. 17; thence with the easterly line of Lot No. 17 N. 30° 38' W. 150.0 feet to a steel pin which point is also the northeasterly corner of Lot No. 17; thence N. 59° 22' E. 94.35 feet to a steel pin; thence S. 30° 38' E. 149.99 feet to the POINT OF BEGINNING, containing 0.32 Acre.

Being the same property conveyed by J.M. Huber Corporation to Phillip E. Waller and Joyce Waller by Warranty Deed dated September 13, 1983 and recorded in Warranty Deed Book 161, Page 175 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a concrete monument which is the southwesterly corner of the Holiday Inn tract and is also on the easterly Right-of-Way line of the L & N Railroad which point is further described by it's Tennessee Grid Coordinates which are X-2,685,017.63 Y-810,414.08; thence leaving the Holiday Inn tract and with the Railroad Right-of-Way N. 48° 14' W. 221.36 feet to a point on this Right-of-Way; thence N. 47° 25' W. 79.61 feet to a concrete monument which is the southwesterly corner of the Eugene Adams family tract; thence leaving the Railroad Right-of-Way and with the Adams line N. 24° 03' E. 245.87 feet to a concrete monument which is the southeasterly corner of the Adams tract and is also on the northerly Right-of-Way line of Ashton Road as it is now located; thence leaving the Adams line and with the northerly Right-of-Way line of Ashton Road the following courses and distances N. 09° 45' E. 45.45 feet; thence N. 10° 02' E. 56.02 feet; thence N. 15° 39' E. 60.31 feet; thence N. 25° 12' E. 52.32 feet; thence N. 33° 37' E. 76.29 feet; thence N. 40° 30' E. 92.88 feet; thence N. 50° 47' E. 44.54 feet; thence N. 61° 19' E. 71.49 feet; thence N. 72° 17' E. 59.73 feet; thence N. 84° 40' E. 34.61 feet to a steel pin; thence leaving this Right-of-Way S. 00° 41' W. passing the center line of Ashton Road at 20.17 feet, in all 212.67 feet to a steel pin; thence S. 22° 38' E. passing the center line of a dirt road at 142.94 feet, in all 283.35 feet to a concrete monument which is a corner of the Holiday Inn tract; thence with the Holiday Inn tract S. 41° 21' W. 499.63 feet to the BEGINNING, contianing 5.92 acres.

Being the same property conveyed by J.M. Huber Corporation to Bill McGaffee and Linda McGaffee by Warranty Deed dated March 1, 1984 and recorded in Warranty Deed Book 163, Page 602 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

PARCEL # 1
BEGINNING at a right of way marker on the north proposed uncontrolled right of way line at the point of intersection with the existing north right of way line of S.R.#132, said marker located 20 feet left of centerline station 13 + 35; thence with the said proposed uncontrolled right of way line North 49° 18' East 139.13 feet to a right of way marker located 65 feet left of centerline station 14 + 66.65; thence North 75° 26' East 51.47 feet to a right of way marker on the existing southwest right of way line of the L and N Railroad, said marker located 59178 feet left of centerline station 15 _ 14.72; thence with the said existing Railroad right of way line southeasterly on a curve to the left of radius of 508.93 feet an arc distance of 78.64 feet to a point on the existing north right of way line of S.R.#132; thence with the said existing right of way line South 73° 39' West 94.82 feet to a turn; thence South 72° 10' West 126.92 feet to a turn; thence South 68° 10' West 16.4 feet to the POINT OF BEGINNING.

PARCEL # 2
BEGINNING at a right of way marker on the north proposed uncontrolled right of way line at the point of intersection with the existing north right of way of S.R.#132, said marker located 20 feet left of centerline station 19 + 00; thence with the said existing right of way line South 77° 45' West 274.47 feet to a point on the northeast existing right of way line of the L and N Railroad; thence with the said existing Railroad right of way line northwesterly on a curve to the right of radius of 478.93 feet an arc distance of 85.30 feet to the right of way marker on the

north proposed uncontrolled right of way line, said marker located 57.32 feet left of centerline station 15 + 57.68; thence with the said proposed uncontrolled right of way line North 75° 26' East 112.51 feet to a right of way marker located 60 feet left of centerline station 16 + 63,71; thence North 80° 00' East 86.29 feet to a right of way marker located 60 feet left of centerline station 17 + 50; thence North 87° 35' East 151.33 feet to a right of way marker located 40 feet left of centerline station 19 + 00; thence South 10° 00' 25" East 20 feet to the POINT OF BEGINNING.

PARCEL # 3

BEGINNING at a right of way marker on the south proposed uncontrolled right of way line at the point of intersection with the existing south right of way line of S.R.#132, said marker located 20 feet right of centerline station 13 + 50; thence with the said existing right of way line North 72° 10' East 125 feet to a turn; thence North 73° 39' East 144.29 feet to a turn; thence North 77° 45' East 17.28 feet to a point on the existing southwest right of way line of the L and N Railroad; thence with the said existing Railroad right of way line southeasterly on a curve to the left of radius of 508.93 feet an arc distance of 31.60 feet to a right of way marker on the south proposed uncontrolled right of way line, said marker located 40.37 feet right of centerline station 16 + 72.36; thence with the said proposed uncontrolled right of way line South 68° 37' West 195.86 feet to a right of way marker located 60 feet right of centerline station 14 + 66.65; thence South 87° 06' West 123.32 feet to the POINT OF BEGINNING.

PARCEL # 4

BEGINNING at a right of way marker on the south proposed uncontrolled right of way line at the point of intersection with the existing south right of way line of S.R.#132, said marker located 20 feet right of centerline station 19 + 00; thence with the said proposed uncontrolled right of way line South 10° 00' 25" East 18.21 feet to a right of way marker on the existing northeast right of way line of the L and N Railroad; thence with the existing Railroad and proposed uncontrolled right of way line South 83° 13' West 104.41 feet to a point; thence northwesterly on a curve to the right of radius of 478.93 feet an arc distance of 54.31 feet to a right of way marker on the existing south right of way line of S.R.# 132, said marker located 26.21 feet right of centerline station 17 + 41.83; thence with the said existing right of way line North 77° 45' East 158.29 feet to the POINT OF BEGINNING.

Containing 0.643 acres, more or less, in the four above described parcels.

Being the same property conveyed by J.M. Huber Corporation to State of Tennessee by Special Warranty Deed dated March 16, 1984 and recorded in Warranty Deed Book 163, Page 602 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin on the northerly Right-of-Way line of Colwyn Street which point is further described by its Tennessee Grid Coordinates which are X-2,687,013.43 Y-811,534.47 this point being the southeasterly corner of this lot and is also the southwesterly corner of Lot No. 18, being the Waller property; thence with the northerly Right-of-Way of Colwyn Street S. 59° 22' W. 100.23 feet to a steel pin; thence N. 30° 30' W. 149.97 feet to a concrete monument; thence N. 59° 21' E. 99.87 feet to a steel pin which point is also the northwesterly corner of Lot No. 18, being the Waller property; thence with the westerly line of Lot No. 18, which is the Waller property, S. 30° 38' E. 150.00 feet to the POINT OF BEGINNING, containing 0.34 Acre.

Being the same property conveyed by J.M. Huber Corporation to Robert K. Douglas and Edwina J. Douglas by Warranty Deed dated February 15, 1984 and recorded in Warranty Deed Book 163, Page 15 in the office of the Register of Deeds in Claiborne County, Tennessee.

JI

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

TRACT NO. ONE: Situated in District No. Six (6) of Claiborne County, Tennessee, and being East of the Bill McGaffee property and North of the Holiday Inn tract, in Cumberland Gap, and more particularly described as follows:

BEGINNING on a concrete monument in the southerly Right-of-Way line of Ashton Road as it is now located which point is the northwesterly corner of the Joe Burchett lot and is further described by its coordinates with respect to Tennessee Grid which are X-2,685,964.42 Y-810,982.71; thence with the Burchett Line S. 18° 59' W. 114.77 feet to a concrete monument which is the southwesterly corner of the Burchett lot and is also a corner of the Holiday Inn tract; thence leaving Burchett and with the Holiday Inn line S. 81° 39' W. 585.58 feet to a concrete monument a corner of the Bill McGaffee tract; thence leaving the Holiday Inn line and with McGaffee N. 22° 38' W. 283.35 feet to a steel pin; thence N. 00° 41' E. 212.67 feet to a steel pin in the northerly Right-of-Way line of Ashton Road and also the northeasterly corner of the McGaffee tract; thence leaving McGaffee and with the northerly Right-of-Way line of Ashton Road the following courses and distances N. 88° 38' E. 10.77 feet; thence S. 71° 41' E. 674.49 feet; thence S. 69° 47' E. 89.15 feet; thence leaving the Right-of-Way line S. 17° 05' W. 40.00 feet crossing the Ashton Road to the BEGINNING, containing 4.96 Acres.

TRACT NO. TWO: Situated in District No. Six (6) of Claiborne County, Tennessee, and being West of Wastewater Treatment Plant, in Cumberland Gap, and more particularly described as follows:

BEGINNING on a steel pin which is the southwesterly corner of a lot containing the Holiday Inn Wastewater Treatment Plant which point is also described by its coordinates with respect to Tennessee Grid which are X-2,686,878.66 Y-811,140.09; thence leaving the wastewater plat lot S. 43° 00' W. 457.19 feet to a steel pin in the southeasterly corner of Lot No. 9; thence with the easterly line of Lot No. 9 N. 16° 24' W. 141.73 feet to a steel pin in the southerly Right-of-Way line of Ashton Road as it is now located; thence leaving Lot No. 9 and with the Southerly Right-of-Way line of Ashton Road the following courses and distances N. 61° 42' E. 15.91 feet; thence N. 49° 32' E. 105.59 feet; thence N. 56° 55' E. 284.17 feet to a steel pin at the end of Ashton Road and also in the westerly line of the Holiday Inn Wastewater Treatment Plant lot; thence with the Westerly line of the Wastewater Treatment Plant lot S. 30° 38' E. 38.19 feet to the BEGINNING, CONTAINING 0.85 Acre.

TRACT NO. THREE: Situated in District No. Six (6) of Claiborne County, Tennessee, and being East of Joe Burchett lot, in Cumberland Gap, and more particularly described as follows:

BEGINNING on a concrete monument which is the northeasterly corner of the Joe Burchett lot this monument is also in the Southerly Right-of-Way line of Ashton Road as it is now located and is further described by its coordinates with respect to Tennessee Grid which are X-2,686,082.04 Y-810,958.56; thence with the Southerly Right-of-Way line of Ashton Road S. 75° 39' E. 118.02 feet to a steel pin which is the northwesterly corner of Lot No. 7; thence with the westerly line of Lot No. 7 S. 02° 24' W. 269.20 feet to a steel pin in the Holiday Inn tract line; thence leaving Lot No. 7 and with the Holiday Inn line N. 47° 44' W. 287.08 feet to a concrete monument a corner of the Joe Burchett lot; thence leaving the Holiday Inn tract and with the Joe Burchett line N. 87° 06' E. 105.00 feet to a concrete monument; thence with the easterly line of the Joe Burchett lot N. 02° 36' E. 100.00 feet to the BEGINNING, containing 0.73 Acre.

TRACT NO. FOUR: Situated in District No. Six (6) of Claiborne County, Tennessee, and being on the Northerly side of Ashton Road, in Cumberland Gap, and more particularly described as follows:

BEGINNING on a concrete monument on the Northerly Right-of-Way line of Ashton Road as it is presently located which point is also the Southeasterly corner of the Eugene Adams family tract and is a corner of the Bill McGaffee tract and is further identified by its Tennessee Grid Coordinates which are X-2,684,894.11 Y-810,839.92; thence N. 41° 31' W. 403.15 feet to an angle iron; thence N. 61° 08' E. 624.70 feet to an aluminum nail driven flush with the ground at the Southeasterly intersection of Colwyn Street and Cumberland Drive; thence leaving these streets S. 21° 38' E. 183.86 feet to a concrete monument; thence S. 00° 41' W. 8.77 feet to a steel pin in the Northerly Right-of-Way line of Ashton Road; thence along this Right-of-Way the following courses and distances: S. 84° 40' W. 34.61 feet;

thence S. 72° 17' W. 59.73 feet; thence S. 61° 19' W. 71.49 feet; thence S. 50° 47' W. 44.54 feet; thence S. 40° 30' W. 92.88 feet; thence S. 33° 37' W. 76.29 feet; thence S. 25° 12' W. 52.32 feet; thence S. 15° 39' W. 60.31 feet; thence S. 10° 02' W. 56.02 feet; thence S. 09° 45' W. 45.45 feet to the BEGINNING, Containing 3.04 acres.

All of the property described above is subject to any existing easements and rights-of-ways for powerlines, waterlines, sewers, and roads, and more specifically a right-of-way for Ashton Road which is a public street of the City of Cumberland Gap, Tennessee.

TRACT NO. FIVE: Situated in District No. Six (6) of Claiborne County, Tennessee, and being an easement for roadway across tract sold to Bill McGaffee, in Cumberland Gap, Tennessee, to tract East of McGaffee tract and North of Holiday Inn tract. Said easement is 40 feet wide, the centerline of which is described as follows:

BEGINNING at a point 20.17 feet on a bearing S. 00° 41' W. from a steel pin which is the Southeasterly corner of the tract described as being on the Northerly side of Ashton Road; thence with this centerline the following courses and distances S. 84° 46' W. 32.27 feet; thence S. 71° 55' W. 57.19 feet; thence S. 69° 55' W. 69.21 feet; thence S. 49° 06' W. 37.39 feet; thence S. 40° 22' W. 90.74 feet; thence S. 33° 29' W. 75.08 feet; thence S. 24° 27' W. 47.14 feet; thence S. 15° 27' W. 58.58 feet; thence S. 09° 52' W. 54.89 feet; thence S. 10° 13' W. 50.91 feet; thence S. 24° 03' W. 85.00 feet; thence N. 64° 45' E. 57.50 feet to a stake on the centerline of the present road and at a gate; thence reducing the Right-of-Way width to 25 feet and continuing with the centerline of the present roadway the following courses and distances: N. 45° 34' E. 181.05 feet; thence N. 79° 06' E. 160.26 feet; thence S. 79° 51' E. 79.52 feet to a point which is 140.41 feet on a bearing of N. 22° 38' W. from the concrete monument which is the southernmost corner of the tract described as being East of the McGaffee tract and North of the Holiday Inn tract.

Being the same property conveyed by J.M. Huber Corporation to W. T. Ausmus by Warranty Deed dated March 21, 1984 and recorded in Warranty Deed Book 164, Page 496 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin in the westerly Right-of-Way Line of Roslyn Street which point is further described by its Tennessee Grid Coordinates which are X-2,684,964.00 Y-810,093.43; thence with this street Right-of-Way line S. 39° 10' E. 100 feet to a steel pin which is the Northeasterly corner of Lot No. 2; thence with the northerly line of Lot No. 2 S. 50° 50' W. 150.00 feet to a steel pin; thence leaving Lot No. 2 N. 39° 10'W. 100.00 feet to a steel pin; thence N. 50° 50' E. 150.00 feet to the BEGINNING. Containing 0.344 acre.

Being the same property conveyed by J.M. Huber Corporation to Kenneth Oxford and Donna Oxford by Warranty Deed dated September 27, 1984 and recorded in Warranty Deed Book 166, Page 367 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on an X carved in the top of a concrete block, this point is further described by its Tennessee Lambert Grid coordinates which are X-2,684,134.09 Y-812,055.76; thence S. 18° 19' W. 100.00 feet to a steel rail on the bank of a small drain; thence N. 71° 41' W. 60.90 feet to a stake; thence N. 15° 59' W. 48.49 feet to a stake; thence N. 28° 00' E. 60.80 feet to a stake; thence S. 71° 42' E. 78.00 feet to the BEGINNING

Being the same property conveyed by J.M. Huber Corporation to John Coleman and Kathy Coleman by Quitclaim Deed dated November 12, 1987 and recorded in Warranty Deed Book 183, Page 456 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at a point on the north right-of-way line of lands abandoned by CSX Transportation, Inc., said point being located at the common corner of land now or formerly owned by the United States of America, Nellie June Tolliver, and AHH Properties; thence South 41°51'42" West, 201.64 feet along the west line of land now or formerly owned by the United States of America to a point located in the north line of land now or formerly owned by O. B. Webb; thence North 48°12'18" West, 56.13 feet along said north line to a point located in the east right-of-way line of Roslyn Avenue; thence North 48°11'38" West, 50.50 feet to a point located in the west right-of-way line of Roslyn Avenue, said point also being located in the north line of land now or formerly owned by Ann White; thence North 48°11'38" West, 98.90 feet along said north line to a point; thence North 41°54'24" East, 30.00 feet to a point; thence North 48°05'36" West, 208.00 to a point; thence North 41°54'24" East 142.01 feet to a point located in the west line of land now or formerly owned by AHH Properties; thence along said west line the following three bearings and distances,

South 48°05'36" East, 208.00 feet to a point,
North 41°51'42" East, 30.00 feet to a point,
South 48°05'36" East, 205.42 feet to the Point of Beginning.

Containing 1.63 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to United States of America by Warranty Deed dated January 4, 1988 and recorded in Warranty Deed Book 184, Page 15 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

TRACT NO. ONE: BEGINNING on a stake on the southwesterly right-of-way of old U. S. 25 E, this stake is further described by its Tennessee Lambert Grid Coordinates which are X-810,569.55, Y-2,684,304.16, and still further described as bearing S. 04° 31' 31" W. 429.52 feet from triangulation station PASS, thence leaving the southwesterly right-of-way of old U. S. 25-E, S. 47° 46' W. 50.00 feet to a stake; thence S. 51° 08' 35" W. 88.73 feet to a concrete monument corner of Tract Number 2; thence with a line of Tract Number 2, S. 48° 05' W. 253.41 feet to a stake; thence leaving Tract Number 2, S. 42° 33' E. 737.60 feet to a stake; thence with a line of the National Park Service, N. 86° 13' 54" E. 250.53 feet to a stake on the southwesterly right-of-way of old U. S. 25-E; thence leaving the National Park Service and with the southwesterly right-of-way of old U. S. 25-E the straight line direction and distance of which is N. 30° 01' 56" W. 907.29 feet to the Beginning containing 6.3 acres.

TRACT NO. TWO: BEGINNING on a steel pin on the easterly edge of the Tiprell Road and on the westerly bank of Gap Creek which point is further described by its Tennessee Grid Coordinates which are X-2,683,872.69, Y-810,544.48, thence with the southerly line of the Mildred Hamblin lot, S. 42° 33' E. 220.91 feet to a steel pin; thence with the easterly line of the Mildred Hamblin lot N. 09° 16' E. 299.62 feet to a concrete monument; thence leaving the Hamblin lot S. 74° 43' E. 63.39 feet to a concrete monument, thence S. 45° 43' E. 97.48 feet to a concrete monument; thence S. 00° 13' W. 85.58 feet to a concrete monument; thence S. 26° 10' E. 59.42 feet to a stake; thence S. 36° 21' E. 61.21 feet to a concrete monument; thence S. 48° 05' W. 253.41 feet to a stake; thence N. 42° 33' W. 314.55 feet to a concrete monument on the easterly edge of Tiprell Road; thence with the easterly edge of Tiprell Road, N. 07° 40' E. 78.02 feet to the Beginning containing 1.78 acres.

TRACT NO. THREE: BEGINNING on a stake on the southwesterly right-of-way of old U. S. 25-E, this stake is further described by its Tennessee Lambert Grid Coordinates which are X-810,569.55 Y-2,684,304.16, and still further described as bearing S. 04° 31' 31" W. 429.52 feet from triangulation station PASS; thence with the above mentioned southwestwardly right-of-way, S. 40° 55' 54" E. 100.00 feet to a stake witnessed by a 10 inch Popular; thence leaving the southwesterly right-of-way of old U. S. 25-E, S. 47° 46' 00" W. 50.00 feet to a stake; thence N. 40° 55' 54" W. 100.00 feet to a stake; thence N. 47° 46' 00" E. 50.00 feet to the Beginning containing 0.11 acres.

TRACT NO. FOUR: BEGINNING on a steel pin at the Northeast edge of the J. H. Lambert lot and on the South edge of Roslyn Street, this pin is further described by its Tennessee Lambert Grid Coordinates which are X-2,684,542.87 Y-810,610.37; thence with the south edge of Roslyn Street, S. 39° 10' E. 616.91 feet to a steel rail corner of the Kenneth Oxford lot, thence leaving Roslyn Street and with the Northwesterly line of the Kenneth Oxford lot S. 50° 48' W. 183.55 feet to a steel rail corner of the above mentioned Oxford lot; thence leaving the Oxford lot and with the northeasterly right-of-way line of old U. S. 25-E, N. 19° 24' W. 110.74 feet to a concrete right-of-way monument; thence N. 31° 19' W. 200.54 feet to a concrete right-of-way monument; thence N. 39° 12' W. 249.00 feet to a stake at the edge of the U. S. 25-E right-of-way; thence S. 50° 48' W. 15.00 feet to a stake; thence N. 39° 14' W. 65.15 feet to a concrete right-of-way monument; thence leaving the U. S. 25-E right-of-way line, N. 50° 50' E. 133.92 feet to the Beginning containing 1.87 acres.

Being the same property conveyed by J.M. Huber Corporation to John Asher by Warranty Deed dated February 11, 1988 and recorded in Warranty Deed Book 185, Page 81 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin in the southerly right-of-way line of Colwyn Street which point is further described by its Tennessee Grid Coordinates which are X-2,686,705.57 Y-811,282.65, this point being the northeasterly corner of this lot and is also the northwesterly corner of the J. M. Huber Corporation; thence leaving Colwyn Street and with the westerlyline of the J. M. Huber Corportion property known as Lot 14 S. 30° 26' E. 134.86 feet to a steel pin in the northerly right-of-way line of an extension of Ashton Road as it is now located; thence with the northerly right-of-way line of this Road S. 56° 55' W. 111.03 feet to a steel pin; thence leaving this road and with the easterly line of Lot No. 12 being the Edna Goodrich property N. 30° 08' W. 144.89 feet to a steel pin in the southerly right-of-way line of Colwyn Street; thence with Colwyn Street around a left hand curve of 943.78 feet radius the long chord of which is N. 62° 39' E. 99.93 feet to a stake, this point is further described as being the point of curvature of the above mentioned curve; thence continuing with the southerly right-of-way line of Colwyn Street N. 59° 22' E. 9.86 feet to the BEGINNING, containing 0.35 Acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to Darrell Evans and Cara Evans by Warranty Deed dated April 24, 1985 and recorded in Warranty Deed Book 169, Page 690 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a copper rod at the southerly edge of Colwyn Street which point is also the northwesterly corner of a lot sold with the Holiday Inn, this point is further described by it's Tennessee Grid Coordinate which are Y-811-320.24 X-2,686,769.93, thence with westerly line of the lot sold with the Holiday Inn S. 30° 38' E. 131.63 feet to a concrete monument in the northerly edge and in the end of Ashton road as it is now located, thence with the northerly edge of Ashton road S. 56° 55' W. 75.55 feet to a steel pin, thence leaving Ashton road N. 30° 26' W. 134.86 feet to a steel pin in the southerly edge of Colwyn Street, thence with Colwyn Street N. 59° 22' E. 75.00 feet to the BEGINNING. Containing 0.23 Acre.

Being the same property conveyed by J.M. Huber Corporation to Lonnie Ray Paul and Wanda Paul by Warranty Deed dated July 3, 1985 and recorded in Warranty Deed Book 170, Page 499 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a concrete monument in the northerly edge of Ashton Road as it is now located which point is further described by its Tennessee Grid Coordinates which are Y-810,980.26 X-2,686,512.15, thence N. 16° 59' W. 203.98 feet to a mark in a concrete slab on the southerly edge of Colwyn Street, thence with the southerly edge of Colwyn Street around a left hand curve the long chord of which is N. 72° 57' E. 80.00 feet to a steel pin, thence leaving Colwyn Street S. 24° 58' E. 262.36 feet to a steel pin in the northerly edge of Ashton Road, thence with the edge of Ashton Road S. 50° 09' W. 111.29 feet to the Point of BEGINNING. containing 0.38 Acre.

Being the same property conveyed by J.M. Huber Corporation to Bobby Mitchell Partin and Kathy V. Partin by Warranty Deed dated August 5, 1985 and recorded in Warranty Deed Book 170, Page 572 in the office of the Register of Deeds in Claiborne County, Tennessee.

THIS PAGE IS

INTENTIONALLY DELETED

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin on the easterly edge of the Tiprell Road and on the westerly bank of Gap Creek which point is further described by its Tennessee Grid Coordinates which are: X-2,683,872.69 Y-810,544.48; thence with the edge of the Tiprell Road N. 07° 40' E. 250.00 feet to a nail; thence leaving this road S. 53° 08' E. crossing Gap Creek at 15 feet in all 125.58 feet a concrete monument; thence S. 58° 17' E. 75.05 feet a concrete monument; thence S. 09° 16' W. 299.62 feet to a steel pin; thence N. 42° 33' W. recrossing Gap Creek at 210 feet in all 220.91 feet to the point of BEGINNING. Containing 1.09 Acres.

Being the same property conveyed by J.M. Huber Corporation to Mildred Hamblin by Warranty Deed dated June 1, 1985 and recorded in Warranty Deed Book 170, Page 624 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin in the westerly Right-of-Way of Roslyn Stree which is a common corner between Lots No. 2 and 3 and is further described by its Tennessee Grid Coordinates which are X-2,810,156.59 Y-684,886.47; thence with the Right-of-Way line of Roslyn Street S. 39° 10'E. 100.00 feet to a copper rod; thence leaving Roslyn Street S. 50° 50' W. 150.00 feet to a concrete monument; thence N. 39° 10' W. 100.00 feet to a steel pin whcih point is the southwest corner of Lot No. 3; thence with the southerly line of Lot No. 3, No. 50° 50' E. 150.00 feet to the BEGINNING. Containing 0.344 acre

Being the same property conveyed by J.M. Huber Corporation to James A. Lundy and Jean Marie Lundy by Warranty Deed dated October 2, 1985 and recorded in Warranty Deed Book 171, Page 493 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin in the southerly edge of Colwyn Street which point is the northwesterly corner of Lot No. 20 and is further described by its Tennessee Coordinates which are X-2,687,111.71 Y-811, 523.14; thence with the westerly edge of Lot No. 20 S. 32° 59' E. 357.32 feet to a stake in the westerly Right-of-Way line of Highway U. S. 25E.;thence with this Right-of-Way line around a right hand curve the long chord of which is S. 25° 31' W. 100.77 feet a stake in the Paul Burchett line; thence leaving the highway and with Burchett N. 37° 50' W. 416.34 feet to a steel pin on the southerly edge of Colwyn Street; thence with Colwyn Street N. 59° 22' E. 121.29 feet to the BEGINNING. Containing 0.92 acres,

Being the same property conveyed by J.M. Huber Corporation to Joe Hensley and Wilma Hensley by Warranty Deed dated September 4, 1985 and recorded in Warranty Deed Book 171, Page 407 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a stake on the southerly edge of Ashton Road as it is now located, this point is further described by its Tennessee Grid Coordinates which are Y-810,923.4380 X-2,686,336.1174; thence leaving Ashton Road and with the westerly line of Lot No. 8, S. 18° 20' W. 79.27 feet to a stake; thence with the southwesterly line of Lot No. 8, S. 20° 52' E. 239.45 feet to a stake in the line of a tract of land owned by the J.M. Huber Corporation, this point is further described as being the southwest corner of Lot No. 8; thence leaving Lot No. 8 and with the northerly line of the above mentioned Huber Corporation tract S. 43° 00' W. 116.76 feet to a stake in the Holiday Inn tract line; thence leaving the Huber Corporation tract and with the Holiday Inn line N. 47° 22' W. 179.07 feet to a steel pin, this point is further described as being the southeasterly corner of the Bill Ausmus Lot; thence leaving the Holiday Inn tract and with the easterly line of the above mentioned Bill Ausmus tract N. 02° 24' E. 269.20 feet to a steel pin on the southerly right-of-way line of Ashton Road, this point is further described as being the northeasterly corner of said Bill Ausmus Lot; thence leaving the Bill Ausmus tract and with the southerly right-of-way line of Ashton Road S. 87° 36' E. 139.87 feet to the BEGINNING, containing 1.2 Acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to Margaret L. Swisher by Warranty Deed dated December 4, 1985 and recorded in Warranty Deed Book 172, Page 799 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a stone monument on the Virginia, Tennessee state line at the South edge of Cumberland Drive, this monument being further described by its coordinates with respect to the Tennessee Lambert Grid being X 2,686,365.76 Y 812,007.03; thence S. 28° 10' E. 150.0 feet to a concrete monument; thence S. 61° 05' W. 322.00 feet to a concrete monument; thence S. 60° 50' W. 75.71 feet to a concrete monument; thence S. 29° 50' E. 150.68 feet to a concrete monument in the North edge of Ridge Road; thence with Ridge Road S. 78° 40' W. 138.28 feet to a concrete monument; thence still with the North edge of Ridge Road S. 86° 37' W. 157.80 feet to a concrete monument; thence leaving Ridge Road S. 18° 53' W. 138.23 feet to a concrete monument in the North edge of Block No. 2; thence with the North edge of Block No. 2 S. 70° 19' E. 160.48 feet to a concrete monument on the North edge of Block No. 2 and at the point of curvature of a left hand curve; thence along this curve whose long chord is N. 82° 59' E. 655.31 feet to a concrete monument at the point of tangency of this curve; thence N. 59° 22' E. 60.00 feet to a concrete monument at the Northwest corner of Lot No. 28, Block No. 2; thence N. 59° 21' E. 100.23 feet to a steel pin; thence N. 59° 23' E. 99.87 feet to a steel pin; thence N. 59° 21' E. 99.87 feet to a steel pin; thence N. 59° 22' E. 94.35 feet to a steel pin; thence S. 30° 38' E. 149.99 feet to a steel pin in the North right-of-way line of Colwyn Street; thence N. 59° 22' E. 29.91 feet to a point in the North edge of Colwyn Street and in the Cumberland Gap National Historical Park line; thence with the Park line N. 27° 02' W. 198.42 feet to N.P.S. Monument No. 38; thence N. 21° 57' W. 209.90 feet to N.P.S. Monument No. 39; thence N. 29° 26' W. 122.48 feet to N.P.S. Monument No. 40; thence N. 89° 55' W. 234.77 feet to N.P.S. Monument No. 40-A; thence N. 89° 51' W. 290.89 feet to a stone monument which is the POINT OF BEGINNING, containing approximately Eleven (11) acres,

Being the same property conveyed by J.M. Huber Corporation to T. J. Asher and Maxine Asher by Warranty Deed dated March 10, 1983 and recorded in Warranty Deed Book 159, Page 374 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at an iron pin (set) on the south right-of-way line of the left fork of Rock Creek Ridge Road with this point being further described as bearing South 87 degrees 20' 48" East 732.70 feet from a "mag" nail (set) in the center of Rock Creek Ridge Road at the southeast end of the concrete bridge that spans Clear Fork, and being still further described as bearing south 68 degrees 42' 35" West 397.71 feet from a "mag" nail (set) in the centerline of the Southern Railroad and the center of Rock Creek Ridge Road where said railroad crosses said road near the northeast corner of the below-described tract; thence North 56 degrees 59 minutes 44 seconds East for a distance of 145.74 feet with the south right-of-way line of the left fork of Rock Creek Ridge Road to an iron pin (set); thence North 73 degrees 29 minute 51 seconds East for a distance of 83.60 feet to an iron pin (set); thence North 81 degrees 54 minute 18 seconds East for a distance of 97.31 feet to an iron pin (set); thence North 88 degrees 27 minutes 45 seconds East for a distance of 47.79 feet to a point on the said south right-of-way line and in the center of a 12 foot wide gravel-covered access road; thence North 88 degrees 53 minutes 58 seconds East for a distance of 23.56 feet leaving the access road but continuing with the south right-of way line of the left fork of Rock Creek Ridge Road to an iron pin (set) on the northeast side of the 12 foot wide access road; thence South 54 degrees 06 minutes 34 seconds East for a distance of 58.71 feet leaving the south right-of-way line of the left fork of Rock Creek Ridge Road and now along the northeast side of the access road to an iron pin (set); thence South 56 degrees 35 minutes 25 seconds East for a distance of 106.67 feet to an iron pin (set); thence South 47 degrees 44 minutes 16 seconds East for a distance of 73.49 feet to an iron pin (set); thence South 33 degrees 06 minutes 10 seconds East for a distance of 84.32 feet to an iron pin (set); thence South 33 degrees 10 minutes 14 seconds East for a distance of 95.42 feet turning away from the access road and continuing through the lands of the J.M. Huber Corporation to an iron pin (set); thence South 60 degrees 54 minutes 22 seconds West for a distance of 47.79 feet to a point in the center of a 12 foot wide dirt-covered access road; thence South 64 degrees 38 minutes 25 seconds West for a distance of 18.96 feet to an iron pin (set) on the westerly side of the access road; thence South 55 degrees 31 minutes 35 seconds West for a distance of 178.92 feet up the hill and continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the northeast side of the gravel-covered middlefork of Rock Creek Ridge Road; thence South 51 degrees 33 minutes 38 seconds West for a distance of 14.40 feet to a point in the center of said middlefork of the Rock Creek Ridge Road; thence South 45 degrees 11 minutes 44 seconds West for a distance of 17.46 feet to an iron pin (set) on the southwest right-of-way of the middle fork of Rock Creek Ridge Road; thence South 33 degrees 01 minutes 37 seconds East for a distance of 82.71 feet running near the southwest right-of-way line of the middle fork of Rock Creek Ridge Road to an iron pin (set); thence South 00 degrees 58 minutes 14 seconds East for a distance of 46.46 feet to an iron pin (set); thence South 48 degrees 02 minutes 54 seconds West for a distance of 52.70 feet to an iron pin (set) on the southwest right-of-way line of the middle fork

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

of Rock Creek Ridge Road; thence North 36 degrees 51 minutes 34 seconds West for a distance of 84.48 feet leaving the road and continuing through the lands of the J.M. Huber Corporation to an iron pin (set); thence North 58 degrees 21 minutes 17 seconds West for a distance of 62.23 feet to an iron pin (set); thence South 84 degrees 15 minutes 45 seconds West for a distance of 142.30 feet to an iron pin (set); thence South 72 degrees 44 minutes 35 seconds West for a distance of 77.94 feet to an iron pin (set); thence North 69 degrees 27 minutes 13 seconds West for a distance of 159.23 feet to an iron pin (set) on the east side of the right fork of Rock Creek Ridge Road; thence North 26 degrees 55 minutes 51 seconds East for a distance of 88.33 feet along the north side of said right fork road to an iron pin (set); thence North 05 degrees 10 minutes 05 seconds East for a distance of 95.18 feet to an iron pin (set); thence North 07 degrees 43 minutes 09 seconds West for a distance of 148.45 feet to an iron pin (set) on the south side of the middle fork of Rock Creek Ridge Road and on the east side of the right fork of Rock Creek Ridge Road; thence North 06 degrees 01 minutes 37 seconds East for a distance of 40.22 feet with the east side of the right fork of Rock Creek Ridge Road and crossing the middle fork of Rock Creek Ridge Road to the point of beginning.

Said property contains 6.031 acres

Being the same property conveyed by J.M. Huber Corporation to Clairfield Missionary Baptist Church by Warranty Deed dated March 27, 1999 and recorded in Warranty Deed Book 1013, Page 573 in the office of the Register of Deeds in Claiborne County, Tennessee.

TOTAL P.26

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a steel pin on the southerly edge of Ashton Road as it is now located which point is further described by its Tennessee Grid Coordinates which are Y-810,941.06 X-2,686,524.94; thence leaving Ashton Road S. 16° 24' E. 141.73 feet to a stake in the line of a tract owned by J. M. Huber Corporation; thence with the northerly line of this tract S. 43° 00' W. 111.78 feet to a stake; thence leaving this tract N. 31° 03' W. 231.93 feet to a stake in the southerly edge of Ashton Road; thence with the edge of Ashton Road N. 83° 03' E. 157.00 feet to the BEGINNING, containing 0.53 acre,

Being the same property conveyed by J.M. Huber Corporation to Carl E. Brock and Eugenia M. Brock by Warranty Deed dated March 28, 1986 and recorded in Warranty Deed Book 180, Page 714 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a concrete monument in the northerly Right-of-Way line of Highway U. S. 25-E, this point is further described by its Tennessee Lambart Grid Coordinates which are X-2,686,503.56 and Y-810,370.74; thence leaving the U. S. 25-E Right-of-Way line and with a yellow painted line N. 47° 44' W. 250.50 feet to a steel pin; thence N. 43° 00' 30" E. 821.69 feet to a stake; thence N. 59° 21' 36" E. 160.00 feet to a steel pin; thence S. 66° 40' 36" E. 261.00 feet to a concrete monument on the northerly Right-of-Way line of U. S. 25-E; thence with the northerly Right-of-Way line of U. S. 25-E to the BEGINNING, containing 6.39 Acres.

Being the same property conveyed by J.M. Huber Corporation to W. T. Ausmus and John Asher by Warranty Deed dated August 10, 1987 and recorded in Warranty Deed Book 181, Page 558 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a concrete monument marked NPS 36-1 which point is in the westerly Right-of-Way line of U. S. Highway 25E and in the property line of the Cumberland Gap National Historical Park and is further described by its Tennessee Grid Coordinates which are X-2,687,365.90 Y-811,437.41; thence leaving the National Historical Park line and with U. S. Highway 25E Right-of-Way along a right hand curve the long chord of which is S. 15° 35' W. 222.17 feet to a stake; thence leaving the highway Right-of-Way N. 32° 59' W. 357.32 feet to a steel pin in the southerly edge of Colwyn Street; thence with Colwyn Street N. 59° 22' E. 53.76 feet to a concrete monument in the end of this street and in the National Historical Park line; thence with the Park line S. 61° 22' E. 111.17 feet to a concrete monument marked NPS 36-2; thence S. 61° 32' E. 125.54 feet to the POINT OF BEGINNING,

Being the same property conveyed by J.M. Huber Corporation to Sheila Kaye Hensley by Warranty Deed dated October 6, 1987 and recorded in Warranty Deed Book 182, Page 560 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at a triangle (set) curved in the sidewalk on the south side of Colwyn Street with this point being further described as being the northwest corner of Lot 11 and still further described as being on the south right-of-way line of Colwyn Street; thence South 63 degrees 34 minutes 17 seconds East for a distance of 50.00 feet with the north line of Lots 11 and 12, which runs with the south right-of-way line of Colwyn Street, to a triangle (set) cut in the sidewalk at the northeast corner of Lot 12; thence South 26 degrees 25 minutes 43 seconds West for a distance of 125.00 feet leaving Colwyn Street and with the east line of Lot 12 to an iron pin (set) on the north right-of-way line of a 20 foot wide alley; thence North 63 degrees 34 minutes 17 seconds West for a distance of 50.00 feet with the south line of Lot 12 and 11, which runs with the north right-of-way line of the alley, to an iron pin (set) at the southwest corner of Lot 11; thence North 26 degrees 25 minutes 43 seconds East for a distance of 125.00 feet leaving the alley and with the west line of Lot 11 to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to John Ramum and Geri Ramum by Warranty Deed dated December 19, 1997 and recorded in Warranty Deed Book 245, Page 450 in the office of the Register of Deeds in Claiborne County, Tennessee.

THENCE North 43 degrees 49 minutes 58 seconds East for a distance of 143.44 feet continuing with the Thacker line and the red and yellow paint to an iron pin (set)

THENCE North 42 degrees 25 minutes 12 seconds East for a distance of 571.78 feet continuing with the Thacker line and the red and yellow paint to an iron pin (set) at a point of curvature

THENCE along a curve to the right, having a radius of 1161.31 feet and an arc length of 130.31 feet, being subtended by a chord of North 45 degrees 06 minutes 09 seconds East for a distance of 130.24 feet to an iron pin (set) at a point of tangency

THENCE North 48 degrees 08 minutes 46 seconds East for a distance of 34.62 feet continuing with Thacker and the red and yellow paint to an iron pin (set)

THENCE South 41 degrees 53 minutes 41 seconds East for a distance of 166.98 feet leaving the red and yellow painted Thacker line and through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Donald Wayne Malicoat and Carol D. Malicoat by Quitclaim Deed dated March 23, 1998 and recorded in Warranty Deed Book 249, Page 192 in the office of the Register of Deeds in Claiborne County, Tennessee.

Tract No. 6 now known as Tract 03-106

All that certain tract or parcel of land situated in District No. Six (6) of Claiborne County, Tennessee, and in the City of Cumberland Gap, being more particularly described as follows:

Beginning at a steel pin, said pin being the common corner with Kenneth L. Oxford and The J. M. Huber Corporation; thence with the south boundary line of Block 101, Cumberland Gap and bearing South 39°38'09" East, 400.00 feet to a steel pin set at the common corner of O. B. Webb, and Mrs. Ann White; thence continuing with the south property line of the White property for two calls: South 39°38'09" East, 120.00 feet to a steel pin set; South 39°38'09" East, 197.53 feet to a point in the north right-of-way line of old Rosyln Avenue; thence leaving the Ann White property and continuing with the north right-of-way line of the old Rosyln Avenue for 3 calls: South 47°42'52" West, 7.31 feet; South 47°24'19" West, 69.61 feet; South 44°53'33" West, 97.98 feet to the intersection of the north right-of-way of old Rosyln Avenue and the east right-of-way of old South Cumberland Avenue; thence with the east right-of-way of old South Cumberland Avenue for 5 calls: South 83°47'07" West, 4.42 feet; thence with a curve to the right having a radius of 168.99 feet and an arc length of 223.63 feet, chord bears North 58°18'15" West, 207.67 feet to a point; thence North 20°23'37" West, 140.77 feet to a steel pin set in the east right-of-way of the new South Cumberland Avenue as built in 1992; thence following the east right-of-way of South Cumberland Avenue North 20°23'37" West, 52.37 feet to a steel pin set; thence North 20°23'37" West, 369.94 feet to a steel pin set at the corner of Ogile Oxford; thence with the Oxford line and leaving the South Cumberland Drive right-of-way North 50°21'51" East, 58.94 feet to the Point of Beginning.

Containing 2.96 acres, more or less. (Rounded from 2.956 acres)

Being a portion of the same land conveyed to J. M. Huber Corporation by American Association Limited and recorded in Deed Book 144, Volume 3, page 379 of Claiborne County, Tennessee.

and,

Tract 16 now known as Tract 03-116

A tract situated in the City of Cumberland Gap, Claiborne County, Tennessee, being more particularly described as follows:

Beginning at a point on the southeasterly right-of-way of U.S. Highway 25E at a common corner of J. M. Huber Corporation and Cumberland Gap National

Historical Park said corner also being known as Park Boundary Marker No. 35; thence along the park boundary South 33°38'28" East, 99.15 feet; thence South 36°03'25" East, 37.14 feet; thence South 35°21'57" East, 65.05 feet; thence South 09°50'26" West, 100.67 feet; South 04°32'30" East, 71.24 feet; thence South 18°40'11" West, 135.95 feet; thence South 48°16'21" West, 355.77 feet; thence South 77°23'28" West, 115.96 feet to the common corner with the Robinson tract; thence leaving the park boundary and with the Robinson tract North 57°16'44" West, 235.56 feet to the southeasterly right-of-way of U.S. Highway 25E; thence along U.S. Highway 25E in a northeasterly direction curving to the right with a radius of 980.28 feet for a distance of 316.37 feet; thence continuing along U.S. Highway 25E curving to the right with a radius 2,045.32 feet for a distance of 241.13 feet; thence North 47°39'16" East, 242.70 feet to the point of beginning.

Containing 5.65 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to United States of America by Correction Warranty Deed dated July 21, 1994 and recorded in Warranty Deed Book 224, Page 734 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING at a right of way marker on the west proposed uncontrolled right of way line at the point of intersection with the existing west right of way line of State Route #132, said marker located 20 feet left of centerline station 30+00; thence with the said west proposed uncontrolled right of way line north 06 degrees 52 minutes 56 seconds east 447+85 feet to a right of way marker located 45 feet left of centerline station 34+50; thence north 13 degrees 45 minutes 23 seconds east 169.53 feet to a right of way marker located 70 feet left of centerline station 36+00; thence north 58 degrees 45 minutes 55 seconds east 113.18 feet to a right of way marker on the existing west right of way line of State Route #132, said marker located 20 feet left of centerline station 37+00; thence with the said existing west right of way line south 32 degrees 37 minutes 36 seconds west 146.94 feet to a point; thence southerly on a curve to the left of radius of 170.78 feet an arc distance of 167.03 feet to a point; thence south 23 degrees 24 minutes 42 seconds east 30.17 feet to a point; thence southerly on a curve to the right of radius of 84.17 feet an arc distance of 72.79 feet to a point; thence south 26 degrees 07 minutes 59 seconds west 40.72 feet to a point; thence southwesterly on a curve to the left of radius of 838.51 feet an arc distance of 113.32 feet to a point; thence south 18 degrees 23 minutes 23 seconds west 152.51 feet to the Point of BEGINNING.

Containing 0.601 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to State of Tennessee by Warranty Deed dated September 27, 1996 and recorded in Warranty Deed Book 237, Page 432 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Tract:

1

PARCEL #1

BEGINNING at a point on the west proposed uncontrolled right of way line at the point of intersection with the existing west right of way line of Valley Creek Road, said point located 15 feet left of centerline station 11 + 50; thence with the said proposed uncontrolled right of way line south 42 degrees 52 minutes west 15 feet to a turn; thence north 48 degrees 23 minutes west 192.53 feet to a point on the existing west right of way line of Valley Creek Road, said point located 35 feet left of centerline station 13 + 40; thence with the said existing right of way line south 54 degrees 08 minutes east 157.35 feet to a turn; thence south 47 degrees 08 minutes east 36.3 feet to the Point of BEGINNING.

PARCEL #2

BEGINNING at a point on the west proposed uncontrolled right of way line at the point of intersection with the existing west right of way line of Valley Creek Road, said point located 38.26 feet left of centerline station 15 + 97.24; thence with the said proposed uncontrolled right of way line north 00 degrees 25 minutes west 56.90 feet to a point on the existing south right of way line of the Southern Railroad, said point located 51.66 feet left of centerline station 16 + 45.87; thence with the said existing Railroad right of way line northeasterly on a curve to the left an arc distance of 45 feet, more or less to a point on the existing west right of way line of Valley Creek Road; thence with the said existing right of way line southwesterly on a curve to the right an arc distance of 90 feet, more or less to the Point of BEGINNING.

PARCEL #3

BEGINNING at a point on the east proposed uncontrolled right of way line at the point of intersection with the existing east right of way line of Valley Creek Road, said point located 20 feet right of centerline station 17 + 34.82; thence with the said proposed uncontrolled right of way line south 02 degrees 26 minutes west 98.77 feet to a point located 45 feet right of centerline station 16 + 40.59; thence south 14 degrees 05 minutes east 259.41 feet to a point located 40 feet right of centerline station 13 + 19.49; thence south 43 degrees 35 minutes east 169.79 feet to a point located 30 feet right of centerline station 11 + 50; thence south 42 degrees 52 minutes west 15 feet to a point on the existing east right of way line of Valley Creek Road, said point located 15 feet right of centerline station 11 + 50; thence with the said existing right of way line north 47 degrees 08 minutes west 38.14 feet to a turn; thence north 54 degrees 08 minutes west 313.19 feet to a point on the west proposed uncontrolled right of way line, said point located 71.4 feet left of centerline station 14 + 70; thence with the said proposed uncontrolled right of way line north 27 degrees 12 minutes east 47.63 feet to a point located 40 feet left of centerline station 15 + 00; thence north 00 degrees 25 minutes west 32.87 feet to a point on the existing east right of way line of Valley Creek Road, said point located 35.57 feet left of centerline station 15 + 28.79; thence with the said existing right of way line north 31 degrees 30 minutes east 50.24 feet to a point; thence northeasterly on a curve to

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

the left of radius of 818.51 feet an arc distance of 170.76 feet to the Point of BEGINNING.

Containing 0.825 acres, more or less in the three above described parcels.

Tract: 2

[illegible] acres, more

PARCEL #1
BEGINNING at a point on the north proposed uncontrolled right of way line at the point of intersection with the existing east right of way line of Overton Road; said point located 40 feet left of centerline station 9 + 20; thence with the said proposed uncontrolled right of way line north 67 degrees 30 minutes east 230 feet to a turn; thence south 22 degrees 30 minutes east 24 feet to a point on the existing north right of way line of Straight Creek Road; thence with the said existing right of way line south 67 degrees 30 minutes west 210.0 feet to a point; thence north 84 degrees 44 minutes west 27.52 feet to a point on the existing east right of way line of Overton Road; thence with the said existing right of way line north 01 degrees 15 minutes west 12 feet to the Point of BEGINNING.

PARCEL #2
BEGINNING at a point on the south proposed uncontrolled right of way line at the point of intersection with the existing south right of way line of Straight Creek Road, said point located 40 feet right of centerline station 9 + 02; thence with the said existing right of way line north 37 degrees 09 minutes east 47.51 feet to a turn; thence north 67 degrees 30 minutes east 207.0 feet to a point on the south proposed uncontrolled right of way line; thence with the said proposed uncontrolled right of way line south 22 degrees 30 minutes east 24 feet to a turn; thence south 67 degrees 30 minutes west 248 feet to the Point of BEGINNING.

Containing 0.251 acres, more or less in the two above described parcels.

Being the same property conveyed by J.M. Huber Corporation to State of Tennessee by Warranty Deed dated September 27, 1996 and recorded in Warranty Deed Book 237, Page 434 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING at a right of way marker on the northeast proposed uncontrolled right of way line at the point of intersection with the existing northeast right of way line of State Route #32, said marker located 29.263 meters (96.01 feet) right of centerline station 39+355.000; thence with the said northeast proposed uncontrolled right of way line north 74 degrees 08 minutes 03 seconds east 34.202 meters (112.21 feet) to a right of way marker located 60 meters (196.85 feet) right of centerline station 39+340.000; thence south 32 degrees 26 minutes 08 seconds east 30.484 meters (100.01 feet) to a right of way marker located 55 meters (180.45 feet) right of centerline station 39+310.000; thence south 41 degrees 18 minutes 45 seconds east 30.944 meters (101.52 feet) to a right of way marker located 55 meters (180.45 feet) right of centerline station 39+280.000; thence south 51 degrees 22 minutes 07 seconds east 7.666 meters (25.15 feet) to a point on the common property line between the Claiborne County Board of Education and the grantors herein; thence with the said property line south 37 degrees 34 minutes 00 seconds west 10.934 meters (35.873 feet) to a point on the existing northeast right of way line of State Route #32; thence with the said existing northeast right of way line north 52 degrees 26 minutes 00 seconds west 87.051 meters (285.60 feet) to the Point of BEGINNING.

Being the same property conveyed by J.M. Huber Corporation to State of Tennessee by Warranty Deed dated October 22, 1996 and recorded in Warranty Deed Book 238, Page 17 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

TRACT I

Part of Tract 4-11-1 owned by the J. M. Huber Corporation, near the community of Clairfield, north of State Highway 90, west of the New Trace Branch Road, District No. 9, Claiborne County, Tennessee

Beginning at an iron pin (set) on the south right-of-way line of the Old Trace Branch Road, with said road being 30 feet in width, this point is further described as bearing S 72° 24' 34" W 100.08 feet from a point in the centerline of Highway 90 opposite the centerline of the new Trace Branch Road; thence south 20 degrees 53 minutes 35 seconds east for a distance of 16.51 feet leaving the old Trace Branch Road to an iron pin (set) on the north right-of-way line of State Highway 90; thence south 49 degrees 08 minutes 32 seconds west for a distance of 58.03 feet with the north right-of-way line of Highway 90 to a concrete highway right-of-way monument (found); thence south 49 degrees 20 minutes 00 seconds west for a distance of 1372.57 feet continuing with the north right-of-way line of Highway 90 to an iron pin (set) on the east side of a 10 foot wide gravel access road; thence north 38 degrees 19 minutes 48 seconds west for a distance of 11.17 feet leaving Highway 90 to a wooden fence post (found) on the east side of the abovementioned access road, this point is further described as being in a property line of the J. M. Huber Corporation and has old yellow paint on it, this point is still furthsr described as being where the fence corners; thence north 38 degrees 19 minutes 48 seconds west for a distance of 254.71 feet near the fence and up the east side of the access road to a wooden fence post (found), with old yellow paint on it; thence north 34 degrees 58 minutes 42 seconds west for a distance of 285.10 feet leaving the fence to a 12 inch Hornbeam with old yellow paint on it; thence north 52 degrees 31 minutes 11 seconds west for a distance of 87.37 feet to a wooden fence post (found) on the south side of Graveyard Road, this point is further described as occupying the point where a corner tree of the J. M. Huber Corporation formerly stood; thence north 32 degrees 07 minutes 51 seconds east for a distance of 456.60 feet crossing Graveyard Road to a railroad spike (set) on the west edge of Graveyard Road and the south edge of a 10 foot wide gravel access road; thence south 85 degrees 08 minutes 03 seconds east for a distance of 92.86 feet leaving the property line of the J. M. Huber Corporation and through the lands of said Huber Corporation to a railroad spike (set) on the south edge of Graveyard Road; thence north 76 degrees 46 minutes 35 seconds east for a distance of 125.91 feet

continuing with the south edge of Graveyard Road to a railroad spike (set); thence north 41 degrees 27 minutes 20 seconds east for a distance of 243.40 feet continuing with the south edge of Graveyard Road to an iron pin (set); thence north 08 degrees 18 minutes 45 seconds east for a distance of 161.51 feet continuing with the south edge of Graveyard Road to a railroad spike (set); thence north 27 degrees 12 minutes 30 seconds east for a distance of 155.89 feet continuing with the south edge of Graveyard Road to a railroad spike (set); thence north 03 degrees 43 minutes 25 seconds east for a distance of 85.58 feet continuing with the south edge of Graveyard Road to a railroad spike (set); thence north 11 degrees 34 minutes 07 seconds west for a distance of 108.58 feet continuing with the south edge of Graveyard Road to a railroad spike (set); thence north 34 degrees 29 minutes 48 seconds east for a distance of 41.88 feet continuing with the south edge of Graveyard Road to an iron pin (set) on the west right-of-way line of the old Trace Branch Road; thence south 43 degrees 08 minutes 28 seconds east for a distance of 54.13 feet with the west right-of-way line of the old Trace Branch Road to an iron pin (set); thence south 20 degrees 15 minutes 14 seconds east for a distance of 278.48 feet continuing with the west right-of-way line of the old Trace Branch Road to an iron pin (set); thence south 31 degrees 25 minutes 59 seconds east for a distance of 324.57 feet continuing with the west right-of-way line of the old Trace Branch Road to an iron pin (set); thence south 48 degrees 49 minutes 26 seconds east for a distance of 131.85 feet continuing with said right-of-way to an iron pin (set); thence south 83 degrees 15 minutes 00 seconds east for a distance of 147.50 feet continuing with said right-of-way to an iron pin (set); thence north 89 degrees 45 minutes 10 seconds east for a distance of 199.93 feet continuing with said right-of-way to the point of beginning. Subject to covenants, easements, and restrictions of record.

Said property contains 18.54 acres

TRACT II

Part of Tract 4-11-1 owned by the J. M. Huber Corporation near the community of Clairfield, north of State Highway 90, west of the new Trace Branch Road, District No. 9, Claiborne County, Tennessee.

Beginning at a railroad spike (set) on the north edge at Graveyard Road, this point is further described as being in a property line of the J. M. Huber Corporation's tract 4-11-1; thence north 32 degrees 07 minutes 51 seconds east for a distance of 44.98 feet leaving Graveyard Road and with the abovementioned Huber line to an iron pin (set); thence north 43 degrees 16 minutes 53 seconds west for a distance of 118.80 feet continuing with the Huber line and now finding yellow paint of the Huber Corporation to a triangle (set) cut in the top of a large rock; thence north 44 degrees 48 minutes 52 seconds west for a distance of 255.84 feet continuing with the yellow-painted Huber line to an iron pin (set) on a spur; thence north 41 degrees 08 minutes 15 seconds west for a distance of 182.95 feet continuing with the yellow-painted Huber line to a concrete monument (found on a spur ; thence north 41 degrees 00 minutes 30 seconds west for a distance of 63.11 feet continuing with the yellow-painted Huber line to an iron pin (set) on a spur; thence north 47 degrees 46 minutes 40 seconds west for a distance of 161.14 continuing with the yellow-painted Huber line to an iron pin (set) in a small drain; thence north 67 degrees 27 minutes 22 seconds east for a distance of 177.00 feet leaving the yellow-painted Huber line and through the lands of the J. M. Huber Corporation

to an iron pin (set) on an old strip bench; thence north 65 degrees 16 minutes 37 seconds east for a distance of 175.33 feet to an iron pin (set) on the south bank of a small drain; thence north 07 degrees 34 minutes 14 seconds west for a distance of 137.08 feet to an iron pin (set) on an old strip bench; thence north 06 degrees 19 minutes 10 seconds east for a distance of 194.98 feet to an iron pin (set) on an old strip bench; thence north 23 degrees 20 minutes 45 seconds west for a distance of 138.94 feet to an iron pin (set) on an old strip bench; thence north 02 degrees 12 minutes 20 seconds east for a distance of 82.71 feet to an iron pin (set) on an old strip bench; thence north 29 degrees 28 minutes 05 seconds west for a distance of 145.35 feet to an iron pin (set) on an old strip bench; thence north 39 degrees 52 minutes 01 seconds east for a distance of 353.04 feet leaving the old strip bench and now down the hill continuing through the lands of the J. M. Huber Corporation to an iron pin (set) on the west right-of-way line of the old Trace Branch Road; thence south 47 degrees 49 minutes 32 seconds east for a distance of 118.00 feet now with the west right-of-way line of the old Trace Branch Road to an iron pin (set); thence south 57 degrees 27 minutes 45 seconds east for a distance of 152.28 feet continuing with said right-of-way to an iron pin (set); thence south 41 degrees 19 minutes 10 seconds east for a distance of 34.48 feet continuing with said right-of-way to an iron pin (set); thence south 26 degrees 41 minutes 50 seconds east for a distance of 55.90 feet continuing with said right-of-way to an iron pin (set); thence south 17 degrees 22 minutes 57 seconds east for a distance of 93.54 feet continuing with said right-of-way to an iron pin (set); thence south 33 degrees 30 minutes 42 seconds east for a distance of 139.28 feet continuing with the west right-of-way line of the old Trace Branch Road to an iron pin (set); thence south 15 degrees 50 minutes 53 seconds east for a distance of 79.68 feet continuing with said right-of-way to an iron pin (set); thence south 09 degrees 27 minutes 03 seconds east for a distance of 238.78 feet continuing with said right-of-way to an iron pin (set); thence south 17 degrees 38 minutes 19 seconds east for a distance of 328.03 feet continuing with said right-of-way to an iron pin (set); thence south 09 degrees 21 minutes 51 seconds east for a distance of 53.14 feet leaving the old Trace Branch Road to a railroad spike (set) on the north edge of Graveyard Road; thence south 11 degrees 56 minutes 33 seconds east for a distance of 106.33 feet with the north edge of Graveyard Road to a railroad spike (set); thence south 03 degrees 22 minutes 32 seconds west for a distance of 58.68 feet with the north edge of Graveyard Road to an iron pin (set); thence south 27 degrees 53 minutes 25 seconds west for a distance of 153.34 feet continuing with the north edge of Graveyard Road to an iron pin (set); thence south 08 degrees 12 minutes 33 seconds west for a distance of 184.17 feet continuing with the north edge of Graveyard Road to an iron pin (set); thence south 41 degrees 38 minutes 50 seconds west for a distance of 226.17 feet continuing with the north edge of Graveyard Road and still continuing through the lands of the J. M. Huber Corporation to an iron pin (set); thence south 75 degrees 26 minutes 00 seconds west for a distance of 114.91 feet continuing with the north edge of Graveyard Road to an iron pin (set); thence north 87 degrees 38 minutes 01 seconds west for a distance of 81.97 feet continuing with the north edge of Graveyard Road to the point of beginning. Subject to covenants, easements, and restrictions of record.

_____to
_____
x

Said property contains 20.28 acres

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Thence North 24 degrees 16 minutes 19 seconds West for a distance of 28.00 feet to a point in the center of the Clear Fork River; thence North 69 degrees 39 minutes 41 seconds East for a distance of 135.23 feet leaving the Teague line and with the center of the Clear Fork River to a number 20 nail (set) in the center of the Clear Fork River; thence South 86 degrees 22 minutes 50 seconds East for a distance of 180.00 feet to a point in the center of the Clear Fork River; thence North 76 degrees 39 minutes 08 seconds east for a distance of 174.74 feet to a triangle (set) cut in the Eagan Village Road Bridge, this point is further described as being in the center of the Clear Fork River; thence north 74 degrees 19 minutes 41 seconds east for a distance of 108.29 feet to a point in the center of the Clear Fork River; thence south 88 degrees 58 minutes 06 seconds east for a distance of 78.47 feet to a point in the center of the Clear Fork River; thence south 83 degrees 11 minutes 41 seconds east for a distance of 188.46 feet to a number 20 nail in the center of the Southern Railroad Bridge that spans the Clear Fork River; thence south 85 degrees 20 minutes 16 seconds east for a distance of 130.32 feet leaving the Southern Railroad Bridge and continuing with the center of the Clear Fork River to a point in the center of said river; thence south 13 degrees 22 minutes 35 seconds east for a distance of 35.00 feet leaving the Clear Fork River and through the lands of the J. M. Huber Corporation to a 3/4 inch diameter re-bar, 30 inches in length, on the south bank of the Clear Fork River, this point is further described as bearing north 58 degrees 40 minutes 40 seconds west 8.39 feet from the center of the largest fork of a 24 inch double Sycamore with 3 hacks in it; thence south 13 degrees 22 minutes 35 seconds east for a distance of 148.36 feet up the hill continuing through the lands of the J. M. Huber Corporation to a 3/4 inch re-bar (set); thence south 01 degrees 39 minutes 40 seconds west for a distance of 143.77 feet to a 3/4 inch re-bar (set); thence south 52 degrees 08 minutes 05 seconds west for a distance of 149.92 feet around the hill continuing through the lands of the J. M. Huber Corporation to a 3/4 inch re-bar (set); thence south 52 degrees 56 minutes 10 seconds west for a distance of 89.48 feet to a 3/4 inch re-bar (set); thence south 78 degrees 00 minutes 05 seconds west for a distance of 165.49 feet to a 3/4 inch re-bar (set); thence south 74 degrees 56 minutes 00 seconds west for a distance of 108.23 feet to a 3/4 inch re-bar (set); thence south 76 degrees 36 minutes 38 seconds west for a distance of 215.20 feet to a 3/4 inch re-bar (set) in the easterly line of a tract owned by Charles Teague, Sr. and others, this point is further described as being in a yellow and red painted line of the J.M. Huber Corporation; thence north 24 degrees 16 minutes 19 seconds west for a distance of 197.50 feet with a line between the J. M. Huber Corporation and Charles Teague, Sr. to a point in the centerline of the Southern Railroad; thence north 24 degrees 16 minutes 19 seconds west for a distance of 507.96 feet leaving the Southern Railroad and continuing with the Huber-Teague line to the point of beginning, together with and subject to covenants, easements, and restrictions of record.

Said property contains 11.75 acres

Being the same property conveyed by J.M. Huber Corporation to Model Valley Economic Development Corporation by Quitclaim Deed dated October 26, 1996 and recorded in Warranty Deed Book 238, Page 174in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

BEGINNING on a concrete monument on the Southerly edge of Colwyn Street which point is the northwesterly corner of the Paul Burchett lot and is further described by its coordinated with respect to Tennessee L Grid which are X 2,686,956.13 Y 811, 430.98; thence with Burchett's westerly line S. 30° 38' E. 150 feet to a copper rod; thence with Burchett's southerly line N. 59° 22' E. 50 feet to a copper rod; thence with Burchett's easterly line N. 30° 38' W. 150 feet to a copper rod on the southerly edge of Colwyn Street; thence with Colwyn Street N. 59° 22' E. 9.54 feet to a steel pin; thence leaving Colwyn Street S. 37° 50' E. 416.34 feet to the easterly right-of-way line of U. S. Highway 25E; thence with this right-of-way line around a left hand curve the long chord of which is S. 29° 36' W. 16.47 feet; thence leaving the highway right-of-way N. 66° 41' W. 261.00 feet to a steel pin; thence N. 30° 38' W. 210.18 feet to a steel pin on the southerly edge of Colwyn Street; thence with this edge of Colwyn Street N. 59° 22' E. 56.17 feet to the BEGINNING, Containing 0.83 acres.

Being the same property conveyed by J.M. Huber Corporation to Paul E. Burchette and Bobbie Burchette by Warranty Deed dated July 13, 1983 and recorded in Warranty Deed Book 160, Page 402 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

PARCEL 1

All of that piece or parcel of land situate, lying and being in Campbell County, Tennessee, and being more particularly described as follows: to wit,

Beginning in the westerly right of way line of the main track of the Southern Railway Company between Jellico, Tennessee, and Fonde, Kentucky, said point being also the common property line between the Southern Railway Company, and land now or formerly of Grantor and Clearfork Mining Company; thence, South 55° 37' West along the said common property line for a distance of 139 feet, more or less, to the centerline of the Clearfork River; thence, Along its centerline and as it meanders and going in a northerly direction for a distance of 628 feet, more or less, to a point; thence, in an easterly direction and at right angles to the centerline of the main track of the Southern Railway Company for a distance of 45 feet, more or less, to the existing right of way line of the said Southern Railway Company, said point being 50 feet from and at right angles to he said centerline of the above mentioned said Southern Railway Company track; thence, in a general southeasterly direction along the existing right of way line of the above said Southern Railway Company's main track parallel to and concentric with and at all points 50 feet from the centerline of the above said track for a distance of 625 feet, more or less, to the point or place of beginning; said piece or parcel of land containing 0.78 of an acre, more or less, and being located substantially as shown delineated in red on Drawing No. 6-199 R-1, dated May 25, 1966; revised February 5, 1982, on file in the office of the Chief Engineer, Southern Railway Company, 99 Spring Street, Atlanta, Georgia.

Parcel 2

All of that piece or parcel of land situate, lying and being in Campbell County, Tennessee, and being more particularly described as follows: to wit,

Beginning at a point which is in an easterly direction 50 feet from and being measured radially to centerline survey station 10+25 of a spur track to serving land of Grantor, said point being in the common property line between the land now or formerly of Grantor and Clearfork Mining Company and also being the center of Clearfork River at or near the mouth of Tackett Creek; thence, in a generally northwesterly direction along the center of Clearfork River as it meanders for a distance of 125 feet, more or less; thence, leaving the meander of the Clearfork River and in a generally northeasterly direction along the centerline of a drainage ditch which is the common property

line between the property now or formerly owned by the Grantor and Clearfork Mining Company as it meanders for a distance of 138 feet, more or less, to a point which is 50 feet from the centerline of the above said track as being measured radially thereto; thence, in a southerly direction and along a curve to the right having a radius of 1,005.37 feet, concentric with and at all points 50 feet from the said centerline of said track for a distance of 185 feet, more or less, to the point or place of beginning; said parcel of land containing 0.23 of an acre, more or less, and being substantially as shown delineated in red on said Drawing No. 6-199 R-1.

PARCEL 3

Beginning at a point on the centerline of said proposed track at Station 158+04.6, said point being on the common property line between the lands now or formerly of Grantor and Clearfork Mining Company and go North 9° 53' West along the said common property line for a distance of 259.26 feet to a point which is 150 feet from and perpendicular to the said centerline of track; thence, South 45° 14' East along a line parallel to and at all points 150 feet from the centerline of track for a distance of 872.7 feet to a point; thence, along a curve to the right in a southeasterly direction having a radius of 3,014.9 feet concentric with and at all points 150 feet from the centerline of said track, measured radially thereto, for a distance of 675.3 feet to a point; thence, South 32° 24' East along a line parallel to and at all points 150 feet from the said centerline of track for a distance of 920.6 feet to a point; thence, South 57° 36' West along a line perpendicular to the said centerline of track for a distance of 50 feet to a point which is 100 feet from and measured at right angles to said centerline of track; thence, South 32° 24' East along a line parallel to and at all points 100 feet from the said centerline of track for a distance of 677.7 feet to a point opposite Station 186+77.7; thence, along a curve to the right having a radius of 2,964.9 feet concentric with and at all points 100 feet from the centerline of said track for a distance of 230.1 feet to a point; thence, along a radial line to the said curve and in a northeasterly direction for a distance of 50 feet to a point which is 150 feet from and measured radially thereto the centerline of said track and being opposite Station 189+00; thence, along a curve to the right, having a radius of 3,014.9 feet concentric with and at all points 150 feet from said centerline of track, for a distance of 279.2 feet to a point; thence, South 22° 39' East along a line parallel to and at all points 150 feet from centerline of the above said track for a distance of 799.2 feet to a point; thence, South 67° 21' West for a distance of 50 feet to a point which is 100 feet from and measured at right angles to the centerline of said track; thence, along a curve to the right having a radius of 2,964.9 feet concentric with and at all points 100 feet from centerline of the above said track for a distance of 496.7 feet to a point; thence, South 13° 03' East along a line parallel to and at all points 100 feet from centerline of above said track for a

distance of 709 feet to a point; thence, along a curve to the left having a radius of 855.4 feet concentric with and at all points 100 feet from the centerline of said track for a distance of 892.9 feet to a point; thence, South 72° 53' East along a line parallel to and at all points 100 feet from centerline of above said track and measured perpendicularly thereto for a distance of 1,473.2 feet to a point opposite Station 236+66.9; thence, North 17° 07' East for a distance of 50 feet to a point which is 150 feet from and measured at right angles threto; thence, along a curve to the right, having a radius of 1,582.7 feet concentric with and at all points 150 feet from the above-mentioned track for a distance of 395.4 feet to a point; thence, South 58° 34' East along a line parallel to and at all points 150 feet from the centerline of said track and measured at right angles thereto for a distance of 1,258.2 feet to a point opposite centerline Station 252+83.0; thence, South 31° 26' West for a distance of 50 feet to a point which is 100 feet from and at right angles to he last mantioned survey station; thence, along a curve to the right having a radius of 1,055.4 feet concentric with and at all points 100 feet from centerline of last mantioned track for a distance of 627.3 feet; thence, North 65° 30' East for a distance of 100 feet to a point which is 200 feet and measured at right angles to the centerline of the said track; thence, South 24° 30' East along a line parallel to and at all points 200 feet from the centerline of said track for a distance of 461.2 feet to a point opposite centerline Station 263+12.0; thence, along a curve to the left having a radius of 755.4 feet concentric with and at all points 200 feet as measured radially thereto from the centerline of the above mentioned track for a distance of 336.0 feet to a point; thence, South 40° 00' West for a distance of 100 feet to a point which is 100 feet from and measured at right angles to the centerline of track at Station 267+37.0; thence, South 50° 00' East along a line parallel to and at all points 100 feet from the centerline of said track for a distance of 941.0 feet to a point; thence, along a curve to the right having a radius 1,055.4 feet concentric with and at all points 100 feet from the centerline of said track for a distance of 311.2 feet to a point; thence, South 33° 06' East along a line parallel to an at all points 100 feet from the centerline of the said track for a distance of 647.7 feet to a point and being opposite Station 286+14.8; thence, along a curve to the left having a radius of 855.4 feet concentric with and at all points 100 feet from the centerline of the said track for a distance of 165.8 feet to a point; thence, along a radial line to said curve to a northeasterly direction for a distance of 100 feet to a point which is 200 feet from and measured radially thereto the centerline of said track at Station 288+00; thence, in a generally northeasterly direction along a curve to the left having a radius of 755.4 feet concentric with and at all points 200 feet from, as measured radially thereto, the centerline of the said proposed track for a distance of 834.0 feet to a point; thence, south 17° 30' East along a line perpendicular to the centerline of said track for a distance of 100 feet to a point, said point being 100 feet from and measured at right angles to the centerline station 297+63.6 of said track; thence, North 72° 30' East along

a line parallel to and at all points 100 feet from the centerline of said track for a distance of 536.4 feet to a point; thence, North 17° 30' West for a distance of 100 feet to a point 200 feet from and perpendicular to the centerline of the above said track; thence, North 72° 30' East along a line parallel to and at all points 200 feet from the centerline of said track for a distance of 235 feet, more or less, to a point in the property line between the property now or formerly of Grantor and the heirs of William Shelby Thomas; thence, South 10° 41' West along the said common property line for a distance of 171.4 feet to a point; thence, South 80° 21' East along said common property line of the last mentioned parties for a distance of 115.6 feet to a point; thence, continuing along the said property line of the last mentioned parties along a bearing of South 55° 03' East for a distance of 130 feet, more or less, to a point which is 100 feet from and at right angles to the centerline of the above said track; thence, South 72° 30' West along a line parallel to and at all points 100 feet from the centerline of the above mentioned track for a distance of 886 feet, more or less, to a point; thence, along a curve to the right having a radius of 1,055.4 feet concentric with and at all points 100 feet from the centerline of the said track for a distance of 1,165.2 feet to a point; thence, along a radial line to the said curve and in a southwesterly direction for a distance of 50 feet to a point which is 150 feet from, as measured radially to, the centerline of the above said track; thence, along a curve to the right having a radius of 1,105.4 feet concentric with and at all points 150 feet from the centerline of the said track for a distance of 214.3 feet to a point; thence, North 33° 06' West parallel to and at all points 150 feet from the centerline of the said track for a distance of 647.7 feet to a point; thence, North 56° 54' East for a distance of 50 feet to a point which is 100 feet from and measured at right angles to the centerline station of said track; thence, along a curve to the left having a radius of 855.4 feet concentric with and at all points 100 feet from the centerline of the above said track for a distance of 252.2 feet to a point opposite Station 276+78; thence, North 50° 00' West along a line parallel to and at all points 100 feet from the centerline of the said track for a distance of 478.0 feet to a point; thence, South 40° 00' West for a distance of 50 feet to a point, said point being 150 feet from and perpendicular to the centerline of the above said track; thence, North 50° 00' West parallel to and at all points 150 feet from the centerline of the above track for a distance of 463.0 feet to a point; thence, along a curve to the right having a radius of 1,105.4 feet concentric with and at all points 150 feet from the centerline of the above said track for a distance of 491.7 feet to a point; thence, North 65° 30' East for a distance of 50 feet to a point 100 feet from and opposite centerline of Station 263+12.0; thence, North 24° 30' West, parallel to and at all points 100 feet from the centerline of the said track for a distance of 461.2 feet to a point, said point being opposite Station 258+50.8; thence, South 65° 30' West for a distance of 50 feet to a point which is 150 feet from and at right angles to the last mentioned station; thence, along a curve to th left having a radius of 805.4 feet

concentric with and at all points 150 feet from the centerline of said track for a distance of 478.7' to a point; thence, North 31° 26' East for a distance of 50 feet to a point 100 feet from and at right angles to the centerline of the said track and being opposite Station 252+83.0; thence, North 58° 34' West along a line parallel to and at all points 100 feet from the centerline of the above said track for a distance of 1,258.2 feet to a point; thence, along a curve to the left having a radius of 1,332.7 feet concentric with and at all points 100 feet from the centerline of the above said track for a distance of 332.9 feet to a point; thence, South 17° 07' West for a distance of 50 feet to a point, said point being 150 feet from and measured at right angles thereto the centerline of the above said track at Station 236+66.9; thence, North 72° 53' West along a line parallel to and at all points 150 feet from as measured at right angles to the centerline of the said track for a distance of 466.9 feet; thence, North 17° 07' East for a distance of 50 feet to a point 100 feet from and at right angles to the centerline Station 232+00; thence, North 72° 53' West along a line parallel to and at all points 100 feet from the centerline of said track for a distance of 1,006.3 feet to a point; thence, South 17° 07' West for a distance of 50 feet to a point which is 150 feet from and at right angles to the above said centerline; thence, along a curve to the right having a radius of 1,105.4 feet concentric with and at all points 150' from said centerline of said track for a distance of 1,153.8 feet to a point; thence, North 13° 03' West along a line parallel to and at all points 150.0 feet from and at right angles to the centerline of above said track for a distance of 110.2 feet to a point opposite centerline station 210+00; thence North 76° 57' East for a distance of 50 feet to a point 100 feet from and at right angles to the centerline of said track; thence, North 13° 03' West along a line parallel to and at all points 100 feet from the centerline of said track for a distance of 598.8 feet to a point; thence, along a curve to the left having a radius of 2,764.9 feet concentric with and at all points 100 feet from the centerline of the said track for a distance of 463.2 feet to a point; thence, South 67° 21' West for a distance of 50 feet to a point 150 feet from and at right angles to centerline Station 199+44.0; thence, North 22° 39' West along a line parallel to and at all points 150 feet from the centerline of the above said track for a distance of 799.2 feet to a point; thence, along a curve to the left having a radius of 2,714.9 feet concentric with and at all points 150 feet from above said centerline of said track for a distance of 251.3 feet to a point; thence, along a radial line to the above said curve for a distance of 50 feet to a point which is 100 feet from and as measured radially to the centerline of the above said track; thence, along a curve to the left with a radius of 2,764.9 feet concentric with and at all points 100 feet from the centerline of the said track for a distance of 214.5 feet to a point; thence, North 32° 24' West along a line parallel to and at all points 100 feet from the centerline of the said track for a distance of 677.7 feet to a point; thence, South 57° 36' West for a distance of 50 feet to a point which point is 150 feet from and opposite centerline Station 180+00; thence, North 32° 24'

West along a line parallel to and at all points 150 feet from the centerline of the said track for a distance of 920.6 feet to a point; thence, along a curve to the left with a radius of 2,714.9 feet concentric with and at all points 150 feet from the centerline of the above said track for a distance of 608.1 feet to a point; thence, North 45° 14' West along a line parallel to and at all points 150 feet from the centerline of the said track for a distance of 449.7 feet, more or less, to a point in the common property line between the property now or formerly of Grantor and the Clearfork Mining Company, said point being 150 feet from and at right angles to the said centerline of said track; thence, North 9° 53' West along the said property line of the last two mentioned parties for a distance of 259.26 feet, more or less, to the point or place of beginning; said piece or parcel of land containing 20.96 acres, more or less, and being located substantially as shown delineated in red on said Drawing No. 6-199-R1.

PARCEL 4

Beginning at a point on the common property line between the property now or formerly of Grantor and the W. S. Thomas, said point being on the centerline of the property now or formerly of Grantor, and being at Station 364+80; thence, North 78° 41' East along the said common property line for a distance of 177.0 feet, more or less, to a property corner between the above said property owners; thence, North 34° 45' West along the said common property line for a distance of 220 feet to a point, said point being 200 feet from and measured radially to the centerline of the said track; thence along a curve to the right having a radius of 1,159.4 feet concentric with and at all points 200 feet from the centerline to the above said track for a distance of 100 feet; thence, South 51° 57' East along a line parallel to, and at all points, 200 feet from the centerline of the above said track for a distance of 275.0 feet to a point; thence, along a curve to the left having a radius of 755.4 feet concentric with and at all points 200 feet from the above said centerline of track for a distance of 328.1 feet to a point; thence, in a southerly direction along a radial line to the above said curve for a distance of 50' to a point, which point is 150 feet from and measured radially the centerline of the above said track; thence, along a curve to the left having a radius of 805.4 feet concentric with and at all points 150 feet from the above said centerline of track for a distance of 155 feet to a point; thence, South 87° 57' East along a line parallel to and 150 feet from the centerline of the said track for a distance of 120 feet to a point; thence, along a curve to the right having a radius of 1,105.4 feet concentric with and at all points 150 feet from the centerline of the track and measured radially thereto for a distance of 959.4 feet to a point; thence, South 38° 12' East along a line parallel to and at all points 150 feet from the centerline of the said track for a distance of 1,051 feet to a point; thence, along a curve to the left having a radius of 805.4 feet concentric with and at all

points 150 feet from the centerline of the above said track for a distance of 526.9 feet; thence, South 74° 96' East along a line parallel to and at all points 150 feet from the centerline of the above said track for a distance of 370 feet to a point; thence, South 15° 24' West for a distance of 50 feet to a point which is 100 feet from and at right angles to the centerline of the above said track and being opposite station 403+56.7; thence, South 74° 36' East along a line parallel to and at all points 100 feet from the centerline of the above said track for a distance of 631.2 feet to a point; thence, along a curve to the right having a radius of 1,055.4 feet concentric with and at all points 100 feet of the centerline of the above said track, as measured radially thereto, for a distance of 988.1 feet to a point; thence, South 20° 56' East along a line parallel to and at all points 100 feet from the centerline of the above said track for a distance of 589.4 feet to a point; thence, along a curve to the left having a radius of 855.4 feet concentric with and at all points 100 feet from the centerline of the above said track, as measured radially thereto, for a distance of 450.2 feet to a point; thence, South 51° 06' East along a line parallel to and at all points 100 feet from the centerline of the above said track for a distance of 2,569.2 feet to a point; thence, along a curve to the left having a radius of 1,046.3 feet concentric with and at all points 100 feet from the centerline of the above said track, as measured radially thereto, for a distance of 1,067.9 feet to a point; thence, North 70° 24' East along a line parallel to and at all points 100 feet from the centerline of the above said track and being measured at right angles thereto for a distance of 385.4 feet to a point; thence, along a curve to the left having a radius of 1,046.3 feet concentric with and at all points 100 feet from the centerline of the above said track, as being measured radially thereto, for a distance of 556.8 feet to a point; thence, North 39° 54' East along a line parallel to and at all points 100 feet from the centerline of the above said track for a distance of 565 feet to a point; thence, along a curve to the right having a radius of 1,246.3 feet concentric with and at all points 100 feet from the centerline of the above said track for a distance of 793.7 feet to a point; thence, North 76° 04' East along a line parallel to and at all points 100 feet from the centerline of the above said track for a distance of 73.7 feet to a point; thence, North 13° 56' West along a line at right angles to the centerline of the said track for a distance of 75 feet to a point, which point is 175 feet from and at right angles to the centerline of the above said track; thence, North 76° 04' East along a line parallel to and at all points 175 feet from the centerline of the said track for a distance of 446 feet to a point; thence, along a curve to the left having a radius of 1,735.1 feet concentric with and at all points 175 feet from the centerline of the said track and being measured radially thereto for a distance of 367 feet; thence, along a radial line to the last described curve and in a southeasterly direction for a distance of 75 feet to a point, which is 100 feet from the centerline of the said track and being measured radially thereto; thence, along a curve to the left having a radius of 1,810.1 feet concentric with and at

all points 100 feet from the centerline of the above said track and in a northeasterly direction for a distance of 217.3 feet to a point; thence, North 57° 04' East along a line parallel to and at all points 100 feet from the centerline of the above said track as measured perpendicular thereto for a distance of 467.4 feet to a point; thence, along a curve to the right having a radius of 2,964.9 feet concentric with and at all points 100 feet from the centerline of the above said track for a distance of 67.3 feet to a point; thence, along a radial line to the last described curve and in a northwesterly direction for a distance of 100 feet to a point, said point being 200 feet from the centerline of the above said track and being measured radially thereto; thence, along a curve to the right having a radius of 3,064.9 feet concentric with and at all points 200 feet from the centerline of the track for a distance of 144.4 feet to a point; thence, North 61° 04' East along a line parallel to and at all points 200 feet from the centerline of the above said track as being measured perpendicular thereto for a distance of 565.0 feet to a point; thence, South 28° 56' East for a distance of 100 feet to a point which is 100 feet from and at right angles to the centerline station 512+00 of the said track; thence, North 61° 04' East along a line parallel to and at all points 100 feet from the centerline of the above said track for a distance of 300 feet to a point; thence, along a curve to the left having a radius of 2,838.4 feet concentric with and at all points 100 feet from the centerline of the said track for a distance of 297.2 feet to a point; thence, North 55° 04' East along a line parallel to and at all points 100 feet from the centerline of the said track, as being measured perpendicular thereto, for a distance of 700 feet to a point; thence, North 34° 56' West along a line at right angles to the said centerline of the said track for a distance of 100 feet to a point which is 200 feet from and at right angles to centerline station 525+00; thence, North 55° 04' East along a line parallel to and at all points 200 feet from the centerline of the above said track for a distance of 100 feet to a point; thence, along a curve to the right having a radius of 2,995.1 feet concentric with and at all points 200 feet from the centerline of the said track and being measured radially thereto for a distance of 274.4 feet to a point; thence, South 29° 41' East for a distance of 100 feet to a point which is 100 feet from and at right angles to the centerline of the said track and being opposite station 528+62.5; thence, North 60° 19' East along a line parallel to and at all points 100 feet from the centerline of the above said track as being measured at right angles thereto for a distance of 3,313.5 feet to a point; thence, along a curve to the left having a radius of 2,838.4 feet concentric with and at all points 100 feet from the centerline of the above said track for a distance of 457.7 feet to a point; thence, North 51° 04' East along a line parallel to and at all points 100 feet from the centerline of the above said track and at right angles thereto for a distance of 338.5 feet to a point; thence, along a curve to the right having a radius of 2,895.06 feet concentric with and at all points 100 feet from the centerline of the above said track for a distance of 543.2 feet to a point; thence, North 61° 49' East

along a line parallel to and at all points 100 feet from and at right angles to the above said centerline of the above said track for a distance of 1,419.7 feet to a point; thence, along a curve to the left having a radius of 2,764.93 feet concentric with and at all points 100 feet from the centerline of the above said track for a distance of 1,112.0 feet to a point; thence, North 38° 49' East along a line parallel to and at all points 100 feet from the above said track for a distance of 716.8 feet to a point; thence, along a curve to the right having a radius of 1,246.3 feet concentric with and at all points 100 feet from the centerline of the above said track, as measured radially thereto, for a distance of 943.2 feet to a point; thence, North 82° 09' East along a line parallel to and at all points 100 feet from the centerline of the said track, as measured perpendicularly thereto, for a distance of 678.9 feet to a point; thence, along a curve to the left having a radius of 855.37 feet concentric with and at all points 100 feet from the centerline of the said track, as measured radially thereto, for a distance of 511.1 feet to a point; thence, North 47° 54' East along a line parallel to and at all points 100 feet from the above said track, as being measured at right angles thereto, for a distance of 261.6 feet to a point; thence, along a curve to the right having a radius of 1,055.4 feet concentric with and at all points 100 feet from the centerline of the above said track, as measured radially thereto, for a distance of 75.0 feet, more or less, to a point in the common property line between the property now or formerly of J. M. Huber Corporation and the Russell heirs; thence, South 42° 41' East along the said common property line for a distance of 201.7 feet, more or less, to a point which is 100 feet from and in a southerly direction and being measured radially to the centerline of the above said track; thence, along a curve to the left having a radius of 855.4 feet concentric with and at all points 100 feet from the centerline of the above said track as measured radially thereto for a distance of 22 feet, more or less, to a point; thence, South 42° 06' East for a distance of 50 feet to a point, said point being 150 feet from and in a southerly direction and at right angles to the centerline station 631+97.4; thence, South 47° 54' West along a line parallel to and at all points 150 feet from the centerline of the above said track, as being measured at right angles thereto, for a distance of 261.6 feet to a point; thence, along a curve to the right having a radius of 1,105.37 feet concentric with and at all points 150 feet from the centerline of the above said track, as being measured radially thereto, for a distance of 660.4 feet to a point opposite centerline station 623+65.0; thence, along a radial line to the last described curve and in a northerly direction for a distance of 50 feet to a point, the said point being 100 feet from the centerline of the above said track and opposite centerline station 623+65.0; thence, South 82° 09' West along a line parallel to and at all points 100 feet from the centerline of the above said track and at right angles thereto for a distance of 678.9 feet to a point; thence, along a curve to the left having a radius of 1,046.3 feet concentric with and at all points 100 feet from the said centerline of the above said track for a distance of 791.8 feet to a point; thence, South 38° 49' West along a line

parallel to and at all points 100 feet from and at right angles to the centerline of the above said track for a distance of 716.8 feet; thence, along a curve to the right having a radius of 2,964.93 feet concentric with and at all points 100 feet from the centerline of the above said track for a distance of 1,190.14 feet to a point; thence, South 61° 49' West along a line parallel to and at all points 100 feet from the centerline of the said track, as measured at right angles thereto, for a distance of 234.2 feet to a point opposite centerline station 587+00; thence, South 28° 11' East for a distance of 50 feet to a point which is 150 feet from and at right angles to centerline station 587+00; thence, South 61° 49' West along a line parallel to and at all points 150 feet from the centerline of the above said track, as measured at right angles thereto, for a distance of 500 feet to a point opposite centerline station 582+00; thence, North 28° 11'; West for a distance of 50 feet to a point which is 100 feet from and at right angles to centerline station 582+00; thence, South 61° 49' West along a line parallel to and at all points 100 feet from the centerline of the above said track, as measured at right angles thereto, for a distance of 685.5 feet to a point; thence, along a curve to the left having a radius of 2,695.06 feet concentric with and at all points 100 feet from the centerline of the above mentioned track and being measured radially thereto for a distance of 505.6 feet to a point opposite centerline station 569+77; thence, South 51° 04' West along a line parallel to and at all points 100 feet from the above said centerline of the above said track for a distance of 338.5 feet to a point; thence, along a curve to the right having a radius of 3,038.4 feet concentric with and at all points 100 feet from the said centerline of the above said track, as being measured radially thereto, for a distance of 489.9 feet to a point; thence, South 60° 19' West along a line parallel to and at all points 100 feet from the centerline of the above said track, as measured at right angles thereto, for a distance of 2,076 feet to a point; thence, South 29° 41' East for a distance of 100 feet to a point which is 200 feet from and at right angles to the said centerline of the above said track and being opposite station 541+00; thence, South 60° 19' West along a line parallel to and at all points 200 feet from the centerline of the of the said track, and being measured at right angles thereto for a distance of 500 feet; thence, North 29° 41' West for a distance of 100 feet to a point, which is 100 feet from and at right angles and opposite centerline station 536+00; thence, South 60° 19' West along the line parallel to and at all points 100 feet from the centerline of the said track and at right angles thereto for a distance of 737.5 feet to a point; thence, along a curve to the left having a radius of 2,695.1 feet concentric with and at all points 100 feet from the centerline of the above said track as measured radially thereto for a distance of 246.1 feet to a point; thence South 55° 04' West along a line parallel to and at all points 100 feet from the centerline of the said track and measured at right angles thereto for a distance of 800 feet to a point; thence, South 34° 56' East for a distance of 100 feet to a point which is 200 feet from and at right angles and opposite station 518+00; thence, along a curve to the right having a radius of 3,138.4 feet

concentric with and at all points 200 feet from the centerline of the said track and being measured radially thereto for a distance of 328.6 feet to a point; thence, South 61° 04' East along a line parallel to and at all points 200 feet from the centerline of the said track as measured at right angles thereto for a distance of 400 feet to a point; thence, North 28° 56' West for a distance of 100 feet to a point which is 100 feet from and at right angles to and opposite station 511+00; thence, South 61° 04' West along a line parallel to and at all points 100 feet from the centerline of the above said track as being measured at right angles thereto for a distance of 465 feet to a point; thence, along a curve to the left having a radius of 2,764.9 feet concentric with and at all points 100 feet from the centerline of the said track as measured radially thereto for a distance of 188.3 feet to a point; thence, South 57° 04' West along the line parallel to and at all points 100 feet from the above said track for a distance of 467.4 feet to a point; thence, along a curve to the right having a radius of 2,010.1 feet concentric with and at all points 100 feet from the centerline of the said track, as measured radially thereto, for a distance of 666.5 feet to a point; thence, South 76° 04' West along a line parallel to and at all points 100 feet from the centerline of the above said track, as measured at right angles thereto, for a distance of 519.7 feet to a point; thence, along a curve to the left having a radius of 1,046.3 feet concentric with and at all points 100 feet from the centerline of the above said track for a distance of 209.9 feet to a point; thence, in a southerly direction along a radial line to the last described curve for a distance of 50 feet to a point which is 150 feet from and opposite centerline station 486+50 on the above said track; thence, in a southwesterly direction along a curve to the left having a radius of 996.3 feet concentric with and at all points 150 feet from the centerline of the above said track, as measured radially thereto, for a distance of 434.6 feet to a point; thence, North 50° 06' West for a distance of 50 feet to a point, which is 100 feet from and at right angles and opposite centerline station 481+54; thence, South 39° 54' West along a line parallel to and at all points 100 feet from the centerline of the above said track, and being measured at right angles thereto, for a distance of 565 feet, more or less, to a point; thence, in a general westerly direction along a curve to the right having a radius of 1,246.3 feet concentric with and at all points 100 feet from the centerline of the said track, and being measured radially thereto, for a distance of 663.2 feet to a point; thence, South 70° 24' West along a line parallel to and at all points 100 feet from the centerline of the above said track, and being measured at right angles thereto, for a distance of 385.4 feet to a point; thence, along a curve to the right having a radius of 1,246.3 feet concentric with and at all points 100 feet from the centerline of the above said track, and being measured radially thereto, for a distance of 1,065.1 feet to a point; thence, in a southwesterly direction and along a radial line to the last described curve for a distance of 50 feet to a point which is 150 feet from and opposite survey station 457+50; thence, in a northwesterly direction and along a curve to the right having a radius of 1,296.3

feet concentric with and at all points 150 feet from the centerline of the above said track, and being measured radially thereto, for a distance of 215.3 feet; thence, North 51° 06' West along a line parallel to and at all points 150 feet from the centerline of the above mentioned track, as being measured at right angles thereto, for a distance of 359.6 feet to a point; thence, North 38° 54' East for a distance of 50 feet to a point which is 100 feet from and opposite survey station 452+00; thence, North 51° 06' West along a line parallel to and at all points 100 feet from the centerline of the said proposed track and at right angles thereto for a distance of 1,000 feet to a point; thence, South 38° 54' West for a distance of 100 feet to a point which is 200 feet from and at right angles thereto and opposite centerline station 442+00 of the above mentioned track; thence, North 51° 06' West along a line parallel to and at all points 200 feet from the centerline of the above mentioned track and at right angles thereto for a distance of 900 feet to a point; thence, North 38° 54' East for a distance of 100 feet to a point being 100 feet from and at right angles to and opposite centerline station 433+00; thence, North 51° 06' West along a line parallel to and at all points 100 feet from the centerline of the said track for a distance of 309.6 feet to a point; thence, along a curve to the right having a radius of 1,055.4 feet concentric with and at all points 100 feet from the centerline of the above mentioned track, and being measured radially thereto, for a distance of 555.4 feet to a point; thence, North 20° 56' West along a line parallel to and at all points 100 feet from the centerline of the above mentioned track for a distance of 41.6 feet to a point; thence, South 69° 04' West for a distance of 100 feet to a point being 200 feet from and at right angles to and opposite centerline station 425+00; thence, North 20° 56' West along the line parallel to and at all points 200 feet from the centerline of the above mentioned track and at right angles thereto for a distance of 547.8 feet to a point; thence, along a curve to the left having a radius of 755.4 feet concentric with and at all points 200 feet from the centerline of the above mentioned track, and being measured radially thereto, for a distance of 170.5 feet to a point; thence, in a northeasterly direction along a radial line to the last described curve for a distance of 100 feet to a point being 100 feet from and measured radially to the centerline of the above said track; thence, along a curve to the left having a radius of 855.4 feet concentric with and at all points 100 feet from the centerline of the above mentioned track and being measured radially thereto for a distance of 598.8 feet to a point; thence, South 15° 24' West for a distance of 75 feet to a point which is 175 feet from and opposite centerline station 409+31.2; thence, North 74° 36' West along a line parallel to and at all points 175 feet from and at right angles to the centerline of the said track for a distance of 631.2 feet to a point; thence, North 15° 24' East for a distance of 75 feet to a point, said point being 100 feet from and at right angles to and opposite centerline station 403+56.7; thence, North 74° 36' West along a line parallel to and at all points 100 feet from the said centerline of track and at right angles thereto for a distance of 370 feet, more or less, to a point of curve;

thence, along a curve to the right having a radius of 1,055.4 feet concentric with and at all points 100 feet from the centerline of the said track, as being measured radially thereto, for a distance of 690.4 feet to a point; thence, North 38° 12' West along a line parallel to and at all points 100 feet from and at right angles to the centerline of the said track for a distance of 1,051 feet to a point; thence, in a northwesterly direction and along a curve to the left having a radius of 855.4 feet concentric with and at all points 100 feet from the centerline of the above mentioned track and being measured radially thereto for a distance of 254.3 feet to a point; thence, in a southwesterly direction along a radial line to the last described curve for a distance of 100 feet to a point, said point being 200 feet from and in a southerly direction from the centerline of the above said track; thence, in a general westerly direction along a curve to the left, having a radius of 755.4 feet concentric with and at all points 200 feet from the centerline of the above mentioned track, and being measured radially thereto, for a distance of 430.9 feet to a point; thence, North 87° 57' West along a line parallel to and at all points 200 feet from the centerline of the said track, and being measured at right angles thereto, for a distance of 120 feet, more or less, to a point; thence, North 2° 03' East for a distance of 100 feet to a point, said point being southwardly and 100 feet and opposite station 373+85; thence, in a general northwesterly direction and along a curve to the right having a radius of 1,055.4 feet concentric with and at all points 100 feet from the centerline of the above mentioned track, and being measured radially thereto, for a distance of 662.8 feet to a point; thence, North 51° 57' West along a line parallel to and at all points 100 feet from the centerline of the above mentioned track and measured at right angles thereto for a distance of 275 feet, more or less, to a point of curve; thence, along a curve to the left having a radius of 855.37 feet concentric with and at all points 100 feet from the centerline of the above mentioned track and being measured radially thereto for a distance of 125 feet, more or less, to a point in the common property line between the property now or formerly of the heirs of W. S. Thomas and the J. M. Huber Corporation; thence, North 78° 41' East along the said common property line for a distance of 143 feet, more or less, to a point or place of beginning; said piece or parcel of land containing 142.6 acres, more or less, and being located substantially as shown delineated in red on said Drawing No. 6-199 R-1.

PARCEL 5

All of that piece or parcel of land situate, lying and being in Claiborne County, Tennessee, and being more particularly described as follows: to wit,

To find the point or place of beginning start at a common property corner between the properties now or formerly of the Russell heirs and J. M. Huber Corporation, said corner being marked with a concrete monument and go South 46° 25' East along the said common property line

for a distance of 90 feet to a point, said point being northwesterly 160 feet from and at right anlges to the centerline of said track, and being the true point or place of beginning; thence, North 20° 40' East along a line parallel to and at all points 160 feet from and at right angles to the centerline of the above said lead track for a distance of 434.9 feet, more or less, to a point, said point being a point of curve; thence, along a curve to the right having a radius of 519.3 feet, concentric with and at all points 160 feet from the centerline of the above said track as being measured radially thereto, for a distance of 1,935.8 feet to a point of tangency; thence, South 54° 58' West along a line parallel to an at all points 160 feet from the centerline of the above said track as measured at right angles thereto for a distance of 469.7 feet, more or less, to a point in said common property line; thence, North 46° 25' West along the said common property line for a distance of 726 feet, more or less, to the point or place of beginning; said piece or parcel of land containing 21.7 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to Southern Railway Company by Corrected Deed dated July 18, 1983 and recorded in Warranty Deed Book 160, Page 450 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at an iron pin set that bears South 70 degrees 10' 21" E 1395.37 feet from a "mag" nail (set) in the center of Rock Creek Ridge Road at the southeast end of the concrete bridge that spans Clear Fork Creek; thence South 84 degrees 16 minutes 27 seconds East for a distance of 71.63 feet through the lands of the J.M. Huber Corporation to a point in the centerline of a 15 foot wide ingress and egress easement where said easement begins; thence South 84 degrees 16 minutes 27 seconds East for a distance of 18.50 feet leaving the easement and continuing through the lands of the J.M. Huber Corporation to an iron pin (set); thence South 00 degrees 23 minutes 10 seconds East for a distance of 140.36 feet to an iron pin (set); thence South 30 degrees 31 minutes 13 seconds West for a distance of 166.55 feet to an iron pin (set); thence North 33 degrees 23 minutes 20 seconds West for a distance of 147.76 feet to an iron pin (set); thence North 23 degrees 56 minutes 56 seconds East for a distance of 185.41 feet to the point of beginning.

Said property contains 0.703 acre as determined by survey of Mark A. Comparoni, Tennessee P.L.S. No. 1626 on 10/26/1998.

THERE IS FURTHER CONVEYED to the second party, his successors and assigns the following easement for the purpose of ingress and egress that is to be 15 feet in width with the centerline being more particularly described as follows:

Beginning at a point in the north line of the 0.703 acre tract described above, with this point being further described as bearing South 84 degrees 16' 27" E 71.63 feet from the beginning corner of the legal description shown above; thence North 01 degrees 59 minutes 06 seconds East for a distance of 53.89 feet through the lands of the J.M. Huber corporation with the existing centerline of an old dirt road bed to a point in said centerline; thence North 02 degrees 18 minutes 37 seconds West for a distance of 35.63 feet; thence North 13 degrees 03 minutes 30 seconds West for a distance of 62.60 feet; thence North 13 degrees 32 minutes 51 seconds West for a distance of 58.16 feet; thence North 09 degrees 41 minutes 52 seconds West for a distance of 42.40 feet; thence North 18 degrees 34 minutes 32 seconds West for a distance of 57.56 feet to a point at the intersection of centerlines of the old dirt road bed and the gravel-covered road that runs down the hill behind Clairfield Missionary Baptist Church; thence North 07 degrees 28 minutes 09 seconds west for a distance of 45.51 feet with the existing centerline of said gravel-covered road; thence North 23 degrees 54 minutes 18 seconds West for a distance of 35.51 feet; thence North 30 degrees 33 minutes 01 seconds West for a distance of 32.79 feet; thence North 37 degrees 15 minutes 20 seconds West for a distance of 22.67 feet; thence North 44 degrees 11 minutes 52 seconds West for a distance of 26.45 feet; thence North 50 degrees 39 minutes 25 seconds West for a distance of 33.60 feet; thence North 58 degrees 24 minutes 49 seconds West for a distance of 220.74 feet to a point at the intersection of centerlines of the gravel-covered road and the left fork of Rock Creek Ridge Road.

Being the same property conveyed by J.M. Huber Corporation to the Ancil Garett by Quitclaim Deed dated May 27, 1999 and recorded in Warranty Deed Book 1013, Page 582 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at an iron pin (set) on the southwest right-of-way line of the left fork of Rock Creek Ridge Road with this point being further described as bearing 73 degrees 04' 54" E 1733.63 feet from a "mag" nail set in the center of Rock Creek Ridge Road at the southeast end of the concrete bridge that spans Clear Fork Creek and is still further described as bearing S 42 degrees 07' 20" E 829. 14 feet from a "mag" nail (set) in the center of Rock Creek Ridge Road and the center line of the Southern Railroad; thence South 18 degrees 29 minutes 00 seconds East for a distance of 42.19 feet with the southwest right-of-way line of the left fork of Rock Creek Ridge Road to an iron pin (set); thence South 21 degrees 45 minutes 23 seconds East for a distance of 60.64 feet to an iron pin (set); thence South 26 degrees 41 minutes 02 seconds East for a distance of 56.73 feet to an iron pin (set); thence South 34 degrees 19 minutes 59 seconds East for a distance of 100.57 feet to an iron pin (set); thence South 12 degrees 33 minutes 46 seconds East for a distance of 30.26 feet leaving the right-of-way of the left fork of Rock Creek Ridge Road and with the north edge of a gravel covered access road to an iron pin (set); thence South 36 degrees 22 minutes 01 seconds West for a distance of 78.54 feet to an iron pin (set) near the northeast right-of-way line of the Southern Railroad; thence North 40 degrees 35 minutes 19 seconds West for a distance of 75.09 feet leaving the access road and running near the railroad right-of-way to an iron pin (set); thence North 34 degrees 52 minutes 14 seconds West for a distance of 60.59 feet to an iron pin (set); thence North 25 degrees 04 minutes 08 seconds West for a distance of 63.71 feet to an iron pin (set); thence North 24 degrees 25 minutes 10 seconds West for a distance of 63.93 feet to an iron pin (set); thence North 19 degrees 55 minutes 21 seconds West for a distance of 53.76 feet to an iron pin (set) 25 feet south of the centerline of a small drain; thence North 57 degrees 07 minutes 35 seconds East for a distance of 91.80 feet through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J.M. Huber Corporation to Curtis Hatfield by Quitclaim Deed dated March 27, 1999 and recorded in Warranty Deed Book 1013, Page 585 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at an iron pin (set) on the south right-of-way line of the Southern Railroad with this point being further described as bearing S 77 degrees 35' 30" E 193.65 feet from the iron pin (found) southeast corner of a 38.82 acre tract recently deeded from the J.M. Huber Corporation to Model Valley Development, and being still further described as bearing N 50 degrees 58' 07" E 234.68 feet from a U.S.G.S. bronze disk bench mark that is located in the front yard of Donnie Hamblin's house; thence South 40 degrees 12 minutes 46 seconds East for a distance of 328.54 feet leaving the railroad right-of-way and through the lands of the J.M. Huber Corporation to an iron pin (set) 3 feet southwest of a small ditch; thence South 51 degrees 21 minutes 05 seconds East for a distance of 114.13 feet continuing through the lands of Huber to an iron pin (set) in Clear Fork Creek; thence South 56 degrees 10 minutes 52 seconds West for a distance of 205.02 feet down Clear Fork Creek To an iron pin (set) in said creek; thence North 44 degrees 10 minutes 30 seconds West for a distance of 272.27 feet leaving the creek and once again through the lands of the J.M. Huber Corporation to an iron pin (set); thence North 38 degrees 01 minutes 37 seconds West for a distance of 147.42 feet continuing through the lands of Huber to an iron pin (set) on the south right-of-way line of the Southern Railroad; thence North 50 degrees 09 minutes 04 seconds East for a distance of 194.89 feet with the south right-of-way line of the railroad to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to Rock Creek Freewill Baptist Church by Quitclaim Deed dated March 27, 1999 and recorded in Warranty Deed Book 1013, Page 634 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at an iron pin (set) at an old fence corner of the Rock Creek Cemetery with this point being further described as bearing N 77 degrees 56' 59" W 304.18 feet from the northwest corner of Rock Creek Freewill Baptist Church, N 80 degrees 14' 25" W 324.97 feet from the northeast corner of the church, and S 16 degrees 50' 37" W 869.89 feet from the intersection of centerlines of Rock Creek Lane and Rock Creek Ridge Road; thence South 58 degrees 04 minutes 05 seconds West for a distance of 101.18 feet through the lands of the J.M. Huber Corporation to an iron pin (set) at an intersection of the old fences; thence South 67 degrees 12 minutes 42 seconds West for a distance of 133.65 feet to an iron pin (set) at the base of a 16 inch Pine; thence South 43 degrees 13 minutes 18 seconds West for a distance of 146.95 feet to an iron pine (set) at the base of an 18 inch Pine; South 45 degrees 56 minutes 22 seconds West for a distance of 116.08 feet crossing the access road to the cemetery to an iron pin (set) at a corner of the old fence; thence North 69 degrees 31 minutes 48 seconds West for a distance of 94.24 feet to an iron pin (set)in the old fence; thence North 23 degrees 34 minutes 37 seconds West for a distance of 34.35 feet to an iron pin (set); thence North 41 degrees 22 minute 21 seconds East for a distance of 134.16 feet to an iron pin (set); thence North 42 degrees 44 minutes 09 seconds East for a distance of 74.97 feet to an iron pin (set); thence North 65 degrees 56 minutes 03 seconds East for a distance of 71.50 feet to an iron pin (set); thence North 67 degrees 20 minutes 08 seconds East for a distance of 179.17 feet to an iron pin (set); thence North 72 degrees 39 minutes 45 seconds East for a distance of 88.72 feet to an iron pin (set) at a corner of the old fence; thence South 46 degrees 02 minutes 57 seconds East for a distance of 31.59 feet to an iron pin (set) in the old fence; thence South 30 degrees 31 minutes 51 seconds East for a distance of 34.59 feet to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to Rock Creek Freewill Baptist Church by Quitclaim Deed dated March 27, 1999 and recorded in Warranty Deed Book 1013, Page 647 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at an iron pin (set) on the southeast side of the right fork of Rock Creek Ridge Road with this point being further described as bearing South 41 degrees 28' 42" E 899.20 feet from a "mag" nail (set) in the centerline of Rock Creek Ridge Road at the southeast end of the concrete bridge that spans Clear Fork Creek; thence South 53 degrees 55 minutes 20 seconds East for a distance of 55.77 feet leaving the right fork of the road up the hill to an iron pin (set); thence South 61 degrees 55 minutes 20 seconds East for a distance of 177.19 feet continuing up the hill to an iron pin (set) at the top of the hill where the middle fork of Rock Creek Ridge Road terminates; thence South 24 degrees 58 minutes 43 seconds West for a distance of 226.86 feet leaving the middle fork of the road to an iron pin (set); thence North 48 degrees 38 minutes 42 seconds West for a distance of 92.81 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set); thence North 82 degrees 02 minutes 59 seconds West for a distance of 67.10 feet crossing a power line clearing to an iron pin (set); thence South 53 degrees 42 minutes 27 seconds West for a distance of 159.75 feet up the hill to an iron pin (set) on the northerly edge of an old dirt road bed; thence North 81 degrees 23 minutes 00 seconds West for a distance of 62.03 feet with the northerly edge of the old dirt road bed to an iron pin (set); thence North 00 degrees 46 minutes 50 seconds East for a distance of 94.53 feet leaving the old dirt road bed and down the hill to an iron pin (set) on the south side of the right fork of Rock Creek Ridge Road; thence North 70 degrees 17 minutes 14 seconds East for a distance of 34.37 feet with the southeast side of the road to an iron pin (set); thence North 41 degrees 01 minutes 28 seconds East for a distance of 224.09 feet to an iron pin (set); thence North 33 degrees 00 minutes 15 seconds East for a distance of 73.18 feet continuing with the southeast side of the road and re-crossing the above-mentioned power line clearing to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to Earl Huddleston by Quitclaim Deed dated and recorded March 27, 1999 in Warranty Deed Book 1013, Page 578 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at an iron pin (set) on the south right-of-way line of the right fork of Rock Creek Ridge Road with this point being further described as bearing S 53 degrees 51' 03" E 452.83 feet from a "mag" nail (set) in the centerline of Rock Creek Ridge Road at the southeast end of the concrete bridge that spans Clear Fork; thence South 88 degrees 43 minutes 16 seconds East for a distance of 40.96 feet with the south right-of-way line of the right fork of Rock Creek Ridge Road to an iron pin (set); thence South 85 degrees 32 minutes 53 seconds East for a distance of 39.33 feet to an iron pin (set); thence South 78 degrees 17 minutes 35 seconds East for a distance of 40.23 feet to an iron pin (set) on said right-of-way line and also on the east side of a dirt-covered access road; thence South 08 degrees 00 minutes 19 seconds West for a distance of 95.17 feet leaving the road and through the lands of the J.M. Huber Corporation to a wooden utility pole (found); thence South 11 degrees 59 minutes 34 seconds East for a distance of 122.80 feet continuing through the lands of Huber to an iron pin (set); thence South 13 degrees 07 minutes 18 seconds West for a distance of 82.74 feet to an iron pin (set); thence South 02 degrees 16 minutes 51 seconds East for a distance of 51.28 feet to an iron pin (set); thence South 60 degrees 41 minutes 03 seconds West for a distance of 49.16 feet to an iron pin (set) on the east bank of a small drain; thence North 16 degrees 39 minutes 54 seconds West for a distance of 87.61 feet down the above-mentioned drain to an iron pin (set) in said drain; thence North 14 degrees 37 minutes 09 seconds West for a distance of 166.48 feet leaving the drain and continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the east side of a gravel covered access road; thence North 17 degrees 08 minutes 36 seconds West for a distance of 57.80 feet to an iron pin (set) on the east side of the gravel covered access road; thence North 03 degrees 02 minutes 40 seconds West for a distance of 40.58 feet to an iron pin (set) on the east side of the gravel-covered access road; thence North 18 degrees 45 minutes 15 seconds East for a distance of 43.94 feet to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to John Lowe by Quitclaim Deed dated March 27, 1999 and recorded in Warranty Deed Book 1014, Page 111 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

Beginning at an iron pin (set) on the southerly right-of-way line of the left fork of Rock Creek Ridge Road with this point being further described as bearing S 75 degrees 10' 53" degrees E 195.90 feet from a mag nail (set) in the southeast end of the concrete bridge that spans Clear Fork Creek with said mag nail also being in the center of Rock Creek Ridge Road; thence North 76 degrees 25 minutes 46 seconds East for a distance of 59.51 feet with the south right-of-way line of the left fork of Rock Creek Ridge Road to an iron pin (set); thence North 77 degrees 21 minutes 52 seconds East for a distance of 59.17 feet to an iron pin (set); thence North 85 degrees 20 minutes 43 seconds East for a distance of 70.81 feet to an iron pin (set); thence South 85 degrees 07 minutes 48 seconds East for a distance of 224.03 feet to an iron pin (set); thence South 76 degrees 35 minutes 23 seconds East for a distance 75.03 feet with the west right-of-way of the gravel covered road that connects the left and right forks of Rock Creek Ridge Road to an iron pin (set); thence South 42 degrees 38 minutes 25 seconds East for a distance of 40.57 feet to an iron pin (set); thence South 07 degrees 28 minutes 49 seconds East for a distance of 57.07 feet to iron pin(set); thence South 11 degrees 25 minutes 09 seconds West for a distance of 39.83 feet to an iron pin (set); thence South 47 degrees 08 minutes 23 seconds West for a distance of 57.01 feet the north right-of-way line of the right fork of Rock Creek Ridge Road to an iron pin (set); thence South 64 degrees 49 minutes 25 seconds West for a distance of 61.59 feet to an iron pin (set); thence South 78 degrees 08 minutes

[illegible] seconds West for a distance of [illegible] feet to an iron pin (set); thence North 78 degrees 58 minutes 25 seconds West for a distance of 79.59 feet; thence North 84 degrees 51 minutes 18 seconds West for a distance of 51.88 feet to an iron pin (set); thence North 83 degrees 14 minutes 12 seconds West for a distance of 61.66 feet to an iron pin (set); thence North 49 degrees 23 minutes 00 seconds West for a distance of 114.38 feet to an iron pin (set); thence North 44 degrees 48 minutes 20 seconds West for a distance of 172.29 feet to an iron pin (set); thence North 27 degrees 57 minutes 39 seconds East for a distance of 25.57 feet leaving the north right-of-way line of the north fork of Rock Creek Ridge Road to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to The Way of the Holiness Church of God by Quitclaim Deed dated March 27, 1999 and recorded in Warranty Deed Book 1014, Page 437 in the office of the Register of Deeds in Claiborne County, Tennessee.

TOTAL P.09

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne, Tennessee

located at the end of middlefork of Rock Creek Ridge Road, off of Tennessee Highway 90, community of Clairfield, Claiborne County, Tennessee.

Beginning at an iron pin (set) with this point being further described as bearing South 49 degrees 27' 02" East 1095.57 feet from a "mag" nail (set) in the center of Rock Creek Ridge Road at the southeast end of the concrete bridge that spans Clear Fork; thence South 61 degrees 22 minutes 17 seconds East for a distance of 65.15 feet through the lands of the J.M. Huber Corporation to a point in the centerline of a 20 foot wide ingress and egress easement that is being reserved from this tract; thence South 61 degrees 22 minutes 17 seconds East for a distance of 67.81 feet leaving the easement and continuing through the lands of the J.M. Huber Corporation to an iron pin (set) at the base of a wooden utility pole; thence South 39 degrees 42 minutes 29 seconds West for a distance of 121.78 feet to an iron pin (set) at the base of wooden utility pole; thence South 32 degrees 21 minutes 28 seconds West for distance of 227.51 feet to an iron pin (set) at the base of a 40 inch Sycamore that three new hacks were cut in during the course of this survey; thence North 36 degrees 09 minutes 38 seconds West for a distance of 82.04 feet to an iron pin (set); thence North 24 degrees 58 minutes 43 seconds East for a distance of 226.86 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) at the beginning point of the 20 foot wide ingress and egress easement that is being reserved from this tract; thence North 24 degrees 32 minutes 35 seconds East for a distance of 85.41 feet leaving the easement and continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.743 acre as determined by survey of Mark A. Comparoni, Tennessee P.L.S. No 1626 on 10/23/1998.

Being the same property conveyed by J.M. Huber Corporation to Rock Creek Baptist Church by Deed dated May 27, 1999 and recorded in Warranty Deed Book 1014, Page 581 in the Office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

on the south side of Tennessee Highway 90 and the south right-of-way line of the southern Railroad, across Highway 90 from Tracy Branch, Clairfield, Tennessee.

Beginning at an iron pin (set) on the south right-of-way line of the Southern Railroad with this point being further described as bearing S 13 Degrees 20' 55" E 171.11 feet from an iron pin (found) southeast corner of a 38.82 acre tract recently deeded from the J.M. Huber Corporation to Model Valley Development, and still further described as bearing North 54 degrees 57' 52" E 39.91 feet from a U.S.G.S. bronze disk bench mark that is located in the front yard of Donnie Hamblin's house; thence South 38 degrees 01 minutes 37 seconds East for a distance of 147.42 feet leaving the railroad right-of-way and through the lands of the J.M. Huber Corporation to an iron pin (set); thence South 76 degrees 57 minutes 16 seconds West for a distance of 86.95 feet continuing through the lands of Huber to an iron pin (set); thence North 46 degrees 14 minutes 28 seconds West for a distance of 108.08 feet continuing through the lands of Huber to an iron pin (set) on the south right-of-way line of the Southern Railroad; thence North 49 degrees 42 minutes 36 seconds East for a distance of 94.33 feet with the south right-of-way line of the Southern Railroad to a point of beginning.

Said property contains 0.249 acre as determined by survey of Mark A. Comparoni, Tenn. P.L.S. No. 1626 on 10/20/1998

Tax Map No. 23 Parcel 46.00 (Portion)

Being the same property conveyed by J.M. Huber Corporation to Donnie Hamblin and Ellen Hamblin by Quitclaim Deed dated June 10, 1999 and recorded in Warranty Deed Book 1015, Page 28 in the Office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

located on the southeast side of the Southern Railroad and the northwest side of Clear Fork Creek, in the Community of Hamblintown, Claiborne County, Tennessee

Beginning at an iron pin (set) at the southeast and easterly-most corner of a tract owned by Bob and Cora Jones, with said Jones tract being recorded in deed book 67 page 373

THENCE North 50 degrees 02 minutes 23 seconds East for a distance of 91.72 feet leaving the Jones tract and through the lands of the J.M. Huber Corporation to an iron pin (set) in the soutwesterly line of what will be known as tract 2 of a three lot subdivision that is being done by the J.M. Huber Corporation in this area

THENCE South 35 degrees 25 minutes 24 seconds East for a distance of 260.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the southwesterly line of the above-mentioned tract 2

THENCE South 35 degrees 25 minutes 23 seconds East for a distance of 252.87 feet continuing through the lands of Huber to an iron pin (set) in the bed of Clear Fork Creek near its northwesterly edge

THENCE South 61 degrees 53 minutes 22 seconds West for a distance of 256.76 feet leaving tract 2 and now down Clear Fork Creek to an iron pin (set) on the northerly bank of the creek

THENCE South 46 degrees 13 minutes 14 seconds West for a distance of 72.27 feet continuing down Clear Fork Creek to an iron pin (set) on the northwesterly bank of Clear Fork Creek at a corner of a tract owned by Moss Hamblin

THENCE North 28 degrees 43 minutes 27 seconds West for a distance of 245.14 feet leaving the creek and with the northeasterly line of the Moss Hamblin tract to an iron pin (set) at the base of a tree with old yellow J.M. Huber Corporation boundary point on it

THENCE North 28 degrees 43 minutes 27 seconds West for a distance of 208.02 feet leaving the Moss Hamblin tract and with the northeasterly line of a tract owned by Marie Hamblin Jordon, with said Jordon tract being recorded in deed book 94 page 512, to an iron pin (set)

THENCE North 28 degrees 43 minutes 27 seconds West for a distance of 13.22 feet continuing with the Jordon tract to an iron pin (set)

THENCE North 04 degrees 33 minutes 18 seconds West for a distance of 30.00 feet continuing with the Jordon tract to an iron pin (set) at the southwest and southerly-most corner of the above mentioned Bob and Cora Jones tract

THENCE North 56 degrees 29 minutes 20 seconds East for a distance of 165.04 feet leaving the Jordon tract and with the southerly line of the Jones tract to the point of beginning

Together with and subject to covenants, easements, and restrictions of record

Said property contains 3.346 acres as determined by survey of Mark A. Comparoni: TN. P.L.S. No. 1626 on 09/07-09/23/99

There is further granted through this conveyance an easement for purposes of ingress and egress, across the following described place of property:

Beginning at an iron in (set) with said iron pin being the beginning corner of the 3.346 acres description shown above

THENCE North 34 degrees 50 minutes 54 seconds West for a distance of 134.50 feet with the northeasterly line of the Bob and Cora Jones tract that is recorded in deed book 67, page 373, to an iron pin (set) on the southeasterly right-of-way line of the Southern Railroad, with said pin being further described as being at the southwest southerly-most corner of a small storage building, and said pin is still further described as being the northeast and the northerly-most corner of the Jones tract

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne, Tennessee

THENCE North 50 degrees 02 minutes 23 seconds East for a distance of 91.72 feet leaving the Jones tract and with the southeasterly right-of-way line of the Southern Railroad to an iron pin (set)

THENCE South 34 degrees 50 minutes 56 seconds East for a distance of 134.50 feet leaving the Southern Railroad right-of-way line and now through the lands of the J.M. Huber Corporation, with said Huber tract being recorded in deed book 144 page 379, to an iron pin (set) at the northeast and northerly-most corner of the above described 3.346 acres tract

THENCE South 50 degrees 02 minutes 23 second West for a distance of 91.72 feet with the northerly line of the above-described 3.346 acres tract to the point of beginning

Together with and subject to covenants, easements and restrictions of record.

Said property contains 0.282 acre as determined by survey of Mark A. Comparoni, TN. P.L.S. No. 1626 on 09/07-09/23/99

Tax Map: 23 Parcel: 46.00

Being the same property conveyed by J.M. Huber Corporation to Glen Huddleston and Helen Huddleston by Quitclaim Deed dated July 1, 2000 and recorded in Warranty Deed Book , Page in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

located on the southeast side of the Southern Railroad, and the northwest side of Clear Fork, in the Community of Hamblintown, Claiborne County, Tennessee

Beginning at an iron pin (set) on the southeast right-of-way line of the Southern Railroad, with this point being further described as being the northwest corner of a tract owned by the Claiborne County Board of Education, with said Board of Education deed being recorded in deed book 93 page 351

THENCE South 40 degrees 03 minutes 51 seconds East for a distance of 30.00 feet leaving the railroad right-of-way line and with the southwesterly line of the Board of Education tract to an iron pin (set)

THENCE South 40 degrees 03 minutes 51 seconds East for a distance of 152.86 feet continuing with the Board of Education tract to an iron pin (set) on the northeast side of a ditch 5 feet from the center of the ditch

THENCE South 40 degrees 03 minutes 51 seconds East for a distance of 371.42 feet continuing with the Board of Education tract to an iron pin (set) on the southwest side of the above-mentioned ditch 10 feet from the center of said ditch

THENCE South 40 degrees 03 minutes 51 seconds East for a distance of 28.92 feet to an iron pin (set) at the southwest corner of the Board of Education tract with said pin being at the northwesterly edge of the bed of Clear Fork Creek

THENCE South 30 degrees 37 minutes 36 seconds West for a distance of 14.62 feet leaving the Board of Education tract and now down Clear Fork Creek to an iron pin (set) on the northerly edge of the bed of said creek

THENCE South 40 degrees 46 minutes 43 seconds West for a distance of 68.86 feet to an iron pin (set) on the northwesterly bank of Clear Fork Creek

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

THENCE South 31 degrees 58 minutes 35 seconds West for a distance of 144.97 feet to an iron pin (set) in the bed of the creek near the northwesterly edge of said creek. with this point being further destribed as being the southeast corner of tract 2

of a three tract subdivision that the J.M. Huber Corporation is doing in this area

THENCE North 40 degrees 05 minutes 32 seconds West for a distance of 323.77 feet leaving the creek and with the easterly line of tract 2 and through the lands of the J.M. Huber Corporation, to an iron pin (set)

THENCE North 40 degrees 05 minutes 31 seconds West for a distance of 290.00 feet continuing with the easterly line of tract 2 to an iron pin(set)

THENCE North 40 degrees 05 minutes 31 seconds West for a distance of 30.00 feet continuing with the easterly line of tract 2 to an iron pin (set) on the southeasterly right-of-way line of the Southern Railroad

THENCE North 49 degrees 57 minutes 25 seconds East for a distance of 220.00 feet leaving tract 2 and now with the southeasterly right-of-way line of the Southern Railroad to the point of beginning

Together with and subject to covenants, easements, and restrictions of record.

Said property contains. 3.081 acres as determined by survey of Mark A. Comparoni, TN. P.L.S. No. 1626 on 09/07-09/23/1999

Being the same property conveyed by J.M. Huber Corporation to Jamie and Jill Browning by Quitclaim Deed dated July 1, 2000 and recorded in Warranty Deed Book 1044, Page 16 in the Office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

located on the southeast side of the Southern Railroad and the northwest side of Clear Fork Creek, in the Community of Hamblintown, Claiborne County, Tennessee.

Beginning at an iron pin (set) on the southeast right-of-way line of the Southern Railroad with said pin being 50 feet from the centerline of said railroad, and said pin is still further described as being North 50 degrees 02' 23" East 91.72 feet from the northeast and northerly-most corner of a tract owned by Bob and Cora Jones, with said Jones tract being recorded in deed book 67 page 373

THENCE North 49 degrees 57 minutes 25 seconds East for a distance of 180.00 feet with the southeast right-of-way line of the Southern Railroad to an iron pin (set) at the northwest corner of what will be tract 3 of a three tract subdivision that the J.M. Huber Corporation is doing in this area

THENCE South 40 degrees 05 minutes 31 seconds East for a distance of 30.00 feet leaving the railroad right-of-way line and now through the lands of the J.M. Huber Corporation with the westerly line of tract 3 of the above mentioned subdivision, to an iron pin (set)

THENCE South 40 degrees 05 minutes 31 seconds East for a distance of 290.00 feet continuing through the lands of Huber and with the westerly line of tract 3 to an iron pin (set)

THENCE South 40 degrees 05 minutes 32 seconds East for a distance of 323.77 feet continuing through the lands of Huber and with the westerly line of tract 3 to an iron pin (set) in the bed of Clear Fork Creek near the northwesterly edge of said creek, with this pin being further described as being the southwest corner of tract 3.

THENCE South 49 degrees 37 minutes 10 seconds West for a distance of 234.04 feet leaving tract 3 and down Clear Fork Creek to an iron pin (set) at the southeast corner of tract I of said subdivision, with said pin being further described as being in the bed of Clear Fork Creek near the northwesterly edge of said creek lands of Huber and with the easterly line of tract I to an iron pin (set) at THENCE North 35 degrees 25 minutes 23 second

West for a distance of 252.87 feet leaving the creek and with the easterly line of tract I to an iron pin (set)

THENCE North 35 degrees 25 minutes 24 seconds West for a distance of 260.00 feet continuing through the northeast corner of tract I

THENCE North 34 degrees 50 minutes 56 seconds West for a distance of 104.38 feet leaving tract I and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 34 degrees 50 minutes 56 seconds West for a distance of 30.12 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning

Together with and subject to covenants, easements and restrictions of record.

Said property contains 3.070 acres as determined by survey of Mark A. Comparoni, TN. P.L.S. No. 1626 on 09/07-09,23/1999.

This conveyance is subject to an easement for purposes of Ingress and egress that will be granted to the owner(s) of tract 3. This easement is to be appurtenant and will attach to the estate of particularly described as follows:

Beginning at an iron pin (set) on the southeasterly right-of-way line of the Southern Railroad, with said pin being further described as being the beginning corner of the above-described 3.070 acres tract

THENCE North 49 degrees 57 minutes 25 seconds East for a distance of 180.00 feet with the southeasterly right-of-way line of the Southern Railroad to an iron pin (set)

THENCE South 40 degrees 05 minutes 31 seconds East for a distance of 30.00 feet leaving the railroad right-of-way line to an iron pin (set)

THENCE South 49 degrees 57 minutes 25 seconds West for a distance of 182.75 feet to an iron pin (set)

THENCE North 34 degrees 50 minutes 56 seconds West for a distance of 30.12 feet to the point of beginning

Together with and subject to covenants, easements, and restrictions of record.

Said tract contains 0.124 acre as determined by survey of Mark A. Comparoni, TN. P.L.S. NO. 1626 on 09/07/-09/23/1999.

Being the same property conveyed by J.M. Huber Corporation to John Lowe by Quitclaim Deed dated July 19, 2000 and recorded in Warranty Deed Book 1045, Page 130 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

on the southeast side of Tennessee Highway 90 and the southeast side of the Southern Railroad, and the northwest side of Clear Fork Creek, community of Clairfield near the Clairfield Elementary School, Claiborne County, Tennessee

Beginning at an iron pin (set) on the southeasterly right-of-way line of the Southern Railroad with this point being further described as bearing South 45 degrees 52' 49 minutes West 54.71 feet from a bronze, U.S.G.S. benchmark, in Donnie Hamblin's front yard

THENCE South 46 degrees 14 minutes 28 seconds East for a distance of 108.08 feet leaving the railroad right-of-way and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 76 degrees 57 minutes 16 seconds East for a distance of 86.95 feet to an iron pin (set)

THENCE South 44 degrees 10 minutes 30 seconds East for a distance for 272.27 feet to an iron pin (set) at the base of the northwest bank of Clear Fork Creek

THENCE South 37 degrees 06 minutes 37 seconds West for a distance of 198.96 feet down Clear Fork Creek to a point near the center of said creek at the southeast corner of a tract owned by the Claiborne County Board of Education

THENCE North 40 degrees 03 minutes 51 seconds West for a distance of 25.78 feet leaving the creek and now with the board of education line to an iron pin (set) at the top of the northwest bank of Clear Fork Creek.

THENCE North 40 degrees 03 minutes 51 seconds West for a distance of 436.82 feet continuing with the board of education line and then with a line of the Clairfield Volunteer Fire Department to an Iron pin (set) on the southeast right-of-way line of the Southern Railroad

THENCE North 49 degrees 52 minutes 37 seconds East for a distance of 85.38 feet leaving the fire department tract and with the southeasterly right-of-way line of the Southern Railroad.

easterly-most corner of the above-mentioned 1.760 acres tract that the J.M. Huber Corporation is currently in the process of deeding to Ervin Barnett

THENCE South 48 degrees 43 minutes 03 seconds East for a distance of 261.83 feet leaving the Barnett tract and now with the red and yellow painted line of the J.M. Huber Corporation and the southwesterly line of a tract owned by Bonnie Shackleford. with said Shackleford tracts being recorded in deed book 233 page 43 and deed book 285 page 227. to an iron pin (set) on the northwest right-of-way line of the CSX Railroad 2 feet northwest of a woven-wire fence

THENCE leaving the red and yellow painted line of Huber and now along a curve to the right having a radius of 3105.37 feet and an arc length of 158.20 feet. being subtended by a chord of South 41 degrees 15 minutes 06 seconds West for a distance of 158.18 feet with the northwest right-of-way line of the CSX Railroad to an iron pin (set)

THENCE along a curve to the right having a radius of 2595.59 feet and an arc length of 84.19 feet. being subtended by a chord of South 42 degrees 40 minutes 18 seconds West for a distance of 84.18 feet continuing with the northwest right-of-way line of the CSX Railroad to an iron pin (set)

THENCE along a curve to the right having a radius of 2384.57 feet and an arc length of 128.69 feet. being subtended by a chord of South 44 degrees 59 minutes 40 seconds West for a distance of 128.58 feet continuing with the northwest right-of-way line of the CSX Railroad to an iron pin (set) I feet southwest of the drain in Ely Hollow and 3 feet northwest of a woven-wire fence

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne, Tennessee

THENCE along a curve to the right having a radius of 2384.57 feet and an arc length of 128.69 feet, being subtended by a chord of South 44 degrees 59 minutes 40 seconds West for a distance of 128.58 feet continuing with the northwest right-of-way line of the CSX Railroad to an iron pin (set) I feet southwest of the drain in Ely Hollow and 3 feet northwest of a woven-wire fence

THENCE North 23 degrees 42 minutes 35 seconds West for a distance of 53.44 feet leaving the CSX Railroad and with the northerly line of a tract currently owned by the J.M. Huber Corporation, but is in the process of being deeded to Raymond Simpson, to an iron pin (set) 10 feet south of the drain in Ely Hollow

THENCE North 60 degrees 54 minutes 07 seconds West for a distance of 40.57 feet to an iron pin (set) 10 feet south of the drain in Ely Hollow

THENCE North 81 degrees 59 minutes 47 seconds West for a distnace of 26.50 feet to an ion pin (set) 6 feet south of the drain in Ely Hollow

THENCE South 81 degrees 59 minutes 47 seconds West for a distance of 26.50 feet to an iron pin (set) 6 feet south of the drain in Ely Hollow

THENCE 81 degrees 20 minutes 24 seconds West for a distance of 45.14 feet to the point of beginning

Together with and subject to covenants, easements, and restrictions of record.

Said property contains 2.056 acres as determined by survey of Mark A. Comparoni, KY P.L.S. No. 2989 on 09/27/1999 - 10/07/1999

Being the same property conveyed by J.M. Huber Corporation to Floyd King by Quitclaim Deed dated July 1, 2000 and recorded in Warranty Deed Book 1046, Page 108 in the office of the Register of Deeds in Claiborne County, Tennessee.

on the north side of Tennessee Highway 90, Claiborne, County, Tennessee

Beginning at an iron pin(set) on the north right-of-way line of Tennessee Highway 90 and on the east side of the gravel-covered access road to the Clairfield Convenience Center with this point being further described as bearing N 56 degrees 15′ 48″ E 2137.89 feet from the centerline intersection of Trace Branch Road and Highway 90

THENCE North 06 degrees 52 minutes 19 seconds West for a distance of 168.81 feet leaving Highway 90 and up the hill with the east side of the above-mentioned access road to an iron pin (set) in a ditch in the south line of Will Junior Thacker

THENCE North 80 degrees 12 minutes 59 seconds East for a distance of 83.71 feet leaving the access road and around the hill with the Thacker line to an iron pin (set)

THENCE North 81 degrees 03 minutes 34 seconds East for a distance of 52.06 feet continuing around the hill with the Thacker line to an iron pin(set)

THENCE North 81 degrees 40 minutes 29 seconds East for a distance of 35.33 feet continuing around the hill with the Thacker line to an iron pin (set) at the base of a 16 inch White Oak with old yellow paint on it and three new hack in it

THENCE South 08 degrees 19 minutes 38 seconds East for a distance of 167.03 feet leaving the Thacker-J.M. Huber line and down the hill through the lands of the J.M. Huber Corporation to an iron pin (set) on the north right-of-way line of Tennessee Highway 90

THENCE South 80 degrees 59 minutes 20 seconds West for a distance of 37.76 feet with the north right-of-way of Highway 90 to a 4" x 4" concrete highway right-of-way monument (found)

THENCE South 80 degrees 01 minutes 32 seconds West for a distance of 137.66 feet continuing with the north right-of-way line of Tennessee Highway 90 to the point of beginning as shown in Exhibit "A" attached

Said property contains 0.668 acre as determined by survey of Mark A. Comparoni, Tenn. P.L.S. No. 1626 on 8/4-5/1997

Being the same property conveyed by J.M. Huber Corporation to Clairfield Convenience Center by Quitclaim Deed dated October 20, 1997 and recorded in Warranty Deed Book 244, Page 662 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

on the north side of Tennessee Highway 132 and the south side of Bennetts Fork, Claiborne County, Tennessee

Beginning at an iron pin (set) on the northwest right-of-way line of Tennessee Highway 132 with this point being further described as bearing S 16 degrees 23' 11" W 3314.34 feet from a railroad spike (set) in the center line of Highway 132 where the centerline of Good Lane intersects said Highway 132

THENCE South 45 degrees 44 minutes 47 seconds West for a distance of 43.70 feet with the northwest right-of-way line of Highway 132 to an iron pin (set)

THENCE South 46 degrees 05 minutes 32 seconds West for a distance of 98.58 feet continuing with the northwest right-of-way line of Highway 132 to an iron pin (set)


THENCE North 56 degrees 31 minutes 38 seconds West for a distance of 139.12 feet leaving Highway 132 and through the lands of the J.M. Huber Corporation to an iron pin (set) 5 feet south of the south bank of Bennetts Fork

THENCE North 47 degrees 23 minutes 54 seconds East for a distance of 101.65 feet to an iron pin (set) 30 feet south of this south bank of Bennetts Fork

THENCE North 51 degrees 48 minutes 39 seconds East for a distance of 97.96 feet to an iron pin (set) 5 feet south of the south bank of Bennetts Fork

THENCE South 31 degrees 49 minutes 10 seconds East for a distance of 126.22 feet leaving Bennetts Fork and continuing through the lands of the J.M. Huber Corporation to the point of beginning as shown in Exhibit "A" attached

Together with and subject to covenants, easements, and restrictions of record



Being the same property conveyed by J.M. Huber Corporation to Opal Byrd by Quitclaim Deed dated October 20, 1997 and recorded in Warranty Deed Book 244, Page 408 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee on the northwest side of Tennessee Highway 90, near the community of Pruden, Claiborne County, Tennessee

Beginning at an iron pin (set) on the northwest right-of-way line of Tennessee Highway 90 with this point being further described as bearing N 41 degrees 48' 21" E 7662.30 feet from the centerline intersection of Highway 90 and Trace Branch Road

THENCE North 52 degrees 15 minutes 11 seconds West for a distance of 65.13 feet leaving Highway 90 and through the lands of the J.M. Huber Corporation to a nail (set) in the top of a wooden fence post (found)

THENCE North 65 degrees 47 minutes 46 seconds West for a distance of 67.69 feet to a nail (set) in the top of a wooden fence post (found)

THENCE North 83 degrees 42 minutes 52 seconds West for a distance of 30.42 feet to an iron pin (set) in a yellow and red painted boundary line between Will Junior Thacker and the J.M. Huber Corporation

THENCE North 26 degrees 12 minutes 50 seconds East for a distance of 62.76 feet with the Thacker line to an iron pin (set)

THENCE North 31 degrees 35 minutes 32 seconds East for a distance of 67.66 feet continuing with the Thacker line to an iron pin (set)

THENCE North 36 degrees 56 minutes 58 seconds East for a distance of 65.39 feet continuing with the Thacker line to an iron pin (set)

THENCE North 57 degrees 07 minutes 09 seconds East for a distance of 44.93 feet leaving Thacker and through the lands of the J.M. Huber Corporation to an iron pin (set) 30 feet southwest of Davis Branch

THENCE South 37 degrees 25 minutes 56 seconds East for a distance of 57.75 feet to an iron pin (set) 30 feet southwest of Davis Branch

THENCE South 16 degrees 49 minutes 10 seconds East for a distance of 65.49 feet to a nail (set) in the top of a wooden fence post (found)

THENCE South 18 degrees 56 minutes 04 seconds East for a distance of 43.19 feet to an iron pin (set) on the northwest right-of-way line of Highway 90

THENCE South 35 degrees 56 minutes 30 seconds West for a distance of 21.31 feet with the northwest right-of-way line of Highway 90 to an iron pin (set)

THENCE South 31 degrees 35 minutes 42 seconds West for a distance of 52.92 feet with the northwest right-of-way line of Highway 90 to an iron pin (set)

THENCE South 26 degrees 14 minutes 53 seconds West for a distance of 55.53 feet with the northwest right-of-way line of Highway 90 to the point of beginning as shown in Exhibit "A" attached

Said property contains 0.674 acre as determined by survey of Mark A. Comparoni, Tenn. P.L.S. No. 1626 on 09/12/97

Being the same property conveyed by J.M. Huber Corporation to Marie Mays by Quitclaim Deed dated October 20, 1997 and recorded in Warranty Deed Book 2441, Page 397 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee on the southerly side of Tennessee Highway 132, Klondike Hollow, Claiborne County, Tennessee

Beginning at an iron pin (set)on the south right-of-way line of Tennessee Highway 132 and the southwest edge of a gravel-covered access road with this point being further described as bearing S 00 degrees 15' 05"E 2680.25 feet from a railroad spike (set) in the centerline of Highway 132 where the centerline of Good Lane intersects said highway

THENCE South 36 degrees 12 minutes 10 seconds East for a distance of 96.33 feet leaving Highway 132 and through the lands of the J.M. Huber Corporation with the west edge of the above-mentioned access road to an iron pin (set)

THENCE South 56 degrees 42 minutes 35 seconds East for a distance of 50.47 feet to an iron pin (set)

THENCE South 61 degrees 04 minutes 05 seconds East for a distance of 65.21 feet continuing through the lands of Huber and continuing with the west edge of the access road to an iron pin (set)

THENCE South 58 degrees 01 minutes 26 seconds East for a distance of 232.99 feet to an iron pin (set)

THENCE South 27 degrees 16 minutes 18 seconds West for a distance of 79.66 feet leaving the road and continuing through the lands of the J.M. Huber Corporation to an iron pin (set) 12 feet north of the north bank of the drain in Klondike Hollow

THENCE North 89 degrees 57 minutes 52 seconds West for a distance of 59.41 feet to an iron pin (set) 3 feet north of the north bank of the drain in Klondike Hollow

THENCE North 47 degrees 27 minutes 12 seconds West for a distance of 128.74 feet to an iron pin (set) 5 feet north of the north bank of the drain

THENCE North 32 degrees 44 minutes 24 seconds West for a distance of 65.64 feet to a utility pole (found) 2 feet north of the north bank of the drain

THENCE North 36 degrees 50 minutes 07 seconds West for a distance of 75.00 feet to an iron pin (set) 3 feet north of the north bank of the drain

THENCE North 52 degrees 44 minutes 05 seconds West for a distance of 59.10 feet to an iron pin (set) 3 feet north of the north bank of the drain

THENCE North 28 degrees 06 minutes 09 seconds West for a distance of 88.68 feet to an iron pin (set) on the north bank of the drain and the south right-of-way line of Highway 132

THENCE North 22 degrees 47 minutes 10 seconds East for a distance of 16.08 feet leaving the drain and with the south right-of-way line of Highway 132 to the point of beginning as shown in Exhibit "A" attached

Together with and subject to covenants, easements, and restrictions of record.

Said property contains 0.637 acre as determined by survey of Mark A. Comparoni, Tenn. P.L.S. No. 1626 on 07/30/1997

Being the same property conveyed by J.M. Huber Corporation to Everett and Michael Suttle by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 244, Page 389 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

on the east side of Good Lane and the west side of Bennetts Fork, off of Tennessee Highway 132, Claiborne County, Tennessee

Beginning at an iron pin (set) 7.5 feet east of the centerline of Good Lane, with said Good Lane being in the same location as the old L & N Railroad bed, and said pin is further described as bearing S 23 degrees 31'01" W 1120.64 feet from a railroad spike (set) in the centerline of Highway 132 where the centerline of Good Lane intersects said Highway 132

THENCE north 88 degrees 05 minutes 35 seconds East for a distance of 21.55 feet leaving Good Lane and through the lands of the J.M. Huber Corporation to an iron pin (set) on the west bank of Bennetts Fork

THENCE South 43 degrees 04 minutes 40 seconds East for a distance of 69.65 feet with the west bank of Bennetts Fork and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 14 degrees 37 minutes 17 seconds East for a distance of 110.08 feet continuing with the west bank of Bennetts Fork to a 14 inch Beech with 3 new hacks in it

THENCE South 34 degrees 05 minutes 47 seconds East for a distance 119.21 feet to an iron pin (set)

THENCE South 43 degrees 59 minutes 25 seconds West for a distance of 38.10 feet leaving the west bank of Bennetts Fork and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

THENCE South 03 degrees 17 minutes 14 seconds West for a distance of 87.72 feet to a 16 inch Black Walnut with three new hacks in it near the west bank of Bennetts Fork

THENCE South 74 degrees 52 minutes 58 seconds West for a distance of 32.18 feet leaving Bennetts Fork to an iron pin (set) at the east edge of Good Lane

THENCE North 17 degrees 51 minutes 31 seconds West for a distance of 71.26 feet with the east edge of Good Lane to an iron pin (set)

THENCE North 27 degrees 48 minutes 25 seconds West for a distance of 54.99 feet continuing with the east edge of Good Lane to an iron pin (set)

THENCE North 14 degrees 00 minutes 46 seconds West for a distance of 108.42 feet continuing with the east edge of Good Lane to an iron pin (set)

THENCE North 11 degrees 19 minutes 36 seconds West for a distance of 97.07 feet to an iron pin (set)

THENCE North 07 degrees 40 minutes 31 seconds West for a distance of 62.48 feet continuing with the east edge of Good Lane to the point of beginning as shown in Exhibit "A" attached

Together with and subject to covenants, easements, and restrictions of record

Said property contains 0.581 acres as determined by survey of Mark A. Comparoni, Tenn. P.L.S. No. 1626 on 07/30/97

Being the same property conveyed by J.M. Huber Corporation to Tommy Good by Quitclaim Deed dated October 20, 1997 and recorded in Warranty Deed Book 244, Page 385 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

SITUATED, lying and being in Civil District No. of Claiborne County, Tennessee and being more fully described as follows:

BEGINNING at a right of way marker on the west proposed uncontrolled right of way line of State Route #90 at the point of intersection with the existing west right of way line of State Route #90, said marker located 41.38 feet left of centerline station 10+99.89; thence with the said proposed uncontrolled right of way line north 33 degrees 19 minutes west 361.73 feet to a right of way marker located 135 feet left of centerline station 14+00; thence north 09 degrees 39 minutes east 175.06 feet to a right of way marker located 150 feet left of centerline station 15+15; thence north 76 degrees 15 minutes east 191.36 feet to a right of way marker on the existing west right of way line, said marker located 31.12 feet left of centerline station 16+29.67; thence with the said existing right of way line southerly on a curve to the left of radius of 293.82 feet an arc distance of 401.31 feet to a right of way marker; thence south 25 degrees 10 minutes east 173.80 feet to a right of way marker; thence south 63 degrees 39 minutes west 6.76 feet to the Point of BEGINNING.

Containing 0.795 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to the State of Tennessee by Quitclaim Deed dated June 30, 1993 and recorded in Warranty Deed Book 188, Page 86 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee

PARCEL #1

BEGINNING at a point on the north proposed uncontrolled right of way line, said point located 50 feet left of centerline station 26+00; thence with the said proposed uncontrolled right of way south 88 degrees 26 minutes 56 seconds east 133.84 feet to a point on the existing north right of way line of Straight Creek Road, said point located 17.97 feet left of centerline station 27+32.27; thence with the said existing right of way line south 75 degrees 04 minutes 40 seconds west 140 feet to a point; thence south 78 degrees 51 minutes 26 seconds west 63.15 feet to a point; thence northwesterly on a curve to the right of radius of 164.05 feet an arc distance of 175.55 feet to a point; thence north 33 degrees 41 minutes 24 seconds west 44 feet more or less to a corner common to Roscoe Newman and a point on the north proposed uncontrolled right of way line, said point located 50 feet left of centerline station 23+40; thence with the said proposed uncontrolled right of way line south 80 degrees 57 minutes 08 seconds east 227.18 feet to the Point of BEGINNING.

PARCEL #2

BEGINNING at a point on the south proposed uncontrolled right of way line, said point located 75 feet right of centerline station 23+70; thence with the said proposed uncontrolled right of way line north 54 degrees 02 minutes 11 seconds west 145.82 feet to a point on the common property line between Elmer Sharp and the grantors herein; thence with the said property line north 71 degrees 05 minutes east 89 feet, more or less to a corner common to Boyd Taylor; thence with the Taylor property line north 71 degrees 05 minutes east 25 feet to a point on the existing south right of way line of Straight Creek Road; thence with the said existing right of way line south 33 degrees 41 minutes 24 seconds east 36.93 feet to a point; thence southeasterly on a curve to the left of radius of 194.90 feet an arc distance of 185.16 feet to a point on the existing west right of way line of a county road; thence with the county road existing right of way line south 38 degrees 06 minutes 57 seconds east 293 feet more or less to a point on the south proposed uncontrolled right of way line, said point located 10.7 feet right of county road centerline station 3+00; thence with the said proposed uncontrolled right of way line north 59 degrees 13 minutes 21 seconds west 53.60 feet to a point located 30 feet right of county

road centerline station 2+50; thence north 49 degrees 25 minutes 33 seconds west 152.97 feet to a point located 60 feet right of county road centerline station 1+00; thence north 33 degrees 31 minutes 38 seconds west 61.71 feet to a point located 65 feet right of county road centerline station 0+50; thence north 41 degrees 24 minutes 31 seconds west 47.57 feet to a point located 50 feet right of centerline station 24+70; thence north 86 degrees 45 minutes 03 seconds west 116.61 feet to the Point of BEGINNING.

PARCEL #3

BEGINNING at a point on the south proposed uncontrolled right of way line, said point located 40 feet right of centerline station 26+00; thence with the said proposed uncontrolled right of way line south 02 degrees 19 minutes 38 seconds east 33.82 feet to a point located 40 feet left of county road centerline station 1+00; thence south 38 degrees 06 minutes 57 seconds east 150 feet to a point located 40 feet left of county road centerline station 2+50; thence south 12 degrees 45 minutes 18 seconds east 55.33 feet to a point on the existing east right of way line of a county road; thence with the said existing right of way line north 38 degrees 06 minutes 57 seconds west 273 feet, more or less to a point on the existing south right of way line of Straight Creek Road; thence with the Straight Creek Road existing right of way line north 78 degrees 51 minutes 26 seconds east 55.20 feet to a turn; thence north 75 degrees 04 minutes 40 seconds east 142.5 feet to a point on the south proposed uncontrolled right of way line, said point located 11.98 feet right of centerline station 27+41.12; thence with the said proposed uncontrolled right of way line south 55 degrees 27 minutes 00 seconds west 42.10 feet to a point located 30 feet right of centerline station 27+00; thence south 71 degrees 38 minutes 11 seconds west 104.17 feet to the Point of BEGINNING.

Containing 0.733 acres, more or less in the three above described parcels.

Being the same property conveyed by J.M. Huber Corporation to the Claiborne County by Special Warranty Deed dated June 13, 1988 and recorded in Warranty Deed Book 188, Page 86 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

PARCEL #1

BEGINNING at a point on the north proposed uncontrolled right of way line, said point located 50 feet left of centerline station 26+00; thence with the said proposed uncontrolled right of way south 88 degrees 26 minutes 56 seconds east 133.84 feet to a point on the existing north right of way line of Straight Creek Road, said point located 17.97 feet left of centerline station 27+32.27; thence with the said existing right of way line south 75 degrees 04 minutes 40 seconds west 140 feet to a point; thence south 78 degrees 51 minutes 26 seconds west 63.15 feet to a point; thence northwesterly on a curve to the right of radius of 164.05 feet an arc distance of 175.55 feet to a point; thence north 33 degrees 41 minutes 24 seconds west 44 feet more or less to a corner common to Roscoe Newman and a point on the north proposed uncontrolled right of way line, said point located 50 feet left of centerline station 23+40; thence with the said proposed uncontrolled right of way line south 80 degrees 57 minutes 08 seconds east 227.18 feet to the Point of BEGINNING.

PARCEL #2

BEGINNING at a point on the south proposed uncontrolled right of way line, said point located 75 feet right of centerline station 23+70; thence with the said proposed uncontrolled right of way line north 54 degrees 02 minutes 11 seconds west 145.82 feet to a point on the common property line between Elmer Sharp and the grantors herein; thence with the said property line north 71 degrees 05 minutes east 89 feet, more or less to a corner common to Boyd Taylor; thence with the Taylor property line north 71 degrees 05 minutes east 25 feet to a point on the existing south right of way line of Straight Creek Road; thence with the said existing right of way line south 33 degrees 41 minutes 24 seconds east 36.93 feet to a point; thence southeasterly on a curve to the left of radius of 194.90 feet an arc distance of 185.16 feet to a point on the existing west right of way line of a county road; thence with the county road existing right of way line south 38 degrees 06 minutes 57 seconds east 293 feet more or less to a point on the south proposed uncontrolled right of way line, said point located 10.7 feet right of county road centerline station 3+00; thence with the said proposed uncontrolled right of way line north 59 degrees 13 minutes 21 seconds west 53.60 feet to a point located 30 feet right of county road centerline station 2+50; thence north 49 degrees 25 minutes 33 seconds west 152.97 feet to a point located 60 feet right of county road centerline station 1+00; thence north 33 degrees 31 minutes 38 seconds west 61.71 feet to a point located 65 feet right of county road centerline station 0+50; thence north 41 degrees 24 minutes 31 seconds west 47.57 feet to a point located 50 feet right of centerline station 24+70; thence north 86 degrees 45 minutes 03 seconds west 116.61 feet to the Point of BEGINNING.

PARCEL #3

BEGINNING at a point on the south proposed uncontrolled right of way line, said point located 40 feet right of centerline station 26+00; thence with the said proposed uncontrolled right of way line south 02 degrees 19 minutes 38 seconds east 33.82 feet to a point located 40 feet left of county road centerline station 1+00; thence south 38 degrees 06 minutes 57 seconds east 150 feet to a point located 40 feet left of county road centerline station 2+50; thence south 12 degrees 45 minutes 18 seconds east 55.33 feet to a point on the existing east right of way line of a county road; thence with the said existing right of way line north 38 degrees 06 minutes 57 seconds west 273 feet, more or less to a point on the existing south right of way line of Straight Creek Road; thence with the Straight Creek Road existing right of way line north 78 degrees 51 minutes 26 seconds east 55.20 feet to a turn; thence north 75 degrees 04 minutes 40 seconds east 142.5 feet to a point on the south proposed uncontrolled right of way line, said point located 11.98 feet right of centerline station 27+41.12; thence with the said proposed uncontrolled right of way line south 55 degrees 27 minutes 00 seconds west 42.10 feet to a point located 30 feet right of centerline station 27+00; thence south 71 degrees 38 minutes 11 seconds west 104.17 feet to the Point of BEGINNING.

Containing 0.733 acres, more or less in the three above described parcels.

Being the same property conveyed by J.M. Huber Corporation to Claiborne County by Special Warranty Deed dated June 13, 1988 and recorded in Warranty Deed Book 188, Page 86 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

BEGINNING on a stake at the point where the Easterly edge of Tennessee Highway # 90 meets the Westerly edge of the road up Valley Creek, thence with the Westerly edge of this road in a southeasterly direction about 1108 feet to a stake in the Northerly right-of-way line of the Southern Railroad, thence leaving the road up Valley Creek and with the railroad right-of-way in a Westerly direction about 1282 feet to a stake, thence leaving the railroad right-of-way N 09° 22' E 241.94 feet to a stake at a culvert in the Southerly edge of Tennessee Highway 90, thence with the Southerly edge of this highway in a Northeasterly direction about 1552 feet to the beginning.

Being the same property conveyed by J.M. Huber Corporation to Valley Economic Development Corporation by Warranty Deed dated May 26, 1981 and recorded in Warranty Deed Book 150, Page 587 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

Beginning at an iron pin (set) that bears South 35 degrees 13' 36" E 486.32 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 53 degrees 50 minutes 40 seconds East for a distance of 158.68 feet through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 36 degrees 09 minutes 20 seconds East for a distance of 95.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 53 degrees 50 minutes 40 seconds West for a distance of 158.68 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 36 degrees 09 minutes 20 seconds West for a distance of 95.00 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning as shown in Exhibit "A"

Together with and subject to covenants, easements, and restrictions of record.

There is excepted from this conveyance, all mineral rights of every kind to which the J.M. Huber Corporation currently has title.

Said property contains. 0.34 acre

Being the same property conveyed by J.M. Huber Corporation to Alfred Siler by Quitclaim Deed dated July 7, 1997.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

Being Lot 12 in the Cumberland Gap S/D.

Bounded on the North side of property is Colwyn Street.
Bounded on the South side of property is a road.
Bounded on the East side of property is Map 1L Group C Parcel 15.00
Bounded on the West side of property is Map 1L Group C Parcel 17.00

Being Map 1L Group C Parcel 16.00

Being the same property conveyed by Claiborne County to J.M. Huber Corporation by Clerk Deed dated October 8, 1997.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

BEGINNING at a stake in the South Westerly Right-of-Way line of the Louisville and Nashville Railroad, this point is further described as bearing S 60° 12' E on a distance of 453.52 feet from the Northerly steel rail corner of the Kenneth and Donna Oxford Lot, with said rail having Tennessee Grid Coordinates X-2,684,932.51 Y-810,132.087,

THENCE with the Right-of-Way line of the Louisville and Nashville Railroad S 43° 27'E 208.00 feet to a stake,

THENCE S 46° 33'W 30.00 feet to a point,

THENCE S 43° 27'E 200.00 feet to a stake,

THENCE N 46° 33'E crossing the centerline of the Louisville and Nashville Railroad at 100 feet, in all 200.00 feet to a stake,

THENCE N 43° 27'W 200 feet to a stake,

THENCE S 46° 33'W 30.00 feet to a 10 inch Pine,

THENCE N 43° 27'W 208.00 feet to a stake,

THENCE S 46° 33'W crossing the centerline of the Louisville and Nashville Railroad at 70 feet, in all 140.00 feet to the BEGINNING containing 1.58 Acres. All bearings are based on the Magnetic Meridian of 1987.

Exhibit "A" continued

Less and Except the Following:

Tract No. 20

All that tract or parcel of land lying and being in the Town of Cumberland Gap, Claiborne County, Tennessee, more particularly described as follows:

Beginning at a point on the north right-of-way line of lands abandoned by CSX Transportation, Inc., said point being located at the common corner of land now or formerly owned by the United States of America, Nellie June Tolliver, and AHH Properties; thence South 41°51'42" East, 201.64 feet along the west line of land now or formerly owned by the United States of America to a point located in the north line of land now or formerly owned by O. B. Webb; thence North 48°12'18" West, 56.13 feet along said north line to a point located in the east right-of-way line of Roslyn Avenue; thence North 48°11'38" West, 50.50 feet to a point located in the west right-of-way line of Roslyn Avenue, said point also being located in the north line of land now or formerly owned by Ann White; thence North 48°11'38" West, 98.90 feet along said north line to a point; thence North 41°54'24" East, 30.00 feet to a point; thence North 48°05'36" West, 208.00 to a point; thence North 41°54'24" East 142.01 feet to a point located in the west line of land now or formerly owned by AHH Properties; thence along said west line the following three bearings and distances,

South 48°05'36" East, 208.00 feet to a point,
North 41°51'42" East, 30.00 feet to a point,
South 48°05'36" East, 205.42 feet to the Point of Beginning.

Containing 1.63 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to State of Tennessee by Warranty Deed dated August 23, 1996.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

PARCEL #1

BEGINNING at a point on the north proposed uncontrolled right of way line, said point located 50 feet left of centerline station 26+00; thence with the said proposed uncontrolled right of way south 88 degrees 26 minutes 56 seconds east 133.84 feet to a point on the existing north right of way line of Straight Creek Road, said point located 17.97 feet left of centerline station 27+32.27; thence with the said existing right of way line south 75 degrees 04 minutes 40 seconds west 140 feet to a point; thence south 78 degrees 51 minutes 26 seconds west 63.15 feet to a point; thence northwesterly on a curve to the right of radius of 164.05 feet an arc distance of 175.55 feet to a point; thence north 33 degrees 41 minutes 24 seconds west 44 feet more or less to a corner common to Roscoe Newman and a point on the north proposed uncontrolled right of way line, said point located 50 feet left of centerline station 23+40; thence with the said proposed uncontrolled right of way line south 80 degrees 57 minutes 08 seconds east 227.18 feet to the Point of BEGINNING.

PARCEL #2

BEGINNING at a point on the south proposed uncontrolled right of way line, said point located 75 feet right of centerline station 23+70; thence with the said proposed uncontrolled right of way line north 54 degrees 02 minutes 11 seconds west 145.82 feet to a point on the common property line between Elmer Sharp and the grantors herein; thence with the said property line north 71 degrees 05 minutes east 89 feet, more or less to a corner common to Boyd Taylor; thence with the Taylor property line north 71 degrees 05 minutes east 25 feet to a point on the existing south right of way line of Straight Creek Road; thence with the said existing right of way line south 33 degrees 41 minutes 24 seconds east 36.93 feet to a point; thence southeasterly on a curve to the left of radius of 194.90 feet an arc distance of 185.16 feet to a point on the existing west right of way line of a county road; thence with the county road existing right of way line south 38 degrees 06 minutes 57 seconds east 293 feet more or less to a point on the south proposed uncontrolled right of way line, said point located 10.7 feet right of county road centerline station 3+00; thence with the said proposed uncontrolled right of way line north 59 degrees 13 minutes 21 seconds west 53.60 feet to a point located 30 feet right of county road centerline station 2+50; thence north 49 degrees 25 minutes 33 seconds west 152.97 feet to a point located 60 feet right of county road centerline station 1+00; thence north 33 degrees 31 minutes 38 seconds west 61.71 feet to a point located 65 feet right of county road centerline station 0+50; thence north 41 degrees 24 minutes 31 seconds west 47.57 feet to a point located 50 feets right of centerline station 24+70; thence north 86 degrees 45 minutes 03 seconds west 116.61 feet to the Point of BEGINNING.

PARCEL #3

BEGINNING at a point on the south proposed uncontrolled right of way line, said point located 40 feet right of centerline station 26+00; thence with the said proposed uncontrolled right of way line south 02 degrees 19 minutes 38 seconds east 33.82 feet to a point located 40 feet left of county road centerline station 1+00; thence south 38 degrees 06 minutes 57 seconds east 150 feet to a point located 40 feet left of county road centerline station 2+50; thence south 12 degrees 45 minutes 18 seconds east 55.33 feet to a point on the existing east right of way line of a county road; thence with the said existing right of way line north 38 degrees 06 minutes 57 seconds west 273 feet, more or less to a point on the existing south right of way line of Straight Creek Road; thence with the Straight Creek Road existing right of way line north 78 degrees 51 minutes 26 seconds east 55.20 feet to a turn; thence north 75 degrees 04 minutes 40 seconds east 142.5 feet to a point on the south proposed uncontrolled right of way line, said point located 11.98 feet right of centerline station 27+41.12; thence with the said proposed uncontrolled right of way line south 55 degrees 27 minutes 00 seconds west 42.10 feet to a point located 30 feet right of centerline station 27+00; thence south 71 degrees 38 minutes 11 seconds west 104.17 feet to the Point of BEGINNING.

Containing 0.733 acres, more or less in the three above described parcels.

Being the same property conveyed by J.M. Huber Corporation to State of Tennessee by Special Warranty Deed dated June 13, 1988.

FURTHER LESS AND EXCEPT:

Tract No. 3 now known as Tract No. 03-103

A tract situated in the City of Cumberland Gap, Claiborne County, Tennessee, being more particularly described as follows:

Beginning at a point on the east side of Tiprell Road and the north boundary line of Cumberland Gap National Historical Park; thence along the east side of Tiprell Road North 07°10'13" East, 78.30 feet to the southwest corner of the property owned by Mildred Hamblin; thence with Hamblin's line South 42°35'08" East, 220.91 feet to a point; thence severing the land of the grantor South 05°52'37" West, 80.50 feet to a point on the boundary line of Cumberland Gap National Historical Park; thence with said line North 42°37'34" West, 223.71 feet to the point of beginning.

Containing 0.31 acre, more or less.

Being a portion of the same land conveyed to J. M. Huber Corporation by American Association Limited and recorded in Deed Book 144, Volume 3, page 379 of Claiborne County, Tennessee.

and,

Tract No. 5 now known as Tract No. 03-105

A tract of land situated in the City of Cumberland Gap, Claiborne County, Tennessee being more particularly described as follows:

Beginning at a point on the westerly right-of-way of Cumberland Drive, said point also being the northerly most corner of the Spence Property; thence along the Spence property South 54°14'22" West, 65.88 feet; thence North 42°27'07" West, 167.40 feet leaving the Spence tract; thence North 42°29'20" West, 164.39 feet; thence North 42°27'56" West, 164.04 feet; thence North 86°13'54" East, 250.53 feet to a point on the westerly right-of-way of Cumberland Drive; thence South 20°23'37" East, 110.88 feet; thence South 20°23'37" East, 193.14 feet to a point of curvature; thence along a curve to the left having a radius of 228.99 feet for a distance of 67.30 feet to the point of beginning.

Containing 1.35 acres, more or less.

Being a portion of the same land conveyed to J. M. Huber Corporation by American Association Limited and recorded in Deed Book 144, Volume 3, page 379 of Claiborne County, Tennessee.

and,

Tract No. 6 now known as Tract 03-106

All that certain tract or parcel of land situated in District No. Six (6) of Claiborne County, Tennessee, and in the City of Cumberland Gap, being more particularly described as follows:

Beginning at a steel pin, said pin being the common corner with Kenneth L. Oxford and The J. M. Huber Corporation; thence with the south boundary line of Block 101, Cumberland Gap and bearing South 39°38'09" East, 400.00 feet to a steel pin set at the common corner of O. B. Webb, and Mrs. Ann White; thence continuing with the south property line of the White property for two calls: South 39°38'09" East, 120.00 feet to a steel pin set; South 39°38'09" East, 197.53 feet to a point in the north right-of-way line of old Rosyln Avenue; thence leaving the Ann White property and continuing with the north right-of-way line of the old Rosyln Avenue for 3 calls: South 47°42'52" West, 7.31 feet; South 47°24'19" West, 69.61 feet; South 44°53'33" West, 97.98 feet to the intersection of the north right-of-way of old Rosyln Avenue and the east right-of-way of old South Cumberland Avenue; thence with the east right-of-way of old South Cumberland Avenue for 5 calls: South 83°47'07" West, 4.42 feet; thence with a curve to the right having a radius of 168.99 feet and an arc length of 223.63 feet, chord bears North 58°18'15" West, 207.67 feet to a point; thence North 20°23'37" West, 140.77 feet to a steel pin set in the east right-of-way of the new South Cumberland Avenue as built in 1992; thence following the east right-of-way of South Cumberland Avenue North 20°23'37" West, 62.37 feet to a steel pin set; thence North 20°23'37" West, 369.94 feet to a steel pin set at the corner of Ogile Oxford; thence with the Oxford line and leaving the South Cumberland Drive right-of-way North 50°21'51" East, 58.94 feet to the Point of Beginning.

Containing 2.96 acres, more or less. (Rounded from 2.956 acres)

Being a portion of the same land conveyed to J. M. Huber Corporation by American Association Limited and recorded in Deed Book 144, Volume 3, page 379 of Claiborne County, Tennessee.

and,

Tract 16 now known as Tract 03-116

A tract situated in the City of Cumberland Gap, Claiborne County, Tennessee, being more particularly described as follows:

Beginning at a point on the southeasterly right-of-way of U.S. Highway 25E at a common corner of J. M. Huber Corporation and Cumberland Gap National

Historical Park said corner also being known as Park Boundary Marker No. 35; thence along the park boundary South 33°38'28" East, 99.15 feet; thence South 36°03'25" East, 37.14 feet; thence South 35°21'57" East, 65.05 feet; thence South 09°50'26" West, 100.67 feet; South 04°32'30" East, 71.24 feet; thence South 18°40'11" West, 135.95 feet; thence South 48°16'21" West, 355.77 feet; thence South 77°23'28" West, 115.96 feet to the common corner with the Robinson tract; thence leaving the park boundary and with the Robinson tract North 57°16'44" West, 236.56 feet to the southeasterly right-of-way of U.S. Highway 25E; thence along U.S. Highway 25E in a northeasterly direction curving to the right with a radius of 980.28 feet for a distance of 316.37 feet; thence continuing along U.S. Highway 25E curving to the right with a radius 2,045.32 feet for a distance of 241.13 feet; thence North 47°39'16" East, 242.70 feet to the point of beginning.

Containing 5.65 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to National Park Service by Corrected Warranty Deed dated July 21, 1994.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

PARCEL # 1
BEGINNING at a right of way marker on the north proposed uncontrolled right of way line at the point of intersection with the existing north right of way line of S.R.#132, said marker located 20 feet left of centerline station 13 + 35; thence with the said proposed uncontrolled right of way line North 49° 18' East 139.13 feet to a right of way marker located 65 feet left of centerline station 14 + 66.65; thence North 75° 26' East 51.47 feet to a right of way marker on the existing southwest right of way line of the L and N Railroad, said marker located 59178 feet left of centerline station 15 + 14.72; thence with the said existing Railroad right of way line southeasterly on a curve to the left of radius of 508.93 feet an arc distance of 78.64 feet to a point on the existing north right of way line of S.R.#132; thence with the said existing right of way line South 73° 39' West 94.82 feet to a turn; thence South 72° 10' West 126.92 feet to a turn; thence South 68° 10' West 16.4 feet to the POINT OF BEGINNING.

PARCEL # 2
BEGINNING at a right of way marker on the north proposed uncontrolled right of way line at the point of intersection with the existing north right of way of S.R.#132, said marker located 20 feet left of centerline station 19 + 00; thence with the said existing right of way line South 77° 45' West 274.47 feet to a point on the northeast existing right of way line of the L and N Railroad; thence with the said existing Railroad right of way line northwesterly on a curve to the right of radius of 478.93 feet an arc distance of 85.30 feet to the right of way marker on the north proposed uncontrolled right of way line, said marker located 57.32 feet left of centerline station 15 + 57.68; thence with the said proposed uncontrolled right of way line North 75° 26' East 112.51 feet to a right of way marker located 60 feet left of centerline station 16 + 63.71; thence North 80° 00' East 86.29 feet to a right of way marker located 60 feet left of centerline station 17 + 50; thence North 87° 35' East 151.33 feet to a right of way marker located 40 feet left of centerline station 19 + 00; thence South 10° 00' 25" East 20 feet to the POINT OF BEGINNING.

PARCEL # 3
BEGINNING at a right of way marker on the south proposed uncontrolled right of way line at the point of intersection with the existing south right of way line of S.R.#132, said marker located 20 feet right of centerline station 13 + 50; thence with the said existing right of way line North 72° 10' East 125 feet to a turn; thence North 73° 39' East 144.29 feet to a turn; thence North 77° 45' East 17.28 feet to a point on the existing southwest right of way line of the L and N Railroad; thence with the said existing Railroad right of way line southeasterly on a curve to the left of radius of 508.93 feet an arc distance of 31.60 feet to a right of way marker on the south proposed uncontrolled right of way line, said marker located 40.37 feet right of centerline station 16 + 72.36; thence with the said proposed uncontrolled right of way line South 68° 37' West 195.86 feet to a right of way marker located 60 feet right of centerline station 14 + 66.65; thence South 87° 06' West 123.32 feet to the POINT OF BEGINNING.

PARCEL # 4
BEGINNING at a right of way marker on the south proposed uncontrolled right of way line at the point of intersection with the existing south right of way line of S.R.#132, said marker located 20 feet right of centerline station 19 + 00; thence with the said proposed uncontrolled right of way line South 10° 00' 25" East 18.21 feet to a right of way marker on the existing northeast right of way line of the L and N Railroad; thence with the existing Railroad and proposed uncontrolled right of way line South 83° 13' West 104.41 feet to a point; thence northwesterly on a curve to the right of radius of 478.93 feet an arc distance of 54.31 feet to a right of way marker on the existing south right of way line of S.R.# 132, said marker located 26.21 feet right of centerline station 17 + 41.83; thence with the said existing right of way line North 77° 45' East 158.29 feet to the POINT OF BEGINNING.

Containing 0.643 acres, more or less, in the four above described parcels.

Being the same property conveyed by J.M. Huber Corporation to State of Tennessee by Special Warranty Deed dated March 16, 1984.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

BEGINNING at a right of way marker on the west proposed uncontrolled right of way line of State Route #90 at the point of intersection with the existing west right of way line of State Route #90, said marker located 41.38 feet left of centerline station 10+99.89; thence with the said proposed uncontrolled right of way line north 33 degrees 19 minutes west 361.73 feet to a right of way marker located 135 feet left of centerline station 14+00; thence north 09 degrees 39 minutes east 175.06 feet to a right of way marker located 150 feet left of centerline station 15+15; thence north 76 degrees 15 minutes east 191.36 feet to a right of way marker on the existing west right of way line, said marker located 31.12 feet left of centerline station 16+29.67; thence with the said existing right of way line southerly on a curve to the left of radius of 293.82 feet an arc distance of 401.31 feet to a right of way marker; thence south 25 degrees 10 minutes east 173.80 feet to a right of way marker; thence south 63 degrees 39 minutes west 6.76 feet to the Point of BEGINNING.

Containing 0.795 acres, more or less.

Being the same property conveyed by J.M. Huber Corporation to State of Tennessee by Warranty Deed dated November 9, 1992.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

Beginning at an iron pin (set) at the southeast and easterly-most corner of a tract owned by Bob and Cora Jones, with said Jones tract being recorded in deed book 67 page 373

THENCE North 50 degrees 02 minutes 23 seconds East for a distance of 91.72 feet leaving the Jones tract and through the lands of the J.M. Huber Corporation to an iron pin (set) in the southwesterly line of what will be known as tract 2 of a three lot subdivision that is being done by the J.M. Huber Corporation in this area

THENCE South 35 degrees 25 minutes 24 seconds East for a distance of 260.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the southwesterly line of the above-mentioned tract 2

THENCE South 35 degrees 25 minutes 23 seconds East for a distance of 252.87 feet continuing through the lands of Huber to an iron pin (set) in the bed of Clear Fork Creek near its northwesterly edge

THENCE South 61 degrees 53 minutes 22 seconds West for a distance of 256.76 feet leaving tract 2 and now down Clear Fork Creek to an iron pin (set) on the northerly bank of the creek

THENCE South 46 degrees 13 minutes 14 seconds West for a distance of 72.27 feet continuing down Clear Fork Creek to an iron pin (set) on the northwesterly bank of Clear Fork Creek at a corner of a tract owned by Moss Hamblin

THENCE North 28 degrees 43 minutes 27 seconds West for a distance of 245.14 feet leaving the creek and with the northeasterly line of the Moss Hamblin tract to an iron pin (set) at the base of a tree with old yellow J.M. Huber Corporation boundary point on it

THENCE North 28 degrees 43 minutes 27 seconds West for a distance of 208.02 feet leaving the Moss Hamblin tract and with the northeasterly line of a tract owned by Marie Hamblin Jordon, with said Jordon tract being recorded in deed book 94 page 512. to an iron pin (set)

THENCE North 28 degrees 43 minutes 27 seconds West for a distance of 13.22 feet continuing with the Jordon tract to an iron pin (set)

THENCE North 04 degrees 33 minutes 18 seconds West for a distance of 30.00 feet continuing with the Jordon tract to an iron pin (set)

THENCE North 56 degrees 29 minutes 20 seconds East for a distance of 165.04 feet leaving the Jordon tract and with the southerly line of the Jones tract to the point of beginning

Together with and subject to covenants. easements. and restrictions of record

Said property contains 3.346 acres as determined by survey of Mark A. Comparoni. TN. P.L.S. No. 1626 on 09/07-09/23/99

There is further granted through this conveyance an easement for purposes of ingress and egress. across the following described place of property:

Beginning at an iron in (set) with said iron pin being the beginning corner of the 3.346 acres description shown above

THENCE North 34 degrees 50 minutes 54 seconds West for a distance of 134.50 feet with the northeasterly line of the Bob and Cora Jones tract that is recorded in deed book 67. page 373. to an iron pin (set) on the southeasterly right-of-way line of the Southern Railroad. with said pin being further described as being at the southwest southerly-most corner of a small storage building. and said pin is still further described as being the northeast and the northerly-most corner of the Jones tract

THENCE North 50 degrees 02 minutes 23 seconds East for a distance of 91.72 feet leaving the Jones tract and with the southeasterly right-of-way line of the Southern Railroad to an iron pin (set)

THENCE South 34 degrees 50 minutes 56 seconds East for a distance of 134.50 feet leaving the Southern Railroad right-of-way line and now through the lands of the J.M. Huber Corporation. with said Huber tract being recorded in deed book 144 page 379. to an iron pin (set) at the northeast and northerly-most corner of the above described 3.346 acres tract

THENCE South 50 degrees 02 minutes 23 second West for a distance of 91.72 feet with the northerly line of the above-described 3.346 acres tract to the point of beginning

Together with and subject to covenants. easements and restrictions of record.

Said property contains 0.282 acre as determined by survey

Being the same property conveyed by J.M. Huber Corporation to Glen Huddleston and Helen J. Huddleston by Quitclaim Deed dated July 1, 2000 and recorded in Warranty Deed Book 1044, Pages 165 and 393 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

located on the southwesterly side of Trace Branch Road, 0.8 mile from the intersection of Trace Branch Road and Tennessee Highway 90, Claiborne County, Tennessee

Beginning at an iron pin (set) on the westerly side of the old dirt-covered Trace Branch Road bed with this pin being further described as being witnessed by an 8 inch Sweet Gum with three new hacks in it that bears South 49 degrees 48' 25" West 3 feet from the pin, and said pin is lastly described as bearing North 38 degrees 08" West 2402.81 feet from an iron pin (found) that is the northerly most corner of tract I at a deed owned by Model Valley Economic Development Corporation, with said Model Valley deed being recorded in deed book 238 pages 174-178

THENCE north 88 degrees 41 minutes 30 seconds West for a distance of 137.29 feet leaving the old Trace Branch Road bed and through the lands of the J.M. Huber Corporation to an iron pin (set) 6 feet north of the center of a small drain

THENCE South 87 degrees 27 minutes 23 seconds West for a distance of 94.42 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) 8 feet north of the center of the small drain, with this pin being further described as being witnessed by a 6 Inch southwest with three new hacks in it that bears North 81 degrees that bears North 81 degrees 48' 20" W 3 feet from the pin

THENCE North 14 degrees 09 minutes 05 seconds West for a distance of 215.27 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 08 degrees 05 minutes 20 seconds West for a distance of 57.88 feet to an iron pin (set) witnessed by a 40 inch (at the base) forked White Oak with three new hacks in it that bears South 68 degrees 51" 00 Degrees East 5 feet from the pin

THENCE North 35 degrees 04 minutes 40 seconds East for a distance of 86.53 feet to an iron pin (set) on the southwest side of an old dirt road bed

THENCE North 13 degrees 17 minutes 45 seconds East for a distance of 33.86 feet to an iron pin (set) on the northerly edge of an old strip berich

THENCE North 02 degrees 20 minutes 25 seconds West for a distance of 119.84 feet to an iron pin (set) on the southerly edge of the old, (dirt-covered) Trace Branch Road bed

THENCE South 82 degrees 29 minutes 47 seconds East for a distance of 104.24 feet with the edge of the road bed to an iron pin (set)

THENCE South 78 degrees 09 minutes 29 seconds East for a distance of 43.87 feet with the edge of the road bed to an iron pin (set)

THENCE South 62 degrees 12 minutes 04 seconds East for a distance of 89.21 feet with the edge of the road bed to an iron pin (set)

THENCE South 44 degrees 01 minutes 44 seconds East for a distance of 26.72 feet with the edge of the road bed to an iron pin (set)

THENCE South 24 degrees 44 minutes 02 seconds East for a distance of 77.31 feet with the edge of the road bed to an iron pin (set)

THENCE South 21 degrees 18 minutes 47 seconds East for a distance of 83.43 feet with the edge of the road bed to an iron pin (set)

THENCE South 11 degrees 48 minutes 48 seconds. East for a distance of 68.99 feet with the edge of the road bed to an iron pin (set)

THENCE South 18 degrees 22 minutes 02 seconds West for a distance of 58.56 feet with the edge of the road bed to an iron pin (set)

THENCE South 13 degrees 00 minutes 31 seconds West for a distance of 63.19 Feet with the edge of the road bed to an iron pin (set)

THENCE South 07 degrees 49 minutes 31 seconds East for a distance of 66.98 feet with the edge of the roadbed to an iron pin (set)

THENCE South 17 degrees 25 minutes 04 seconds East for a distance of 99.28 feet with the edge of the road bed to the point of beginning

Together with and subject to covenants, easements, and restrictions of record.

Said property contains 3.11 acres as determined by survey of Mark A. Comparoni, Tn. P.L.S. No. 1626 on 9/14/1999

Being the same property conveyed by J.M. Huber Corporation to Tice Hamblin by Quitclaim Deed dated July 1, 2000 and recorded in Warranty Deed Book 1015, Page 28 in the office of the Register of Deeds in Claiborne County, Tennessee.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Claiborne County, Tennessee.

located between the right fork and the middle fork of Rock Creek Road near the Community of Clairfield, Claiborne County, Tennessee

Beginning at 5/8 inch diameter iron pin (found) with a yellow, Mark A. Comparoni, I.D. cap on it with this pin being further described as being the northerly-most corner of a tract owned by Rock Creek United Baptist Church, with said church deed being recorded in deed book 1014, page 581.

THENCE South 24 degrees 32 minutes 35 seconds West for a distance of 85.41 feet with the west line of the church tract to a 5/8 inch diameter iron pin (found) with a yellow, Mark A.Comparoni, I.D. cap on it with this pin being further described as being the northeast corner of a tract owned by Earl Huddleston, with said Huddleston tract being recorded in deed book 1013 page 578, and said pin is still further described as bearing North 43 degrees 10' 21" West 0.72 feet from a 1 foot diameter, circular-shaped wooden fence post where a barbed-wire fence corner.

THENCE North 54 degrees 01 minutes 04 seconds West for a distance of 56.29 feet, through the lands of Huber, to an iron pin (set)

THENCE North 64 degrees 41 minutes 45 seconds West for a distance of 82.85 feet to an iron pin (set)

THENCE North 62 degrees 05 minutes 15 seconds West for a distance of 37.37 feet, continuing through the lands of Huber, to an iron pin (set) 2 feet north of a barbed-wire fence

THENCE North 46 degrees 29 minutes 46 seconds East for a distance of 77.46 feet to an iron pin (set)

THENCE North 39 degrees 08 minutes 10 seconds East for a distance of 139.19 feet continuing through the lands of Huber to a 5/8 inch diameter iron pin (set) with a yellow, Mark A. Comparoni, I.D. cap on it

THENCE North 33 degrees 18 minutes 50 seconds East for a distance of 110.34 feet continuing through the lands of Huber to a 5/8 inch diameter iron pin (found) with a yellow, Mark A. Comparoni, I.D. cap on it, in the southerly line of a tract owned

by the Clairfield Missionary Baptist Church, with said church tract being recorded in deed book 1013 page 573

THENCE North 72 degrees 44 minutes 35 seconds East for a distance of 77.94 feet with the southerly line of the church tract to a 5/8 inch diameter iron pin (found) with a yellow, Mark A. Comparoni, I.D. cap on it

THENCE North 84 degrees 15 minutes 45 seconds East for a distance of 142.30 feet continuing with the sourtherly line of the church tract to a 5/8 inch diameter iron pin (found) with a yellow, Mark A. Comparoni, I.D. cap on it

THENCE South 58 degrees 21 minutes 17 seconds East for a distance of 62.23 feet continuing with the southerly line of the church tract to a 5/8 inch diameter iron pin (found) with a yellow, Mark A. Comparoni, I.D. cap on it

THENCE South 36 degrees 51 minutes 34 seconds East for a distance of 84.48 feet continuing with the church tract to a 5/8 inch diameter iron pin (found) with a yellow, Mark A. Comparoni, I.D. cap on it near the west edge of the middle fork of Rock Creek Ridge Road

THENCE North 48 degrees 02 minutes 54 seconds East for a distance of 52.70 feet continuing with the church tract and now running near the west edge of the middle fork of Rock Creek Road to a 5/8 inch diameter iron pin (found) with a yellow, Mark A. Comparoni I.D. cap on it.

THENCE North 87 degrees 23 minutes 11 seconds East for a distance of 25.21 feet leaving the church tract and through the lands of the J.M. Huber Corporation, with said Huber tract being recorded in deed book 144, page 379, to a point in the center of the middle fork of Rock Creek Road

THENCE North 87 degrees 23 minutes 11 seconds East for a distance of 80.54 feet leaving the road and continuing through the lands of the J.M. Huber Corporation to a 5/8 inch diameter iron pin (found) with a yellow, Mark A. Comparoni, I.D. cap on it, at the northwest corner of a tract owned by Ancil Garrett, with said Garrett tract being recorded in deed book 1013 page 582

THENCE South 23 degrees 56 minutes 56 seconds West for a distance of 185.41 feet with the west line of the Garrett tract to a 5/8 Inch diameter iron pin (found) with a yellow, Mark A. Comparoni, I.D. cap on it, at the westerly-most corner of the Garrett tract

THENCE South 65 degrees 11 minutes 54 seconds West for a distance of 317.51 feet leaving the Garrett tract and through the lands of the J.M. Huber Corporation, with said Huber tract being recorded in deed book 144, page 379, to a 5/8 inch diameter iron pin (found) with a yellow, Mark A. Comparoni, I.D. cap on it, near the base of a wooden utility pole, with this pin being further described as being the northeast and easterly-most corner of the previously-mentioned Rock Creek United Baptist Church tract

THENCE North 61 degrees 22 minutes 17 seconds West for a distance of 67.81 feet with the north line of the church tract to a point in the center of the middle fork of Rock Creek Road

THENCE North 61 degrees 22 minutes 16 seconds West for a distance of 65.14 feet continuing with the north line of the church tract to the point of beginning

Together with and subject to covenants, easements, and restrictions of record.

Said property contains 3.319 acres as determined by survey of Mark A. Comparoni, TN. P.L.S. No. 1626 on 9/20-21/1999 and 10/05/1999.

This conveyance is subject to an Ingress and egress easement in favor of Earl Huddleston and the Rock Creek United Baptist Church with said easement being 20 feet in width with the centerline being more particularly described as follows:

Beginning at a point in the center of the middle fork of Rock Creek Road with said point being further described as bearing South 61 degrees 22' 16" East 65.14 feet from the beginning corner of the 3.339 acre tract described above

THENCE North 63 degrees 21 minutes 62 seconds East for a distance of 47.40 feet through the above-described tract with the center of the middle fork of Rock Creek Road to a point in the center of said road

THENCE North 47 degrees 31 minutes 07 seconds East for a distance of 104.28 feet

THENCE North 56 degrees 58 minutes 25 seconds East for a distance of 210.28 feet

THENCE North 51 degrees 49 minutes 28 seconds East for a distance of 31.58 feet

THENCE North 32 degrees 15 minutes 55 seconds East for a distance of 39.07 feet

THENCE North 09 degrees 39 minutes 26 seconds East for a distance of 7.75 feet

Being the same property conveyed by J.M. Huber Corporation to Tom and Marie Marlow by Quitclaim Deed dated July 1, 2000.

TOTAL P.23

Exhibit "A" continued

Less and Except the Following:

This Excluded Area in Claiborne County consists of four tracts of land and is described as follows:

FIRST:
A tract of land located on **Rock Creek in Claiborne County, Tennessee**, described as follows:

Beginning on a steel pin located on the west side of railroad spur up Rock Creek, which steel pin bears N 45-30-43 W 230.09 feet from Kopper-Glo silo at LAT: 36°32'34.9391" LON: 83°56'04.5106".

Thence N 56-16-27 E crossing railroad spur, Rock Creek and Rock Creek Road 295.20 feet to a steel pin on East side of Rock Creek Road 33 feet from center of Rock Creek Road;

Thence running southward on the East side of Rock Creek Road 33 feet from center of said road to a point on the East side of railroad spur and on the North side of railroad bridge North of Kopper-Glo Fuels coal tipple;

Thence leaving said railroad spur S 40-05-26 E approx. 312.11 feet to an iron pin on North edge of reclaim area;

Thence S 45-04-55 E approx. 365.55 feet to a steel pin on North side of pond;

Thence S 17-00-00 W 494.73 feet to an iron pin on North side of Kopper-Glo haul road;

Thence S 41-41-04 W crossing said haul road 101.13 feet to a steel pin above haul road with a 8" maple and 10" maple marked for pointer;

Thence S 36-47-14 W 722.34 feet to an iron pin with a 24" red oak marked for pointers;

Thence S 58-33-52 W 751.89 feet to an iron pin on upper edge of reclaim area;

Thence N 85-09-13 W 233.98 feet to an iron pin on East side of Rock Creek Road 33 feet from center of said road;

Thence running Southward on the East side of Rock Creek Road 33 feet from center of said road to a nail at forks of road to Eagan Mountain and coal mining load out road;

Thence S 12-14-05 E 352.45 feet to a steel pin on top of high-wall;

Thence S 1-02-35 W 55.54 feet to a nail on top of high-wall;

Thence S 14-57-30 E 168.19 feet to a nail on top of high-wall;

Thence S 23-17-05 E 362.97 feet to an iron pin at edge of reclaim area;

Thence S 67-28-27 W 1245.89 feet to an iron pin on edge of reclaim area;

Thence N 43-56-04 W 302.01 feet to an iron pin on high-wall above old Kopper-Glo deep mine;

Thence running Northward up small hollow to point in center of Kopper-Glo coal haul road to Eagan Mountain;

Thence with center of haul road Eastward to forks of haul road;

Thence with center of deep mine haul road to a point in center of road under power line;

Thence leaving said road N 71-09-02 E 873.27 feet to an iron pin under power line;

Thence S 86-03-42 E 272.73 feet to an iron pin on dam of pond;

Thence S 66-00-00 E 176.78 feet to an iron pin in center of old road;

Thence N 46-18-51 E 323.62 feet to a nail on west side of Rock Creek Road 30 feet from center of road;

Thence running Northward on the West side of said road 33 feet from center of said Rock Creek Road to an iron pin that bears S 75-04-33 W 160.89 feet from an iron pin on East side of road;

Thence leaving said road and crossing Rock Creek N 30-36-41 E approx 182.57 feet to an iron pin on the West side of equipment parts area with a 12" beech marked for pointer;

Thence N 49-21-11 E approx. 329.65 feet to an iron pin on West side of equipment parts area;

Thence N 38-45-36 E approx. 303.84 feet to an iron pin on West side of equipment parts area;

Thence N 37-58-49 E approx. 162.36 feet to an iron pin on the West side of ditch line of road;

Thence running Northward with West side of ditch line of Road to an iron gate post;

Thence N 35-01-16 E 452.54 feet to a steel pin 30 feet west of the belt line running from

Kopper-Glo silo to coal tipple;

Thence running Northward 30 feet west of said belt line N 15-26-49 W 2326.48 to an iron pin that bears S 9-01-29 W 179.00 feet from Kopper-Glo silo;

Thence N 26-15-41 W 391.72 feet to the **BEGINNING**

This Excluded Area includes, and is together with, the land including the railroad line spur which extends from the main line of the Southern Railroad up Rock Creek to the Kopper-Glo tipple .

Containing 155.12 acres more or less.

SECOND:
A tract of land located on **Straight Creek waters of Clear Fork in Claiborne County, Tennessee,** described as follows:

BEGINNING on an iron pin on the North side of Straight Creek, with a 14" sycamore

marked for pointer at LAT: 36°52'41.6979" LON: 96°39'42.0178".

Thence N 16-39-26 W 62.18 feet to a nail;

Thence N 17-54-25 E 55.03 feet to a point in center of Straight Creek Road;

Thence leaving said road and with coal mining haul road N 17-12-34 W 761.60 feet to a point in said road;

Thence with said road N 4-36-13E 188.76 feet to an iron pin in East side of said road;

Thence leaving said Road N 62-41-09 E 413.80 feet to an iron pin;

Thence S 53'14'50 E 140.21 feet to an iron pin on spur;

Thence N 74-28-33 E 209.41 feet to an iron pin;

Thence N 84-46-25 E 106.05 feet to an iron pin;

Thence S 65-31-15 E 172.59 feet to an iron pin;

Thence S 83-51-36 E 106.13 feet to an iron pin in old log road;

Thence S 80-31-05 E 91.66 feet to an iron pin in old log road;

Thence S 63-09-05 E 268.00 feet to an iron pin in old road;

Thence S 2-20-20 W 236.28 feet to an iron pin in old road;

Thence S 4-32-06 E 78.16 feet to an iron pin 6 feet from corner of graveyard gate;

Thence S 71-50-55 E 49.40 feet to a nail in branch;

Thence with branch N 53-56-42 E 102.63 feet to a nail in branch;

Thence with same N 2-13-15 E 201.15 feet to a nail in branch;

Thence with same N 46-21-28 E 94.52 feet to a nail in branch;

Thence with same N 28-37-27 E 288.06 feet to an iron pin with a 30" beech marked for pointer, approx. 100 feet north of branch;

Thence S 49-54-10 E 146.15 feet to an iron pin near swamp area;.

Thence S 21-42-19 E 70.25 feet to a nail;

Thence S 3-46-52 E 311.62 feet to an iron pin;

Thence S 61-50-14 E 121.79 feet to an iron pin;

Thence S 38-30-59 E 176.08 feet to a nail;

Thence S 40-36-52 E 199.68 feet to a nail;

Thence S 14-10-00 E 139.34 feet to a nail in old gravel coal haul road;

Thence with said road S 16-52-40 E 82.62 feet to a nail in said road;

Thence with same S 47-49-15 E 216.45 feet to a nail in Straight Creek Road;

Thence S 31-36-22 E 197.91 feet to an iron pin on the North bank of Straight Creek;

Thence S 49-28-50 W 232.05 feet to a nail in Straight Creek;

Thence with Straight Creek to the **BEGINNING,** containing 53.35 acres more or less.

THIRD:

BEGINNING on an iron pin at LAT:; 36°31'47.7790" LON: 83°56'03.3897" which bears S 35 deg. 02' 08" W 1,082.52 feet from an iron pin located on the west side of Rock Creek Road 33 feet from center of road.

Thence N 48 deg. 34' 02" W 18.8996 feet to the center of Rock Creek;

Thence with said creek S 72 deg. 18' 16" W 177.28 feet;

Thence with same S 33 deg. 24' 15" W 84.08 feet;

Thence with same S 11 deg. 11' 25" W 194.00 feet to an iron pin on west bank of Rock Creek;

Thence crossing Rock Creek S 85 deg. 46' 07" E 56.48 feet to a nail on the west side of Rock Creek Road 33 feet from center of said road;

Thence running N 34 deg. 32' 32" E. 33 feet from center of Rock Creek Road a distance of 371.5503 feet to the BEGINNING. Containing 0.819 acres more or less.

FOURTH:

BEGINNING on an iron pin at LAT: 36°31'43.4145" LON: 83°56'05.5166" in the right-of-way 33 feet East of centerline of Rock Creek Road which bears S 25 deg. 59' 57" W 426.82 feet from an iron pin located 33 feet West of Rock Creek Road the BEGINNING corner of Tract No. Third.

Thence S 30 deg. 56' 37" E 108.13 feet to an iron pin in old road;


Thence S 27 deg. 48' 54" W 134.31 feet to an iron pin in old road;

Thence N 49 deg. 46' 03" W 105.15 feet to an iron pin 33 feet from center of Rock Creek Road;

Thence running N 31 deg. 18' 28" E 33 feet from center of Rock Creek Road a distance of 168.09 feet to the BEGINNING, containing 0.343 acres more or less.


The foregoing Excluded Area is generally depicted on the boundary surveys attached hereto. These boundary surveys are labeled:

"Excluded Area #1 Tract #1 Claiborne County, TN"	"Excluded Area #1 Tract #2 Claiborne County, TN"	"Excluded Area #1 Tracts #3 and #4 Claiborne County, TN"



LINE	BEARING	DISTANCE
L1	N 56°16'17" E	295.20'
L2	SOUTH	
L3	S 40°05'26" E	312.1100'
L4	S 45°04'15" E	365.5500'
L5	S 17°00'00" W	494.7300'
L6	S 41°41'04" W	101.1300'
L7	S 36°47'14" W	722.3400'
L8	S 58°33'52" W	751.8900'
L9	N 85°09'13" W	233.9800'
L10	SOUTH	
L11	S 12°14'05" E	352.4500'
L12	S 01°02'35" E	55.5400'
L13	S 14°57'30" E	168.1900'
L14	S 23°17'05" E	362.9700'
L15	S 67°28'27" W	1245.8900'
L16	N 43°56'04" W	302.0100'
L17	NORTH	
L18	EAST	
L19	WITH ROAD	
L20	N 71°09'02" E	873.2700'
L21	N 86°03'42" E	272.7300'
L22	S 66°00'00" E	176.7800'
L23	N 46°18'51" E	323.6200'
L24	NORTH	WITH ROAD
L25	N 30°36'41" E	182.57'
L26	N 49°21'11" E	329.65'
L27	N 38°45'36" E	303.840'
L28	N 37°58'49" E	162.360'
L29	NORTH	TO POST
L30	N 35°01'16" E	452.54'
L31	NORTH	179.0' FROM SILO
L32	N 26°15'41" W	391.72'

BLC PROPERTIES LLC		
DRAWN DE	DATE 6/20/03	EXHIBIT "B-2" EXCLUDED AREA #1
APPROVED	DATE	TRACT #1 CLAIBORNE COUNTY, TI
SCALE 1" = 1500'	SHEET 1	PROJECT NO. KOPPER GLO FUELS



L1	N 16°39'26" W	62.1800'
L2	N 17°54'25" E	55.0300'
L3	N 17°12'34" W	761.6000'
L4	N 04°36'13" E	188.7600'
L5	N 62°41'09" E	413.8000'
L6	S 53°14'50" E	140.2100'
L7	N 74°28'33" E	209.4100'
L8	N 84°46'25" E	106.0500'
L9	S 65°31'15" E	172.5900'
L10	S 83°51'36" E	106.1300'
L11	S 80°31'05" E	91.6600'
L12	S 63°09'05" E	268.0000'
L13	S 02°20'20" W	236.2800'
L14	S 04°32'06" E	78.1600'
L15	S 71°50'55" E	49.4000'
L16	N 53°56'42" E	102.6300'
L17	N 02°13'15" E	201.1500'
L18	N 46°21'28" E	94.5200'
L19	N 28°37'27" E	288.0600'
L20	S 49°54'10" E	146.1500'
L21	S 21°42'19" E	70.2500'
L22	S 03°46'52" E	311.6200'
L23	S 61°50'14" E	121.7900'
L24	S 38°30'59" E	176.0800'
L25	S 40°36'52" E	199.6800'
L26	S 14°10'00" E	139.3400'
L27	S 16°52'40" E	82.6200'
L28	S 47°49'15" E	216.4500'
L29	S 31°36'22" E	197.9100'
L30	S 49°28'50" W	232.0500'
L31	NORTHWEST	TO BEGINNING

BLC PROPERTIES LLC

DRAWN DH	DATE 6/20/03	EXHIBIT "B-2" EXCLUDED AREA #1
APPROVED	DATE	TRACT #2 CLAIBORNE COUNTY, TN
SCALE 1" = 600'	SHEET 1	PROJECT NO. KOPPER GLO FUELS



TRACT #3
LINE | BEARING | DISTANCE
L1 | N 48°34'02" W | 18.8996'
L2 | S 72°18'16" W | 177.2800'
L3 | S 33°24'15" W | 84.0800'
L4 | S 11°11'25" W | 194.0000'
L5 | S 85°46'07" E | 56.4800'
L6 | N 34°32'32" E | 371.5503'
POINT
1
IRON PIN
BEGINNING POINT
POINT IN CREEK
2
3
4
POINT
TRACT 3
0.819 ACRES +/-
5
IRON PIN
6
NAIL
Rock Creek Road
Rock Creek
IRON PIN
BEGINNING POINT
8
9
IRON PIN
TRACT 4
0.343 ACRES +/-
11
IRON PIN
10
IRON PIN
TRACT #4
LINE | BEARING | DISTANC
L1 | S 30°56'37" E | 108.130(
L2 | S 27°48'54" W | 134.310(
L3 | N 49°46'03" W | 105.150(
L4 | N 31°18'28" E | 168.090(
BLC PROPERTIES LLC
DRAWN
DH
DATE
6/20/03
EXHIBIT "B-2"
EXCLUDED AREA #1
APPROVED
DATE
TRACTS #3 AND #4
CLAIBORNE COUNTY, T
SCALE
1" = 100'
SHEET
8
PROJECT
KOPPER GLO FUELS

Exhibit "A" continued

Less and Except the Following:

This Excluded Area consists of a tract of land located on **Valley Creek, waters of The Clear Fork in Claiborne County, Tennessee,** and is described as follows:

BEGINNING on a nail in the South right-of-way of Highway 90 and on the East side of Valley Creek Roads;


Thence leaving said highway right-of-way, S 78-36-10 E crossing Clear Fork, 368.68 feet to a nail in the center of the Southern Railroad;
Thence with the center of said railroad S 30-09-22 E 131.33 feet to a nail in center of railroad;
Thence with same S 26-10-22 E 99.04 feet to a nail in center of said railroad;
Thence S 21-02-15 E 91.00 feet to a nail in center of said railroad;
Thence S 14- 40-39 E 121.84 feet to a nail in center of said railroad;
Thence S 7-22-30 E 120.66 feet to a nail in center of said railroad;
Thence S 0-33-20 E 95.98 feet to a nail in center of said railroad;
Thence leaving said railroad N 66-00-00 E approximately 775.00 feet to a point which is 300.00 feet above the Jellico coal seam;
Thence running Southeast with a line at 300.00 feet above the Jellico coal seam to a point;
Thence N 32-12-57 E 1124.30 feet to point;
Thence running Northeast with a line along the Mason coal seam to a point;
Thence S 79-43-18 E 150.5661 feet to point;
Thence S 52-47-58 E 292.095 feet to point;
Thence S 24-12-03 E 204.867 feet to point;
Thence S 48-56-51 E 210.7637 feet to point;
Thence S 25-44-56 E 83.0239 feet to point;
Thence S 00-48-58 W 160.8942 feet to point;
Thence S 48-49-44 W 166.5085 feet to point;
Thence S 22-37-03 W 66.6494 feet to point;
Thence S 12-07-34 W 126.2158 feet to point;
Thence S 28-14-18 E 127.4236 feet to point;
Thence S 44-11-02 E 105.0179 feet to point;
Thence N 83-13-18 E 187.2902 feet to point;
Thence S 60-07-45 E 127.4237 feet to point;
Thence S 49-53-40 E 175.9030 feet to point;
Thence S 14-26-20 E 141.1137 feet to point;
Thence S 07-5-48 E 162.7874 feet to point;
Thence S 02-02-46 E 247.8392 feet to point;
Thence S 58-48-39 W 116.7596 feet to point;
Thence S 41-49-31 W 377.2294 feet to point;
Thence S 64-15-05 W 138.3734 feet to point;
Thence S 45-48-59 W 52.5090 feet to point;
Thence S 52-56-29 W 282.2273 feet to point;
Thence S 15-07-44 E 90.1022 feet to point;

Thence S 34-43-17 E 106.4666 feet to point;
Thence S 55-29-37 E 133.8722 feet to point;
Thence S 64-10-00 E 204.8674 feet to point;
Thence S 62-37-07 E 193.7229 feet to point;
Thence S 77-05-20 E 177.2046 feet to point;
Thence S 85-05-53 E 173.7126 feet to point;
Thence N 74-52-16 E 90.1024 feet to point;
Thence N 45-48-59 E 315.0546 feet to point;
Thence N 41-25-04 E 228.2117 feet to point;
Thence N 26-01-03 E 232.5337 feet to point;
Thence N 40-22-33 E 369.2271 feet to point;
Thence N 87-26-59 E 210.7646 feet to point;
Thence S 65-59-07 E 94.2568 feet to point;
Thence S 72-29-04 E 516.8593 feet to point;
Thence S 63-33-28 E 1688.3919 feet to point;
Thence S 78-17-53 E 1310.7516 feet to point;
Thence N 53-56-47 E 185.6493 feet to point;
Thence S 89-11-01 E 198.0260 feet to point;
Thence S 67-22-56 E 133.3003 feet to point;
Thence S 34-43-17 E 212.9356 feet to point;
Thence S 24-18-53 W 310.4043 feet to point;
Thence S 45-49-13 E 306.4311 feet to point;
Thence S 30-08-51 E 144.3352 feet to point in the Mason seam;
Thence running along the Mason seam South, then West, then North to point on the Mason seam;
Thence S 32-12-41 E 1115.23 feet to point 300.00 feet above the Jellico coal seam;
Thence running with a line at 300.00 feet above the Jellico coal seam to a point in that line above an old Jellico strip bench;
Thence N 52-48-05 W 567.04 feet to an iron pin with a 10" poplar marked for corner;
Thence N 3-36-05 E 556.22 feet to an iron pin;
Thence N 9-22-00 E 171.18 feet to a nail on the North bank of Valley Creek;
Thence N 3-10-00 E 49.10 feet to a nail with two elms marked for pointers;
Thence N 2-49-57 W crossing Clear Fork 174.98 feet to a nail;
Thence N 5-20-19W 945.05 feet to a nail in the South right-of-way of Highway 90;
Thence with the south right-of-way of Highway 90 to the BEGINNING.

Containing 777.36 Acres more or less.

The foregoing Excluded Area is generally depicted on the boundary survey attached hereto, labeled as follows:

"Excluded Area # 2
Valley Creek Area
Claiborne County, TN"



LINE	BEARING	DISTANCE
L1	S 78°36'10" E	368.6800'
L2	S 30°09'22" E	131.3300'
L3	S 26°10'22" E	99.0400'
L4	S 21°02'15" E	91.0000'
L5	S 14°40'39" E	121.8400'
L6	S 07°22'30" E	120.6600'
L7	S 00°33'20" E	95.9800'
L8	N 66°00'00" E	775.0000'
L9	300' ABOVE JELLICO SEAM	
L10	N 32°12'57" E	1124.30'
L11	ALONG MASON SEAM	
L12	S 79°43'18" E	150.5661'
L13	S 52°47'58" E	292.0950'
L14	S 24°12'03" E	204.8670'
L15	S 48°56'51" E	210.7637'
L16	S 25°44'56" E	83.0239'
L17	S 00°48'58" W	160.8942'
L18	S 46°49'44" W	166.5085'
L19	S 27°37'03" W	66.6494'
L20	S 12°07'34" W	126.2158'
L21	S 28°14'18" E	127.4236'
L22	S 44°11'02" E	105.0179'
L23	N 83°13'18" E	187.2902'
L24	S 60°07'45" E	127.4237'
L25	S 49°53'40" E	176.9030'
L26	S 14°26'20" E	141.1137'
L27	S 07°55'48" E	162.7874'
L28	S 02°02'46" E	247.6392'
L29	S 56°48'39" W	116.7506'
L30	S 41°49'31" W	377.2294'
L31	S 64°15'05" W	138.3734'
L32	S 46°48'59" W	82.6000'
L33	S 57°56'20" W	282.4273'

LINE	BEARING	DISTANCE
L35	S 34°43'17" E	106.4686'
L36	S 55°29'37" E	133.8722'
L37	S 64°10'00" E	204.8674'
L38	S 62°37'07" E	193.7229'
L39	S 77°05'20" E	177.2048'
L40	S 85°05'53" E	173.7126'
L41	N 74°52'16" E	90.1024'
L42	N 45°48'59" E	315.0546'
L43	N 41°25'04" E	228.2117'
L44	N 26°01'03" E	232.5337'
L45	N 40°22'33" E	369.2271'
L46	N 87°26'59" E	210.7646'
L47	S 65°59'07" E	94.2568'
L48	S 72°29'04" E	516.8593'
L49	S 63°33'28" E	1688.3919'
L50	S 78°17'53" E	1310.7516'
L51	N 53°56'47" E	185.6493'
L52	S 89°11'01" E	108.0280'
L53	S 67°22'56" E	133.3003'
L54	S 34°43'17" E	212.9356'
L55	S 24°18'53" W	310.4043'
L56	S 45°49'13" E	306.4311'
L57	S 30°08'51" E	144.3582'
L58	ALONG MASON SEAM	
L59	S 32°12'41" E	1115.23'
L60	300' ABOVE JELLICO SEAM	
L61	N 52°48'05" W	587.0400'
L62	N 03°36'05" E	956.2200'
L63	N 08°22'00" E	171.1800'
L64	N 03°10'00" E	48.1000'
L65	N 02°49'57" W	174.9800'
L66	N 05°20'19" W	946.0600'

BLC PROPERTIES LLC		
DRAWN: BE	DATE: 6/20/00	EXHIBIT "B-2" EXCLUDED AREA #1
APPROVED:	DATE:	VALLEY CREEK AREA CLAIBORNE COUNTY, TN
SCALE: 1" = 1000'	SHEET: 1	PROJECT NO. 11

Exhibit "A" continued

Less and Excepting the Following:

BELL COUNTY, KENTUCKY
and
CLAIBORNE COUNTY, TENNESSEE

Located on Bennetts Branch
at Motch
on TN Rt. 132 and KY Rt. 186

This Excluded Area consists of two adjoining tracts of land, one tract is located south of the Kentucky and Tennessee state line in **Claiborne County, Tennessee** on Bennetts Branch, the other tract is located north of the Kentucky and Tennessee state line in **Bell County, Kentucky** on Bennetts Branch.

Tract I is located in **Claiborne County, Tennessee** between the south right of way of TN Rt. 132 and Bennetts Branch, and is described as follows:

Beginning at LAT: 36°34"56.6769" LON: 83°47'14.1594"on a 1/2" rebar located at the base of a large rock in the south right of way of TN Rt. 132; Thence in a northeast direction with the south right of way of TN Rt. 132 approximately 1010 feet to a point in the state line between Kentucky and Tennessee; Thence with the state line east approximately 260 feet to Bennetts Branch, point being near the state line Monument number 63; Thence in a south, southeast, southwest, and west direction with the meanders of Bennetts Branch approximately 1819 feet to a 1/2" rebar at the base of a triple sycamore on the north bank of Bennetts Branch; Thence in a north direction approximately 190 feet to the point of beginning;

Containing approximately 11.47 ac +/-.

This Excluded Area includes, and is together with, a 30 foot wide easement along the existing road from TN Rt. 132 to the bridge across Bennetts Branch, which is to be used as access for all purposes to the property located on the south side of Bennetts Branch at Motch, Tennessee.

Tract 2 of this Excluded Area is located in Bell County. Kentucky between the right-of-way of KY Rt. 186 and Bennetts Branch, and joins Tract 1 along the Kentucky and Tennessee state line, and is described as follows:

Beginning at LAT: 36°55'00.1401" LON: 96°31'33.1099" at a point common to Tract 1 in the state line and south right of way of KY Rt. 186;


Thence with the right-of-way of KY Rt. 186 northeast approximately 1806 feet to a 1/2" rebar in the right-of-way of KY Rt. 186 at a 4' x3' culvert crossing KY Rt. 186; Thence in a southeast direction approximately 83 feet to a 1/2" rebar located at the northeast corner of the north pier of the CSX Railroad bridge; Thence with the meanders of Bennetts Branch in a southwest direction approximately 1754 feet to a point at the branch near the state line Monument number 63; Thence with the state line between Kentucky and Tennessee in a westerly direction approximately 260 feet to the point of beginning.


Containing approximately 6.7 ac +/-.

The foregoing Excluded Areas are generally depicted on the boundary surveys attached, labeled as follows:

"Excluded Area #3
White Oak Load Out
Bell and Claiborne
White Oak Tract #1"

"Excluded Area #3
White Oak Load Out
Bell and Claiborne
White Oak Tract #2"


L1 NORTHEAST 1010.0000'
L2 EAST 260.0000'
L3 S, SE, SW & W 1819.0000'
L4 NORTH 190.0000'
189
Mon 63
POINT IN STATE LINE
L2
POINT IN STATE LINE
KENNETTS BRANCH
LAT 36°34'56.6768"
LON 88°47'14.1564"
TN LINE
L1
Beginning Corner
1/2" REBAR
TRACT 61
11.67 ACRES +/-
1/2" REBAR
L3
Motch
132
Watson Branch
N
BLC PROPERTIES LLC
DRAWN BH
DATE 6/19/03
EXHIBIT "B-2"
EXCLUDED AREA 63
APPROVED
DATE
WHITE OAK LOAD OUT
BELL AND CLAIBORNE
SCALE 1" = 300'
SHEET 1
PROJECT NO.
WHITE OAK TRACT 61


L1 NORTHEAST 1806.0000'
L2 SOUTHEAST 83.0000'
L3 SOUTHWEST 1754.0000'
L4 WEST 260.0000'
Hemlocks Fork
Yellow Creek
Mon 63
Motch
TRACT #2
6.7 ACRES +/-
POINT IN STATE LINE
BLC PROPERTIES LLC
DRAWN DH
DATE 6/19/03
EXHIBIT "B-2"
EXCLUDED AREA #3
APPROVED
DATE
WHITE OAK LOAD OUT
BELL AND CLAIBORNE
SCALE 1" = 300'
SHEET 1
PROJECT NO.
WHITE OAK TRACT #3

THIS PAGE IS

INTENTIONALLY DELETED

Less and except that certain parcel of land conveyed from Ataya Hardwoods, LLC to The Trust for Public Land by deed dated February 16, 2007 and recorded in Deed Book 1227, Pages 577-585 in the Register for Deeds of Claiborne County, Tennessee as further described as follows:

EXHIBIT A

Purported Owner: Ataya Hardwoods, LLC

Project: Cumberland Gap NHP

Interest: FEE-O

Area: 764.24 acres, more or less

Date: February 14, 2007

Tract No. 01-143A

All that tract or parcel of land situate in the 9th Civil District, Claiborne County, Tennessee, lying on Little Yellow Creek and being more particularly described as follows:

BEGINNING at Kentucky Corner (Corner No. 64 of the Kentucky/Tennessee State Line) having a Latitude of 36° 34' 57" North and a Longitude of 83° 41' 27" and a coordinate value of N 805,374.30 feet and E 2,677,996.84 feet using the Tennessee State Plane Coordinate System, NAD 27; said corner being described as seven pines, stone and two black oaks standing on top of Cumberland Mountain in the description of American Association Tract 494 in said Special Warranty Deed.

Thence, with lands of the United States of America along the crest of Cumberland Mountain southwesterly 4,710.00 feet to a point described as the rock corner of the Cumberland Gap National Historic Park in the description of American Association Tract 445A contained in the below referenced Special Warranty Deed to Ataya Hardwoods,LLC;

Thence, leaving lands of the United States and through lands of Ataya Hardwoods and continuing with the crest of Cumberland Mountain southwesterly approximately 7,380.00 feet to a point;

Thence, continuing through lands of Ataya Hardwoods N 38° 09' W 2,440.00 feet to land conveyed to Apollo Fuels, Inc. by deed dated December 21, 1992, and recorded in WD Book 215, Page 215 in the Office of the Register of Deeds for Claiborne County;

Thence, with the land of Apollo Fuels, the following courses:

N 53° 08' 54" E 965 feet, N 45° 09' 47" E 658.52 feet, N 36° 09' 23" E 477.42 feet, N 56° 04' 56" E 1,459.90 feet, N 24° 30' 41" E 964.05 feet, N 60° 28' 03" E 1,332.03 feet, N 43° 28' 22" E 407.63 feet to the said State Line;

Thence, with said State Line in a southeasterly direction to the point of beginning.

LESS AND EXCEPT any portion of the above described property contained in the above referenced Deed to Apollo Fuels, Inc. recorded in WD Book 215, Page 215 in the Office of the Register of Deeds for Claiborne County, Tennessee and also described in the Special Warranty Deed to Ataya Hardwoods, LLC described below as the grant issued by the Commonwealth of Kentucky to Fern Lake Company excluded from the description of American Association Tract 494.

Containing 764.24 acres, more or less.

Being a portion of the lands conveyed by BLC Properties, LLC to Ataya Hardwoods, LLC by Special Warranty Deed dated July 1, 2003, and recorded July 28, 2003, in Book 1128, Pages 13-237, Claiborne County, Tennessee, records.

Bearings are based on the Tennessee State Plane Coordinate System, NAD 1927.

Being portions of American Association Tracts 492 and 494 described in the above referenced Special Warranty Deed to Ataya Hardwoods, LLC.

Further less and except that certain parcel of land conveyed from Ataya Hardwoods, LLC to WPP LLC by deed dated October 2, 2006 and recorded in Deed Book ____, Pages _____ in the Register for Deeds of Claiborne County, Tennessee as further described as follows:

EXHIBIT "A"

Legal Description

PARCEL 1 (Kopper Glo Refuse Area):

A tract of land located on **Rock Creek in Claiborne County, Tennessee** and lying generally to the south of the previously excluded area # 1 identified in –Exhibit "B-2" Claiborne County Excluded Areas – as **FIRST**, of the Special Warranty Deed dated as of July 1, 2003, by and between BLC Properties LLC, a Delaware limited liability company, and Ataya Hardwoods, LLC, a Delaware limited liability company, as recorded in the Office of the Register of Deeds, Claiborne County, on July 28, 2003, in Book 1128, Pages 13-237.

Being the same property shown on a map entitled Exhibit "A" WPP LLC Purchase Tract #1, Kopper Glo Refuse Area, dated April 7, 2005, attached hereto, and being further described as follows:

Beginning at an existing steel pin on edge of reclaim area, the southeast corner to the aforementioned FIRST tract; thence running with said FIRST tract the following three (3) calls: 1) South 67 degrees 28 minutes West 1245.89 feet to an existing steel pin on edge of reclaim area; 2) North 43 degrees 56 minutes West 302.01 feet to a steel pin on high-wall above old Kopper-Glo deep mine; 3) North 71 degrees 9 minutes West 280.96 feet to the center of the road to Egan Mountain; thence leaving the FIRST tract, South 47 degrees 32 minutes West 207.53 feet to a point in the center of said road; thence South 48 degrees 50 minutes West 167.57 feet to a steel pin in the diversion ditch access road; thence with the diversion ditch the following five (5) calls: 1) South 1 degree 19 minutes East 61.39 feet to a point; 2) South 28 degrees 10 minutes East 184.51 feet to a point; 3) South 39 degrees 50 minutes East 341.97 feet to a point; 4) South 39 degrees 40 minutes East 213.19 feet to a point; 5) South 2 degrees 11 minutes West 275.08 feet to a steel pin in the diversion ditch; thence leaving the diversion ditch, North 65 degrees 45 minutes East 1173.01 feet to a steel pin next to a 20" poplar in the edge of the tree line; thence North 64 degrees 55 minutes East 729.02 feet to a steel pin under the edge of the access road to Tackett Creek; thence North 32 degrees 25 minutes East 159.39 feet to the center of said road; thence with the center of said road the following three (3) calls: 1) North 11 degrees 52 minutes West 97.12 feet to a point; 2) North 50 degrees 11 minutes West 117.86 feet to a point; 3) North 74 degrees 22 minutes West 133.72 feet to a point; thence leaving the road, North 25 degrees 55 minutes West 237.23 feet to the point of beginning, containing 33.66 acres more or less.

PARCEL 2 (Kopper Glo Fuels Shop Area):

A tract of land located on **Rock Creek in Claiborne County, Tennessee** and lying generally to the east of the previously excluded area # 1 identified in –Exhibit "B-2" Claiborne County Excluded Areas – as **FIRST**, of the Special Warranty Deed dated as of July 1, 2003, by and between BLC Properties LLC, a Delaware limited liability company, and Ataya Hardwoods, LLC, a Delaware limited liability company, as recorded in the Office of the Register of Deeds, Claiborne County, on July 28, 2003, in Book 1128, Pages 13-237.

Less and except that certain parcel of land conveyed from Ataya Hardwoods, LLC to The Trust for Public Land by deed dated June 6, 2007 as further described as follows:

EXHIBIT A

Area: 899.64 acres, more or less

Date: April 12, 2007
Rev: May 14, 2007

Tract No. 01-143B

All that tract or parcel of land situate in the 9th Civil District, Claiborne County, Tennessee, lying on Little Yellow Creek and being more particularly described as follows:

COMMENCING at Kentucky Corner (Corner No. 64 of the Kentucky/Tennessee State Line) having a Latitude of 36° 34' 57" North and a Longitude of 83° 41' 27" and a coordinate value of N 805,374.30 feet and E 2,677,996.84 feet using the Tennessee State Plane Coordinate System, NAD 27; said corner being described as seven pines, stone and two black oaks standing on top of Cumberland Mountain in the description of American Association Tract 494 in said Special Warranty Deed.

Thence, with lands of the United States of America along the crest of Cumberland Mountain southwesterly, 4,710.00 feet to a point described as the rock corner of the Cumberland Gap National Historical Park in the description of American Association Tract 445A contained in the below referenced Special Warranty Deed to Ataya Hardwoods, LLC;

Thence, leaving lands of the United States and through lands of Ataya Hardwoods, LLC and continuing with the crest of Cumberland Mountain southwesterly, approximately 7,380.00 feet to a point (being the most southerly corner of that tract of land conveyed by The Trust for Public Land to the United States of America by deed dated February 16, 2007, and recorded in Deed Book 1227, Page 586, in the Office of the Register of Deeds for Claiborne County, Tennessee, and being the **TRUE POINT OF BEGINNING**;

Thence, continuing with the crest of Cumberland Mountain southwesterly, approximately 10,550 feet to a corner of lands of Ataya Hardwoods, LLC; thence, continuing with said crest and with lands of Ataya Hardwoods, LLC 6,460 feet to a point; thence, through lands of Ataya Hardwoods, LLC N 26° 23' W 2,025.00 feet to the center of Little Yellow Creek; thence, in a generally easterly direction with said centerline 13,650 feet to land conveyed to Apollo Fuels,

Inc. by deed dated December 21, 1992, and recorded in Warranty Deed Book 215, Page 215 in the Office of the Register of Deeds for Claiborne County;

Thence, with the land of Apollo Fuels, the following courses:

S 29° 11' 03" W 914.34 feet, S 75° 49' 06" E 1,267.52 feet, N 34° 06' 13" E 1,680.89 feet, S 05° 54' 42" E 1,291.26 feet, N 53° 08' 54" E 1,875.79 feet, N 53° 08' 54" E 456.98 feet, to lands of the United States of America acquired by said deed from The Trust for Public Land;

Thence, with lands of the United States of America S 38° 09' E 2,440.00 to **THE TRUE POINT OF BEGINNING.**

LESS AND EXCEPT any portion of the above described property contained in the above referenced Deed to Apollo Fuels, Inc. recorded in Warranty Deed Book 215, Page 215 in the Office of the Register of Deeds for Claiborne County, Tennessee and also described in the Special Warranty Deed to Ataya Hardwoods, LLC described below as the grant issued by the Commonwealth of Kentucky to Fern Lake Company excluded from the description of American Association Tract 494.

Containing 899.64 acres, more or less.

Being a portion of the lands conveyed by BLC Properties, LLC to Ataya Hardwoods, LLC by Special Warranty Deed dated July 1, 2003, and recorded July 28, 2003, in Book 1128, Pages 13-237, Claiborne County, Tennessee, records.

Being portions of American Association Tracts 492, 493, and 494 described in the above referenced Special Warranty Deed to Ataya Hardwoods, LLC.

Bearings and coordinates values are based on the Tennessee State Plane Coordinate System, NAD 1927.

EXHIBIT "B"

TOGETHER WITH the rights, title and interest, ***to the extent that they affect surface rights,*** as to **CAMPBELL COUNTY** only in the following:

Easements reserved in that certain Quitclaim Deed from J.M. Huber Corporation to Geneva Teague, dated July 1997 and recorded in Warranty Deed Book 348, Page 167 in the Register's Office of Campbell County, Tennessee.

Exhibit "C"

Permitted Exceptions

1. Encroachments, overlaps, boundary line disputes, public roads, railroads, paths, rights-of way, streets, highways, cemeteries, graveyards, easements and any other matters that would be disclosed by an accurate survey or inspection of the Premises;

2. Any "rollback" or additional taxes, penalties or interest imposed on the Premises under the provisions of any applicable state or local law of the jurisdiction where the Premises are located for any year and the current year's real property taxes, assessments and other charges of any kind or nature imposed upon or levied against or on account of the Premises by any Governmental Authority, which taxes, assessments and other charges are not yet due and payable but are liens on the Premises; provided, however, that any "rollback" or additional taxes, penalties or interest imposed on the Premises for any year prior to Closing caused by Grantor's use of the Premises shall not be a Permitted Exception;

3. Restrictions on Grantee's ability to build upon or use the Premises imposed by any current or future building or zoning ordinances or any other law or regulation (including environmental protection laws and regulations) of any Governmental Authority, except for any such restrictions which would prohibit the use of the Premises for forestry management and the harvesting of timber from the Premises;

4. Mineral Leases and all previous reservations, exceptions and conveyances of record of any oil, gas, associated hydrocarbons, minerals and mineral substances, and royalty and other minerals rights and interests, and water rights and water royalty rights, including, without limitation, the following;

OIL AND GAS LEASES

Campbell County

a. Lease dated April 5, 1979 between American Association Limited and Union Drilling, Inc. (CNR/Alamco 16)
Amendment dated April l, 1981
Letter Agreement dated April 18, 1983
Letter dated October 21, 1983 from Tennessee Department of Health and Environment, w/ Order 6-83 of the Oil and Gas Board, State of Tennessee, dated July 29, 1983
Agreement dated December 6, 1983
Surrender dated April 5, 1988

b. Lease dated April 5, 1979 between American Association Limited and Union Drilling, Inc. (CNR/Alamco 19)
Amendment dated April 1, 1981

Letter Agreement dated April 18, 1983
Surrender (partial) dated April 5, 1988
Letter dated February 4, 1991

c. Lease dated April 5, 1979 between American Association Limited and Union Drilling, Inc. (CNR/Alamco 13)
Amendment dated April 1, 1981
Letter Agreement dated April 18, 1983

d. Lease dated July 8, 1968 between American Association Limited and R. Adair Oil Management, Ltd.
Supplement dated July 8, 1968
Assignment dated September 1, 1968
Transfer of Undivided Interest Agreement dated March 21, 1969
Letter dated May 14, 1979
Letter dated June 25, 1979
Release of Assignment dated July 30, 1979
Affidavit of Compliance dated June 15, 1981

e. Lease dated September 25, 1995 between J. M. Huber Corporation and Alamco, Inc. (CNR/Alamco)

Claiborne County

a. Lease dated April 5, 1979 between American Association Limited and Union Drilling, Inc. (CNR/Alamco 16)
Amendment dated April l, 1981
Letter Agreement dated April 18, 1983
Letter dated October 21, 1983 from Tennessee Department of Health and Environment, w/ Order 6-83 of the Oil and Gas Board, State of Tennessee, dated July 29, 1983
Agreement dated December 6, 1983
Surrender dated April 5, 1988

b. Lease dated April 5, 1979 between American Association Limited and Union Drilling, Inc. (CNR/Alamco 13)
Amendment dated April 1, 1981
Letter Agreement dated April 18, 1983

c. Lease dated April 5, 1979 between American Association Limited and Union Drilling, Inc. (CNR/Alamco 7)
Amendment dated April 1, 1981
Letter Agreement dated April 18, 1983
Surrender (partial) dated April 5, 1988
Letter dated February 4, 1991

d. Lease dated April 5, 1979 between American Association Limited and Union Drilling, Inc. (CNR/Alamco 12)
Amendment dated April 1, 1981
Letter Agreement dated April 18, 1983

f. Lease dated July 8, 1968 between American Association Limited and R. Adair Oil Management, Ltd.
Supplement dated July 8, 1968
Assignment dated September 1, 1968
Transfer of Undivided Interest Agreement dated March 21, 1969
Letter dated May 14, 1979
Letter dated June 25, 1979
Release of Assignment dated July 30, 1979
Affidavit of Compliance dated June 15, 1981

g. Lease dated August 20, 1979 between J. M. Huber Corporation and The Wiser Oil Company Extension dated August 20, 1979
Extension dated June 27, 1989
Declaration of Intent to Communitize dated March 20, 1991
Declaration of Intent to Communitize dated March 28, 1991
Amendment dated July 24, 1991
Second Amendment dated March 13, 1992

h. Lease dated June 1, 2000 between J. M. Huber Corporation and Daugherty Petroleum, Inc.
Memorandum dated June 1, 2000
Letter dated July 12, 2000
Letter dated August 21, 2000
Letter dated September 24, 2001 (w/ letter dated April 20, 2001)
Letter dated August 20, 2002 (w/ letter dated July 10, 2002)
Letter dated January 9, 2003 (w/ letter dated December 19, 2002)

i. Lease dated February 1, 1999 between J. M. Huber Corporation and Evan Energy

j. Compression Facilities Grant dated October 20, 1999 from J. M. Huber Corporation to CNR

k. Pipeline Easement Agreement dated October 21, 1999 between J. M. Huber Corporation and CNR

l. Lease dated April 5,1979 between American Association Limited and Union Drilling, Inc. (Alamco 9)
Amendment dated April 1, 1981
Letter Agreement dated April 18, 1983
Assignment dated November 20, 1985

COAL LEASES

Campbell County

a. Lease dated September 1, 1992 between J.M. Huber Corporation and Gatliff Coal Company (Gatliff 3A)
Letter Agreement dated January 10, 1996
Letter dated May 29, 1997
Letter Agreement dated August 29, 1997
Letter Agreement dated November 9, 1999
Letter Agreement dated May 6, 2002

b. Lease dated February 8, 1963 between American Association, Limited and Kopper-Glo Fuel, Inc.
Lease Extension dated April 1, 1965
Letter Agreement dated February 17, 1969
Amendment dated February 8, 1978
Addendum dated September 19, 1983
Agreement dated December 6, 1983
Letter Agreement dated March 14, 1988
Fourth dated February 14, 1989
Fifth Amendment dated September 20, 1995
Letter dated November 5, 1996
Sixth Amendment dated December 1, 1996
Seventh Amendment dated July 1, 1997
Lease Addendum dated August 6, 1997
Letter dated September 9, 1997
Agreement dated October 1, 1997
Eighth dated November 1, 1997
Ninth Amendment dated February 8, 1999
Tenth Amendment dated October 12, 1999
Eleventh Amendment dated April 14, 2000
Summary of Lease dated September 1, 2000
Letter Agreement dated November 20, 2000
Twelfth Amendment February 1, 2002
Agreement dated February 1, 2002
Thirteenth Amendment dated February 1, 2002
Summary of Lease Amendments dated February 1, 2002
Fourteenth Amendment dated January 1, 2003

c. First Amendment dated June 6, 2007 to Deep Coal Mining Agreement dated June 1, 2002, between BLC Properties, LLC and Straight Creek Coal Resources.

Claiborne County

a. Lease dated August 10, 1989 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 5A)
Letter Agreement dated October 23, 1990
Letter dated January 22, 1991
Letter Agreement dated July 27, 1992
Letter dated February 23, 1994
Reforestation Agreement dated March 1, 1994
Amendment dated June 9, 1994
Letter dated August 22, 1994
Receipt, Release and Indemnification Agreement dated October 24, 1994
Letter dated July 8, 1999

b. Lease dated September 1, 1989 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 7A)
Letter dated August 22, 1994
Amendment dated November 1, 1997
Letter dated June 23, 1999
Letter dated August 25, 1999
Agreement for Release and Surrender of Deep Coal Mining Agreement dated June 20, 2000 Indemnification Agreement dated June 20, 2000

c. Lease between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 8A)
Letter dated June 1, 1999

d. Lease dated February 1, 1995 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 14A)
Amendment dated April 20, 1995
Second Amendment dated June 1, 1996
Letter dated October 25, 1996
Letter dated July 17, 2000

e. Lease dated February 1, 1996 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 15A)
Letter dated April 14, 2000
Letter dated October 19, 2000
Letter Agreement dated March 5, 2001
Agreement dated November 19, 2001

f. Lease dated June 1, 1996 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 16A)
Letter Agreement dated September 8, 1998
Letter Agreement dated August 24, 1999
Letter Agreement dated March 23, 2000
Letter dated March 5, 2001

Agreement for Release and Surrender dated November 20, 2001
Letter dated June 11, 2002

g. Coal Exploration Permit and Lease Option dated March 1, 1997 between J.M. Huber Corporation and to Fuels, Inc

h. Lease dated September 1, 1997 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 18A)
First Amendment dated June 1, 1999
Second Amendment dated August 1, 2000
Third Amendment dated December 1, 2001
Letter Agreement dated April 23, 2002
Letter dated June 6, 2002
Letter dated November 7, 2002
Fourth Amendment dated January 1, 2003
Fifth Amendment dated March 31, 2004
Lease Extension letter dated August 24, 2007

i. Lease dated August 1, 2001 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 19A)
Amendment dated October 1, 2001
Letter Agreement dated April 30, 2002
Second Amendment dated June 25, 2004
Third Amendment dated July 26, 2005
Fourth Amendment dated November 29, 2006
Fifth Amendment dated March 9, 2007

j. Lease dated October 1, 2001 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 20A)(lst pg unavailable)
Agreement for Partial Release and Surrender dated January 1, 2003
Amendment dated October 1, 2003

k. Lease dated June 1, 1996 between J.M. Huber Corporation and Bell County Coal Corporation (Bell 1A)
Letter Agreement dated June 11, 1997
Letter Agreement dated December 19, 1997
Letter Agreement dated May 11, 1999
Letter Agreement dated February 23, 2000
Letter Agreement dated August 16, 2000
First Amendment dated September 15, 2000
Letter dated March 7, 2001
Letter dated March 20, 2001
Second Amendment April 6, 2004
Third Amendment dated August 27, 2007

l. Lease dated August 1, 2000 between J.M. Huber Corporation and Tennco, Inc. (IA)
Agreement for Release and Surrender of Deep Coal Mining Agreement dated May 16, 2003

m. Lease dated September 1, 1992 between J.M. Huber Corporation and Gatliff Coal Company (Gatliff 3A)
Letter Agreement dated January 10, 1996
Letter dated May 29, 1997
Letter Agreement dated August 29, 1997
Letter Agreement dated November 9, 1999
Letter Agreement dated May 6, 2002

n. Lease dated February 8, 1963 between American Association, Limited and Kopper-Glo Fuel, Inc.
Lease Extension dated April 1, 1965
Letter Agreement dated February 17, 1969
Amendment dated February 8, 1978
Addendum dated September 19, 1983
Agreement dated December 6, 1983
Letter Agreement dated March 14, 1988
Fourth dated February 14, 1989
Fifth Amendment dated September 20, 1995
Letter dated November 5, 1996
Sixth Amendment dated December 1, 1996
Seventh Amendment dated July 1, 1997
Lease Addendum dated August 6, 1997
Letter dated September 9, 1997
Agreement dated October 1, 1997
Eighth dated November 1, 1997
Ninth Amendment dated February 8, 1999
Tenth Amendment dated October 12, 1999
Eleventh Amendment dated April 14, 2000
Summary of Lease dated September 1, 2000
Letter Agreement dated November 20, 2000
Twelfth Amendment February 1, 2002
Agreement dated February 1, 2002
Thirteenth Amendment dated February 1, 2002
Summary of Lease Amendments dated February 1, 2002
Fourteenth Amendment dated January 1, 2003

o. Surrender and Termination Agreement dated December 22, 1995 between J.M. Huber Corporation and Consolidation Coal Company
Mutual Release Agreement dated December 22, 1995

p. First Amendment dated June 6, 2007 to Deep Coal Mining Agreement dated June

1, 2002, between BLC Properties, LLC and Straight Creek Coal Resources.

5. Liens for 2008 State and County property taxes, and subsequent years; and

6. Title to that portion of the Premises which is or may be within the bounds of any public roads, paths, rights-of-way, streets and/or highways set forth in the legal descriptions of the Premises or running through the Premises.

7. All claims of Governmental Authorities in and to any portion of the Premises lying in the bed of any streams, creeks or waterways, filled-in land, or any portion of the Premises which lies below the mean high water mark of any river or tidal body of water or other submerged lands and any portion of the Premises now or formerly subject to the ebb and flow of tidal waters or any claims of riparian rights in and to, and held by owners of the land adjacent to, the waters of any creeks, streams, forks and/or rivers running through the Premises;

8. a. All outstanding easements, servitudes, rights-of-way, flowage rights and other rights in third parties of record or acquired through prescription or adverse possession except for any such matters as would materially interfere with or prohibit the use of the Premises for forestry management and the harvesting of timber from the Premises;

b. The following Contracts, licenses or leases whether or not filed of record:

Claiborne County

A. Timber Cutting Agreement dated November 6, 2006 between Ataya Hardwoods, LLC and Lakeside Wood Products, Inc. (Claiborne County, TN) (expires November 6, 2008)

Campbell County

A. Timber Cutting Agreement dated November 6, 2006 between Ataya Hardwoods, LLC and Lakeside Wood Products, Inc. (Campbell County, TN) (expires November 6, 2008)

PAY-AS-CUT CONTRACTS

Claiborne County

A. Timber Cutting Agreement dated October 3, 2006 between Ataya Hardwoods, LLC and Donnie Thomas Logging; as amended as follows (expires April 3, 2008):

1) First Amendment dated April 3, 2007 to Timber Cutting Agreement dated October 3, 2006 between Ataya Hardwoods, LLC and Donnie Thomas Logging.

B. Timber Cutting Agreement dated October 6, 2006 between Ataya Hardwoods, LLC and Southern Timber Resources, LLC; as amended as follows (expires April 6, 2008):

   1) First Amendment dated April 25, 2007 to Timber Cutting Agreement dated October 6, 2006 between Ataya Hardwoods, LLC and Southern Timber Resources, LLC.

   2) Second Amendment dated July 20, 2007 to Timber Cutting Agreement between Ataya Hardwoods, LLC and Southern Timber Resources, LLC.

C. Timber Cutting Agreement dated November 5, 2007 between Ataya Hardwoods, LLC and Tommy Adkins d/b/a Tommy Adkins Logging (expires February 16, 2008)

D. Timber Cutting Agreement dated September 27, 2007 between Ataya Hardwoods, LLC and Tommy Adkins d/b/a Tommy Adkins Logging (expires December 29, 2007)

RECREATIONAL CONTRACTS

Campbell County

A. Hunting License dated August 20, 2007 between Ataya Hardwoods, LLC and Bob Allen Hunt Club (expires June 30, 2008)

B. Hunting License dated June 18, 2007 between Ataya Hardwoods, LLC and Clay Gap Hunt Club (expires June 30, 2008)

C. Hunting License dated May 29, 2007 between Ataya Hardwoods, LLC and Davis Creek Hunt Club (expires June 30, 2008)

D. Hunting License dated July 11, 2007 between Ataya Hardwoods, LLC and KD Hunt Club, for 1,509 acres contained on Tract 9844 (expires June 30, 2008)

E. Hunting License dated July 11, 2007 between Ataya Hardwoods, LLC and KD Hunt Club for 1,782 acres contained on Tract 9844 (expires June 30, 2008)

F. Hunting License dated October 5, 2006 between Ataya Hardwoods, LLC and White Oak Hunt Club (expires June 30, 2008)

G. Exclusive Game Rights Memorandum of Agreement dated June 29, 2007 between Ataya Hardwoods, LLC and Tennessee Wildlife Resources Agency (expires June 30, 2008)

Claiborne County

A. Hunting License dated June 18, 2007 between Ataya Hardwoods, LLC and Clay Gap Hunt Club (expires June 30, 2008)

B. Hunting License dated June 22, 2007 between Ataya Hardwoods, LLC and Knox County Sheriff's Dept. Hunt Club (expires June 30, 2008)

B. Hunting License dated August 22, 2007 between Ataya Hardwoods, LLC and Wolfpen Branch (expires June 30, 2008)

C. Exclusive Game Rights Memorandum of Agreement dated June 29, 2007 between Ataya Hardwoods, LLC and Tennessee Wildlife Resources Agency (expires June 30, 2008)

MISCELLANEOUS AGREEMENTS

Campbell County

A. General Service Contract dated July 27, 2007 between Ataya Hardwoods, LLC and Chadwell Enterprises, LLC (expires May 31, 2008)

B. General Service Contract dated August 15, 2006 between Ataya Hardwoods, LLC and Beaver Creek Engineering & Environmental Services, PLLC (December 31, 2007)

C. Access Agreement dated October 25, 2004 between Ataya Hardwoods, LLC and WPP LLC (perpetual)

D. Mutual Easement Agreements dated July 1, 2003 between Ataya Hardwoods, LLC and BLC Properties Inc. over Claiborne and Campbell County, Tennessee and Bell, Leslie and Knox County, Kentucky (perpetual)

Claiborne County

E. Access Agreement dated June 18, 2007 between Ataya Hardwoods, LLC and Neiman-Ross Associates (expires December 31, 2007)

F. General Service Contract dated July 27, 2007 between Ataya Hardwoods, LLC and Chadwell Enterprises, LLC (expires May 31, 2008)

G. General Service Contract dated August 15, 2006 between Ataya Hardwoods, LLC and Beaver Creek Engineering & Environmental Services, PLLC (December 31, 2007)

H. Access Agreement dated October 25, 2004 between Ataya Hardwoods, LLC and WPP LLC (perpetual)

I. Mutual Easement Agreements dated July 1, 2003 between Ataya Hardwoods, LLC and BLC Properties Inc. over Claiborne and Campbell County, Tennessee and Bell, Leslie and Knox County, Kentucky (perpetual)

c. Other restrictions, reservations, covenants and other agreements that do not materially interfere with or prohibit the use of the Premises for commercial forestry management and harvesting from the Premises;

d. Any and all restrictions on use of the Premises due to environmental protection laws, including, without limitation, wetlands protection laws, rules, regulations and orders which are of general application;

9. Lack of legal access to the Premises unless to Grantor's Actual Knowledge, Grantor has been refused access or has been notified by an adjoining landowner that Grantor will be denied permission for continued access for commercial forestry purposes to the tract lacking access;

10. The following other matters disclosed on the Title Commitment:

AS TO CAMPBELL COUNTY, TENNESSEE ONLY, the following items:

A. By instrument dated July 29, 1903, of record in Deed Book 43, page 46, American Association Incorporated conveyed two strips or parcels of land containing 1.9 acres and 13.10 acres to Cumberland Railway Company. If a railway was not constructed over any portion of the property within two (2) years of the date of the instrument or if Cumberland Railway Company ceased to use any portion of the right of way for a period of two (2) years, that portion of the property reverted to the grantor, its successors and assigns.

B. By oil and gas lease dated September 25, 1995, of record in Miscellaneous Book 33, page 230, J. M. Huber Corporation, Lessor, leased the oil and gas and associated hydrocarbons on 1,552 acres to Alamro, Inc., Lessee, for a primary term of three (3) years and as long thereafter as oil or gas is produced in paying quantities from said land. Although the lease was released as to Tract 598, the Lessee reserved the right of ingress/egress on, over or through the entire 1,552 acres, together with all other rights necessary and convenient to operate Lessee's wells 914176 and 914180.

C. By oil and gas lease dated April 5, 1979, of record in Campbell County Misc. Book 3, page 743, American Association Limited leased the oil, gas and

associated hydrocarbons on 2,245 acres to Union Drilling, Inc., for a primary term of five (5) years and as long thereafter as oil or gas is produced in paying quantities from said land. By amendment dated April 1, 1981, of record in Campbell Misc. Book 5, page 813, the parties amended said lease to provide for the lessee's right to extend the lease for an additional five (5) years. All except for 640 acres of the leased premises was released by instrument dated April 2, 1986, of record in Release Book 13, page 341.

D. By Quit Claim Deed Establishing a Boundary Line dated August 9, 1989, of record in Warranty Deed Book 290, page 45, J. M. Huber Corporation and Mountain Land and Reclamation Services, Inc. entered into an agreement establishing a boundary line between the parties' northern portion of Tract 562.

E. Transmission line easement dated December 15, 1941, of record in Campbell County Deed Book 98, page 167, from American Association, Incorporated and The American Association Committee Limited to the United States of America.

F. By instrument dated May 11, 1887, Isham Rams conveyed a right of way for a railroad to "J.C.G.C. & I.R.H. Co.".

G. By Correction Deed dated July 18, 1983, of record in Warranty Deed Book 256, page 629, J. M. Huber Corporation corrected the legal description of the easement conveyed by deed dated October 6, 1982, recorded at W.D. Book 252, page 118, granting an easement or right of way for a railroad over a strip or parcel of land containing five (5) parcels of land to Southern Railway Company. If Southern Railway Company abandoned the industrial track, discontinued the operation of the track and removed the rails, materials and fixtures therein, the easement and all related rights reverted to the grantor, its successors and assigns.

H. By oil and gas lease dated April 5, 1979, of record in Campbell County Misc. Book 3, page 715, American Association Limited leased the oil, gas and associated hydrocarbons on 3,103 acres to Union Drilling, Inc. for a primary term of five (5) years and as long thereafter as oil or gas is produced in paying quantities from said land.

I. Surface Damage and Royalty Agreement between BLC Properties LLC and Ataya Hardwoods, LLC, dated July 1, 2003, of record in Book M66, page 699, in the Register's Office for Campbell County, Tennessee.

J. Rollback taxes as may be applicable pursuant to Greenbelt Application for 1,500 acres, (Map 039, Parcel 006), dated March 30, 2004, and recorded in Book M70, page 352, in the office of the Campbell County Register of Deeds. (Only applies as a result of purchaser's change in use of property.)

K. Mutual Easement Agreement between BLC Properties LLC (mineral owner) and Ataya Hardwoods, LLC (surface owner), dated July 1, 2003, of record in Book

M67, page 123, in the Register's Office for Campbell County, Tennessee.

AS TO CLAIBORNE COUNTY, TENNESSEE ONLY, the following items:

A. By instrument dated March 4, 1889, of record in Deed Book N, Vol. 2, page 528, the American Association Limited granted a right of way to the Knoxville Cumberland Gap and Louisville Railroad Company for the construction and operation of its line of railway from Knoxville, Tennessee, to the Virginia state line at Cumberland Gap through any and all lands owned by the American Association Limited.

B. By instrument dated June 15, 1906, of record in Deed Book 23, page 121, the American Association Incorporated granted a right of way over a strip or parcel of land containing 0.257 of an acre to Southern Railway Company for railroad purposes only. If a railway was not constructed upon any portion of the right of way within one (1) year of the date of the instrument or if Southern Railway Company ceased to use any portion of the right of way for a period of two (2) years, that portion of the right of way immediately reverted to the grantor, its successors and assigns.

C. By instrument dated October 12, 1907, of record in Deed Book 25, page 28, the American Association Incorporated granted a right of way over two (2) strips or parcels of land to Southern Railway Company for railroad purposes only. If a railway was not constructed upon any portion of the right of way within one (1) year of the date of the instrument or if Southern Railway Company ceased to use any portion of the right of way for a period of two (2) years, that portion of the right of way immediately reverted to the grantor, its successors and assigns.

D. By instrument dated December 22, 1997, of record in Misc. Book 52, page 392, J. M. Huber Corporation granted an electric line easement to Powell Valley Electric Cooperative. This instrument provides for the reversion of the property to the Grantor after cessation of use by the grantee.

E. By instrument dated February 8, 1963, of record in Lease Book 1, page 247, the American Association Limited leased the coal in various seams to Kopper-Glo Fuel, Inc., for a term of thirty (30) years or until mining is completed, whichever is the lesser in time. By instrument dated April 1, 1965, of record in Lease Book 1, Vol. 3, page 263, the American Association Limited and Kopper-Glo Fuel, Inc. added a seam to the lease. By instrument dated February 8, 1978, of record in Lease Book 1, Vol. 3, page 265, the American Association Limited and Kopper-Glo Fuel, Inc. amended various terms of the lease and extended it until February 8, 2003. By instrument dated September 1, 2000, of record in Deed Book 1052, page 198, the parties amended the lease and extended the term through December 31, 2010. NOTE: Although the lease referenced various maps attached thereto, there were no maps attached to the copy of record in the Register's Office.

F. Memorandum Giving Notice of Oil and Gas Lease dated June 1, 2000, of record in Deed Book 1052, page 86, indicated that J. M. Huber Corporation had leased the oil, gas and other minerals on 12,300 acres to Daugherty Petroleum, Inc. for a primary term of ten (10) years and for so long thereafter as oil and gas are produced in paying quantities. NOTE: The memorandum indicated that the leased tracts were shown in red on the attached exhibit map; however, the recorded exhibit map did not identify the leased tracts by red outline.

G. By instrument dated February 4, 1909, of record in Deed Book 25, page 537, the American Association Incorporated granted a right of way over a strip of land to Southern Railway Company for railroad purposes only. If a railway was not constructed within one (1) year of the date of the instrument or if Southern Railway Company ceased to use the right of way for a period of two (2) years, the property immediately reverted to the grantor, its successors and assigns.

H. By instrument dated June 20, 1998, of record in Warranty Deed Book 250, page 574, J. M. Huber Corporation granted a right of way and easement to the Otto Pearman and Glada Pearman heirs.

I. By instrument dated October 23, 1926, of record in Deed Book 50, page 392, American Association Incorporated granted a right of way for a power line to Kentucky Utilities Company. This instrument provides for the termination of the right of way upon use of any portion of the right of way for any other purpose or upon cessation of use by the grantee for two years.

J. By instrument dated September 22, 1904, of record in Deed Book 19, page 232, the American Association Incorporated granted a right of way over a strip or parcel of land containing 1.3 acres to Southern Railway Company for railroad purposes only. If a railway was not constructed within one (1) year of the date of the instrument or if Southern Railway Company ceased to use the right of way for a period of two (2) years, the property immediately reverted to the grantor, its successors or assigns.

K. By instrument dated May 18, 1966, of record in Misc. Book 20, Volume 3, page 397, the American Association Limited conveyed a power line easement to Dixie Power & Light Company. This instrument provides for the reversion of the property to the grantor after cessation by use by the grantee.

L. By instrument dated July 12, 1904, of record in Deed Book 19, page 96, the American Association Incorporated granted a right of way over four (4) strips or parcels of land to the Fork Ridge Coal and Coke Company for railroad purposes only. If Fork Ridge Coal and Coke Company ceased to use the right of way for a period of two (2) years, the property immediately reverted to the grantor, its successors and assigns.

M. By instrument dated July 24, 1988 (unrecorded) J. M. Huber Corporation granted an electric line easement to Powell Valley Electric Cooperative. This instrument provides for the reversion of the property to the grantor after cessation of use by the grantee.

N. By instrument dated June 21, 1999 (unrecorded), J. M. Huber Corporation granted an electric line easement to Powell Valley Electric Cooperative. This document contains a provision for the rights granted therein to revert to the grantor whenever grantee completely abandons and surrenders the interest.

O. By instrument dated July 8, 1999 (unrecorded), J. M. Huber Corporation granted an electric line easement to Powell Valley Electric Cooperative. This document contains a provision or the rights granted therein to revert to the grantor whenever grantee completely abandons and surrenders the interest.

P. By oil and gas lease dated July 8, 1968, of record in Oil and Gas Lease Book 1-A, page 391, and Misc. Book 23, page 76, American Association Limited leased the oil and gas on 49,019 acres to R. Adair Oil Management, Ltd. for a primary term of ten (10) years. According to the terms of this lease, when the lease terminated, R. Adair Oil Management, Ltd. was to be assigned 400 acres surrounding all producing wells. By instrument dated June 15, 1981, of record in Misc. Book 28, Series 3, page 709, J. M. Huber Corporation assigned to R. Adair Oil Management, Ltd. acreage surrounding the Moulton-Gilbert and Vawter #1 wells. A portion of the acreage assigned in Misc. Book 28, Series 3, page 709, appears to fall within the boundaries of Tract 530.

Q. Unrecorded Strip Coal Mine Agreement dated September 1997, between J. M. Huber Corporation and Appolo Fuels, Inc.

R. By instrument dated July 18, 1906, of record in Deed Book 20, page 566, American Association Incorporated granted a right of way over a strip or parcel of land containing 6.8 acres to Cumberland Railway Company for railroad purposes only. If a railway was not constructed within one (1) year of that date or if Cumberland Railway Company ceased to use the right of way for a period of two (2) years, the property reverted to the grantor, its successors and assigns.

S. By instrument dated January 18, 1907, of record in Deed Book 23, page 288, the American Association Incorporated granted a right of way over two (2) strips or parcels of land to Cumberland Railway Company for railroad purposes only. If a railway was not constructed within one (1) year of the date of the instrument or if Cumberland Railway Company ceased to use the right of way for a period of two (2) years, the property immediately reverted to the grantor, its successors and assigns.

T. By instrument dated August 5, 1912, of record in Deed Book 28, page 318, the American Association Incorporated granted a right of way over a strip of land to

Southern Railway Company for railroad purposes only. If Southern Railway Company ceased to use the right of way, the property reverted to the grantor, its successors and assigns.

U. By instrument dated September 10, 1912, of record in Deed Book 28, page 329, the American Association Incorporated granted a right of way over a strip or parcel of land containing 0.4 of an acre to Cumberland Railway Company for Section One houses in connection with the railroad operations and for no other purpose. If section houses were not constructed within two (2) years of the date of the instrument or if Cumberland Railway Company ceased to use the houses, the property immediately reverted to the grantor, its successors and assigns.

V. By oil and gas lease dated April 5, 1979, of record in Oil and Gas Lease Book 6-A, Vol. 3, page 123, American Association Limited leased the oil, gas and associated hydrocarbons on 2,553 acres to Union Drilling, Inc. for a primary term of five (5) years and as long thereafter as oil or gas is produced in paying quantities from said land. By amendment dated April 1, 1981, of record in Misc. Book 28, Vol. 3, page 143, the parties amended said lease.

W. By instrument dated January 1, 1925, of record in Deed Book 50, page 95, the American Association Incorporated granted a right of way for a power line to Kentucky Utilities Company. This instrument provides for the termination of the right of way upon use of any portion of the right of way for any other purpose or upon cessation of use by the grantee for two years.

X. By instrument dated June 24, 1904, of record in Deed Book 19, page 101, the American Association Incorporated granted a right of way over a strip or parcel of land containing 3.2 acres to Cumberland Railway Company for railroad purposes. If a railway was not constructed within two (2) years of the date of the instrument or if Cumberland Railway Company ceased to use the right of way for a period of two (2) years, the property immediately reverted to the grantor, its successors and assigns.

Y. By instrument dated January 14, 1907, of record in Deed Book 23, page 352, the American Association Incorporated granted a right of way over a strip or parcel of land to Cumberland Railway Company for railroad purposes only. If a railway was not constructed within one (1) year of the date of the instrument or if Cumberland Railway Company ceased to use the right of way for a period of two (2) years, the property immediately reverted to the grantor, its successors and assigns.

Z. By instrument dated July 1, 1908, of record in Deed Book 25, page 360, the American Association Incorporated granted a right of way over two (2) strips or parcels of land to Cumberland Railway Company for railroad purposes only. If a railway was not constructed within one (1) year of the date of the instrument or if Cumberland Railway Company ceased to use the right of way for a period of two

(2) years, the property immediately reverted to the grantor, its successors and assigns.

AA. By instrument dated January 1, 1925, of record in Deed Book 50, page 111, American Association Incorporated granted a right of way for a power line to Tennessee Electric Power Company. This document contains a provision for the rights granted therein to revert to the grantor whenever grantee completely abandons and surrenders the interest.

BB. By instrument dated March 30, 1965, of record in Deed Book 98, page 25, the American Association Limited granted a right of way over two (2) strips or parcels of land to Southern Railway Company for railroad purposes. The grant of the right of way continues only for so long as the right of way is required for railroad purposes.

CC. By instrument dated October 27, 1988 (unrecorded) J. M. Huber Corporation granted a right of way easement to LaFollette Electric & Water Company. This instrument provides for the reversion of the property to the grantor after cessation of use by the grantee.

DD. By instrument dated October 20, 1999, of record in Deed Book 1028, page 345, J. M. Huber Corporation granted to Columbia Natural Resources, Inc. the right to construct, use and maintain a compression station and the right of ingress and egress.

EE. By oil and gas lease dated April 5, 1979, of record in Oil and Gas Lease Book 6-A, Vol. 3, page 158, American Association Limited leased the oil, gas and associated hydrocarbons on 3,103 acres to Union Drilling, Inc. for a primary term of five (5) years and as long thereafter as oil or gas is produced in paying quantities from said land. By amendment dated April 1, 1981, of record in Misc. Book 28, Vol. 3, page 163, the parties amended said lease.

FF. By instrument dated July 18, 1983, of record in Warranty Deed Book 160, page 450, J. M. Huber Corporation granted a right of way over four (4) strips or parcels of land to Southern Railway Company. If Southern Railway Company abandoned the industrial track, discontinued operations of the track and removed the rails, materials and fixtures therein, the property reverted to the grantor, its successors and assigns.

GG. By oil and gas lease dated August 20, 1979, of record in Oil and Gas Lease Book 6-A, page 265, American Association Limited leased the oil, gas and associated hydrocarbons on 673 acres to The Wiser Oil Company for a primary term of five (5) years and as long thereafter as oil or pas is produced in paying quantities from said land. By amendment dated July 24, 1991, of record in Lease book 13, page 590, 33 acres was added to the leased premises. By second amendment dated March 13, 1992, of record in Lease Book 2, page 183, 15.55 acres was added to

the leased premises.

HH. By instrument dated May 5, 1887, of record in Deed Book N, Vol. 2, page 193, James Teague granted a right of way for a railroad to the Jelico, Cumberland Gap, Coal & Iron Railroad Company.

II. By Quit Claim Deed dated February 9, 1894, of record in Deed Book Y, Vol. 2, page 514, American Association Limited granted a roadway to Middlesborough Water Company.

JJ. Littoral rights, if any, of the property owners abutting Fern Lake in and to the waters and bed thereof; also boating and fishing rights of property owners abutting Fern Lake or the stream of water leading thereto or therefrom.

KK. By oil and gas lease dated April 5, 1979, of record in Oil and Gas Lease Book 6-A, Vol. 3, page 179, American Association Limited leased the oil, gas and associated hydrocarbons on 2956 acres to Union Drilling, Inc. for a primary term of five (5) years and as long thereafter as oil or gas is produced in paying quantities from said land.

LL. By Right of Way Agreement dated December 12, 1988, of record in Claiborne County Miscellaneous Book 37, page 270, J. M. Huber Corporation granted a right of way of ingress and egress to Theodore Russell and Bill Chumley. This document contains a provision for the rights granted therein to revert to the grantor whenever grantee completely abandons and surrenders the interest.

MM. By deed dated May 27, 1999, of record in Deed Book 1014, page 329, containing 1.345 acres and an easement for baptisms in Clear Fork Creek to Valley Creek Missionary Baptist Church. (Applies to Surface Rights.)

NN. By oil and gas lease dated April 5, 1979, of record in Oil and Gas Lease Book 6-A, Volume 3, page 151, American Association Limited leased the oil, gas and associated hydrocarbons on 2,758 acres to Union Drilling, Inc. for a primary term of five (5) years and as long thereafter as oil or gas is produced in paying quantities from said land. By amendment dated April 1, 1981, of record in Misc. Book 28, Volume 3, page 159, the parties amended said lease.

OO. Summary of Lease Amendments dated February 1, 2002, between BLC Properties LLC, Lessor, and Kopper Glo Fuel, Inc., Lessee, recorded in Book 1086, page 593.

PP. Easement contained in that certain Quit Claim Deed from J. M. Huber Corporation to Ancil Garrett, dated May 27, 1999, of record in Warranty Deed Book 1013, page 582, in the Office of Register of Deeds of Claiborne County, Tennessee.

QQ. Easement contained in that certain Quit Claim Deed from J. M. Huber Corporation to Earl Huddleston, dated May 27, 1999, of record in Warranty Deed Book 1013, page 578, Office of Register of Deeds of Claiborne County, Tennessee.

RR. Easement contained in that certain Quit Claim Deed from J. M. Huber Corporation to Rock Creek United Baptist Church, dated May 27, 1999, of record in Warranty Deed Book 1014, page 581, Office of Register of Deeds of Claiborne County, Tennessee.

SS. Surface Damage and Royalty Agreement between BLC Properties LLC and Ataya Hardwoods, LLC, dated July 1, 2003, of record in Book 1128, page 239, in the Register's Office for Claiborne County, Tennessee.

TT. Mutual Easement Agreement between BLC Properties LLC (mineral owner) and Ataya Hardwoods, LLC (surface owner), dated July 1, 2003, of record in Book 1133, page 320, in the Register's Office for Claiborne County, Tennessee.

UU. Rollback taxes as may be applicable pursuant to Greenbelt Application for 23,510 acres (Map 012, parcel 001), dated May 24, 2006, and recorded in Book 1206, page 705, in the office of the Claiborne County Register of Deeds. (Only applies as a result of purchaser's change in use of property.)

EXHIBIT "D"

Map Numbers and Parcel Numbers

009-009-05300-000
037-037-00200-000
037-037-00200-001

THE PURPOSE OF THIS CORRECTION DEED IS TO CLEAR TITLE ONLY.

THIS INSTRUMENT WAS PREPARED BY:

Candace D. Johnson
Adams and Reese LLP
11 North Water Street, Suite 23200
Mobile, Alabama 36602
(251) 433-3234

By: Candace D. Johnson

AFTER RECORDED RETURN TO:

Victor H. Lott, Esq.
Adams & Reese LLP
11 North Water Street
Suite 23200
Mobile, Alabama 36602

STATE OF TENNESSEE
COUNTY OF CAMPBELL

THE ACTUAL CONSIDERATION OR VALUE WHICHEVER IS GREATER FOR THIS TRANSFER IS $ 0

Michael T. Shearer, Affiant (Print Name}
~~Senior Vice-President~~
RMK Timberland Group

SWORN TO AND SUBSCRIBED BEFORE ME, THIS THE 13th DAY OF FEBRUARY, 2008

Notary Public

FREDELL A BLAKENEY
Notary Public
Douglas County, Georgia
My Commission Expires September 25, 2010

MY COMMISSION EXPIRES:

(AFFIX SEAL)

CORRECTION DEED

(Campbell County, Tennessee)

ADDRESS NEW OWNER(S) AS FOLLOWS	SEND TAX BILLS TO:	MAP-PARCEL NUMBERS
CORRIGAN TLP LLC **c/o Molpus Woodlands Group, LLC** **654 North State Street** **Jackson, MS 39202**	**CORRIGAN TLP LLC** **c/o Molpus Woodlands Group, LLC** **654 North State Street** **Jackson, MS 39202**	**See Exhibit "A" hereto**

Witnesseth this correction deed ("Correction Deed") by and between **Ataya Hardwoods, LLC, a Delaware limited liability company** and **Corrigan TLP LLC, a Delaware limited liability company**:

RECITALS

1. **Ataya Hardwoods, LLC** ("Grantor") is a Delaware limited liability company, with a mailing address at c/o RMK Timberland Group, 260 Peachtree Street, Suite 1800, Atlanta, Georgia 30303.

2. **Corrigan TLP LLC** ("Grantee") is a Delaware limited liability company, with a mailing address at c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202.

3. By Special Warranty Deed ("Original Deed") dated December 17, 2007, and recorded in Book W441, Pages 1-125 in the Campbell County, Tennessee Register's Office, Grantor conveyed to Grantee, the surface of certain lands and the timber thereon located in Campbell County, Tennessee (the "Property").

4. The description of the Property in the Original Deed contained a scrivener's error in that it did not refer to Grantor's source of title.

5. Grantor and Grantee now desire to execute and deliver this Correction Deed in order to clarify the description, thereby eliminating confusion in the title to and ownership of the Property.

6. All recording references in this Correction Deed are to the records appearing in the Campbell County, Tennessee Register's Office.

CORRECTION AMENDMENT

Now therefore, know all by these presents that for and in consideration of the premises, Grantor and Grantee hereby adopt and incorporate the recitals set forth above and do further agree as follows:

1. Grantor and Grantee hereby amend, reform and correct the description of the Property in the Original Deed by adding the Grantor's source of title at the end of the legal description as follows:

BEING A PART OF THE SAME property acquired by Ataya Hardwoods, LLC, a Delaware limited liability company, by Special Warranty Deed dated July 1, 2003, of record in Deed Book W399, Page 1 in the records of the Campbell County, Tennessee Register's Office.

2. No other provisions in the Original Deed shall be affected by this Correction Deed.

As amended, reformed and corrected, the Original Deed remains in full force and effect.

[Signature Pages Follow]

BK/PG: W442/479-484

08001482

6 PGS : AL - CORRECTED WARRANTY DEED	
JUNE BATCH: 36177	
02/27/2008 - 11:30 AM	
VALUE	0.00
MORTGAGE TAX	0.00
TRANSFER TAX	0.00
RECORDING FEE	30.00
DP FEE	2.00
REGISTER'S FEE	0.00
TOTAL AMOUNT	32.00

STATE OF TENNESSEE, CAMPBELL COUNTY

DORMAS MILLER

REGISTER OF DEEDS

IN WITNESS WHEREOF, the undersigned have caused their names to be duly executed to this Correction Deed by their duly authorized representatives on this the 13 day of February, 2008.

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: M T Shearer

Print Name: Michael T. Shearer

Its: Senior Vice President

STATE OF Georgia

COUNTY OF Fulton

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Michael Shearer, who, upon his/her oath, subscribed and sworn to, and acknowledged herself/himself to be the SVP of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and that she/he, on behalf of such Manager, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as SVP of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 13th day of February, 2008.

Fredell A. Blakeney

NOTARY PUBLIC, STATE OF Georgia

(SEAL)

FREDELL A BLAKENEY
Notary Public
Douglas County, Georgia
My Commission Expires September 25, 2010

My Commission Expires:

[Additional Signature Page Follows]

GRANTEE:

CORRIGAN TLP LLC
A Delaware limited liability company

Bob Lyle

By: BOB LYLE
Its: AUTHORIZED SIGNATORY

STATE OF MISSISSIPPI

COUNTY OF ~~FORREST~~ HINDS

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared BOB LYLE, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his/her oath, acknowledged herself/himself to be the AUTHORIZED SIGNATORY of Corrigan TLP LLC, a Delaware limited liability company, the within named Grantee, and that she/he, on behalf of said Grantee, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Corrigan TLP LLC, a Delaware limited liability company, by himself/herself as her/his free act and deed.

Witness my hand and seal at office this the 13th day of FEBRUARY, 2008.

Laura A. Hall

NOTARY PUBLIC, STATE OF MISSISSIPPI

My Commission Expires:

MISSISSIPPI STATEWIDE NOTARY PUBLIC
MY COMMISSION EXPIRES MAY 27, 2009
BONDED THRU STEGALL NOTARY SERVICE

(SEAL) LAURA A. HALL NOTARY PUBLIC RANKIN COUNTY, MS

Exhibit "A"

MAP-PARCEL NUMBERS

009-009-05300-000
037-037-00200-000
037-037-00200-001

THE PURPOSE OF THIS CORRECTION DEED IS TO CLEAR TITLE ONLY.

THIS INSTRUMENT WAS PREPARED BY:

Candace D. Johnson
Adams and Reese LLP
11 North Water Street, Suite 23200
Mobile, Alabama 36602
(251) 433-3234

By: Candace D. Johnson

AFTER RECORDED RETURN TO:

Victor H. Lott, Esq.
Adams & Reese LLP
11 North Water Street
Suite 23200
Mobile, Alabama 36602

STATE OF TENNESSEE
COUNTY OF CAMPBELL

THE ACTUAL CONSIDERATION OR VALUE WHICHEVER IS GREATER FOR THIS TRANSFER IS $ 0

Michael T. Shearer, Affiant (Print Name}
Senior Vice-President
RMK Timberland Group

SWORN TO AND SUBSCRIBED BEFORE ME, THIS THE 13th DAY OF FEBRUARY, 2008

Notary Public

FREDELL A BLAKENEY
Notary Public
Douglas County, Georgia
My Commission Expires September 25, 2010

MY COMMISSION EXPIRES:

(AFFIX SEAL)

CORRECTION DEED

(Campbell County, Tennessee)

ADDRESS NEW OWNER(S) AS FOLLOWS	SEND TAX BILLS TO:	MAP-PARCEL NUMBERS
CORRIGAN TLP LLC **c/o Molpus Woodlands Group, LLC** **654 North State Street** **Jackson, MS 39202**	**CORRIGAN TLP LLC** **c/o Molpus Woodlands Group, LLC** **654 North State Street** **Jackson, MS 39202**	**See Exhibit "A" hereto**

Witnesseth this correction deed ("Correction Deed") by and between **Ataya Hardwoods, LLC, a Delaware limited liability company** and **Corrigan TLP LLC, a Delaware limited liability company**:

RECITALS

1. **Ataya Hardwoods, LLC** ("Grantor") is a Delaware limited liability company, with a mailing address at c/o RMK Timberland Group, 260 Peachtree Street, Suite 1800, Atlanta, Georgia 30303.

2. **Corrigan TLP LLC** ("Grantee") is a Delaware limited liability company, with a mailing address at c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202.

3. By Special Warranty Deed ("Original Deed") dated December 17, 2007, and recorded in Book W441, Pages 1-125 in the Campbell County, Tennessee Register's Office, Grantor conveyed to Grantee, the surface of certain lands and the timber thereon located in Campbell County, Tennessee (the "Property").

4. The description of the Property in the Original Deed contained a scrivener's error in that it did not refer to Grantor's source of title.

5. Grantor and Grantee now desire to execute and deliver this Correction Deed in order to clarify the description, thereby eliminating confusion in the title to and ownership of the Property.

6. All recording references in this Correction Deed are to the records appearing in the Campbell County, Tennessee Register's Office.

CORRECTION AMENDMENT

Now therefore, know all by these presents that for and in consideration of the premises, Grantor and Grantee hereby adopt and incorporate the recitals set forth above and do further agree as follows:


1. Grantor and Grantee hereby amend, reform and correct the description of the Property in the Original Deed by adding the Grantor's source of title at the end of the legal description as follows:

BEING A PART OF THE SAME property acquired by Ataya Hardwoods, LLC, a Delaware limited liability company, by Special Warranty Deed dated July 1, 2003, of record in Deed Book W399, Page 1 in the records of the Campbell County, Tennessee Register's Office.

2. No other provisions in the Original Deed shall be affected by this Correction Deed.

As amended, reformed and corrected, the Original Deed remains in full force and effect.

[Signature Pages Follow]



IN WITNESS WHEREOF, the undersigned have caused their names to be duly executed to this Correction Deed by their duly authorized representatives on this the 13 day of February, 2008.

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: _____
Print Name: Michael T. Shearer
Its: Senior Vice President

STATE OF Georgia

COUNTY OF Fulton

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Michael Shearer, who, upon his/her oath, subscribed and sworn to, and acknowledged herself/himself to be the SVP of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and that she/he, on behalf of such Manager, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as SVP of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 13th day of February, 2008.

_____
NOTARY PUBLIC, STATE OF Georgia

My Commission Expires:

FREDELL A BLAKENEY
Notary Public
Douglas County, Georgia
My Commission Expires September 25, 2010

(SEAL)

[Additional Signature Page Follows]

GRANTEE:

CORRIGAN TLP LLC
A Delaware limited liability company

Bob Lyle

By: BOB LYLE
Its: AUTHORIZED SIGNATORY

STATE OF MISSISSIPPI

COUNTY OF ~~FORREST~~ HINDS

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared BOB LYLE, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his/her oath, acknowledged herself/himself to be the AUTHORIZED SIGNATORY of Corrigan TLP LLC, a Delaware limited liability company, the within named Grantee, and that she/he, on behalf of said Grantee, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Corrigan TLP LLC, a Delaware limited liability company, by himself/herself as her/his free act and deed.

Witness my hand and seal at office this the 13th day of FEBRUARY, 2008.

Laura A. Hall

NOTARY PUBLIC, STATE OF MISSISSIPPI

My Commission Expires:

MISSISSIPPI STATEWIDE NOTARY PUBLIC
MY COMMISSION EXPIRES MAY 27, 2009
BONDED THRU STEGALL NOTARY SERVICE

(SEAL) LAURA A. HALL NOTARY PUBLIC RANKIN COUNTY, MS

Exhibit "A"

MAP-PARCEL NUMBERS

009-009-05300-000
037-037-00200-000
037-037-00200-001

AT – 017

State of Kentucky
County of Bell -ss-

I, Becky Blevins, Clerk within and for the State and county aforesaid do hereby certify that the foregoing Special Warranty Deed was this day lodged for record, whereupon the same has been duly recorded in Book No. 339 at page No. 533 record of my said office. Given under my hand this the 21st day of Dec. 2007

Becky Blevins, Clerk

By Beth Hurst
Deputy

Deed



SPECIAL WARRANTY DEED

(Bell County, Kentucky)

THIS SPECIAL WARRANTY DEED, made as of the 17th day of December, 2007 by and between ATAYA HARDWOODS, LLC, a Delaware limited liability company, having an address of c/o RMK Timberland Group, 260 Peachtree Street, Suite 1800, Atlanta, Georgia 30303, Grantor, and CORRIGAN TLP LLC, a Delaware limited liability company, having an address of c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202, Grantee.

WITNESSETH: That for and in consideration of the sum of $25,867,784.04, ALL FULLY PAID, the receipt and sufficiency of which are hereby acknowledged, Grantor has bargained and sold and does hereby grant, sell and convey unto Grantee, its successors and assigns, forever, the surface lands and timber situated in Bell County, Kentucky, and more particularly described on Exhibit "A" attached hereto and made a part hereof.

TOGETHER WITH those matters shown or described on Exhibit "B" attached hereto and made a part hereof.

SUBJECT TO (i) the mineral reservation contained in that certain Special Warranty Deed dated July 1, 2003 from BLC Properties, LLC to Ataya Hardwoods, LLC recorded in Book 316, Page 217 in the County Clerk's Office of Bell County, Kentucky and that certain Corrective Special Warranty Deed from BLC Properties, LLC to Ataya Hardwoods, LLC recorded on December 9, 2003 in Book 318, Page 520 in the County Clerk's Office of Bell

417.00
25,867.00

Deed Tax of 25867.00 Collected
This 21st Day of Dec. 2007
BECKY BLEVINS, Clerk
By _____ DC

533

County, Kentucky (the "Mineral Reservation"); (ii) that certain Surface Damage and Royalty Agreement dated July 1, 2003 (the "SDRA") by and between BLC Properties, LLC and Ataya Hardwoods, LLC recorded in Misc. Book 20, Page 1 in the County Clerk's Office of Bell County, Kentucky; and (iii) the Permitted Encumbrances shown or described on Exhibit "C" attached hereto and made a part hereof.

TO HAVE AND TO HOLD the same, in fee simple, together with all the appurtenances thereunto belonging unto Grantee, its successors and assigns, forever, Grantor hereby specially warrants that Grantor will forever warrant the title against all persons claiming under Grantor, and defend the Real Property so granted to Grantee, its successors and assigns, against every person lawfully claiming the same or any part thereof under Grantor but not otherwise, excepting the above described Mineral Reservation and SDRA and all matters shown as Permitted Encumbrances on Exhibit "C" attached hereto and incorporated herein.

IN TESTIMONY WHEREOF, Grantor has hereunto executed this Special Warranty Deed as of the day and year first above written.

[Grantor's signature appears on following page]

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: Gregory S. Williams
Name: Gregory S. Williams
Title: SVP

STATE OF Georgia,

COUNTY OF Cobb:

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Gregory S. Williams, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon her oath, acknowledged himself/herself to be the Sr. Vice Pres. of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, and that he/she, on behalf of such Manager, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as Sr. Vice Pres of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 17th day of December, 2007.

Annique J. Cooke
NOTARY PUBLIC, STATE OF Georgia

My Commission expires:
August 16, 2010

(SEAL)

ANNIQUE J. COOKE NOTARY PUBLIC COBB COUNTY GEORGIA EXPIRES AUG. 16, 2010

535

CONSIDERATION CERTIFICATE: Being first duly sworn, the undersigned Grantor and Grantee state that the consideration set forth in the foregoing instrument is true and correct, and is the full consideration paid for the property conveyed by the foregoing instrument.

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: Gregory S. Williams
Name: Gregory S. Williams
Title: SVP

3L

GRANTEE:

CORRIGAN TLP LLC,
a Delaware limited liability company

By: Terrell Winstead
Name: Terrell Winstead
Title: Authorized Signatory

STATE OF Georgia,

COUNTY OF Cobb:

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Gregory S. Williams, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon her oath, acknowledged himself/herself to be the Sr. Vice Pres. of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, and that he/she, on behalf of such Manager, being authorized so to do, executed the foregoing certification for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as Sr. Vice Pres. of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 17th day of December, 2007.

Annique J. Cooke
NOTARY PUBLIC, STATE OF Georgia

My Commission expires:
August 16, 2010

(SEAL)

ANNIQUE J. COOKE NOTARY PUBLIC COBB COUNTY EXPIRES GEORGIA AUG. 16, 2010

STATE OF Mississippi

COUNTY OF Forrest:

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his oath, acknowledged herself/himself to be the Authorized Signatory of Corrigan TLP LLC, a Delaware limited liability company, the within named Grantee, and that she/he, on behalf of said Grantee, being authorized so to do, executed the foregoing certification for the purposes therein contained by signing the name of Corrigan TLP LLC, a Delaware limited liability company, by himself as her/his free act and deed.

Witness my hand and seal at office this 17th day of December, 2007.


Stacey C. Baucom

NOTARY PUBLIC, STATE OF Mississippi

My Commission Expires:

03-01-11

(SEAL)



This instrument was prepared by:

Richard J. Carter, Jr., Esq.
Powell Goldstein LLP
1201 West. Peachtree Street
14th Floor
Atlanta, Georgia 30309

This instrument was prepared from information furnished by the parties involved and the preparer makes no representation as to the status of the title or the accuracy of information.

Preparer: 

DEED EXHIBIT "A"

Legal Description

All of the lands situated in Bell County, Kentucky which were conveyed to BLC Properties LLC from J. M Huber Corporation by Special Warranty Deed dated July 5, 2001 and of record in Deed Book 307, at page 601 et seq. in the records of the Bell County Clerk's Office to which reference is made for a more particular description thereof, including, without limitation, the property described in the legal descriptions set forth below and the other exhibits annexed hereto.

Notwithstanding the legal descriptions set forth below and the other Exhibits annexed hereto, this Deed does not convey, nor purport or intend to convey, any land or interest in land that was not conveyed in the deed to BLC Properties LLC set forth above.

Exhibit "A"

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

TRACT NO. 3-11-25

PARCEL NO. 16. A tract of land lying in Beans Fork containing 3 acres more or less, and more particularly described as follows:

BEGINNING on three sugar trees running southwardly 226 feet to a water oak in the branch, thence down the branch Eastward 315 feet to a sweet gum, thence northwardly with the road 137 feet to a stake; thence westwardly with road to the beginning.

PARCEL NO. 17. BEGINNING on a double sugar tree thence southwardly 90 feet to a stake; thence eastwardly 50 feet to a stake; thence northwardly 93 feet to the road; thence with the said road 63 feet to the beginning.

PARCEL NO. 18. BEGINNING at three sugar trees, Floyd Ball's corner property conveyed to him by Luster Martin and wife, Sarah Martin, thence in a northeastwardly direction to a stake in Williams' line, thence up Spring Branch northwestwardly to a stake in the William Given's property; thence with William Given's line southwardly to the Louisville Property Company line, thence South 67° 20' E 25 poles to a chestnut and three black gums first corner of the Joseph Turner Patent No. 29314, thence continuing with the line S 75° 40' E 16 poles to two fallen chestnut oaks, thence North 40° E with Louisville Property line to a glack gum R. G. Fuson corner on top of spur; thence with R. G. Fuson line in a northward direction to a five-inch maple on the roadside; thence with the Luster Martin road to a sweet gum, Floyd Ball's corner, thence with Floyd Ball's line to the beginning, containing fifty acres more or less.

PARCEL NO. 19. BEGINNING on a maple at Ben Ridings' corner running with said Ridings' line to the county road, thence; with said county road to a black gum at Rachel Luckydoo's corner; thence with said Luckydoo's line to a beach, thence; with said road to Mike Seymour's corner, thence; with said Seymour's line to the beginning corner, or the maple.

PARCEL NO. 20. BEGINNING at a stake in the center of Beans Fork creek, running South 31° 20' W, passing a rock and a dogwood 70 poles to a stake, water oak bearer, thence South 36° 30' W 424 feet to a big water oak stump, thence eastwardly to a straight line to a point where Buckeye Hollow Branch empties into Beans Fork Creek; thence with the meanders of Beans Fork Creek going upstream, to the beginning corner. Mineral right reserved as first parties deed. Road leading through said property to Luster Martin's house reserved to first party. Containing ten acres more or less.

PARCEL NO. 21. BEGINNING at a black gum on a bluff at the fence of Luster Martin's cornfield running North 35 degrees East 19 poles to a chestnut stump (large) thence North 12 degrees West 5 poles to a stake; thence North 14 degrees East 5 poles to a stake; thence North 88 degrees East 93 feet to a stake; thence 42 degrees East 212 feet to the road running up Beans Fork; thence up said road 144 feet to four cucumbers (trees) thence South 46 degrees West 586 feet to a stake in the fence of Luster Martin's cornfield; thence South 32 degrees 30 minutes East 223 feet to the beginning, containing 2-1/3 acres more or less.

542 527

624

PARCEL NO. 22. BEGINNING in the center of Beans Fork Creek running northwestwardly 75 feet to a stake; thence Westwardly to William Given's line; thence Southwardly with said Given's line to Floyd Ball's line, thence with said Floyd Ball's line to the beginning, containing one acre more or less.

PARCEL NO. 23. BEGINNING at a large standing stone, a corner of the property deeded to Floyd Ball by John Cobb and wife, Nettie Cobb, said deed being dated May 5, 1945, thence with said Ball line North 32° 20' East 202.9 feet to an X on a rock in the center of Ben's Branch of Stony Fork; thence North 25° 27' West 75 feet to an X on a rock in said branch; thence South 56° 38' West 212.9 feet to an X on a large rock about fifteen feet above the Old Fan House; thence South 82° 57' West 338 feet to a tack in the root of a 24-inch Beech which is claimed by Floyd Martin to be a corner of his property; thence with the Martin-Givens line South 42° 24' E 427 feet to a set stone a corner between Floyd Ball, Floyd Martin and William Givens; thence North 32° 20' East 278 feet to the beginning, containing 2.37 acres.

TRACT NO. 3-11-5S

A five-acre tract of land located on Copper's Creek at Hignite Creek, adjoining the Louisville Property Company's property, and being more particularly described as follows, and being a part of original Patent No. 23318 in the name of Ben Turner, to-wit: BEGINNING at a spruce pine, the corner of Dave Turner and the Louisville Property Company; thence 600 feet north to a sugar tree; thence 250 feet West to a dogwood and poplar; thence 200 feet South to a dogwood; thence 100 feet to a hickory and poplar in the line of the Louisville Property Company; thence 400 feet East to the beginning corner, containing 5 acres more or less.

TRACT NO. 3-11-5

BEGINNING on a dogwood, a corner of R. G. Fuson, running N 36° E to a white oak tree another line of said Fuson, 149 feet 4 inches; thence N 35° W 332 feet to a post, another corner of said Fuson; thence N 3° W 520 feet to a black gum corner; thence N 32° W 173 feet to a sourwood; thence N 56° 30' W 168 feet to a maple tree; thence S 62° W 316 feet to a stake on east side of road going to Lester Martins; thence S 19° E 190 feet to a stake; thence S 1° W 264 feet to a stake; thence S 26° W 122 feet to a maple tree; thence S 17° W 99 feet to a sweet gum corner; thence S 5° E 246 feet to a stake; thence S 81°E 245 feet to a stake; thence S 26° E 69 feet to the BEGINNING, containing 16 acres, more or less.

543
528

TRACT NO. 3-11-1.a.

LOUISVILLE PROPERTY COMPANY

ORIGINAL TRACT NO. 6

A tract of land lying in Bell County, Kentucky, on Big Clear Creek, Little Clear Creek, Stony Fork of Yellow Creek, Clear Fork and Laurel Fork of Clear Fork, all waters of the Cumberland River:

BEGINNING at the Black Spring on the headwaters of the Left Fork of Wheeler Creek of Laurel Fork; thence S 61 30 W 35 poles to the intersection of the 13th line of the Joseph Goodin 200 acre patent No. 60109 with the 17th line of the George Cress 300 acre patent No. 17495; thence with the lines of said patent No. 60109 reversed, N 69 W 76 poles to a white oak, the 13th corner of said patent and also the 12th corner of the George Powers 144 acre patent No. 23142; thence with the 12th line of patent No. 60109 reversed, N 40 E 35 poles to the 10th line of the Elum Partin 100 acre patent No. 29102; thence with said line, S 85 45 W 49 poles to two black gums on the point of a ridge, the 1st corner of said patent No. 29102; thence continuing with the lines of said patent, N 67 38 W 28.18 poles to a poplar, its 2nd corner; thence N 48 W 11.60 poles to a white oak near the head of a hollow; thence N 51 24 W 26.40 poles to a stake set for the 3rd corner of said patent on the crest of a small spur; thence N 84 24 W 16 poles to a stake set for the 4th corner 8 poles southeast of the crest of the spur between Sutty Branch and Wheeler Creek; thence S 42 36 W 34 poles to a stake set for its 5th corner four poles southeast of the crest of said spur; thence leaving the lines of said patent, N 15 W 6.32 poles to a stake on the crest of said spur, the 6th corner of the John Wamble 100 acre patent No.9716; thence with the 6th line of said patent, S 62 49 W 56 poles to a stake on the crest of a spur; thence leaving the 6th line of said patent and running with an agreed line, N 17 15 W 6.60 poles to a dead maple on the crest of a spur; thence N 35 E 20.28 poles to a chestnut on the crest of the spur between Wheeler Creek and Sutty Branch; thence N 11 E 7.52 poles to a crooked chestnut oak on the crest of said spur; thence N 22 30 W 13.52 poles to a chestnut on the crest of said spur; thence N 32 W 12.76 poles to a small black gum and 2 sourwoods (1 dead) on the crest of said spur, the same being the 12th corner of the Gen. S. Partin tract containing 57.25 acres; thence with the lines along the east side of said Partin tract, N 21 39 E 18.61 poles to a sassafras at a fence at west edge of a field and near the head of a hollow; thence N 2 W 9.84 poles to a beech in said hollow; thence N 9 45 W 18 poles to a beech in said hollow; thence N 6 03 E 36.32 poles to a double

28

544 529

black oak at edge of woods; thence N 5 W 17.16 poles to a small double maple and small hickory on a small bench; thence N 69 45 W 17.12 poles to a black oak, the 2nd corner of the John Wamble 50 acre patent No. 19139; thence with the 2nd line of said patent, N 39 42 W 62.64 poles to a fallen white oak, the 3rd corner of said patent, at intersection of marked lines and on the crest of a small spur, the same being also the 13th corner of the Mance Partin 95 acre patent No. 60428; thence with the common line of said patents, N 22 36 E 44.50 poles to a stake, the 12th corner of said patent No. 60428; thence with the 11th line of 60428 reversed, N 62 51 E 40 poles to a hickory on the crest of Jane Spur, a corner of the John J. Partin tract containing 130.10 acres; thence with the lines of said Partin tract, N 65 30 W 25.50 poles to a point in the 3rd line of said patent No. 19139; thence with said line, N 22 36 E 3 poles to a point in the 12th and closing line of the Joshua Tye 150 acre patent No. 2166; thence with the same reversed, N 63 09 E 58 poles to a stake at an agreed corner made between George Powers and J. J. Partin; thence with an agreed line made between said parties, N 25 10 W 34.60 poles to a birch and dogwood, a corner of the first tract described in a deed from the Thomas Cairns heirs to Henry Murray, dated April 16, 1914; thence with the lines of said tract, N 82 E 80 poles to a stake; thence N 2 14 W 27 poles to a stake; thence leaving the lines of said tract and running with an agreed line made by Wm. Maden up Laurel Fork, S 86 E 59 poles to a stake at the foot of the hill; thence S 66 E 39 poles to a stake on a small point; thence S 80 E 44 poles to a stake at the foot of the hill; thence S 67 E 42 poles to a large rock four poles south of Laurel Fork; thence S 74 E 48 poles to a stake on the south bank of the County road and four poles south of Laurel Fork; thence S 44 E 13 poles to a stake on the south bank of the county road and 1 1/2 poles south of the Laurel Fork; thence S 63 E 22 poles, crossing Laurel Fork twice, to a point in the 1st line of the Wm. Maden 141 acre patent No. 60234; thence with said line reversed, S 88 25 E 64 poles to a poplar and white oak, the 1st corner of said patent and also the 6th corner of the I. A. Partin 50 acre patent No. 19163, standing on the south bank of said Laurel Fork; thence with the 6th line of the last named patent, N 70 24 W 102 poles to a point in the 4th line of the I. A. Partin 75 acre patent No. 24176; thence with said line, N 13 54 E 50 poles to a stake, the 17th corner of said patent No. 60234; thence with its lines reversed, S 89 09 E 107 poles to a stake; thence S 4 09 E 50 poles to a chestnut oak one pole below a cliff, the 15th corner of said patent No. 60234 and also a corner of the Shelton Maden tract containing 551.55 acres; thence with a line of said Maden Tract, S 70 E. 70 poles to a chestnut, the 2nd corner of the Wiley Maden 50 acres patent No. 63787; thence with the 1st line of said patent reversed, S 13 38 W 21.13 poles to a spruce pine on the north bank of Laurel Fork opposite the mouth of

545

629

57282

Big Branch, the 1st corner of said patent and also the 26th corner of the I. A. Overton 125 acre patent No. 60095; thence with the lines of the last named patent, N 13 51 E 20 poles to said stake, the 27th corner of said patent No. 60095;. thence N 64 51 E 60 poles to a stake; thence leaving the lines of said patent and running with the lines of the Wm. Overton Tract, S 10 20 E 29.50 poles to a dead chestnut five poles south of Laurel Fork; thence S 11 E 27.12 poles to a stake, the northeast corner of the Wm. Overton Reserve; thence with the lines of said Reserve, S 88 25 W 24.76 poles to a stake; thence S 5 30 E 19 poles to a white oak near a spring; thence S 4 30 E 13.36 poles to a white oak; thence N 72 E 12.40 poles to a stake; thence S 80 E 12 poles to a stake, the southeast corner of said Overton Reserve; thence leaving the lines of said Reserve but continuing with said Overton Tract, S 6 15 W 15.16 poles to a poplar stump; thence S 14 W 7.60 poles to a stake; thence S 0 30 W 7 poles sto a stake; thence S 12 30 W 10 poles to a stake; thence S 0 30 W 9 poles to a double lynn; thence S 3 45 E 9.28 poles to a sugartree; thence S 17 25 E 20.16 poles to a white walnut; thence S 30 E 16 poles to a point in the 3rd line of the Archibald Partin 50 acre patent No. 24177; thence with the lines of said patent, N 80 E 64 poles to a stake, the 4th corner of said patent; thence N 10 W 56 poles to a point in the 3rd line of the Wm. Campbell 50 acre patent No. 23436; thence with its lines reversed, N 77 43 E 7 poles to a chestnut, its 3rd corner; thence N 18 51 W 29 poles to the 5th line of patent No. 46293; thence with said line, N 73 33 E 34.60 poles to the 1st line of the Shelton Partin 50 acre patent No. 13056; thence with said line, S 30 51 E 2.30 poles to the 7th line of the Mary J. Harp tract; thence with the lines of said tract, N 44 E 29 poles to a stake in a field on the east bank of a drain; thence N 42 W 24.48 poles to a chestnut at the lower edge of a path; thence N 19 W 26 poles to a stake one pole south of a branch; thence N 21 E 16.86 poles to a stake; thence N 71 W 12 poles to a stake on the west bank of the County road; thence S 22 30 W 22.04 poles to a white oak 1 1/2 poles east of the County road; thence N 34 17 W. 46.68 poles to a black gum on a cliff, 20 poles north of Laurel Fork; thence N 33 45 W 2.50 poles to a point on the 27th line of patent No. 60095; thence with said line reversed, S 64 51 W 38 poles to the 5th line of the I. A. Overton 65 acre patent No. 65139; thence with said line, N 21 39 W 40.70 poles to the 13th line of the J. K. Partin 100 acre patent No. 60094; thence with the lines of said patent reversed, S 73 55 W 63 poles to a stake; thence N 4 09 W 40 poles to six chestnuts; thence N 84 32 E 22.72 poles to a pine and six chestnuts; thence N 76 30 E 16.60 poles to a chestnut and black gum; thence N 65 21 E 19.32 poles to a double chestnut and poplar, the 9th corner of said patent No. 60094, and also the 29th

54e

630

corner of the Miracle and Partin 105 acre patent No. 63788; thence with the lines of the last named patent reversed, N 10 W 27.24 poles to a black gum; thence N 85 27 W 29.36 poles to a black gum in a [illegible] flat, a very rocky place; thence S 67 58 W 23.88 poles to a crooked chestnut oak in a small flat, near a drain and three poles north of a hollow; thence N 88 18 W 29.84 poles to a black gum in an ivy thicket and eight poles northeast of said hollow; thence N 43 54 W 36.89 poles to a small sourwood about eighteen poles east of the "George Trick Hollow"; thence N 12 32 W 34.36 poles to a white oak on the crest of Pig Pen Spur; thence S 57 18 E 31.20 poles to a black pine and fallen chestnut oak on Pig Pen Spur, near the Hand Mill Rocks and below several large rocks; thence N 89 15 E 56.76 poles to two chestnut oaks, about 10 poles north of the crest of the ridge between the two forks of Pine Creek, the 21st corner of said patent No. 63788, and also the 9th corner of the William Henderson 100 acre patent No. 13390, and also a corner of the J. J. Partin tract containing 29.65 acres; thence with the lines of said Partin tract, N 14 51 E 92.71 poles to a maple on the south bank of the Left Hand Fork of Pine Creek; thence N 11 30 E 2.68 poles to a poplar on the north bank of said fork of Pine Creek; thence N 13 E 24 poles to a point in the 15th line of said patent No. 13390; thence with said line, S 77 22 E 18 poles to a stake; thence with an agreed line made between the United States Trust Company and John M. Partin and others, N 12 E 39 poles to a stake on the crest of the ridge between the head of Pine Creek and the head of Big Clear Creek, set for the 10th corner of the Miracle and Partin 105 acres patent No. 63788; thence with the lines of said patent reversed, S 57 E 29 poles to two chestnut oaks at a cliff on the crest of said ridge, the 9th corner of said patent; thence S 84 45 E 18.50 poles to a black oak on a high point on the crest of said ridge, its 8th corner; thence S 72 17 E 20.20 poles to the 4th line of the John Word 50 acre patent No. 18065; thence with said line, S 21 30 E 37 poles to the 15th and closing line of patent No. 12390; thence with said line, N 77 22 W 47.94 poles to a stake, the northeast corner of the J. J. Partin Tract; thence with said tract, S 5 E 5 poles to a Spanish oak, sourwood, dogwood and hickory, eight poles north of the Left Hand Fork of Pine Creek; thence S 4 19 E 73.36 poles to three chestnut oaks, the 13th corner of Patent No. 13390; thence with the 13th line of said patent, N 89 09 E 63 poles to a poplar (dead) and chestnut, standing about 6 poles north of the crest of the ridge between Laurel Fork and Pine Creek; thence S 69 30 E 9.12 poles to a chestnut oak two poles south of the crest of said ridge, the 3rd corner of the J. K. Partin 100 acre patent No. 60095; thence with an agreed line around the west side of a 20 acre tract of land conveyed by G. B. Overton to A. E. Partin, S 30 E 39 poles to a stake; thence S

547

631

532

7/282

58 E 31.40 poles to a black oak; thence S 42 45 E 8.32 poles to a black oak; thence N 50 E 34.60 poles to the 2nd line of the Shelton Partin 50 acre patent No. 9704; thence with said patent, S 22 12 E 21.50 poles to a stake set on the west side of the County road for the 2nd corner of said patent; thence N 54 45 E 14.52 poles to a locust stump and maple stump, the 1st corner of said patent; thence leaving said patent, S 18 42 E 13 poles to a stake on the north bank of Laurel Fork at the identified location of a hickory, 7th corner of the Sehlton Partin 50 acre patent No. 13056, thence with the 7th line of said patent, S 54 51 W 76 poles to the 3rd line of DeGroot et al. patent No. 43281; thence with said line reversed N 88 24 W 78.80 poles to the 2nd line of the I. A. Overton 65 acres patent No. 65139; thence with the lines of said patent reversed, S 35 58 E 22.60 poles to a black oak standing about eight poles north of Laurel Fork, the 2nd corner of said patent; thence S 55 43 E 5.80 poles to the 27th line of the I. A. Overton 125 acre patent No. 60095; thence with said patent N 64 51 E 52 poles to a stake set for the 28th corner of said patent; thence S 24 09 E 11 poles, crossing Laurel Fork, to a spruce pine and ash on south bank of Laurel Fork at the mouth of a branch, the 1st corner of said patent; thence leaving said patent and running up a branch or hollow with an agreed line along the eastern side of the Green B. Overton tract containing 67.90 acres, S 13 30 E 12.36 poles to a white oak on east bank of said hollow; thence S 8 20 E 11.36 poles to a white oak on a small knoll in said hollow; thence S 38 30 E 15.12 poles to a black gum in said hollow; thence S 8 45 E 18.36 poles to a stake on north bank of said hollow at the identified location of an ash; thence S 24 W 8.72 poles to a dead white oak in the east edge of a field and in said hollow; thence S 18 15 E 17.56 poles to a large black gum in said hollow; thence S 1 30 E 15.04 poles to a hornbeam (fallen) in said hollow; thence S 24 30 E 9.48 poles to an ash (dead) in said hollow; thence S 47 30 E 7.50 poles to a black gum on north bank of said hollow; thence S 38 15 E 10.68 poles to a chestnut in head of said hollow one pole east of a spring; thence S 27 45 E 10 poles to the 3rd line of the Wm. Partin 50 acre patent No. 9705; thence with said line reversed, N 51 48 E 111 poles to a sugartree and chestnut, the 3rd corner of said patent; thence leaving said patent and running with an agreed line along the north side of tract of land conveyed by the Thomas Cairns Heirs to A. E. Partin by deed dated March 2, 1916, S 71 E 4 poles to a poplar in a branch; thence N 76 E 17 poles to two chestnuts and a sugartree on crest of a spur just above a beech, the 1st corner of the Wm. H. Partin 200 acre patent No. 57798; and also the 1st corner of the John A. Partin 100 acre patent No. 56590; thence continuing with said tracts conveyed to A. E. Partin, N 76 E 105 poles to

548

637

a point at 84 poles in the 5th line of the Shelton Partin 50 acre patent No. 24171, and also an agreed corner made between the Louisville Property Company and James M. Partin; thence with an agreed line made between said parties, N 3 15 W 92 poles to a stone standing S 75 E 5 poles from a beech marked for a corner; thence N 18 E 15 poles to a white oak; thence N 21 W 8.50 poles to a sugartree; thence leaving the James M. Partin land and running with an agreed line made between the Louisville Property Company and Elum Partin, N 10 E 60 poles to a stake on the 8th line of the Wm. Reynolds 50 acre patent No. 11990; thence with said line, N 5 34 W 16 poles to a stake with a dogwood pointer, at forty poles in said line, a corner of a small tract of land conveyed by the Cairns Heirs to Elum Partin by deed dated March 2nd 1916; thence with the lines of said tract, N 55 33 E 24 poles to a stake with two hickories marked for pointers; thence N 12 33 E 17 poles to a stake; thence N 51 27 W 70.60 poles to a black oak at east edge of the county road; thence with said road, S 50 18 W 7.90 poles; thence S 19 33 W 8 poles; thence S 29 33 W 10 poles; thence S 6 33 W 6 poles; thence leaving the county road, S 46 09 W 12 poles to a white oak stump, the 6th corner of said patent No. 11990; thence with an agreed line made between the Louisville Property Company and Elum Partin, N 73 06 W 34 poles to a stake; thence S 46 39 W 26.50 poles to a stake; thence S 7 29 E 38.22 poles to a white oak and fallen locust on the crest of a ridge, an old agreed corner made between John A. Partin and Wm. H. Partin; thence with an agreed line made between the last named parties, N 39 24 W 54 poles to two black gums on a ridge and near the Allen Hurst old field, a corner of a tract of land conveyed by the Thomas Cairns Heirs to James Hamblin by deed dated April 2, 1917; thence with the lines of said tract, N 40 30 W 41.58 poles to two chestnuts growing from one root and one pole west of the crest of a ridge; thence N 47 30 W 33.40 poles to a chestnut on top of a ridge with a black oak marked for pointer; thence N 84 30 W 10.80 poles to two chestnuts on the 6th line of patent No. 13389 (one chestnut marked 'fore and aft. and the other marked for a side line tree on said line); thence with said line reversed, N 39 55 E 115 poles (passing the 6th corner of patent No. 13389 at seventy-one poles) to a point at forty three poles in the 5th line of the Henry Minge patent No. 18072; thence with the lines of said patent, S 84 31 E 41 poles to a maple, hollow at the ground, the 6th corner of said patent; thence S 24 21 E 23.36 poles to a small, very crooked chestnut oak, the 7th corner of said patent; thence S 87 40 E 35.88 poles to a stake set for the 8th corner of said patent; thence N 20 30 E 23.96 poles to a chestnut, the 9th corner of said patent; thence N 87 20 E 33.40 poles to the 4th line of the I. A. Partin 50 acre patent No. 19166; thence with said line,

549

633

634

9/282

N 32 30 E 25 poles to a sourwood and double maple, a corner of the Toby Shelt Partin land; thence with an agreed line made between Toby Shelt Partin and Wm. S. Partin, S 36 39 E 14.08 poles to two small chestnuts on top of a knob on the crest of Piney Spur; thence with the crest of said spur, S 73 24 E 17 poles; thence S 82 24 E 9 poles; thence N 65 36 E 14 poles to a white oak and chestnut; thence leaving said agreed linebut continuing with the crest of said spur, the same being the 4th line of the Andrew Partin 50 acre patent No. 25165, N 42 09 E 20 poles; thence N 80 09 E 8 poles; thence N 38 39 E 7.44 poles to a stake set on the crest of said spur for the 4th corner of said patent No. 25165; thence with the 3rd line of said patent reversed, N 27 36 W 84.84 poles to the 5th and closing line of the I. A. Partin 50 acre patent No. 2392; thence with its lines, S 34 42 E 109.88 poles to a poplar near the gap in Piney Spur through which the county road passes from Chenoa to the head of Laurel Fork the first corner of said patent No. 2392; thence S 15 15 E 3.08 poles to a stake; thence S 83 E 29.28 poles to a point on top; thence N 74 45 E 29 poles to a pine on top; thence S 49 15 E.20 poles to a point on top; thence S 80 30 E 40 poles to a point on top; thence S 70 45 E 36 poles to a point on top; thence S 32 40 E 28 poles to a chestnut on top; thence S 26 E 61 poles to a sourwood on top; thence S 38 30 E 10.72 poles to a sum on top; thence S 13 15 E 55 poles to a buckeye on top; thence S 12 W 15 poles to Station 0 Meander of Piney Spur, at a white oak standing near a cliff at the junction of Brewster Spur with Piney Spur, and at the extreme head of Laurel Fork, from which a Spanish oak 5 inches in diameter bears N 34 15 W 32 links marked B. T. St. O. M. P. S. (The above courses are with reference to the magnetic meridian of September 1892, and the following courses are with reference to the magnetic meridian of 1902); thence S 55 05 E 56.64 poles to the junction of said mountain with Piney Spur; thence S 54 E 5 poles to a stake on top of Log Mountain, where a 10 inch black oak bears S 30 E 17 1/2 links; thence N 70 E 62 poles to a stake, a 4 inch white oak bears N 85 3/4 W 29 links and is marked B. T. St. 3M LM; thence S 54 E 47 poles to a stake on top of mountain, a 12 inch chestnut bears N 61 E 50 links and is marked B. T. St. 4M LM; thence S 38 E 43 poles to a stake at junction of Log Mountain with a short spur; a 16 inch hickory bears S 56 1/2 E 37 links and is marked B. T. St. 5M L. M.; thence N 49 E 18 poles to a stake; thence N 88 15 E 14.38 poles to a stake on top of mountain, a 12 inch hickory bears N 58 E 10 links, marked B. T. St. 7M L. M.; thence North 34 E 57 poles to a stake, a 12 inch black oak bears N 25 1/2 E 15 links, marked B. T. St. 8M L. M.; thence N 59 E 48 poles to a stake on high top, an 18 inch Spanish oak bears S 84 W 19 links, marked B. T. St. 9M L. M.; thence N 22 E 113 poles to a stake on top of Log Mountain, a 12 inch birch growing in the side of some large rocks bears S 82

10/282

W 45 links, marked B. T. St. 10M L. M.; thence N 47 E 30 poles to a stake on top of mountain; thence N 17 E 34 poles to a stake in path in cleared land, a 3 inch poplar bears S 15 E; thence N 52 E 81 poles to a stake on top of mountain in cleared land; a three inch locust bears S 58 W 13 links; thence South 72 E 44 poles to a stake on South edge of road, a five inch black oak bears N 78 W 16 links; thence S 45 E 13 poles to a stake in road, a five inch black oak bears S 21 W 31 links, marked B. T. St. 15 M L. M.; thence S 59 E 35 poles to a stake at junction of Log Mountain and Fork Ridge, an 8 inch white oak bears N 6 1/2 E 20 links, marked B. T. St. 1M L. M.; and a double black oak bears S 43 30 East 12 links, also marked B. T. St. 1M L. M.; thence N 32 E 106 poles to a stake on top of ridge, a 10 inch hickory bears S 88 1/2 E 22 links marked B. T. St. 2M F. R.; thence N 12 E 22.64 poles to a point on said ridge at two locusts, also 25th corner of Patent No. 61051 located not in low gap of Caney as Breeding described, but in the first small gap West of Caney Gap, where Caney road reaches top of ridge, an 8 inch Spanish oak bears N 53 1/2 West. 25 links, and a 20 inch sugar-tree bears N 23 1/2 W 50 links, both marked B. T. St. 3M F. R.; thence N 23 E 18 poles to a stake on point West of Caney Gap, a 16 inch chestnut bears N 1 W 18 links; thence N 56 1/2 E 36 poles to a stake in low gap of Caney, a ten inch hickory bears S 58 W 21 links, marked B. T. St. 5M F. R.; thence N 65 E 59 poles to a stake on top of ridge, a 20 inch white oak bears S 21 W 26 links, marked B. T. St. 6M F. R.; thence S 87 E 25 poles to a stake, a 18 inch chestnut oak bears N 62 W 22 links, marked B. T. St. 7M F. R.; thence South 60 E 23 poles to a stake on top of ridge, a 20 inch chestnut oak bears N 81 W 4 links; thence N 83 E 18 poles to a stake on top of ridge; a 12 inch chestnut bears S 82 E 15 links; thence N 49 E 22 poles to a stake on top of ridge among rocks; thence N 56 E 31 poles to a stake, a 30 inch sugartree bears N 78 E 10 links; thence N 35 E 45 poles to a stake on top of ridge; a large white oak stub bears N 43 30 E 3.20 poles; thence N 45 E 51 poles to a stake in a field on top of ridge, a black walnut bears N 25 W 60 links; thence N 30 W 24 poles to a stake; thence N 63 W 33 poles to a stake, a 14 inch chestnut bears S 9 1/2 E 25 links; thence N 7 E 38 poles to a stake, a 16 inch chestnut bears N 66 E 19 links; thence N 12 W 68 poles to a stake, an 18 inch chestnut oak bears N 14 W 21 links; thence N 13 E 36 poles to a stake, a 20 inch chestnut oak bears West 5 links; thence N 32 poles to a stake; thence N 31 E 18 poles to a stake; thence N 86 E 23 poles to a stake, a 12 inch chestnut bears S 27 E 24 links; thence N 44 E 18 poles to a stake, a five inch chestnut bears S 13 W 20 links; thence N 19 E 17 poles to a stake; thence N 5 E 5 poles to a stake; thence N 24 E 33 poles to a stake, a 12 inch chestnut oak bears N 25 1/2 W 33 links; thence N 61 E 18 poles to a stake, a 6 inch black oak bears N 62 E 32 links; thence N 79 E 44 poles to a

551

35

635

11/282

stake, a 22 inch chestnut oak bears N 76 1/2 W 30 links; thence N 83 E 15 poles to a stake, a 14 inch Spanish oak bears due South 5 links; thence N 27 E 33 poles to a stake; thence N 70 E 26 poles to a stake on top of ridge in Webb Gap; thence N 57 E 18 poles to a stone at the head of Pearce Webb's grave; thence N 44 E 31 poles to a stake on top of said ridge in center of road leading from Webb's Branch to Ben's Fork of Little Clear Creek; thence S 78 E 57 poles to a stake; thence N 69 E 22 poles to a stake; thence N 54 E 13 poles to a stake; thence N 48 E 51 poles to a stake, the 36th station of said meander, a 6 inch white oak bears S 89 E 16 links, marked B. T. St. 36M F. R., thence N 58 49 E 17 poles to a point in the 36th line of the meander of Fork Ridge; thence S 82 W 16 1/2 poles to seventh corner of Patent 15871, at a noted rockhouse; thence N 82 E 34.28 poles, its identified sixth corner; thence N 46 E 29.56 poles, its fifth corner, a white oak (dead) on the crest of said ridge; thence S 76 E 9 poles; thence N 78 E 14 poles; thence N 50 E 7 poles; thence N 73 E 8.40 poles to a fallen chestnut oak and hickory on crest of Fork Ridge its fourth corner; thence S 87 48 E 49 poles; the third line of the William Mason 100 acre patent No. 15871; thence N 55 51 W 16.10 poles to a chestnut oak; thence N 62 10 W 15.36 poles to a chestnut on the crest of Big Knob; thence North 36 poles to the 14th corner of the Riley Gibson 200 acre patent 46103 (55055); thence S 85 30 E 1.16 poles; thence N 1 00 W 24 poles to a stake, a locust five inch diameter bears S 30 30 W 11 links marked B. T. St. 41M F. R.; thence N 23 30 E 7 poles to a stake in a field, a forked locust bears N 27 30 W 13 links marked B. T. St. 42M F. R.; thence N 37 00 E 42 poles to a stake in a field, a black walnut five inches diameter bears N 59 E 84 links marked B. T. St. 43M F. R.; a stone set by Creech bears N 62 31 E 6.66 poles; thence N 47 00 E 24 poles to a stake, a 22 inch chestnut oak bears S 72 00 E 16 links marked B. T. St. 44M F. R., chestnut oak 16th corner Patent 46103, second corner, 30394 and 12th corner Patent 38438, bears N 23 W 2.08 poles; thence N 67 00 E 15 poles to a stake; thence N 53 30 E 31 poles to a stake a 7 inch hickory bears S 71 30 W 17 links marked B. T. St. 46 M F. R., a Spanish oak stub, 18th corner of Patent No. 46103, bears N 14 05 E 0.66 poles; thence N 77 00 E 15 poles to a stake among rocks; thence N 56 00 E 19 poles to a stake, a 7 inch hickory marked as corner bears West 4 links, marked as B. T. St. 48M F. R., sugartree bears N 44 50 E 5.60 poles; thence N 86 00 E 15 poles to a stake, a Spanish oak 24 inches in diameter bears S 33 00 E 45 links, marked B. T. St. 49M F. R.; thence N 35 00 E 10 poles to a stake; thence N 30 00 E 95 poles to a stake in the South corner of the field, a black oak 4

inches in diameter bears N 8 45 E 6 1/2 links marked B. T. St. 51M F. R.; thence N 57 15 E 22.24 poles to a fallen locust marked with an "A" on the crest of Fork Ridge the 4th corner of the William Mason 50 acre patent No. 21374 and the 7th corner of the John G. Eve 100 acre Patent No. 30394; thence with the 2nd line of No. 63777 reversed, N 30 45 E 11 poles to the 8th and closing line of patent No. 55054; thence with said line, S 72 E 3.50 poles to the 7th line of the John G. Eve 100 acre patent No. 30394; thence with the lines of said Eve patent, N 47 12 E 37.50 poles to a stake, its 8th corner; thence S 39 48 E 62 poles to the 8th and closing line of patent No. 55054; thence with said line, S 72 E 46 poles to the 4th line of patent No. 63777; thence with said line reversed, S 41 36 W 15 poles to the 3rd line of the Bishop Money 25 acre patent No. 60416; thence with said line, N 76 W 16.60 poles to the 8th line of patent No. 30394; thence with its lines, S 39 48 E 18 poles to a stake, its 9th corner; thence S 2 12 W 62 poles to the 13th line of the John Bull 100 acre patent No. 6936; thence with the lines of said Bull patent, N 60 06 W 0.68 poles to a poplar stump and fallen maple, the 1st corner of said Bull patent, located 4 poles west of Jack Branch, at the mouth of a small hollow; thence S 33 26 W 115.80 poles to two chestnut oaks on the crest of small spur, its 2nd corner, and also the 4th corner of the J. S. Fuson 11 acre patent No. 63571; thence with the lines of said Fuson patent, N 14 27 W 18.93 poles to a white oak one pole east of the crest of a small spur, its 5th corner, and also the 8th corner of the James R. Fuson 50 acre patent No. 22738; thence with the lines of the last named patent, N 78 45 W 32.07 poles to a white oak, its 9th corner; thence S 66 30 W 96.68 poles to the 5th line of the Wm. Mason 50 acre patent No. 14746; thence with said line reversed, S 52 15 E 51.12 poles to Matthew Fuson's line of his fence on the crest of a spur at the southeast corner of the Wm. Mason tract containing 81.01 acres; thence up and with the crest of a spur, the same being an agreed line made between Matthew Fuson and Wm. A. Mason, S 52 W 10.36 poles; thence S 65 W 4.56 poles; thence S 66 30 W 3.16 poles; thence S 88 W 2 poles; thence N 82 30 W 3.56 poles; thence N 81 W 3.24 poles; thence N 85 W 4.64 poles; thence S 82 30 W 4.48 poles; thence S 85 45 W 4.28 poles; thence N 84 45 W 5 poles; thence S 82 W 5.40 poles; thence S 86 15 W 24 poles; thence S 79 15 W 8.52 poles; thence S 75 30 W 8 poles to the 2nd line of patent No. 14746, and with it, S 30 E 35.60 poles to a buckeye and sugartree, standing S 65 W twelve poles from Joe Spring, ← the 3rd corner of said patent No. 14746; thence S 56 30 E 48 poles to a stake; thence N 62 30 E 32.20 poles to a buckeye, which is really the 4th corner of said patent No. 14746, and is also the 11th corner of patent No. 22738; thence with the 11th line of the last named patent, S 89 45 E 142 poles to a stake, seven and eighty-

53

37

637

134282

four hundredths poles from the 1st corner of said patent No. 22738, said stake being a corner of the H. C. Smith tract; thence with said Smith tract, N 19 30 W 36 poles to two spruce pines on a steep bank of Elum Branch; thence N 49 20 E 5.76 poles to two white oaks, the 6th corner of said patent No. 22738; thence with the 6th line of said patent, N 46 10 W 61.29 poles to a white oak stump on the crest of a small spur and two poles northwest of a spring, and about twelve poles north of the Bishop Money house (this spring is commonly known as "Mud Lick Spring"), the 7th corner of said patent No. 22738, and the 3rd corner of patent No. 6936, and the 7th corner of the Newton Cox 30 acre patent No. 60844; thence with the common lines of No. 6936 and No. 60844, S 76 37 E 30.88 poles to a birch stump; thence N 41 54 E 26 poles to a stake; thence S 85 06 E 30 poles to a stake; thence S 74 06 E 40 poles to a stake; thence leaving the lines of said patents and running with an agreed line, S 23 10 W 18.75 poles to a fallen white oak, the 3rd corner of said patent No. 60844; and the 4th corner of said patent No. 22738; thence with the lines of the H. C. Smith tract, S 9 30 W 27.56 poles to a beech and maple one pole north of the County road; thence S 2 21 E 23.68 poles to a sweet gum on the south bank of Little Clear Creek; thence S 7 39 W 43.16 poles to two black gums; thence S 7 36 E 23.08 poles to a stake; thence S 72 09 W 35 poles to the 3rd line of the Lewis Peavler 50 acre patent No. 6954; thence with the lines of said patent, S 43 56 E 96.28 poles to a stake on an east hill side, in a small branch set for the 4th corner of said patent; thence S 18 20 W 33.36 poles to the 2nd line of the James R. Fuson 50 acre patent No. 29333; thence with its lines reversed, S 78 15 E 78.44 poles to a double maple on a flat spur, its 2nd corner; thence N 29 30 E 52 poles to a stake; a corner claimed by Jeff Fuson in the division of the W. L. Fuson lands; thence with an agreed line as claimed by Jeff Fuson and as agreed on between him and the Thomas Cairns heirs, N 44 W 14 poles to a small locust standing among some rocks; thence N 86 30 W 11.26 poles to a stake at Fuson's fence, from which three lynn stumps, the 8th corner of patent No. 14747, bear N 78 45 W 4.92 poles; thence with Jeff Fuson's fence as it stood on March 29, 1916, N 19 30 E 2.50 poles; thence N 56 30 E 31.40 poles; thence N 23 30 W 28 poles to a hickory; thence leaving said fence, N 67 E 2.50 poles to the 9th line of the Wm. Evans 100 acre patent No. 14747; thence with said line, N 17 50 W 16.40 poles to two hickory stumps, the identified 10th corner of patent No. 14747, and the 2nd corner of the Joseph Conner 50 acre patent No. 12541; thence with an agreed line, N 37 E 13.20 poles to the 11th line of the Fuson & Hoskins 100 acre patent No. 53007; thence with the lines of same, N 41 21 W 73 poles to a beech and white oak stump, the 1st corner of said patent; thence S 88 E 72.46

554

poles to a double chestnut oak, the 2nd corner of said patent; then N 66 45 E 66.88 poles to a chestnut stump with two sprouts growing from it, the 3rd corner of said patent; thence S 66 30 E 23.40 pole to a white oak, the 4th corner of said patent; thence S 27 30 E 21. poles to a large cliff and two chestnuts, its 5th corner; and also the 11th corner of the W. M. Bingham 100 acre patent No. 53333; the with the lines of said Bingham patent reversed, N 86 58 E 13.84 pol to a locust and fallen chestnut oak near a cliff and on the crest of White Rock Spur; thence N 78 31 E 49.24 poles to a pine, small black oak and chestnut oak stump on the crest of said spur; thence N 12 16 E 22.40 poles to a chestnut oak on the crest of said spur; thence N 22 09 E 29.28 poles to a black oak and small crooked chest nut oak on the crest of said spur; thence leaving the crest of saic spur, N 9 11 W 19.36 poles to a white oak, hollow at ground, stand: in a flat hollow; thence N 16 E 26.56 poles to a chestnut oak on the crest of a small spur; thence S 86 21 E 15.64 poles to a leani chestnut oak; thence S 74 43 E 57.40 poles to a chestnut oak six p east of a rocky hollow; thence S 61 16 E 41.20 poles to a chestnut oak, the 2nd corner of said patent No. 53333; thence leaving the lines of said patent, S 80 36 E 26 poles to the John Bull patent N 6937; thence with said patent, S 81 25 E 20.90 poles to a dogwood and chestnut oak, the 4th corner of said patent; thence N 12 31 W 32.93 poles to a chestnut oak four poles east of Sampson Branch, t 5th corner of said patent, thence N 71 30 E 8 poles to a line of t W. S. Miracle patent No. 60381; thence with its lines, S 73 54 E 21.40 poles to a chestnut; thence S 40 54 E 57.12 poles to a chest oak; thence S 36 54 E 23.96 poles to a white oak; thence S 68 54 E 24.16 poles to a locust; thence S 18 06 W 26.40 poles to a white c thence S 72 06 W 2.50 poles to the 11th line of the Jasper N. Sams 75 Acre patent No. 31851; thence with said line, S 46 24 E 2.50 p to a black oak, the 5th corner of the Newton Samson 100 acre pate 23315; thence with its lines, S 59 54 E 126.60 poles to a stake w formerly stood a gum and dogwood, the 6th corner of said patent; thence S 62 39 E 90.30 poles to a stake where formerly stood a beech, its 7th corner; thence S 4 06 W 5.64 poles to the center of Cannon Creek; thence westwardly up Cannon Creek with its meanders to the mouth of Allum Rock Branch; thence westwardly up Alum Rock Branch with its meanders to its uppermost forks; thence N 68 34 W 31.75 poles to the southeast corner of the Wm. Partin house on top of Log Mountain; thence southwestwardly with the meanders of the crest of Log Mountain, about 1318 poles, measured along the crest of said mountain, to a large spanish oak standing on the crest of said mountain, two poles east of a spring, the first corner of the W. K. Evans 100 acre patent No. 46113, and the southeast corner of a tract of land containing 146 acres, commonly known as the J. J.

55

Evans land, conveyed to the United States Trust Company, Assignee of the Louisville Property Company, by the Franklin Mason heirs by deed dated the 31st day of July, 1934 and recorded in Deed Book 110, page 39, in the office of the Bell County Court Clerk; thence with the lines of said 146 acres tract of land, continuing with the crest of Log Mountain, S 47 W 45 poles to the 12th line of the Z. S. Gibson 200 acre patent No. 5209; thence with said line, S 20 35 W 62 poles to 2 chestnuts on the crest of Bean Spur near the junction of the crest of said spur with the crest of Log Mountain, the first corner of DeGroot et al. patents No. 43312 and No. 43313 and also th 12th corner of said patent No. 5209; thence with the 11th line of th last named patent reversed, N 51 45 W 9 poles to the 11th line of th Elum Partin 300 acre patent No. 21101; thence with the lines of said Partin patent, S 82 W 10 poles to a sugartree corner of said patent; thence N 43 W 33 poles to a hickory; thence N 55 W 47 poles to the 10th line of said patent No. 5209; thence with its lines reversed S 77 W 35 poles to a sugartree, the 10th corner of said patent; ther N 62 30 W 31 poles to the 14th line of said Partin patent No. 21101; thence with said line, N 87 52 W 7 poles to a bunch of small saplin the southwest corner of the J. J. Evans land heretofore mentioned; thence leaving the lines of said Evans land and running with an agr line made between the Yellow Creek Land Company and William Givens, S 19 30 W 212 poles to a stake one and one-half poles from Hignite Creek set for the 3rd corner of DeGroot et. al. patent No. 43326; thence S 45 W 1.50 poles to Hignite Creek; thence down said creek w its meanders about 15 poles, measured along said creek, to the poin where the 3rd line of DeGroot et. al. patent No. 43269 crossess sai creek; thence with said lines, S 46 36 W 7 poles to the 3rd line of John Turner 200 acre patent No. 63089; thence with said line revers S 1 36 W 46.50 poles to the 3rd line of the Henderson and Gibson 70 acre patent No. 60561; thence with the lines of said patent reverse N 83 36 E 15 poles to a spruce pine and dead spruce pine stub, standing S 35 W about 6 poles from the mouth of Copperas Fork of Hignite Creek, 3rd corner of said patent; thence S 84 E 16.12 pole to a small chestnut standing 3 poles northeast of Hignite Creek, a two and one-half poles northwest of a large rock; thence S 88 E 19 poles to a beech, the first corner of said patent No. 60561; thenc with the closing line of said patent reversed, N 61 30 E 21.60 pol to the 3rd line of DeGroot et. al. patent No. 43324; thence with s line reversed, S 48 24 E 95 poles to a stake set for the 3rd corne said patent and also the 4th corner of DeGroot et. al. patent No. 43322; thence with the common line of said two patents, N 41 36 E passing at179 poles the 2nd corner of DeGroot et. al. patents No. 43323 and 43324 and the first corner of DeGroot et al patents No. 43321 and No. 43322, in all 205 poles to the 2nd line of the Wm. I

Willis 100 acre patent No. 41931; thence with its lines, S 9 54 E 31 poles to a hickory near a spring, 3rd corner of said Willis Patent; thence S 35 10 W 13.26 poles to a white oak; thence S 56 02 E 33.86 poles to a double chestnut; thence S 87 30 E 25.84 poles to a large white oak five poles southwest of the crest of Bean Spur, the 6th corner of said patent No. 41931, and also the first corner of the Wm. B. Willis 150 acres patent No. 41930; thence with the lines of patent No. 41930, S 61 05 E 31.32 poles to a hickory; thence S 59 30 E 92 poles to a stake at the head of the right hand fork of Cow Hollow, the 3rd corner of said patent No. 41930; thence down and with the meanders of the crest of Bean Spur, when reduced to a straight line, S 50 E 101 poles to the 6th line of the Joseph Turner patent No. 65627; thence with said line, N 26 E 20 poles to the 7th and closing line of Joseph Turner patent No. 29314; thence with it, S 67 20 E 91 poles to a chestnut and three black gums, the 1st corner of said patent; thence continuing with the lines of No. 29314, S 75 40 E 16 poles to two fallen chestnut oaks; thence N 40 E 44 poles to a large chestnut, the 3rd corner of said patent; thence N 7 30 W 29 poles to a point in the 3rd line of DeGroot et al. patent No. 43318; thence with said line, S 48 24 E 46 poles to the 1st line of the S. C. Davis patent No. 30401; thence with the lines of said Davis patent, S 44 30 W 9 poles to a locust stump four poles west of a hollow, the 2nd corner of said patent; thence S 0 27 E 31.36 poles to two black gums, the 3rd corner of said patent; thence S 55 45 E 50 poles to a stake set for its 4th corner; thence S 77 45 E 20 poles to a stake set for its 5th corner, about fifteen poles northwest of a gap in a ridge; thence S 27 15 E 60 pol to a stake set in a small hollow for its 7th corner; thence N 44 15 E 35 poles to the 3rd line of DeGroot et al. patent No. 43318; thenc with said line reversed, S 48 24 E 21.82 poles to a stake set for the third corner of said patent No. 43318 and the fourth corner of DeGroot et al. patent No. 43316, with a white oak and beech marked for pointers; thence with the third line of patent No. 43316 revers S 48 24 E 4.50 poles to the 4th line of the Benjamin Turner 50 acre patent No. 2329; thence with said line reversed, N 48 12 E 10 poles to a stake; thence S 36 39 E 32 poles to a poplar stump on the west bank of the branch in the hollow where Henry F. Gibson lives, with a small poplar growing by the said of said stump; thence down said branch, S 31 10 E 5.10 poles; thence S 18 E 6.25 poles; thence S 3 E 3.40 poles; thence S 27 45 E 5.80 poles to a stone on the east bank of said branch and about two and one-half poles northwest of the Henry Gibson house; thence S 80 W 10.44 poles to a stake, from which the chimney at the southwest end of the Henry F. Gibson house bears S 81 E 7.74 poles; thence N 45 15 W 3 poles to the Middlesbor corporation line; thence southwestwardly with said corporation line

557

about 110 poles to the center of the Stony Fork Branch of the Louisville & Nashville Railroad; thence westwardly up said railroad line with its various courses and curves, to the center of the railroad trestle across Cole Creek, sometime called Rock House Fork of Stony Fork; thence with an agreed line made between the American Association and Louisville Property Company, as run and marked by the engineers representing said parties in October 1907, (all of the above courses are referred to the magnetic meridian of 1902, and all of thefollowing courses are referred to the magnetic meridian of 1907) S 72 50 W 301.12 poles to a stone set on the crest of Log Mountain half way between the stumps of a fallen spotted oak and a fallen hickory, the 1st corner of the John L. Craig 200 acre patent No. 46427; thence S 61 35 W 426 poles to the center of the John Marsee Creek, with a black gum, maple, two birches, spruce pine and beech marked for pointers; thence N 69 13 W 255.36 poles to the 3rd line of John L. Craig 200 acre patent No. 46460; thence with the southwest line of the John L. Craig patents, N 28 25 W 414 poles to the 2nd line of the Russ Davis 100 acre Patent No. 57581; thence S 47 42 W 293 poles to a stake on the crest of Fork Spur at the extreme head of the right hand fork of the Left Fork of Wheeler Creek, a corner of a tract of land conveyed by the United States Trust Company, as Assignee of the Louisville Property Company, to the Pruden Coal & Coke Company; thence with said tract, N 35 15 W 284 poles to the beginning; containing 18,360.11 acres, more or less,

ORIGINAL TRACT NO. 10 3.80 acres.

A tract of land lying in Bell County, Kentucky, on Fork Ridge, opposite the Shelton Evans place, embracing the W. W. Barclay patent No. 64541:

Beginning at a chestnut near the crest of Fork Ridge, the 2nd corner of the John Hendrickson Patent No. 31854, and the 6th corner of the Philip Lee 50 acre patent No. 7176; thence with the 2nd line of said patent No. 31854, S 50 50 W 29.32 poles to a double chestnut about ten poles east of a low gap in Fork Ridge, the 3rd corner of said patent and also the 4th corner of said patent No. 64541; thence with the 3rd line of the last named patent reversed, N 38 W 38 poles to the 8th line of the Washington Pursifull 50 acre patent; thence with said line reversed, N 39 30 E 2.60 poles to the 6th line of said patent No. 7176; thence with it reversed, S 7 2 42 E 47 poles to the beginning, containing 3.80 acres.

558

543

ORIGINAL TRACT NO. 12 8.85 acres.

A tract of land lying in Bell County, Kentucky on Pine Cree waters of the Laurel Fork of the Clear Fork of Cumberland River:

Beginning at a beech, the 5th corner of the James Hendricks 200 acre patent No. 58949; thence with the lines of said patent, 66 48 W 28.64 poles to a large rock and chestnut; thence S 78 20 20.61 poles to a beech; thence N 22 47 W 36.23 poles to a white thence N 1 32 W 14 poles to a black oak and maple; thence leavin the lines of said patent No. 58949 and running with an agreed lin made between Green Henderson and A. E. Partin S 64 E 30 poles to a black gum and maple; thence S 59 E 12 poles to a birch and che nut oak; thence S 21 E 8 poles to a spotted oak and black oak; thence S 55 E 8 poles to a white oak and chestnut; thence S 20 E 26 poles to the beginning, containing 8.85 acres.

ORIGINAL TRACT NO. 14. 6.81 acres.

A track of land lying in Bell County, Kentucky, on Cannon Creek, being the land lying on the North side of said Cannon Cr embraced within the deed from Jermish Mosely to Alex A. Arthur, Trustee, dated June 25, 1887, and recorded in Bell County Deed Book 5, Page 579.

Beginning at a point in the center of Cannon Creek at the lower end of the Jerry Mosely place, from which a white oak, 1st corner of said tract bears S 0 45 W 10 poles; thence with the lines of said tract reversed, N 0 45 E 15 poles to a stake stand N 42 1/4 W 66 links from a beech dimly marked for corner and bl on one side; thence N 85 15 W 4 poles to a stake standing S 37 W 24 links from a beech marked B. T. 64/56 A.; thence N 71 15 poles to a stake near a leaning white oak; thence N 43 15 W 10 poles to a stake; thence N 39 15 E 12 poles to a stake; thenc N 0 45 W 10 poles to a stake; thence S 24 15 E 3 poles to a st thence S 66 15 E 10 poles to a stake; thence S 89 15 E 11 pole a stake; thence S 19 45 W 14.72 poles to the center of Cannon thence leaving the lines of said tract and running Eastwardly Cannon Creek, with its meanders, about 43 poles to the beginnir containing 6.81 acres.

The above courses are referred to the magnetic meridian of 1911.

559

544

19/282

ORIGINAL TRACT NO. 15. 26 acres.

A tract of land lying in Bell County, Kentucky, on Log Mountain, near the lands of E. Hurst, being Tract No. 2, described in said deed from John G. Kellums and wife, to Alex A. Arthur, Trustee, dated Oct. 28, 1887, and recorded in Bell County Deed Book 6, page 565.

Beginning at two spotted oaks, standing on Caney Knob, thenc N 20 W 30 poles to a white oak; thence N 61 W 21 poles to a spotted oak and maple; thence N 50 W 40 poles to a stake at Joe Sampson's line and also a line of a survey in the name of T. J. Kellums; thence with the same, S 2 W 75 poles to a sourwood on a line of the same; thence East 100 poles to a stake; thence N 60 W 40 poles to the beginning, containing 26 acres.

The above courses are referred to the magnetic meridian of 1883.

ORIGINAL TRACT NO. 16 6 acres.

A tract of land lying in Bell County, Kentucky, on the north side of Cannon Creek, containing all the Daniel Miller 150 acre patent No. that lies on the north side of said Cannon Creek, said Miller patent having been surveyed February 9, 1816, and patented June 20, 1817.

Beginning at a white oak and stake, the 6th corner of said Miller Patent; thence with the closing line of said patent, S 20 W 66 poles to the center of Cannon Creek; thence Eastward down Cannon Creek with the meanders of the center, about 34 poles to a point where the 5th line of said Miller patent crosses Cannon Cre thence with the 5th line of said patent, N 10 W 61 poles to the beginning, containing 6 acres, more or less.

The above courses are referred to the magnetic meridian of 1816.

560

20/282

ORIGINAL TRACT NO. 17. 78.50 acres.

(Conveys right of way across and through this acreage only.)

A tract of land lying in Bell County, Kentucky, on Hignite Creek, which was conveyed by the Yellow Creek Land Company to William Givens by deed dated September 18, 1907; and recorded in Deed Book 54, page 251, which conveyance reserves all necessary rights of way for the purpose of construction and operating all railroads, tramroads, roads and ways through, over and upon the land conveyed and also the right to drive all necessary entries in and through the different seams or veins of coal in and under the land conveyed, as may be necessary to enable the party of th first part in said deed to reach, mine, extract and remove all coal upon, in or under the lands now owned by the party of the first part adjoining the lands conveyed to said Givens, all of which was agreed to, executed and acknowledged by said Givens an Rilla Givens, his wife, individually, and also by the Gold Bond Land & Coal Company, by William Givens, President.

All the rights and privileges reserved as above stated are hereby conveyed by the party of the first part hereto to the party of the second part, in the tract of land conveyed by the Yellow Creek Land Company to William Givens, which is described in said deed as follows:

Beginning at the third corner of the DeGroot patent No. 43326; thence with an agreed line between the said Wm. Givens and the Yellow Creek Land Company, N 19 30 E 212 poles to a stake, formerly a clump of sprouts, a conditional corner between the Louisville Property Company and J. J. Evans in the line of the Elam Partin Grant No. 21101 for 300 acres; thence with the lines of said Elam Partin Grant, S 87 E 7 poles to the line of the Z. S. Gibson Grant No. 5209; thence with the lines of the Z. S. Gibson Grant No. 5209, S 57 E 30-1/2 poles; thence N 87 E 6 poles to the northeast line of said patent No. 43269; thence S 43 10 E 67-1/2 poles to the northeast corner of said patent No. 43269; thence with the southeast line of said patent No. 43269, S 46 50 W 223 poles to the center of Hignite Creek; thence a short distance to the beginning, containing 78.50 acres.

561

546

ORIGINAL TRACT NO. 18. 14 acres.

An undivided one-half interest in the following described tract of land:

A tract of land lying in Bell County, Kentucky, on the west side of Bean Spur near the head of Long Branch of Hignite Creek, waters of the Stony Fork of Yellow Creek:

Beginning at two chestnuts standing on the crest of Bean Spur near the junction of the crest of said spur with the crest of Log Mountain, the 12th corner of the Z. S. Gibson 200 acre patent No. 5209 and also the 1st corner of the DeGroot et al. 200 acre patent ; No. 43313; thence down Bean Spur with the meanders of its crest, S 31 30 E 14.60 poles, S 60 E 41.92 poles, S 34 E 13.50 poles, to the 8th and closing line of the William B. Willis 100 acre patent No. 41931; thence with said patent, S 69 45 W 5 poles to two white oaks, the 1st corner of said patent; thence continuing with said Willis patent, S 7 45 W 18.36 poles to three hickories; thence S 9 54 E 35 poles to the 2nd line of DeGroot et al. patent No. 43323; thence S 41 30 W 30 poles to the 4th line of DeGroot et al. patent No. 43313; thence with said line N 13 30 W 124 poles to the beginning, containing 14 acres, more or less.

The above courses are referred to the magnetic meridian of 1902.

TRACT 38-2B

Resurvey of the J. M. Huber Corporation property, formerly Kentucky-Georgia, situate in Bell County, Kentucky, on Centers Branch of Greasy Creek and on the ridge between Centers Branch of Greasy Creek and Carroll Branch of Greasy Creek.

Beginning at a 20" buckeye on East side of drain above Tommy Murphy home, S71-00E 207.2 ft. to a 24" Beech marked for corner;

Thence S43-30E 88.4 ft. to a hickory marked for corner;

Thence S56-47E 249.6 ft. to a set stone with an 18" and 14" white oak marked for pointers;

Thence S84-22E 158.4 ft. to a stake;

Thence S19-29E crossing branch at 15.0 ft. in all 252.3 ft. to a set stone with a 24" black oak and a 10" white oak marked for pointers;

Thence S53-30E 109.0 ft. to a stake;

562

547

22/282

Thence S66-51E 135.8 ft. to a stake;

Thence S51-45E 83.7 ft. to a 14" beech marked for corner;

Thence S86-46E 62.6 ft. to a stake;

Thence N83-06E 74.8 ft. to a stake;

Thence S65-15E crossing branch at 70.0 ft. in all 86.8 ft. to a stake;

Thence S61-06E crossing ridge, crossing branch at 54.1 ft. in all 179.6 ft. to a 24" white oak marked for corner;

Thence S58-55E 87.2 ft. to a stake;

Thence S75-15E 122.6 ft. to a 12" black walnut marked for corner;

Thence S79-08E 171.9 ft. to a set stone in center line of hollow with a 26" beech for pointer on West side of hollow;

Thence up center line of hollow NO-10E 136.7 ft. to a rock with 3 marks and a 7" and 5" white oak and a 6" beech marked for pointers;

Thence still with same N18-55E 173.6 ft. to a stake in center line of hollow;

Thence still with same N16-58E 177.9 ft. to a stake in center line of hollow;

Thence still with same N21-48E 140.7 ft. to a stake in center line of hollow;

Thence leaving hollow N4-28E 182.8 ft. to a set stone on top of spur with a 20" black oak and a 16" water oak marked for pointers;

Thence N49-32E crossing spur at 821.8 ft. in all 1291.2 ft. to a set stone on North side of Ridge with a 14" and 12" white oaks marked for pointers;

Thence N45-21W 81.0 ft. to a set stone with a 10" hard maple and a 9" soft maple marked for pointers;

Thence N78-43E 436.6 ft. to a set stone with a 28" beech marked for corner and 3 hacks for pointers;

Thence N18-10E 155.8 ft. to a set stone on South side of hollow with a 12" soft maple and 4" beech for pointers;

Thence N3-57W 135.6 ft. to a set stone on North side of spur with a 16" beech marked for corner;

Thence N45-35W crossing branch at 178.6 ft. in all 368.9 ft. to a 16" sugar tree marked for corner;

Thence N30-28E 150.7 ft. to a set stone with a 6" hickory, 8" sourwood with old marks, marked for pointers;

Thence N15-53W 158.8 ft. to a set stone on top of ridge with a 12"

Thence S32-26W 116.7 ft. to a stake in hollow with a 24" beech on East bank of branch;

Thence S7-12E 91.7 ft. to an ash stump marked for corner;

Thence S23-30W 150.9 ft. to a stake in branch;

Thence S7-45W 187.6 ft. back to Beginning.

(containing 93.40 Acres).

Surveyed August 1970 by James Evans, Reg. No. 971.

EXHIBIT "I"

the following described tract of land with all appurtenances thereunto attached located and situated in Bell County, Kentucky, and being more particularly described thus :

"Beginning at a white oak tree at the County Road in a line between W. F. Overton and Charity Partin; thence S 6.W 34 P. to a poplar; thence S.9.W.8.P. to a stake; thence S 7.p. to a stake; thence S 12 W. 10 p to a stake; thence S 9. p. to a double Lynn and a sugar tree; thence S 9 poles to a sugar tree S 19 E. 21 p. to a whitw walnut, a corner between James Maiden and Charity Partin; thence with said MAIDEN'S LINE TO a black walnut, a corner of said Maidens and Linda H ndrickson; thence N 10 W 6 po to a stake; thence N 4 E 6 . p. to an apple tree; thence N 8 E 6. p to a stake; thence N 4 W 14 P to a stake; thence N 3.E. 22 P. to a sasfras; thence N . 9 Walnut 10 poles to a stake corner of J. R. Cobb's tract of land; thence with said J. R. Cobb's line to the road; thence a westwardly corus with the county road to the beginning."

EXHIBIT "K"

the following described property, to-wit:

TRACT NO. 1 - Situated along the westerly edge of the Oleana Jones lot, beginning on a concrete monument on the Middlesboro corporation line, which monument is on the Northwest corner of the Oleana Jones lot; thence S 84° 12' W 50.2 feet to a stake; thence S 17° 10' W 290.3 feet to a stake; thence N 84° 45' E 12.2 feet to a concrete monument which is on the Southwest corner of the Oleana Jones lot; thence with the Westerly line of this lot N 23° 41.4' E 307.23 feet to the beginning, containing 0.19 acre.

564

57

654

549

TRACT NO. 2 - Situated along the Easterly edge of the Oleana Jones lot, beginning on a concrete monument on the Middlesboro corporation line, which monument is on the Northeast corner of the Oleana Jones lot; thence with the Easterly line of this lot S 23° 15.4' W 347.53 feet to a concrete monument on the Southeast corner of the Oleana Jones lot; thence S 69° 38' E 55.4 feet to a stake at a fence; thence with this fence the following directions and distances: S 77° 45' E 42.6 feet, N 40° 57' E 96.0 feet, N 56° 27' E 90.3 feet, N 37° 20' E 238.3 feet; thence leaving the fence N 81° 30' W 241.7 feet to the beginning. Containing 1.43 acres. All by survey by R. M. Rogan, dated December 11, 1980.

The Party of the First Part has acquired the rights in title conveyed by this deed by virtue of her use and occupancy of such property over a period of years, and Party of the First Part by this deed recognizes that Party of the Second Part holds record title to the above-described property, and Party of the First Part hereby confirms title in and to such property in Party of the Second Part.

EXHIBIT "L"

Said land lies on the waters of Greasy Creek, in Bell County, Kentucky, and described as follows:

Beginning Atm 24 inch hickory on top of a ridge between two branches of Greasy Creek, witnessed by a 8 inch hickory and 30 inch chestnut oak and in bearing S 84-85 E 76.8 feet from a 22 inch chestnut oak, witnessed by a 32 inch chestnut and 27 inch chestnut oak; thence down the ridge between the two branches of Greasy Creek S 56-56 E 260.5 feet to a 20 inch crooked chestnut on the center of said ridge, witnessed by a 16 inch crooked chestnut oak; thence S 48-47 E 378.4 feet to a 16 inch chestnut oak on center of said ridge; witnessed by a 26 inch chestnut oak; thence S 59-18 E 398.8 feet to a 10 inch black oak on the center of said ridge, witnessed by a 14 inch chestnut; thence down the spur S 76-23 E 464.7 feet to a 16 inch chestnut, 6 inch sourwood and 6 inch sourwood on the center of the spur about 100 feet below a cliff; thence N 2-12 E 42.1 feet to a stake; thence N 47-26 W 58.2 feet to a stake, 2 feet from a 4 inch maple stump witness; thence N 44-36 W 156.2 feet to a stake, in bearing N 45-00 W 18 feet from a 30 inch chestnut stump; thence N 51-04 W 128.1 feet to a stake, in bearing S 71-15 W 18 feet from a 30 inch dead chestnut; thence N 58-12 W 136.8 feet to a stake, in bearing N 70-00 E 1.8 feet to a 4 inch locust witness; thence N 42-31 W 108.8 feet to a stake; thence N 40-02 W 128.4 feet to a stake; thence N 19-46 W 108.8 feet to a stake; thence N 25-12 W 136.8 feet to a stake near the head of a hollow; thence N 8-43 E 165 feet to a stake in a line of the L.C. Land Company; thence S 76-17 W 1.6.4 feet to formerly a 6 inch dogwood, now a stump, on said spur 10 feet above the corner of the fence, witnessed by a 3 inch dogwood, now a stump, and 4 inch chestnut; thence S 73-07 W 139.8 feet to a 6 inch mulberry on the hillside, witnessed by a 24 inch white oak and 8 inch black oak; thence S 84-26 W 217.6 feet to a hickory stump on said hillside, witnessed by a 4 inch dogwood and 2 inch black oak; thence N 77-48 W 83.8 feet to a 24 inch hickory on top of a ridge, the point of beginning, and containing eight and seventy-two hundredths (8.72) acres, more or less.

SITUATED ON GREASY CREEK OF BELL COUNTY, HARPS CREEK, GOLDENS CREEK OF BIG POPLAR CREEK, LITTLE POPLAR AND LITTLE BRUSH CREEK IN KNOX COUNTY.

Beginning at a set stone on top of a high knob, head of left hand fork of Big Eb Hollow and head of Law Branch of Greasy Creek and left hand of fork Tallow Branch of Big Brush Creek;

Thence down and with ridge between Big Eb Branch and Law Branch S 87-16 E 137.8 feet to a stake;

Thence S 83-17 E 163.6 feet to a stake;

Thence N 82-47 E 239.2 feet to a stake;

Thence S 89-52 E 202.0 feet to a white oak original corner with a 36 inch chestnut oak pointer;

Thence N 71-25 E 167.8 feet to a stake;

Thence N 88-29 E 338.1 feet to a stake;

Thence S 89-16 E 340.0 feet to a stake;

Thence N 75-48 E 312.2 feet to a stake;

Thence S 79-10 E 434.1 feet to a stake;

Thence S 31-38 E 402.5 feet to a 24 inch chestnut oak on the center of ridge;

Thence S 50-53 E 244.9 feet to an oak stump;

Thence leaving ridge S 30-01 W 122.0 feet to a chestnut oak (oak had fallen);

Thence S 29-56 W 145.5 feet to a stake;

Thence S 25-56 W 190.5 feet to a stake;

Thence S 16-54 W 69.3 feet to a stake on top of high wall;

Thence S 14-07 W 46.4 feet to a stake in floor of strip pit, in all 169.4 feet to a stake in a hollow;

Thence S 39-31 W 111.3 feet to a stake in a hollow;

Thence S 34-14 W 247.7 feet to a stake in a hollow;

Thence S 23-24 W 153.6 feet to a stake in a hollow;

Thence S 55-02 W 125.3 feet to a stake in a hollow;

Thence S 33-50 W 142.9 feet to a 14 inch elm 20 feet below a falls;

Thence S 40-48 W 148.4 feet to an oak in hollow;

Thence S 28-02 W crossing branch at 135.0 feet, in all 145.5 feet to a stake in field;

Thence N 41-34 W 107.6 feet to a stake;

Thence S 78-35 W 73.8 feet to a stake;

Thence S 52-13 W 108.4 feet to a stake;

Thence S 79-50 W 124.0 feet to a stake;

Thence N 75-05 W 63.4 feet to a stake;

Thence N 77-55 W 77.8 feet to a stake;

Thence N 77-34 W 145.7 feet to a stake;

Thence N 82-43 W 195.1 feet to a stake;

Thence S 63-37 W 364.9 feet to a stake;

Thence S77-17W 316.7 feet to a stake;

Thence S 74-07W 139.3 feet to a stake;

Thence S 85-26 W 317.6 feet to a stake;

Thence N 76-48 W 50.5 feet to a stone on top of a high knob between two branches of Greasy Creek and being in the Bell and Knox County line;

Thence down and with the spur S 35-38 E 240.2 feet to a 24 inch crooked chestnut oak on ridge;

Thence S 47-47 E 375.4 feet to a 24 inch chestnut oak on ridge;

Thence S 58-18 E 398.0 feet to a 24 inch black oak and a chestnut stub on ridge;

Thence S 75-33 E 405.9 feet to a stake on ridge about 100.0 feet below a cliff;

Thence S 52-49 E 497.0 feet to a stake on ridge;

Thence S 33-18 E 216.0 feet to a stake on ridge;

Thence S 62-47 E 139.9 feet to a stake on ridge;

Thence S 79-13 E 238.9 feet to a stake on ridge;

Thence S 14-48 E 124.9 feet to a stake on north side of spur with a 6 inch hickory pointer;

Thence N 89-34 W 173.0 feet to a stake in head of a drain in middle of a sag with 6 inch hickory pointer;

Thence S 47-03 W 171.8 feet to a 12 inch hickory on a small spur;

Thence S 58-27 W 155.2 feet to a stake;

Thence S 30-25 W crossing hollow at 204.0 feet, in all 243.5 feet to a stake on a steep bank;

Thence S 45-30 W 213.0 feet to a stake;

Thence S 46-54 W 339.1 feet to a stake in Carroll Branch about 15.0 feet from a cliff, with a 10 inch poplar on said cliff for a pointer;

Thence S 77-34 W 96.0 feet to a stake;

Thence S 82-18 W 119.6 feet to a stake;

Thence N 78-43 W 194.6 feet to a stake;

Thence N 47-27 W 201.6 feet to a stake;

Thence N 64-36 W 323.3 feet to a stake in Carroll near a large boulder;

Thence leave hollow S 40-40 W 257.2 feet to a stake near the upper side of field;

Thence S 64-17 E 314.9 feet to a stake near left hand hollow of Carroll Branch;

Thence S 55-00 W 72.6 feet to a stake;

Thence S 57-45 W 297.8 feet to a stake in hollow;

Thence S 52-00 W 66.0 feet to a stake;

Thence S 44-45 W 135.1 feet to a stake in hollow;

Thence S 76-00 W 155.7 feet to a stake in hollow;

Thence S 55-00 W 116.8 feet to a stake in hollow;

Thence S 79-20 W 143.6 feet to a stake in hollow;

Thence N 62-00 W 152.5 feet to a stake in hollow;

Thence S88-15 W 144.3 feet to a stake in hollow;

Thence leaving hollow S 17-50 E 92.9 feet to a stake;

Thence S 18-50 E 136.8 feet to a stake;

Thence S 18-15 E 163.1 feet to a stake on top of ridge between Carroll Branch and Centers Branch of Greasy Creek;

Thence S 19-50 E 198.5 feet to a stake on south side of ridge;

Thence S 40-00 E 82.9 feet to a stake on south side of ridge;

Thence S 56-00E 104.0 feet to a stake on ridge;

Thence with top of ridge S 66-50 E 45.8 feet to a stake;

Thence S 80-00 E 131.5 feet to a stake on ridge;

Thence S 71-00 E 78.5 feet to a stake on ridge;

Thence leaving ridge S 44-38 W 1122.4 feet to a stake at the north end of bridge;

Thence up the road N 47-08 W 454.7 feet to a stake on north edge of road;

Thence N 45-55 W 271.0 feet to a white oak on a cliff about 50.0 feet on north bank of branch;

Thence N 62-33 W 271.0 feet to a rock with 3 marks on west side of said rock;

Thence N 73-39 W 207.3 feet to a stake on north bank of Centers Branch;

Thence up Centers Branch N 68-57 W 356.4 to a stake on north bank of said branch in mouth of a hollow;

Thence N 10-00 W 207.6 feet to a point on a flat rock between road and hollow;

Thence N 43-30 W 106.8 feet to a stake in the old road;

Thence N 69-34 W 83.1 feet to a stake in the new road;

Thence up and with road S 69-53 W 578.4 feet to a stake in the center of road;

Thence leaving road N 20-41 W 157.3 feet to a stake about 15.0 feet above the top of a steep bank above a spring;

Thence S 76-52 W 198.2 feet to a stake in center of a hollow;

Thence down hollow S 44-29 E 104.3 feet to a stake in center of hollow;

Thence S 3-06 E 114.3 feet to a stake in Centers Branch;

Thence up said branch S 64-38 W 188.9 feet to a stake on south bank of Centers Branch and on west bank of a hollow, a corner to Centers property;

Thence up Centers Branch and with Centers line N 53-15 W 53.8 feet to a point in branch;

Thence S 68-00 W 387.8 feet to a point in branch;

Thence S 39-00 W 107.3 feet to a piece of steel rail set in a chestnut stump which Bob Centers said was a corner;

Thence up a spur S 73-30 W 297.0 feet to a stake on the spur pointed by a 12 inch dogwood;

Thence S 87-00 W 125.4 feet to a stake in upper edge of a road;

Thence S 78-00 W 231.0 feet to a stake on spur;

Thence N 88-00 W crossing strip pit coal seam at 250.0 feet, in all 432.3 feet to a stake on spur;

Thence N 76-30 W 103.0 feet to a stake on spur;

Thence N 88-00 W 132.0 feet to a stake on spur;

Thence N 84-00 W 214.5 feet to a stake on spur;

Thence S 3-00 E crossing strip pit at 525.8 feet and 1449.7, in all 1584.00 feet to a 6 inch ash marked for corner;

Thence N 86-00 W 210.3 feet to a set stone;

Thence S 21-00 W 419.9 feet to a set stone on top of ridge;

Thence N 84-03 W 142.0 feet to a stake on top of ridge;

Thence S 84-09 W 520.0 feet to a stake;

STD

Thence N 30-13 E 133.9 feet to a pile of stones on top of a knob on center of ridge, on the Bell and Knox County line;

Thence with ridge N 49-40 W 460.3 feet to 24 inch oak stump on top of ridge with a 12 inch hickory pointer;

Thence N 42-28 W 119.0 feet to a 16 inch maple on ridge;

Thence leaving top of ridge and county line and running on west side of knob S 22-14 E 663.0 feet to a set stone on top of ridge in the Bell and Knox County line;

Thence with ridge and county line S 37-19 W 276.6 feet to a set stone on center of ridge;

Thence S 25-58 W 203.4 feet to a stake on ridge;

Thence S 36-00 W 166.2 feet to a stake on ridge;

Thence S 31-03 W 241.9 feet to a stake on ridge;

Thence S 17-49 W 264.9 feet to a stake on ridge;

Thence S 37-16 W 344.0 feet to a stake on ridge;

Thence S 14-32 W 303.0 feet to a stake on ridge;

Thence S 8-52 E 210.3 feet to a stake on ridge;

Thence S 26-47 W 188.2 feet to a stake on a high knob;

Thence leaving ridge S 80-50 W 700.0 feet to a stake in strip pit, in all 1806.7 feet to a stake;

Thence N 82-59 W 91.5 feet to the S.E. corner of Murph Brown property;

Thence with Brown line N 24-00 E 358.1 feet to a 24 inch beech, a corner of Brown property;

Thence still with Borwn line north 66.0 feet to an 8 inch chestnut oak being the N.E. corner of Borwn property;

Thence with the north line of Brown property, West 120.0 feet to a set stone, being the N.W. corner of Brown property;

Thence with the west line of Brown property, S 25-00 W 168.0 feet in the line of Brown property;

Thence S 40-00 W 275.3 feet to a stake in Bee Camp Branch, the S.W. corner of Brown property;

571

Thence leaving Brown property, N 82-59 W 632.5 feet to a stake on bank behind a house;

Thence N 78-15 W 55.0 feet to a stake;

Thence N 76-10 W 210.8 feet to a stake in the center line of the Cumberland Railroad, where the Bee Camp Trestle once stood;

Thence N 7-30 W 98.4 feet to a point on top of railroad abutment;

Thence with center of railroad N 14-32 W 22.6 feet;

Thence N 20-39 W 158.0 feet to a point in center of railroad;

Thence N 34-06 W 165.0 feet to a point in center of railroad;

Thence N 45-10 W 452.9 feet to a point in center of railroad;

Thence N 42-05 W 296.2 feet to a point in center of railroad;

Thence N 30-14 W 296.8 feet to a point in center of railroad;

Thence N 20-35 W 236.4 feet to a stake in center of railroad;

Thence N 0-35 W 156.0 feet to a stake in center of railroad;

Thence N 2-30 E 81.6 feet to a stake in center of railroad;

Thence leaving railroad, S 85-20 W 98.9 feet to a stake on the west edge of road, crossing Brush Creek at 116.0 feet, in all 300.9 feet to a stake;

Thence S 60-12 W crossing spur at 215.0 feet, crossing over top of a large boulder of 1893.8 feet, crossing out edge of strip pit at 2068.8 feet, in all 2320.00 feet to a stake;

Thence S 57-54 E 61.5 feet to a stake;

Thence S 4-49 W 312.7 feet to a stake in an old field;

Thence N 83-22 E 428.0 feet to a stake;

Thence N 6-38 W 6.5 feet to a stake;

Thence N 86-06 E crossing strip pit 380.0 feet., in all 751.3 feet to a stake;

Thence S 38-30 E 407.4 feet to a stake;

Thence S 60-48 E 198.2 feet to a stake;

632

Thence S 42-49 W crossing strip pit at 400.0 feet, in all 645.6 feet to a stake;

Thence S 80-08 W 425.6 feet to a chestnut oak in fence on top of spur;

Thence S 54-16 E crossing strip pit at 610.0 feet, crossing hollow at 840.0 feet, crossing another hollow at 1006.0 feet, in all 1559.4 feet to a 30 inch water oak corner;

Thence S 85-37 E 47.8 feet to a stake;

Thence S 9-00 E 198.5 feet to a stake;

Thence S 13-05 W 61.7 feet to a stake;

Thence S 1-40 W 229.6 feet to a stake;

Thence S 0-30 W 147.6 feet to a 24 inch poplar on side of hollow;

Thence S 51-00 E 132.8 feet to a stake;

Thence S 66-10 E 201.5 feet to a stake;

Thence S 54-30 E 72.6 feet to a stake

Thence S 52-00 E 182.5 feet to a stake between Brush Creek and road;

Thence S 16-54 W 216.4 feet to a stake between creek and road;

Thence S 8-26 W 175.9 feet to a stake between creek and road;

Thence S 38-02 W 199.0 feet to a stake between 11 inche: and 7 inch black gum on west bank of Brush Creek on point of a spur;

Thence up spur N 57-03 W 610.0 feet to a stake on spur with 5 inch pine and 14 inch black oak pointers;

Thence N 34-44 W crossing top of a high knob at 547.0 feet, in all 593.5 feet to a 14 inch water oak on top of ridge;

Thence leaving ridge N 76-38 W 246.4 feet to a stake;

Thence N 68-31 W 377.5 feet to a stake;

Thence N 41-43 W 419.0 feet to a stake with a 22 inch black oak, 7 inch maple and an 8 inch black oak pointers;

Thence N 15-38 W 298.6 feet to a stake in head of hollow where once stood a 50 inch sycamore but gone;

Thence N 66-18 W 218.5 feet to a stake on top of a spur;

Thence N 37-36 W 178.3 feet to a stake below cliff;

Thence N 74-14 W 265.6 feet to a stake 6.0 feet below a cliff on a bench;

Thence N 83-09 W crossing hollow at 52.0 feet, in all 200.0 feet to a 24 inch chestnut oak on the edge of bank;

Thence S 63-30 W 181.5 feet to a stake on spur with chestnut oak marked for corner;

Thence N 70-30 W 146.0 feet to a stone (3 feet by 4 feet);

Thence S 38-50 W 640.7 feet to a stake on north bank of hollow with original beech corner;

Thence S 9-45 W a point in strip pit at 378.8 feet, in all 825.9 feet to a stake on top of spur with a 12 inch maple for pointer;

Thence down and with center of spur S 68-17 E 378.4 feet to a stake on spur;

Thence S 64-54 E 280.2 feet to a stake on top of spur;

Thence S 58-25 E crossing strip pit at 270.0 feet, in all 415.8 feet to a stake on spur;

Thence S 69-35 E 275.9 feet to a stake on spur with a hickory pointer standing on a cliff;

Thence S 61-50 E 123.7 feet to a stake on spur;

Thence S 54-25 E 211.0 feet to a stake on spur;

Thence S 61-40 E 150.3 feet to a stake on spur;

Thence S 68-20 E 155.8 feet to a stake on spur;

Thence S 71-10 E 158.4 feet to a stake on spur;

Thence S 63-00 E 282.0 feet to a stake on spur;

Thence S 62-40 E 155.2 feet to a stake on spur;

Thence S 63-45 E 91.7 feet to a 36" black oak corner;

Thence S 76-20 E 214.9 feet to a stake above a graveyard;

574

Thence S 73-32 E 11.0 feet to corner of graveyard fence, in all 181.0 feet to a stake;

Thence S 76-00 E 343.3 feet to a stake on north bank of road and Brush Creek;

Thence S 40-50 E crossing creek and road 626.9 feet to a stake in forks of a hollow with a mulberry and hornbeam pointers;

Thence S 63-43 W 236.7 feet to a 7 inch maple marked for corner on a spur;

Thence up and with spur S 51-29 E 121.0 feet to a white oak stump, tree had been cut, still there;

Thence S 40-47 E 368.9 feet to a stake on spur with a yellow oak pointer;

Thence S 27-39 E 189.8 feet to a stake on spur between a 10 inch hickory and an 18 inch yellow oak marked with 3 hacks;

Thence S 46-00 E 284.9 feet to a 24 inch chestnut oak on spur;

Thence S 81-47 E 358.9 feet to a 36 inch chestnut oak on top of mountain between Brush Creek and Greasy Creek, the original corner, also a corner to a tract of land claimed by a Mrs. Martin (widow) in Bell and Knox County line;

Thence with Martin line S 57-00 W 33.0 feet to a stake on top of mountain;

Thence S 29-00 W 214.0 feet to a stake on top of mountain;

Thence leaving top of mountain and still with Martin line S 57-30 E 190.9 feet to a stake in strip pit;

Thence with strip pit N 69-00 E 272.4 feet to a stake in strip pit;

Thence N 57-15 E 300.0 feet to a stake in strip pit;

Thence N 76-20 E 118.0 feet to a stake in strip pit;

Thence S 86-45 E 202.0 feet to a stake in strip pit;

Thence N 48-30 E 139.0 feet to a stake in strip pit;

Thence leaving strip pit S 75-44 E 665.3 feet to an 18 inch chestnut oak marked with 3 hacks for corner, on a spur;

Thence S 58-22 E 197.8 feet to a stake on spur;

Thence S 46-53 E 506.2 feet to a stake on spur;

Thence leaving spur S 18-22 E 190.7 feet to a stake in hollow;

Thence N 88-03 E 74.6 feet to a stake in hollow;

Thence a line with R. R. right of way S 57-55 W approximately 5350.0 feet to a stake in a hollow with a 22 inch poplar pointer;

Thence up said hollow N 25-16 W 482.7 feet to a set stone;

Thence S 67-09 W 500.2 feet to a set stone;

Thence N 7-15 W 400.6 feet to a set stone in a field with a 6 inch poplar and a 24 inch beech on a small cliff for pointers;

Thence N 70-42 W 400.3 feet to a buckeye stump in left fork of Eli Goin Branch;

Thence S 31-56 E 305.2 feet to a set stone;

Thence S 14-15 E 407.9 feet to a point on top of a rock on the end of a spur (the rock marked with three (3) perpendicular marks on the lower side);

Thence S 12-00 W 76.6 feet to a stake;

Thence N 63-35 W 321.5 feet to a set stone on center of a spur;

Thence up and with top of said spur N 70-30 W 207.0 feet to a stake with a 6inch hickory marked with three (3) hacks;

Thence West 153.4 feet to a stake on spur with a 14 inch black oak pointer;

Thence N 87-51 W 144.3 feet to a stake near a 30 inch oak stump;

Thence N 51-29 W 214.6 feet to a stake with an 18 inch black oak for pointer;

Thence N 35-24 W 102.3 feet to a stake on ridge;

Thence N 63-37 W 77.6 feet to a stake on spur with a 20 inch black oak marked for pointer;

Thence N 52-21 W 159.2 feet to a stake on ridge;

Thence leave top of ridge N 32-20 E 1,166.1 feet to a set stone on the west side of a spur with two (2) 10 inch marked oak pointers;

Thence N 4-30 W crossing the top of the ridge between Greasy Creek and Brush Creek and the line between Bell County and Knox County at 61.0 feet, in all 795.7 feet to a set stone;

576

Thence N 75-29 E 283.0 feet to a 30 inch beech market L. T.;

Thence S 85-52 E crossing the head of Big Brush Creek at 276.9 feet, in all 469.8 feet to a stake on a small spur with an 8 inch beech pointer;

Thence N 54-25 W crossing Brush Creek at 166.4 feet, in all 461.0 feet to a 50 inch marked beech, original corner;

Thence S 69-30 W 630.0 feet to a set stone with a forked poplar with three (3) hacks;

Thence S 56-15 W 336.0 feet to a set stone on top of ridge between Brush Creek and Greasy Creek in the Bell and Knox County line;

Thence N 15-20 W 1022.1 feet to a set stone on the east side of ridge with a 12 inch white oak pointer;

Thence N 44-47 W crossing top of ridge and county line at 281.4 feet, in all 1168.6 feet to a stake on top of ridge;

Thence N 63-40 W 85.8 feet to a set stone on top of needle eye rock between two (2) 24 inch chestnut oaks, marked for corner;

Thence leaving top of ridge, and county line, with the old mountain road on the Greasy Creek side of the mountain N 67-12 W 103.6 feet to a stake in road;

Thence N 89-22 W 120.0 feet to a stake in road;

Thence N 81-50 W 96.0 feet to a stake in road;

Thence N 74-06 W 200.0 feet to a stake in road;

Thence S 87-06 W 130.0 feet to a stake in road;

Thence leaving road S 3-26 W 1030.3 feet to a set stone in floor of strip pit;

Thence N 89-50 W 1838.2 feet to a set stone on top of the ridge between Harps Creek and Greasy Creek in the Knox and Bell County line;

Thence leaving top of ridge S 4-16 W 404.4 feet to a stake;

Thence S 35-30 W 49.1 feet to a stake;

Thence S 52-48 W 172.0 feet to a stake;

Thence S 72-02 W 258.0 feet to a point on top of a cliff, witnessed by a 22 inch chestnut oak standing on top of cliff;

Thence N 21-35 W 91.9 feet to a set stone between two (2) oak trees, the original bearing trees;

Thence leaving top of ridge N 50-00W 431.5 feet to a stake;

Thence N 52-00 W 260.7 feet to a stake on top of spur;

Thence with spur S 83-54 W 582.0 feet to a set stone on north side of a spur;

Thence N 28-14 W 1576.7 feet to a set stone with a 12 inch mulberry and a 12 inch water oak marked for corner;

Thence S 84-26 W crossing Harps Creek at 165.0 feet, in all 350.8 feet to a beech, the original corner;

Thence S 81-11 W 465.5 feet to a beech for corner;

Thence S 43-48 W 130.3 feet to a 30 inch beech original corner;

Thence S 56-57 W 228.2 feet to a stake;

Thence S 6-40 W 197.3 feet to a stake;

Thence S 8-40 W 175.7 feet to a set stone with four (4) dogwood bushes marked for corner;

Thence S 76-04 W 662.7 feet to a 30 inch chestnut oak marked for corner;

Thence S 55-10 W 175.4 feet to a set stone with 5 inch hickory marked for pointer;

Thence S 27-31 W 150.3 feet to a 24 inch poplar marked for corner;

Thence S 5-18 W 151.1 feet to a 20 inch water oak;

Thence S 23-50 W 362.3 feet to a 16 inch black oak corner;

Thence S 23-53 E 309.9 feet to a 20 inch cucumber corner;

Thence S 35-21 W 103.6 feet to a forked beech original corner;

Thence S 75-43 W 255.1 feet to a beech original corner;

Thence S 81-45 W 133.8 feet to a 14 inch hollow maple standing on the west side of a hollow;

Thence S 33-39 W 236.7 feet to a beech original corner;

Thence S 75-49 W 100.8 feet to a stake;

Thence S 79-48 W 136.3 feet to a stake;

578

Thence S 77-38 W 210.0 feet to a 20 inch black oak corner;

Thence N 68-30 W 113.5 feet to a set stone with a 5 inch black pine pointer;

Thence N 8-10 W 620.7 feet to a beech original corner;

Thence N 4-22 E 419.6 feet to a set stone;

Thence N 2-14 W 321.1 feet to a stake;

Thence N 13-45 W 167.7 feet to a stake;

Thence N 29-22 W 264.7 feet to a 14 inch elm on west side of a hollow;

Thence N 72-00 E crossing right fork of hollow at 25.0 feet, 398.4 feet to outeedgeoof strip pit; in all 614.9 feet to a set stone beside a 36inch oak marked for corner;

Thence N 50-45 W 124.7 feet to a stake;

Thence N 55-45 W 92.6 feet to a stake;

Thence N 70-50 W 73.5 feet to a stake;

Thence N 74-20 W 100.0 feet to a stake;

Thence N 52-10 W 97.8 feet to a stake;

Thence N 55-20 W 144.4 feet to a stake;

Thence N 59-45 W 41.9 feet to a stake;

Thence N 74-40 W 90.9 feet to a stake;

Thence S 81-40 W 167.8 feet to a stake;

Thence N 80-20 W 94.3 feet to a stake;

Thence S 87-50 W 162.2 feet to a stake;

Thence S 53-40 W 122.3 feet to a stake;

Thence S 38-50 W 166.4 feet to a stake;

Thence S 33-40 W 136.8 feet to a stake;

Thence S 30-40 W 74.9 feet to a 22 inch poplar marked for corner;

Thence S 19-00 W 202.9 feet to a stake;

Thence S 25-45 W 176.4 feet to a stake;

579

564

Thence S 29-40 W 77.7 feet to a 12 inch black walnut marked for corner;

Thence S 25-40 W 205.3 feet to an 8 inch buckeye marked for corner;

Thence N 76-00 W 345.0 feet to a set stone;

Thence S 32-30 W 383.5 feet to a set stone;

Thence S 77-00 W 66.0 feet to an 8 inch maple corner;

Thence N 31-30 W 276.2 feet to a stake;

Thence N 33-15 W 171.5 feet to a set stone;

Thence S 5-00 W 1281.9 feet to a set stone;

Thence S 77-00 W 102.7 feet to a set stone;

Thence S 5-15 W 297.0 feet to a set stone;

Thence S 58-00 W 235.4 feet to a set stone;

Thence N 14-45 E 181.5 feet to a set stone;

Thence N 40-15 E 201.3 feet to a set stone;

Thence N 34-30 E 89.0 feet to a set stone;

Thence S 77-00 W 174.4 feet to a set stone;

Thence N 78-45 W 135.3 feet to a stake;

Thence N 70-15 W 187.5 feet to a set stone with a 14 inch chestnut oak pointer;

Thence S 38-45 W 234.0 feet to a set stone;

Thence S 74-30 W 198.0 feet to a set stone;

Thence N 60-00 W 85.8 feet to a set stone;

Thence N 19-15 W 166.1 feet to a set stone;

Thence N 56-00 W 130.3 feet to a hickory original corner;

Thence N 77-30 W 156.7 feet to a set stone;

Thence N 75-30 W 115.5 feet to a set stone;

Thence N 63-30 W 99.0 feet to a set stone;

Thence N 72-00 W 110.5 feet to a set stone;

Thence S 86-15 W 245.8 feet to a set stone;

Thence S 48-30 W 96.0 feet to a 28 inch black oak original corner;

Thence S 28-45 W 594.0 feet to a set stone;

Thence S 3-30 E 174.9 feet to a set stone;

Thence S 45-45 E 498.8 feet to a set stone;

Thence S 17-00 W 1323.3 feet to a stake;

Thence S 32-10 W 187.0 feet to a 10 inch maple corner;

Thence N 57-15 W 155.6 feet to a stake;

Thence N 59-30 W 434.7 feet to a stake;

Thence N 61-00 W 82.0 feet to a stake;

Thence N 56-30 W 150.3 feet to a stake;

Thence N 59-30 W 546.7 feet to a set stone;

Thence N 38-00 E 623.7 feet to a stake;

Thence N 20-15 E 145.8 feet to a 40 inch chestnut oak original corner;

Thence N 25-10 W 84.7 feet to a stake, called for locust gone;

581

Thence N 21-00 W 175.7 feet to a stake;

Thence N 3-45 W 102.3 feet to a set stone with a white oak and hickory for pointers;

Thence N 6-45 W 95.7 feet to a stake;

Thence N 45-45 W 66.4 feet to a hickory corner;

Thence S 86-00 W 145.1 feet to a stake;

Thence S 76-30 W 52.8 feet to a stake;

Thence S 33-45 W 74.2 feet to a point on rock;

Thence N 73-45 W 66.0 feet to a set stone with a maple and hickory marked for corner;

Thence S 81-15 W 89.1 feet to a set stone with two (2) black gums for corner;

Thence N 67- 50 W 135.3 feet to a stake;

Thence N 84-00 W 148.1 feet to a stake;

Thence N 85-15 W 36.5 feet to a stake;

Thence N 49-00 W 115.5 feet to a stake on edge road;

Thence S 80-45 W 75.9 feet to a stake;

Thence S 20-30 W 66.0 feet to a stake;

Thence S10-00 W 120.3 feet to a plug on top of a large rock;

Thence S 1-00 E 56.5 feet to a stake;

Thence S 1-30 E 137.5 feet to a chestnut oak in the crevice of a large rock;

Thence S 16-15 E 68.7 feet to a stake in center of road;

Thence S 15-00 E 66.0 feet to a stake;

Thence S 56-15 W 77.5 feet to a stake;

Thence N 51-30 W 40.5 feet to a stake in road;

Thence N 71-00 W 92.4 feet to a stake;

Thence N 79-15 W 62.7 feet to a set stone with a marked hickory pointer

582

Thence N 71-45 W 78.8 feet to a 14 inch locust marked for corner;

Thence S 83-15 W 85.8 feet to a stake;

Thence S 85-30 W 108.9 feet to a stake;

Thence N 59-30 W crossing spur at 440.3 feet; in all 1167.9 feet to a set stone;

Thence N 45-10 E 296.7 feet to a marked chestnut oak;

Thence N 56-00 E 240.5 feet to a stake;

Thence N 21-15 E 229.4 feet to a stake;

Thence N 23-00 E 273.4 feet to a set stone with two (2) hickorys and a white oak on a ridge;

Thence N 60-20 W 114.0 feet to a stake;

Thence S 78-30 W 210.5 feet to a set stone;

Thence S 72-30 W 77.5 feet to a set stone;

Thence S 64-40 W 125.4 feet to a set stone on top of ridge;

Thence with top of ridge N 52-20 W 115.5 feet to a stake on ridge;

Thence N 42-30 W 191.4 feet to a stake on ridge;

Thence N 44-15 W 217.8 feet to a stake on ridge;

Thence N 42-30 W 85.8 feet to a stake on ridge;

Thence N 31-45 W 110.5 feet to a stake on ridge;

Thence S 86-30 W 90.7 feet to a hickory corner;

Thence leaving top of ridge S 46-00 W 310.0 feet to a set stone in floor of strip pit;

Thence N 49-00 W 151.9 feet to a stake;

Thence N 67-00 W 1441.9 feet to a stone 42.0 feet from the forks of branch;

Thence up the branch N 1-00 E 594.0 feet to a set stone in branch;

Thence N 86-30 E 928.9 feet to a set stone on top of a high knob;

583

Thence S 37-50 E 126.2 feet to a stake;

Thence S 35-45 E 312.6 feet to a set stone;

Thence N 46-50 E 121.4 feet to a set stone on top of mountain;

Thence N 58-30 E 847.2 feet to a stake;

Thence N 46-00 E 177.9 feet to a set stone;

Thence N 43-00 W 945.0 feet to a set stone on top of a ridge;

Thence N 58-00 E 161.0 feet to a stake;

Thence N 49-00 E 217.0 feet to a stake;

Thence N 68-30 E 90.0 feet to a stake;

Thence S 80-30 E 104.0 feet to a stake;

Thence N 88-00 E 288.0 feet to a stake;

Thence N 77-00 E 59.0 feet to a stake;

Thence N 65-15 E 184.0 feet to a stake;

Thence N 41-30 E 454.0 feet to a stake;

Thence N 2-40 E 114.5 feet to a stake;

Thence N 25-20 E 153.8 feet to a stake;

Thence N 78-30 E 151.0 feet to a set stone on top of ridge;

Thence N 73-30 E 87.6 feet to a sourwood corner;

Thence N 67-20 E 212.0 feet to a set stone;

Thence N 65-30 E 310.0 feet to a stake;

Thence S 33-00 E 188.0 feet to a 30 inch hickory corner;

Thence S 15-15 E 223.0 feet to a 20 inch sassafras;

Thence S 46-30 E 375.0 feet to a 40 inch chestnut oak original corner;

Thence S 22-30 W 556.0 feet to a 30 inch beech original corner;

Thence S 33-30 W 499.0 feet to a 14 inch elm corner;

584

Thence S 16-30 E 176.0 feet to a stake;

Thence S 44-00 E 65.0 feet to a twin buckeye corner;

Thence S 27-30 E 137.7 feet to a stake;

Thence S 21-10 E 62.3 feet to a stake;

Thence S 64-00 E 126.0 feet to a stake;

Thence S 72-00 E 59.5 feet to a 24 inch poplar corner;

Thence S 10-30 W 186.0 feet to a set stone;

Thence S 81-00 W 426.0 feet to a set stone;

Thence S 8-30 W 148.5 feet to a stake;

Thence S 24-00 W 247.5 feet to a stake;

Thence S 11-30 W 143.5 feet to a stake;

Thence south 52.5 feet to a stake on top of hi-wall;

Thence S 2-30 W 128.8 feet to a set stone in edge of a hollow;

Thence N 77-00 E 93.0 feet to a stake;

Thence S 88-00 E 58.0 feet to a stake;

Thence N 64-30 E 80.0 feet to a stake;

Thence S 78-00 E 238.2 feet to a set stone about 20 feet below a large rock;

Thence S 80-30 E 76.0 feet to a set stone;

Thence N 77-00 E 120.0 feet to a stake;

Thence S 84-00 E 135.0 feet to a stake;

Thence N 83-30 E 42.0 feet to a double hickory;

Thence N 74-30 E 129.0 feet to a stake;

Thence N 67-10 E 200.2 feet to a set stone;

Thence S 51-45 E 559.0 feet to a set stone in a low gap;

Thence N 49-00 E 519.6 feet to a set stone 10 feet from a 22 inch water oak;

585

Thence N 45-30 E 93.9 feet to a 14 inch hickory on top of ridge;

Thence N 77-40 E 830.0 feet along top of ridge to a set stone between two hickories marked for corner;

Thence N 57-00 E 302.1 feet to a set stone on top of ridge;

Thence leaving ridge and down a spur N 5-30 W 99.0 feet to a stake;

Thence N 14-15 W 120.4 feet to a stake;

Thence N 12-00 W 94.0 feet to a stake;

Thence N 8-00 W 99.0 feet to a stake;

Thence N 8-45 W 99.0 feet to a stake;

Thence N 3-30 W 132.0 feet to a stake;

Thence N 3-15 E 145.8 feet to a stake;

Thence N 15-15 W 118.8 feet to a stake;

Thence N 12-15 W 272.2 feet to a set stone about 50 feet above hi-wall;

Thence N 73-45 E 80.0 feet to a set stone;

Thence S 62-00 E 155.0 feet to a 12 inch hickory corner;

Thence S 45-45 E 80.8 feet to a stake;

Thence S 42-15 E 166.5 feet to a stake;

Thence S 50-15 E 194.5 feet to a 14 inch mulberry and a double black walnut original corner;

Thence S 69-15 E 158.4 feet to a 16 inch mulberry;

Thence S 63-45 E 82.5 feet to a stake in drain;

Thence N 77-00 E 117.1 feet to a hickory and ash original corner;

Thence N 74-00 E 198.0 feet to a stake;

Thence N 77-15 E 84.7 feet to a stake;

Thence S 84-15 E 163.3 feet to a stake;

Thence S 74-45 E 348.0 feet to a set stone with a double buckeye marked for corner;

Thence N 85-30 E 211.0 feet to a 30 inch black walnut stump;

586

51

Thence N 57-15 E 293.7 feet to a 12 inch beech;

Thence N 35-15 E 240.9 feet to a large sugartree;

Thence N 60-00 E 87.5 feet to a 24 inch black walnut;

Thence S 74-00 E 85.8 feet to a 24 inch black walnut;

Thence S 69-45 E 204.7 feet to a stake in a branch;

Thence N 50-30 E 75.9 feet to a forked elm;

Thence N 64-00 E 311.8 feet to a 22 inch water oak;

Thence S 73-15 E 82.5 feet to a stake;

Thence S 58-15 E 148.0 feet to a forked buckeye;

Thence S 42-15 E 99.0 feet to a hickory stump;

Thence N 85-30 E 85.8 feet to a 14 inch hickory;

Thence S 85-40 E 132.0 feet to a marked 30 inch ash in a drain;

Thence N 72-45 E 96.9 feet to a stake on top spur;

Thence S 64-20 E 63.0 feet to a stake;

Thence S 56-10 E 154.3 feet to a stake;

Thence S 69-20 E 154.6 feet to a stake;

Thence N 25-20 E 131.3 feet to a stake;

Thence N 35-50 E 221.0 feet to a stake;

Thence N 14-00 E 138.4 feet to a stake;

Thence N 55-30 E 23.0 feet to a stake;

Thence S 49-30 E 129.3 feet to a 14 inch hickory above an old road;

Thence N 65-30 E 218.0 feet to a stake in lower edge of road;

Thence N 33-40 E 38.5 feet to a stake above road;

Thence N 0-20 W 161.2 feet to a stake;

Thence N 1-40 W 203.3 feet to a stake;

587

478

Thence N 32-20 W 107.1 feet to a stake;

Thence N 18-40 W 86.2 feet to a stake;

Thence N 1-30 W 177.5 feet to a set stone on top of hi-wall;

Thence N 55-04 E 608.3 feet to a set stone in strip pit near hi-wall about 60.0 feet west of a hollow;

Thence N 24-27 W 995.1 feet to a set stone with a 16 inch black gum and a 22 inch black gum original corner;

Thence N 75-10 E crossing ridge at 310.0 feet, in all 960.3 feet to a set stone on spoil pile;

Thence N 42-24 W 217.7 feet to a 16 inch beech original corner;

Thence N 45-07 W 417.0 feet to a set stone in hollow;

Thence N 12-25 W 169.7 feet to a set stone in hollow;

Thence N 29-03 W 203.5 feet to a 20 inch white oak;

Thence N 51-15 W 176.9 feet to a set stone;

Thence N 36-41 W 181.7 feet to a set stone;

Thence N 76-31 W 123.0 feet to a set stone;

Thence S 87-37 W 36.6 feet to a set stone on the west side of Goldens Creek, witnessed by a 36 inch sycamore in bearing N 89-00 W 34.5 feet;

Thence N 33-06 W crossing said creek at 15.0 feet, in all 488.2 feet to a set stone with a 10 inch maple and a 6 inch dogwood for pointers;

Thence N 27-57 E 572.1 feet to a set stone with a 24 inch black oak for pointer;

Thence N 32-18 W 739.5 feet to a set stone in spoil pile;

Thence N 24-55 E 223.0 feet to a set stone with a 30 inch beech pointer;

Thence N 39-56 W 149.9 feet to a set stone above strip pit;

Thence N 58-04 E 522.3 feet to a set stone;

Thence N 79-41 E 458.8 feet to a set stone with two (2) 12 inch oak pointers;

Thence S 66-57 E 426.2 feet to a stake;

588

34

Thence N 51-26 E 298.3 feet to a set stone with a 10 inch hickory and a 14 inch poplar for pointers;

Thence N 81-19 E 208.1 feet to a stake;

Thence N 58-55 E 395.4 feet to a stake;

Thence N 67-37 E 403.1 feet to a stake;

Thence N 59-28 E 258.1 feet to a stake;

Thence N 70-37 E crossing left hand fork of Goldens Creek at 117.0 feet; in all 186.7 feet to a set stone in upper edge of strip road;

Thence N 14-29 E crossing said fork at 605.7 feet, crossing top of cliff at 1519.2 feet; crossing top of mountain at 1778.5 feet, in all 3570.6 feet to a 26 inch beech original corner;

Thence N 68-14 E 679.3 feet to a set stone with a 16 inch poplar, 11 inch poplar and a 6 inch hickory for pointers;

Thence N 20-59 E crossing Tye fork at 760.0 feet, in all 947.4 feet to a set stone;

Thence N 80-50 W 1242.5 feet to a set stone on the south railroad right of way;

Thence with said right of way S 80-30 W 231.0 feet to a stake;

Thence N 75-45 W 386.2 feet to a stake;

Thence N 57-00 W 384.2 feet to a stake;

Thence N 44-10 W 397.2 feet to a stake;

Thence N 27-00 W 593.0 feet to a stake;

Thence S 69-20 W 50.0 feet to a steel pin with a 30 inch beech and a 36 inch beech for pointers;

Thence S 61-40 W crossing Tye Fork at 135.6 feet, in all 861.5 feet to a locust marked for corner on the out crop of the Dean coal seam;

Thence with the out crop of the Dean coal seam N 34-50 W 303.8 feet to a stake;

Thence N 35-40 W 301.0 feet to a stake;

Thence N 14-10 W 247.0 feet to a stake;

Thence N 21-00 W 276.3 feet to a 30 inch maple;

Thence leaving the Dean coal seam N 89-10 W crossing the top of mountain at 475.2 feet, in all 1039.6 feet to a set stone with two (2) hickory pointers;

Thence N 85-47 W 967.0 feet to a set stone in the head of Eastridge Branch;

Thence N 12-24 W 474.7 feet to a set stone;

Thence N 29-30 W 1136.8 feet to a set stone;

Thence N 64-42 W 625.9 feet to a set stone on top of ridge between Eastridge Branch and Bennett Branch, both of Little Poplar Creek, with a 24 inch white oak and a 34 inch white oak;

Thence N 57-39 E 122.7 feet to a stake on said ridge;

Thence N 63-55 E 97.1 feet to a stake on said ridge;

Thence leaving top of said ridge N 35-54 E 241.3 feet to a poplar stump on north end of a cliff with a 22 inch poplar for pointer;

Thence N 10-34 W 127.9 feet to a stake on ridge;

Thence N 20-46 W 209.7 feet to a stake on ridge;

Thence N 30-01 W crossing strip pit at 885.8 feet, in all 1288.9 feet to a set stone;

Thence S 85-01 W 759.6 feet to a stake;

Thence N 19-57 W 213.0 feet to a stake in fork of hollow with a 30 inch cucumber pointer;

Thence S 67-20 W 229.6 feet to a black walnut stump in the hollow;

Thence S 54-51 W 219.9 feet to a 24 inch poplar in hollow;

Thence leaving hollow N 22-29 W 408.9 feet to a set stone on top ridge near the head of Sugar Tree Branch;

Thence N 68-46 W 60.2 feet to a 34 inch chestnut oak on top of ridge;

Thence N 23-23 E 247.8 feet to a hickory;

Thence N 26-31 E 178.6 feet to a set stone with a 7 Inch hickory and a 12 inch hickory pointers;

Thence N 33-44 E 145.3 feet to a stake;

Thence N 33-00 E 141.6 feet to a set stone;

590

Thence N 10-08 E 249.2 feet to a large chestnut oak;

Thence N 83-39 E 776.8 feet to a stump on top of ridge between the two forks of Sugar Tree Branch, with a 22 inch white oak pointer;

Thence N 13-18 W 335.4 feet to a 38 inch chestnut oak on top of ridge;

Thence N 37-05 W 265.0 feet to a set stone on top of ridge with a 12 inch black oak pointer;

Thence N 48-20 W 468.8 feet to a stake on top of ridge;

Thence N 41-44 W 521.9 feet to a stake on top of ridge;

Thence N 5-08 W 329.5 feet to a set stone on top ridge;

Thence N 42-47 E 352.5 feet to a stake;

Thence N 22-56 E 211.0 feet to a set stone on the south side of road;

Thence S 80-55 E 719.6 feet to a 30 inch water oak between the road and Sugar Tree Branch;

Thence N 74-30 E 460.5 feet to a stake in center of road 15.0 feet from said branch;

Thence N 88-26 E 359.8 feet to a set stone;

Thence S 70-12 E 180.6 feet to a black walnut stump near branch;

Thence S 40-38 E 491.0 feet to a stake near branch;

Thence S 27-49 E 171.8 feet to a stake in center of road;

Thence S 10-37 E 152.2 feet to a set stone on edge of road;

Thence N 77-19 E 199.1 feet to a stake;

Thence N 21-56 W 616.8 feet to a stake;

Thence N 43-45 E 135.5 feet to a set stone with a 10 inch mulberry stump and an 11 inch elm pointers;

Thence N 39-16 W 110.7 feet to a stake in a field;

Thence N 84-35 W 218.2 feet to a stake in a hollow;

Thence N 51-16 W 153.1 feet to a stake in a hollow;

Thence N 13-23 E 193.1 feet to a stake in a hollow;

Thence N 22-05 E 257.3 feet to a stake in a hollow;

Thence N 65-31 W 348.4 feet to a stone;

Thence S 18-47 W 222.4 feet to a stake in fence of graveyard;

Thence S 85-41 W 83.2 feet to a stake in said fence;

Thence S 15-10 W 213.0 feet to a walnut stump;

Thence S 82-27 W 297.0 feet to a stake;

Thence N 68-29 W 328.8 feet to a 10 inch beech;

Thence S 34-50 W 248.1 feet to a stake in field;

Thence S 88-11 W 299.4 feet to a stake;

Thence S 89-00 W 148.5 feet to a 30 inch water oak;

Thence N 12-09 E 584.2 feet to a 20 inch beech corner;

Thence N 13-47 W 253.7 feet to a 6-inch hickory in a hollow;

Thence N 13-55 W 675.1 feet to a set stone on top ridge with an 18 inch hickory and 18 inch water oak pointers;

Thence S 69-40 E 267.5 feet to a set stone on top of ridge with a 10 inch chestnut oak, 30 inch chestnut oak and a 7 inch hickory pointers;

Thence N 69-25 E 236.4 feet to a stake on top ridge ;

Thence N 55-32 E 154.8 feet to a stake on top of ridge with a 22 inch water oak;

Thence N 65-15 E 255.4 feet to a 26 inch water oak on ridge;

Thence N 60-11 E 228.2 feet to a 12 inch water oak on ridge;

Thence N 44-02 E 275.4 feet to a stake on ridge;

Thence N 29-14 E 91.1 feet to a set stone on a high knob;

Thence S 52-08 E 172.9 feet to a stake on ridge;

Thence S 73-10 E 182.9 feet to a 26 inch chestnut oak on ridge;

Thence S 42-31 E 130.6 feet to a stake on ridge;

Thence S 51-32 E 147.7 feet to a stake on ridge;

Thence S 88-38 E 116.6 feet to a stake on ridge;

Thence N 72-04 E 400.8 feet to an 18 inch black oak on ridge;

Thence N 88-40 E 96.1 feet to a 16 inch oak on ridge;

Thence S 57-48 E 242.6 feet to a stake on ridge;

Thence S 63-41 E 632.4 feet to a set stone on top of ridge with a 4 inch locust and three (3) chestnut oaks on same stump;

Thence S 28-34 E 347.0 feet to a stake on ridge;

Thence S 1-30 E 377.0 feet to a stake on ridge;

Thence S 34-43 E 177.2 feet to a 20 inch chestnut oak on ridge;

Thence S 2-45 W 324.8 feet to a stake on ridge;

Thence S 36-11 E 48.6 feet to a stake on ridge;

Thence S 11-40 E 314.7 feet to a 10 inch pine on ridge;

Thence S 20-44 E 227.7 feet to a 28 inch water oak in gap;

Thence leaving ridge S 63-41 E 595.0 feet to a set stone;

Thence S 13-25 E 378.2 feet to a set stone on spur with a 12 inch hickory pointer;

Thence N 25-35 E 800.7 feet to a set stone in hollow;

Thence S 16-12 E 771.0 feet to a set stone with a 4 inch dogwood and a 14 inch locust for pointers;

Thence S 72-16 E 208.3 feet to a set stone on top ridge;

Thence N 3-30 E 151.5 feet to a stake in center of road on top ridge;

Thence N 20-37 W 190.3 feet to a stake in center of road on top ridge;

Thence leaving ridge S 89-03 E 174.6 feet to a stake;

Thence S 68-44 E 253.3 feet to a set stone;

Thence S 24-14 W 277.0 feet to a stake;

Thence S 50-15 W 59.0 feet to a set stone with a 10 inch sassafras;

Thence S 69-42 E 492.7 feet to a set stone;

Thence S 56-26 W 910.0 feet to a set stone;

Thence N 69-42 W 19.0 feet to a stake on top of cliff;

Thence S 16-10 E 1257.4 feet to a 36 inch sugar tree between two (2) hollows;

Thence S 42-23 E 482.8 feet to a set stone;

Thence S 38-30 W crossing strip pit at 450.0 feet, in all 719.9 feet to a set stone in the edge of the road;

Thence S 84-57 E 786.0 feet to a set stone;

Thence N 10-00 E 65.0 feet to the center of road;

Thence N 82-10 E crossing strip pit at 220.0 feet, crossing strip pit again at 400.0 feet, in all 1875.2 feet to a set stone with a 14 inch maple, 6 inch and 8 inch beech, 5 inch dogwood and a 16 inch beech pointers;

Thence N 20-31 W crossing a spur at 892.6 feet, crossing another spur at 1262.5 feet, in all 1448.7 feet to a set stone 10.0 feet on west side of a spur;

Thence N 66-00 E crossing a hollow at 238.0 feet, in all 940.7 feet to a set stone;

Thence N 46-06 E crossing Catron Branch at 195.0 feet, crossing road at 377.8 feet, in all 457.6 feet to a set stone with a 7 inch white oak for pointer;

Thence S 25-30 E 555.4 feet to steel pin near large rock;

Thence N 61-10 E crossing strip pit at 1290.0 feet, in all 1727.6 feet to a set stone on north side of ridge;

Thence N 51-52 E 804.4 feet to a set stone on top mountain between Catron Branch and Granny Branch;

Thence N 3-09 W 129.4 feet to a stake on mountain;

Thence N 23-43 W 323.7 feet to a stake on mountain;

Thence N 22-07 W 106.0 feet to a stake on mountain;

Thence N 27-05 W 206.5 feet to a stake on mountain;

Thence N 31-49 W 138.6 feet to a stake on mountain;

Thence N 51-14 W 267.9 feet to a stake on mountain;

554

Thence N 68-20 W 258.4 feet to a stake on top mountain;

Thence N 76-19 W 281.2 feet to a stake on top mountain;

Thence N 67-54 W 185.1 feet to a stake on top mountain;

Thence N82-59 W 268.7 feet to a stake on top mountain;

Thence N 71-01 W 195.2 feet to a stake on top mountain;

Thence S 85-38 W 583.8 feet to a set stone on top mountain with a 14 inch hickory marked with three (3) hacks;

Thence N 40-54 W crossing strip pit at 200.0 feet, in all 3000.0 feet to a set stone on top ridge with a 14 inch Spanish oak pointer;

Thence down spur N 34-10 W 1311.5 feet to a steel pin oo south bank of the left hand fork of Little Poplar Creek;

Thence N 69-00 E 134.0 feet to a stake on south side of Little Poplar Creek;

Thence N 79-50 E 172.2 feet to a stake on south side of said creek;

Thence N 58-56 E 164.9 feet to a stake on south side of said creek;

Thence N 86-56 E 304.2 feet to a stake on south side of said creek;

Thence S 63-32 E 118.5 feet to a 24 inch buckeye 40.0 feet on the south side of branch just below the mouth of Granny Branch;

Thence N 85-00 E 263.8 feet to a stake on the southwest side of Granny Branch;

Thence S 63-05 E 300.5 feet to a stake on southwest side of Granny Branch;

Thence S 55-20 E 291.6 feet to a set stone on the south edge of road on the southwest side of Granny Branch;

Thence S 29-57 W 35.4 feet to a 22 inch poplar stump;

Thence S 41-58 E 664.0 feet to a set stone in an old field;

Thence S 43-22 E 598.9 feet to a set stone at the end of field;

Thence N 61-07 E crossing Granny Branch at 144.0 feet, in all 156.0 feet to a stake at the end of field;

Thence N 33-52 W 446.4 feet to a stake;

Thence N 60-00 W 132.2 feet to an 8 inch black walnut;

Thence N 86-10 W 60.7 feet to a 24 inch poplar on the northwest bank of Granny Branch;

Thence N 44-20 W 152.7 feet to a stake;

Thence N 36-53 W 526.3 feet to a 16 inch black gum;

Thence N 51-20 W 682.0 feet to a steel rail for corner on the southeast bank of left fork of Little Poplar Creek just above mouth of Granny Branch;

Thence up along side of said branch N 31-26 E 302.4 feet to a stake;

Thence still with said branch N 46-08 E 97.8 feet to a stake;

Thence N 62-16 E 247.8 feet to a steel pin 9.0 feet from a 24 inch poplar;

Thence N 63-26 E 98.9 feet to a stake;

Thence N 81-36 E 189.9 feet to a stake;

Thence N 12-05 W crossing a branch at 98.0 feet, in all 248.8 feet to a stake;

Thence S 69-15 W 256.3 feet to a steel pin in the center of a road;

Thence up said road N 0-50 W 161.1 feet to a stake;

Thence N 14-27 E 165.9 feet to a stake;

Thence N 43-27 E 157.3 feet to a stake;

Thence N 9-01 W 215.6 feet to a stake;

Thence N 15-41 E 292.7 feet to a stake;

Thence N 3-09 E 342.1 feet to a stake;

Thence N 38-01 W 170.1 feet to a stake;

Thence N 16-19 W 175.8 feet to a stake;

Thence N 23-00 W 207.3 feet to a stake;

Thence N 31-30 W 160.4 feet to a stake;

Thence N 19-00 W 132.9 feet to a stake;

Thence N 19-00 E 132.5 feet to a steel pin in bearing North 25.0 feet from gap on mountain, between Little Poplar and Little Brush Creeks;

Thence S 52-48 E 989.9 feet to a set stone on a spur with a 12 inch black gum, 16 inche Spanish oak and a 22 inch Spanish oak for pointers;

Thence S 89-00 E 517.7 feet to a set stone in gap;

Thence N 72-49 E 1051.1 feet to a set stone 20.0 feet on north side of ridge;

Thence S 74-37 E crossing strip pit at 920.2 feet, in all 1374.4 feet to a set stone with a 6 inch black walnut, 6 inch white walnut and a 7 inch lynn for pointers;

Thence S 4-30 W 452.7 feet to a set stone with a 7 inch chestnut oak on 7 inch hickory for pointers;

Thence S 11-03 E crossing strip area at 103.4 feet, in all 1506.6 feet to a set stone in Rich Gap, with a 30 inch white oak, and a 7 inch and 10 inch and 16 inch hickory for pointers;

Thence S 58-56 E crossing strip pit at 825.0 feet, in all 970.3 feet to a set stone on ridge, with a 14 inch maple and a 6 inch white oak for pointers;

Thence with top of ridge S 88-38 E 194.4 feet to a stake;

Thence still with top of ridge S 68-14 E 219.7 feet to a stake;

Thence S 71-03 E 207.1 feet to a set stone with a 14 inch maple for pointer;

Thence N 53-58 E 213.1 feet to a set stone in Mulberry Gap;

Thence N 71-03 E 176.8 feet to a stake;

Thence N 64-12 E 216.4 feet to a set stone on center of ridge with an 8 inch hickory for pointer;

Thence N 62-45 E 80.4 feet to a stake;

Thence leaving ridge S 72-05 E 234.8 feet to a set stone (the original chestnut stump still visable) with an 8 inch maple and 7 inch sassafras for pointers;

Thence N 88-58 E 175.1 feet to a stake;

Thence S 72-34 E' 228.9 feet to a set stone, with an 18 inch buckeye in drain for pointer;

Thence S 67-40 E 265.6 feet to a set stone on the west bank of the left fork of Little Brush Creek;

Thence S 5-01 E 122.0 feet to a set stone on the east bank of said fork and by the north side of the mouth of a left hand hollow, witnessed by an 8 inch black walnut;

Thence S 87-47 E 224.0 feet to a steel rail in edge of county road, with a 5 inch and 4 inch dogwood for pointers;

Thence up old county road N 1-00 W 141.3 feet to a stake;

Thence still with said road N 2-30 E 215.4 feet to a stake;

Thence N 15-10 E 254.7 feet to a stake in said road;

Thence N 28-30 E 287.0 feet to a stake in said road;

Thence N 33-50 E 153.8 feet to a stake in said road;

Thence S 54-14 E 19.1 feet to a set stone in said road;

Thence leaving said road N 46-10 E crossing branch at 20.0 feet, crossing new county road at 95.0 feet, in all 175.6 feet to a stake;

Thence N 46-00 E crossing branch at 208.0 feet, in all 443.6 feet to a stake;

Thence N 49-10 E 214.4 feet to a set stone with a 20 inch beech marked for pointer;

Thence N 52-15 W 139.8 feet to a stake;

Thence N 51-15 W 125.1 feet to a set stone on bank of county road with a 4 inch white oak, 5 inch white oak and an 8 inch white oak for pointers;

Thence N 9-30 E 118.8 feet to a stake on east bank of road;

Thence N 20-30 E 153.3 feet to a stake on east bank of road 12.0 feet north of a hollow;

Thence N 15-50 W 435.6 feet to an x cut on a hickory root above road in front of a house;

Thence N 33-00 W 210.5 feet to a stake above road with a 14 inch white oak for pointer;

Thence N 26-50 W 219.2 feet to a stake above road;

Thence N 40-45 W 212.8 feet to a stake above road;

598

Thence N 55-40 W 100.2 feet to a stake above road;

Thence N 42-10 W 113.7 feet to a set stone;

Thence N 16-15 E 182.6 feet to a set stone;

Thence N 41-15 W 187.2 feet to a stake;

Thence N 22-10 W 108.0 feet to a stake;

Thence N 11-20 W crossing branch at 80.0 feet, in all 126.0 feet to a stake;

Thence N 1-20 W 147.3 feet to a stake;

Thence N 5-40 W 186.1 feet to a stake;

Thence N 3-50 W 82.7 feet to a set stone with a 20 inch Spanish oak marked with 3 hacks for pointer;

Thence N 50-00 W 252.8 feet to a stake on top of spur;

Thence N 43-00 W 76.9 feet to a stake;

Thence N 22-50 W 134.0 feet to a stake;

Thence N 21-00 W 180.0 feet to a stake;

Thence N 19-15 W 151.2 feet to a stake;

Thence N 23-00 E 107.0 feet to a stake;

Thence N 26-30 E 160.1 feet to a stake;

Thence N 24-40 E 283.7 feet to a stake;

Thence N 22-50 E crossing branch at 70.0 feet, in all 107.0 feet to a set stone with a 6 inch dogwood marked with 3 hacks for pointer;

Thence N 63-00 W 299.4 feet to a stake;

Thence N 64-15 W 187.9 feet to a stake;

Thence N 62-15 W 160.0 feet to a set stone with a 22 inch white oak marked with 3 hacks for pointer;

Thence N 35-50 W 340.7 feet to a stake;

Thence N 34-45 W 259.0 feet to a stake;

Thence N 34-50 W 293.5 feet to a stake in cemetery;

Thence N 35-40 W 134.1 feet to a stake;

Thence N 47-35 W 80.4 feet to a stake;

Thence N 62-10 W 118.4 feet to a stake in said road;

Thence N 0-15 E 288.0 feet to a stake in said road;

Thence N 63-10 E 73.7 feet to a stake;

Thence N 59-30 E 187.6 feet to a stake;

Thence N 59-05 E 184.4 feet to a stake;

Thence N 57-40 E 253.7 feet to a stake;

Thence N 59-45 E 281.9 feet to a stake;

Thence N 56-30 E 189.4 feet to a stake;

Thence N 55-45 E 167.7 feet to a stake;

Thence N 55-20 E 139.4 feet to a set stone with a 24 inch chestnut oak marked for pointer;

Thence S 62-00 E 241.0 feet to a stake;

Thence S 60-00 E 238.0 feet to a set stone with a 20 inch black gum stump for pointer;

Thence N 50-00 E 133.6 feet to a stake;

Thence N 57-10 E crossing top of mountain at 38.0 feet, in all 422.1 feet to a set stone on top of ridge with a 10 inch locust marked with 3 hacks for pointer;

Thence leaving ridge S 3-00 E 263.7 feet to a stake;

Thence S 56-30 E 181.4 feet to a stake;

Thence S 21-00 E 51.3 feet to a stake;

Thence S 20-30 W 120.7 feet to a stake;

Thence S 37-10 W 122.3 feet to a stake;

Thence S 19-45 E 106.1 feet to a stake;

Thence S 17-10 E 134.5 feet to a set stone with a 20 inch forked poplar marked with 3 hacks for pointer;

600

Thence S 66-10 E 255.9 feet to a stake;

Thence S 68-00 E 192.0 feet to a stake on top of ridge;

Thence S 61-45 E 39.4 feet to a set stone;

Thence S 36-50 E 174.5 feet to a stake;

Thence S 26-20 E 201.6 feet to a stake;

Thence S 23-50 E 137.1 feet to a stake;

Thence N 85-50 E 298.8 feet to a stake;

Thence N 88-00 E crossing spur at 25.0 feet, in all 72.2 feet to a set stone, with a beech marked with 3 hacks for pointers;

Thence S 56-00 E 51.4 feet to 14 inch beech marked with three hacks for pointers, corner to a 1/2 undivided interest tract;

Thence N 54-45 E 267.4 feet to a stake;

Thence N 55-00 E 261.1 feet to a stake;

Thence N 55-30 E crossing branch, 225.5 feet to a stake;

Thence N 54-30 E 267.1 feet to a stake;

Thence N 53-15 E 162.5 feet to a stake in fence line;

Thence with fence line S 75-30 E 166.2 feet to a stake;

Thence S 74-15 E 92.4 feet to a stake in fence line;

Thence S 29-15 E 187.0 feet to a stake in fence line;

Thence S 30-20 E 143.4 feet to a stake in fence line;

Thence N 86-30 E 224.5 feet to a stake in old railroad right-of-way and fence line;

Thence S 9-10 W 239.0 feet to a stake in said right-of-way;

Thence S 24-25 W 290.0 feet to a stake in said right-of-way;

Thence S 27-40 W 248.1 feet to a stake in said right-of-way;

Thence S 24-00 W 328.1 feet to a stake in said right-of-way;

Thence leaving said right-of-way N 85-40 W 116.7 feet to a stake in fence line;

Thence N 87-15 W 458.8 feet to a stake;

Thence N 86-40 W 658.8 feet to a stake with a 14 inch chestnut oak with 3 hacks marked for corner;

Thence N 88-20 W 128.1 feet to a set stone with a 14 inch water oak and 8 inch sourwood marked for pointers;

Thence S 23-00 E 130.0 feet to a stake;

Thence S 22-30 E 124.6 feet to a stake;

Thence S 19-00 W 168.9 feet to a stake;

Thence S 18-30 W 181.2 feet to a set stone with a 6 inch beech and 6 inch dogwood marked for pointers;

Thence N 84-50 W crossing branch at 73.0 feet, in all 127.0 feet to a stake;

Thence N 82-50 W 126.2 feet to a stake;

Thence N 86-30 W 273.3 feet to a stake;

Thence N 80-30 W 92.3 feet to a stake;

Thence N 86-00 W crossing strip at 115.0 feet, in all 188.6 feet to a stake;

Thence S 89-45 W 29.9 feet to a set stone on top of mountain between Littla and Big Brush Ceeeks, with a 12 inch maple marked with 3 hacks for corner;

Thence S 6-45 W 201.0 feet to a stake on top of mountain;

Thence S 1-45 W 86.0 feet to a set stone on top of mountain with a 22 inch Spanish oak marked with 3 hacks for corner;

Thence leaving top of mountain S 49-10 E crossing strip road at 115.0 feet, in all 185.0 feet to a stake;

Thence S 51-50 E 232.6 feet to a stake;

Thence S 52-15 E 187.6 feet to a stake;

Thence S 48-50 E 140.8 feet to a stake;

Thence S 54-00 E 225.5 feet to a stake;

Thence S 49-30 E 181.1 feet to a stake;

Thence S 52-30 E 221.7 feet to a stake;

602

Thence S 51-40 E 171.5 feet to a stake;

Thence S 48-10 E 73.8 feet to a stake;

Thence S 54-50 E 101.2 feet to a stake with 6 lynns growing from old stump for pointers;

Thence S 28-00 E 431.0 feet to a stake;

Thence S 26-30 E 277.7 feet to a set stone;

Thence S 36-30 W 196.6 feet to a stake in lower edge of strip pit;

Thence S 39-30 W 119.7 feet to a stake;

Thence S 38-10 W 129.2 feet to a set stone on top of high point with a 20 inch Spanish oak and a 12 inch oak marked for pointers;

Thence with top of ridge S 35-30 E 224.8 feet to a stake;

Thence N 71-10 E 134.5 feet to a stake;

Thence N 64-40 E 107.7 feet to a stake;

Thence N 88-20 E 145.4 feet to a stake;

Thence N 69-15 E 173.3 feet to a stake on lower edge of strip pit;

Thence with fence line N 61-15 E 237.8 feet to a stake;

Thence N 54-20 E 166.3 feet to a stake;

Thence N 53-00 E 86.3 feet to a stake with an 8 inch sourwood and 8 inch hickory painted for corner;

Thence N 48-30 E 228.3 feet to a stake;

Thence N 52-45 E 109.6 feet to a stake, with an 18 inch beech for pointer;

Thence N 43-30 E 203.4 feet to a stake;

Thence N 53-40 E 164.3 feet to a stake;

Thence N 67-15 E 183.7 feet to a set stone in hollow with a forked sycamore marked for corner;

Thence still with fence line S 29-45 E 192.8 feet to a stake;

Thence S 38-10 E 204.1 feet to a stake;

603

Thence S 17-40 E 246.0 feet to a stake;

Thence S 23-15 E 152.5 feet to a stake;

Thence S 17-45 W 115.4 feet to a stake;

Thence S 17-40 W 189.7 feet to a stake;

Thence S 6-30 W 121.2 feet to a stake;

Thence leaving fence line S 34-00 W 300.0 feet to a stake in Orchard Branch;

Thence S 40-45 W 300.2 feet to a stake in said branch;

Thence S 52-15 W 185.4 feet to a set stone in said branch with a 12 inch poplar marked for corner;

Thence leaving said branch S 81-00 E 248.7 feet to a stake;

Thence S 77-10 E 224.5 feet to a stake;

Thence S 80-30 E 287.6 feet to a stake;

Thence S 79-20 E 172.2 feet to a stake;

Thence S 78-40 E crossing spur at 78.0 feet, in all 212.3 feet to a stake;

Thence S 87-20 E 223.6 feet to a stake;

Thence S 64-20 E crossing branch at 15.0 feet, in all 171.2 feet to a stake;

Thence N 69-40 E 101.7 feet to a set stone with a 22 inch beech marked for corner;

Thence S 78-50 E crossing spur at 97.6 feet, in all 145.3 feet to a stake;

Thence S 8-10 E 171.0 feet to a stake on spur;

Thence N 75-30 E 272.7 feet to a stake;

Thence N 76-30 E 182.1 feet to a set stone with a 14 inch black walnut marked for corner on top of spur;

Thence S 45-40 E 220.5 feet to a set stone with a mulberry marked for pointer;

Thence N 28-25 E 110.5 feet to a set stone with a 22 inch hickory marked for corner;

Thence S 31-58 E 137.4 feet to a stake on south bank of Lambert Branch or Carter Branch;

Thence N 69-56 E 140.0 feet to a stake in old fence line;

Thence N 68-10 E 587.7 feet to a stake in old fence line;

Thence N 69-00 E 157.5 feet to a stake in old fence line;

Thence N 70-40 E 176.7 feet to a stake in old fence line;

Thence N 67-15 E 57.8 feet to a stake in old fence line;

Thence N 68-10 E 193.5 feet to a stake in old fence line;

Thence N 65-40 E 20.0 feet to a set stone in Perry Lewellen's old fence line;

Thence S 14-18 E 219.9 feet to a set stone in said fence line with a 36 inch white oak marked for pointer;

Thence S 36-42 E 338.6 feet to a set stone with a 20 inch beech, and 22 inch cucumber marked for pointers;

Thence S 69-57 E crossing hollow at 85.0 feet, in all 165.0 feet to a stake;

Thence S 45-13 E 518.2 feet to a set stone on center of spur;

Thence S 26-24 E 195.8 feet to a stake on top of spur;

Thence S 38-21 E 138.1 feet to a stake on top of spur;

Thence S 33-22 E 321.4 feet to a stake on top of spur;

Thence S 27-07 E 46.0 feet to a set stone on top of spur, with a 22 inch maple marked for pointer;

Thence N 37-40 E 114.1 feet to a stake;

Thence N 27-30 E 114.3 feet to a stake in floor of strip pit;

Thence N 32-12 E crossing spur at 406.9 feet, in all 704.5 feet to a set stone with a 14 inch water oak for pointer;

Thence S 73-07 E crossing hollow at 192.9 feet and again at 247.9 feet, crossing ridge at 542.1, in all 708.8 feet to a set stone in edge of drain with water oak for pointer;

605

SDV

Thence N 5-12 E 170.4 feet to a set stone with a 6 inch and 14 inch hickory on top of ridge marked for corner;

Thence N 50-26 E 179.5 feet to a set stone with a 16 inch maple on top of ridge marked for corner;

Thence N 58-41 E 77.4 feet to a set stone on center of ridge;

Thence S 87-00 E 116.3 feet to a stake on top of ridge;

Thence N 73-28 E 89.9 feet to a stake on top of ridge;

Thence N 54-18 E 187.2 feet to a set stone with a locust stump on top of ridge marked for corner;

Thence N 58-00 E 94.1 feet to a stake on top of ridge;

Thence N 50-11 E 469.7 feet to a steel rail in corner of fence;

Thence S 45-43 E 115.1 feet to a steel rail in corner of fence;

Thence S 5-19 W 83.0 feet in the westerly line of right of way of the Cumberland Railroad Company;

Thence with said westerly line of right of way up Brush Creek S 12-37 W 90.1 feet to a stake;

Thence S 17-16 W 457.9 feet to a stake in said right of way;

Thence S 19-04 W 184.0 feet to a stake in said right of way;

Thence S 7-11 W 190.1 feet to a stake in the center of a drain in said line of right of way;

Thence S 86-15 E 53.5 feet to a stake in the easterly line of said right of way;

Thence S 1-55 W 726.0 feet to the S. W. corner of Lloyd Golden corner and N. W. corner of Paul Garland, and also the easterly right of way Cumberland Railroad, in all 866.0 feet to the S. W. Corner of Paul Garland and N. W. corner formerly owned by Earl Cross, but now owned by J. M. Huber Corporation;

Thence East 81.2 feet to a steel rail at the west end of bridge;

Thence N 43-30 E 145.0 feet to a steel rail, being the S. E. corner of Lloyd Golden's property;

Thence N 11-00 E 327.6 feet to a stake;

Thence N 10-30 E 307.9 feet to a steel rail, being the N. E. corner of Lloyd Golden's property;

Thence S 54-50 E 41.6 feet to a point in center line of Highway 225;

Thence S 56-20 E 172.5 feet to a stake in old road;

Thence S 74-16 E crossing branch at 190.7 feet, in all 1307.6 feet to a set stone on top of ridge;

Thence S 37-36 W leaving ridge at 220.5 feet, in all 610.4 feet to a set stone;

Thence S 79-30 W 681.6 feet to a set stone;

Thence N 66-49 W 70.6 feet to a stake in fence line;

Thence N 80-49 W 56.5 feet to a stake in said line;

Thence N 86-15 W 155.3 feet to a stake in said line in edge of hollow;

Thence S 82-40 W 123.1 feet to a point in Highway 225;

Thence S 13-43 E 247.2 feet to a point in Highway 225;

Thence N 73-20 E 308.1 feet to a set stone in rock fence with a 24 inch black oak and 16 inch hickory marked for pointers;

Thence S 25-35 E 161.0 feet to a point in said fence;

Thence S 48-37 E 79.3 feet to a point in said fence;

Thence S 65-55 E 203.8 feet to a set stone on south bank of hollow with a 16 inch black oak and 7 inch white oak marked for pointers;

Thence S 61-08 W crossing Highway 225 at 470.9 feet, in all 518.5 feet to a steel rail on northeast bank of Big Brush Creek with a 22 inch elm and 24 inch white oak for pointers;

Thence N 69-30 W 150.0 feet to a steel rail on the northeast bank of Big Brush Creek;

Thence S 23-30 E crossing Big Brush Creek at 15.0 feet, in all 600.0 feet to a set stone;

Thence S 55-18 W 291.7 feet to a stake;

Thence S 30-00 W 42.0 feet to a stake in drain;

Thence S 88-00 W 158.5 feet to a stake in old fence line;

Thence N 89-44 W crossing old railroad grade at 20.0 feet, in all 156.1 feet to a steel rail in edge of drain;

Thence S 14-05 E 300.5 feet to a stake;

Thence S 9-43 E 423.5 feet to a steel rail in north edge of railroad grade;

Thence S 48-47 E crossing railroad grade, crossing Big Brush Creek at 40.0 feet, in all 72.6 feet to a set stone on south bank of Big Brush Creek, the southwest corner of H. H. Sturdivant property;

Thence S 2-10 W 209.8 feet to a stake;

Thence S 20-00 E 121.9 feet to a set stone, the southeast corner of H. H. Sturdivant property;

Thence S 84-00 E 143.9 feet to a stake in said fence line;

Thence S 68-20 E 94.1 feet to a stake in fence line;

Thence S 64-40 E 169.6 feet to a stake in fence line;

Thence S 37-31 E 168.4 feet to a stake in fence line;

Thence S 65-19 E 80.9 feet to a stake in fence line;

Thence S 53-42 E 59.6 feet to a steel rail 8.0 feet on the west side of Highway 225;

Thence up fence line and west right of way of Highway 225 S 35-15 W 300.0 feet to a stake;

Thence still with same S 40-00 W 203.0 feet to a steel rail set for corner;

Thence with same S 46-11 W 154.5 feet to a stake;

Thence leaving said fence and said right of way S 28-47 W 385.7 feet to a point in Highway 225;

Thence S 47-13 W 78.5 feet to a point for corner in said highway;

Thence S 43-10 E 437.0 feet to a set stone on top of ridge, with a 12 inch hickory marked for pointer;

Thence N 87-30 W 536.8 feet to a steel rail, with a 16 inch white oak marked for pointer;

Thence S 12-44 E 385.7 feet to a point 4 feet from west side of Highway 225 for corner;

608

Thence N 72-55 E 593.4 feet to a set stone with a 10 inch hickory marked for pointer;

Thence S 19-30 E crossing ridge at 1156.5 feet, in all 1231.8 feet to a set stone with a 24 inch white oak marked for pointer;

Thence N 42-12 E 678.0 feet to a set stone on spur;

Thence N 75-07 E 180.2 feet to a set stone with a 12 inch black oak on point of spur marked for pointer;

Thence S 47-48 E 150.8 feet to a set stone with an 8 inch hickory marked for corner on top of ridge;

Thence S 54-03 E 165.9 feet to a stake on top of ridge;

Thence S 24-09 E 106.0 feet to a stake on top of ridge;

Thence S 17-33 E 70.4 feet to a corner of T. M. Perkins (with a 24 inch and 14 inch yellow oak and 14 inch hickory marked for corner), in all 120.4 feet to a stake on top of ridge;

Thence S 0-36 E 83.1 feet to a set stone on top of ridge with a 12 inch black walnut marked for pointer;

Thence S 8-10 E 178.9 feet to a 36 inch chestnut oak marked for corner on top of ridge;

Thence S 0-20 E 321.5 feet to a large locust stump partly burned;

Thence S 2-00 W 333.3 feet to a stake;

Thence S 1-12 W 182.9 feet to a stake;

Thence S 1-00 W 252.0 feet to a stake;

Thence S 2-20 W 81.1 feet to a stake;

Thence S 1-00 W 142.7 feet to a stake;

Thence S 2-30 W 209.1 feet to a stake;

Thence S 0-40 W 148.9 feet to a stake;

Thence S 0-45 W 180.5 feet to a stake;

Thence S 12-20 W 115.8 feet to a stake;

Thence S 0-30 W 226.0 feet to a stake;

Thence S 3-45 W 112.6 feet to a stake;

Thence S 2-05 W 291.9 feet to a stake;

Thence S 0-50 W 180.6 feet to a stake;

Thence S 19-20 W 169.1 feet to a set stone on top of mountain between Greasy Creek and Big Brush Creek;

Thence S 13-50 W 152.2 feet to a stake on top of mountain;

Thence leaving top of ridge, and on the Brush Creek side of the mountain S 1-00 W 478.0 feet to a 28 inch white oak original corner;

Thence N 88-58 W 1275.4 feet to a set stone;

Thence N 86-14 W 488.4 feet to a set stone with a 12 inch hickory marked for corner;

Thence N 5-24 W 60.5 feet to a set stone with a 5 inch poplar pointer;

Thence N 74-50 W 452.7 feet to a piece of steel rail on the east right of way line of Highway 225;

Thence with east right of way line N 20-20 E 188.8 feet to a piece of steel rail;

Thence S 76-12 E 365.2 feet to a 22 inch beech on the south side of a hollow original corner;

Thence N 1-40 W 73.9 feet to a white oak stump on the north bank of hollow;

Thence N 23-40 W 302.4 feet to a set stone with 10 inch and 12 inch white oaks for pointers;

Thence N 69-20 E 778.4 feet to a set stone with a 12 inch hickory pointer;

Thence N 56-10 W 599.9 feet to a set stone;

Thence N 38-45 E 279.6 feet to a set stone in a hollow;

Thence down hollow N 82-30 W crossing Highway 225 at 110.0 feet, in all 257.4 feet to a set stone on the east bank of Big Brush Creek;

Thence crossing Brush Creek S 50-57 W 203.1 feet to a piece of steel rail on west bank of Big Brush Creek with a 30 inch sycamore for pointer;

Thence N 56-27 W 218.8 feet to a stake in hollow;

Thence N 42-49 W 142.5 feet to a stake in hollow;

Thence N 70-24 W 116.0 feet to a stake in hollow;

Thence N 86-30 W 136.3 feet to a stake in hollow;

Thence N 60-45 W 128.6 feet to a stake in hollow;

Thence N 71-16 W 108.7 feet to a stake in hollow;

Thence N 53-20 W 120.9 feet to a stake in hollow;

Thence N 84-20 W 99.2 feet to a stake in hollow;

Thence N 58-27 W 93.6 feet to a 6 inch dogwood and 20 inch white oak marked for corner in hollow;

Thence N 37-04 W 111.3 feet to a stake in hollow;

Thence N 63-53 W 174.6 feet to a stake in hollow;

Thence N 38-24 W 37.8 feet to a set stone with a 10 inch ash for pointer, this corner is in a slip, it may slide off;

Thence S 0-19 E 227.9 feet to a stake at south end of large rock, on top of steep bank;

Thence S 14-17 E 160.3 feet to a stake on top of rocky spur with a 10 inch Spanish oak and 14 inch hickory for pointers;

Thence S 27- 42 W 295.9 feet to a set stone, set for corner on upper edge of bench;

Thence S 10-46 E 217.9 feet to a set stone, on spur;

Thence S 8-00 E 167.0 feet to a stake;

Thence S 85-01 W crossing hollow at 694.7 feet, crossing spur at 721.1 feet, crossing drain at 810.2 feet, crossing hollow at 1099.2 feet, in all 1119.2 feet to a stake;

Thence S 34-14 W crossing hollow at 80.0 feet, in all 180.5 feet to a set stone on steep hillside;

Thence N 34-54 W 185.7 feet to a set stone on north side of hollow with a 20 inch hickory for pointers;

Thence S 85-01 W 641.9 feet to a set stone on center line of ridge;

Thence S 3-20 E 185.9 feet to a stake on ridge with an 18 inch black oak pointer;

611

Thence S 14-04 W 232.3 feet to a stake on ridge;

Thence S 16-28 E 272.0 feet to a stake on ridge;

Thence S 52-35 E 189.2 feet to a stake on ridge;

Thence S 32-34 E 231.4 feet to a stake on ridge;

Thence S 42-06 E 221.6 feet to a stake on ridge;

Thence S 33-54 E 211.4 feet to a stake on ridge;

Thence S 47-09 E 334.1 feet to a stake on ridge;

Thence S 55-54 E 152.9 feet to a set stone in center line of road with a 14-inch mulberry and 28 inch and 40 inch poplars for pointers;

Thence N 73-19 E 271.5 feet to a stake;

Thence S 42-18 E crossing railroad at 13.0 feet, in all 63.0 feet to set stone, being a corner between Ed Detherage, A. J. Cobb and J. M. Huber Corporation;

Thence with the railroad right of way and A. J. Cobb line S 60-55 W 109.0 feet to a stake;

Thence still with railroad right of way and Cobb's line S 62-20 W 115.0 feet to a stake;

Thence still with same S 69-45 W 196.4 feet to a stake;

Thence still with same S 80-35 W 151.5 feet to a stake;

Thence still with same S 87-45 W 238.1 feet to a stake;

Thence still with same S 89-45 W 155.1 feet to a stake;

Thence still with same S 85-50 W 192.2 feet to a stake;

Thence still with same S 85-00 W 263.1 feet to a stake;

Thence still with same S 84-10 W 500.0 feet to an iron rail set for corner;

Thence with line between Cobb and Huber, going through pasture field S 15-45 W, crossing branch at 295.0 feet, in all 393.5 feet to an iron rail being the right of way of Highway 225 beside a blook house (garage);

Thence with right of way of Highway 225 S 71-50 E 188.1 feet to a stake (still being line between A. J. Cobb and J. M. Huber Corp.);

Thence S 78-45 E 82.1 feet to a stake;

Thence S 87-25 E 103.8 feet to a stake;

Thence N 89-45 E 101.5 feet to a stake;

Thence N 77-25 E 427.5 feet to a stake;

Thence N 81-00 E 175.3 feet to a stake;

Thence N 82-50 E 128.9 feet to a stake;

Thence S 89-55 E 118.0 feet to a stake;

Thence S 77-00 E 303.0 feet to a stake;

Thence S 77-35 E 225.1 feet to a stake;

Thence S 89-05 E 166.5 feet to a stake;

Thence N 81-15 E 80.2 feet to a stake;

Thence N 72-00 E 115.0 feet to a stake;

Thence N 63-15 E 131.5 feet to a stake;

Thence N 60-40 E 145.5 feet to a stake;

Thence N 53-20 E 110.0 feet to a steel rail on the east right of way line of Highway 225;

Thence crossing said Highway S 34-20 E 158.7 feet to a stake in hollow;

Thence up hollow S 50-00 E 292.5 feet to a stake in branch;

Thence S 50-50 E 211.5 feet to a stake in branch;

Thence S 44-40 E 174.5 feet to a stake in branch;

Thence S 22-15 E 77.8 feet to a stake in branch;

Thence S 47-10 E 87.0 feet to a set stone at the foot of a steep bank in head of hollow;

Thence S 9-47 W 120.7 feet to a set stone with a 6 inch dogwood and 8 inch hickory for pointers;

6/3

Thence S 80-13 E 118.4 feet to a set stone in hole where hickory might have stood;

Thence S 88-45 E 209.1 feet to a set stone on top of spur with a 20 inch yellow oak pointer;

Thence N 38-55 W 103.5 feet to a stake on ridge;

Thence N 19-40 W 121.3 feet to a stake on ridge;

Thence N 0-25 E 263.8 feet to a stake on ridge;

Thence N 0-48 E 166.0 feet to a stake on ridge;

Thence N 27-55 E 207.9 feet to a stake on ridge;

Thence N 16-10 E 267.9 feet to a stake on ridge;

Thence N 22-55 W 182.2 feet to a stake on ridge;

Thence N 24-08 W 109.6 feet to a stake on ridge;

Thence N 16-57 W 166.4 feet to a set stone with a 20 inch maple marked for pointer;

Thence N 49-23 E 191.9 feet to a stake in Trace Branch;

Thence with said branch S 49-10 E 118.6 feet to a stake;

Thence with same S 45-50 E 172.8 feet to a stake;

Thence with same S 47-50 E 79.3 feet to a stake;

Thence with same S 30-30 E 58.0 feet to a stake;

Thence with same S 50-45 E 108.0 feet to a stake;

Thence with same N 81-20 E 150.0 feet to a stake;

Thence with same N 48-37 E 61.2 feet to a stake;

Thence with same N 74-31 E 227.3 feet to a stake;

Thence with same N 78-00 E 138.2 feet to a stake;

Thence with same N 71-30 E 103.2 feet to a stake;

Thence with same S 61-15 E 135.4 feet to a 10 inch black walnut;

Thence leaving said branch S 15-40 E 48.8 feet to a set stone;

60

Thence S 47-00 W 180.0 Feet to a stake;

Thence S 16-48 E 196.2 feet to a stake;

Thence S 55-29 W 239.0 feet to a stake;

Thence S 52-13 W 100.6 feet to a stake;

Thence S 37-06 E 216.7 feet to a stake in Trace Branch;

Thence S 13-32 E 206.0 feet to a stake in Trace Branch;

Thence S 25-16 E 162.1 feet to a stake on ridge;

Thence S 42-54 E 208.2 feet to a set stone with a 10 inch black gum marked for corner;

Thence S 27-50 E 104.6 feet to a stake on ridge;

Thence S 2-00 E 172.0 feet to a stake on ridge;

Thence S 0-50 E 247.2 feet to a stake on top of ridge;

Thence S 0-30 E 72.6 feet to a stake on top of ridge;

Thence S 15-30 W 139.4 feet to a stake on top of ridge;

Thence S 32-30 W 225.5 feet to a stake on top of ridge;

Thence S 36-45 W 278.8 feet to a stake on top of ridge;

Thence S 29-40 W 93.3 feet to a stake on top of ridge;

Thence leaving top of ridge, S 80-00 W 220.6 feet to a stake;

Thence S 84-00 W 175.7 feet to a stake;

Thence S 82-40 W 184.8 feet to a stake;

Thence N 79-40 W 100.3 feet to a stake;

Thence S 1-30 W 204.3 feet to a stake;

Thence South 127.1 feet to a stake;

Thence S 3-40 W 80.4 feet to a stake;

Thence S 0-20 W 104.9 feet to a stake;

Thence S 11-00 W 65.1 feet to a stake;

Thence S 1-15 W 122.4 feet to a stake;

61

615

LCO

Thence N 58-15 E 281.8 feet to a stake on top of ridge;

Thence N 58-50 E 109.1 feet to a set stone on spur with a 14 inch hickory marked for pointer;

Thence N 56-40 E 146.7 feet to a stake on top of spur;

Thence N 58-15 E 154.3 feet to a stake on top of spur;

Thence N 56-50 E 79.7 feet to a stake on top of spur;

Thence N 54-30 E 66.1 feet to a stake on top of spur;

Thence N 74-00 E 121.0 feet to a stake on top of spur;

Thence N 67-10 E 89.1 feet to a stake on top of mountain between Brush Creek and Greasy Creek;

Thence S 57-15 E 166.5 feet to a stake on top of mountain;

Thence S 41-15 E 258.7 feet to a stake on top of mountain;

Thence S 50-10 E 102.0 feet to the Beginning.

TRACT 4
A tract of land lying in Bell County, Ky., on Cannon Creek, waters of Yellow Creek, adjoining the land formerly owned by J. M. Unthank, containing 146 3/4 acres. Being the same land conveyed by John C. Kellems to Alex A. Arthur, Trustee, by deed dated 28 October, 1887, recorded at Pineville, Ky., in deed book 6, page 565. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book #34, page 230.

TRACT 5
A tract of land lying in Bell County, Ky., on Rocky Face Mountain, on waters of Cannon Creek and Yellow Creek, adjoining the lands of T. J. Kellems and Jane Poff, containing 610 acres. Being the same land conveyed by J. M. Unthank to Alex A. Arthur, Trustee, by deed dated 11 of April, 1887. Recorded at Pineville, Ky., in deed book 5, page 615. Excluding from this boundary the church house and lot sold by said Unthank to Cobb T. Berry. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book #34, page 230.

TRACT 25
A tract of land lying in Bell County, Ky., on Caney Branch of Yellow Creek, adjoining land formerly owned by E. Hurst and Henry King, and containing 61 acres. Being the same land conveyed by Henry King and others to Alex A. Arthur, Trustee, by deed dated 24 of Nov., 1886, recorded at Pineville, Ky., in deed book 5, page 340. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 27
A tract of land lying in Bell County, Ky., on Caney Branch and Yellow Creek, adjoining lands formerly owned by J. M. Unthank, E. Hurst and Henry King, containing 66½ acres. Being the same land conveyed by Henry King and others to Alex A. Arthur, Trustee, by deed dated 24 November, 1886, recorded at Pineville, Ky., in deed book 5, page 340. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc. dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230. Sold 6.00 acres in fee to Bell County Board of Education, April 1953.

TRACT 30
A tract of land lying in Bell County, Ky., on Yellow Creek, being a part of a survey in the name of James Farmer and also covered by survey of 200 acres in name of E. Hurst, adjoining lands formerly owned by E. Hurst and Henry King, containing 20 acres. Being same land conveyed by E. Hurst to Alex A. Arthur, Trustee, by deed dated 30 of January 1887, recorded at Pineville, Ky., in deed book 5, page 345. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 31
A tract of land lying in Bell County, Ky., on Log Mountain and on Cannon Creek, waters of Yellow Creek, adjoining lands formerly owned by E. Hurst, C. C. Noe, James Bussell and Henry King, and containing 260 acres. Being the same land conveyed by E. Hurst to Alex A. Arthur, Trustee, by deed dated 20th of Jan. 1887, recorded at Pineville, Ky., in deed book #5, page 345. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Incorporated, dated May 1, 1895, recorded at Pineville, Ky., in Deed Book #34, page 230.

TRACT 32
A tract of land lying in Bell County, Ky., on Log Mountain and on Cannon Creek of Yellow Creek, adjoining lands formerly owned by E. Hurst and C. C. Noe, and containing 160 acres. Being same land conveyed by E. Hurst to Alex A. Arthur, Trustee, by deed dated 20 of January 1887, recorded at Pineville, Ky. in book 5, page 345. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in Deed Book 34, page 230.

TRACT 33
A tract of land lying in Bell County, Ky., on Cannon Creek of Yellow Creek, adjoining lands formerly owned by E. Hurst and James Bussell, also the James Crawford tract, and containing 78 acres. Being the same land conveyed by C. C. Noe to Alex A. Arthur, Trustee, by deed dated 4 of March, 1887, recorded at Pineville, Ky., in deed book 5, page 577. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book #34, page 230.

TRACT 34
A tract of land lying in Bell County, Kentucky, on Log Mountain and waters of Yellow Creek, adjoining lands formerly owned by Wm Bussell, E. Hurst and C. C. Noe; also the James Crawford tract, containing 124½ acres. Being same land conveyed by James Bussell to Alex A. Arthur, Trustee, by deed dated 16 of Dec., 1886, recorded at Pineville, Ky., in deed book 5, page 414. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky. in deed book 34, page 230 - 2931. (Originals in File #3991

617

77/282

TRACT 35

A tract of land lying in Bell County, Ky., on Cannon Creek and Log Mountain, adjoining lands formerly owned by J. Mosely and M. Maden, also the James Crawford tract, containing 42¼ acres. Being same land conveyed by John G. Turner to Alex A. Arthur, Trustee, by deed dated 29 of June 1887, recorded at Pineville, Ky., in deed book 6, page 57. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Incorporated, dated May 1, 1895, recorded at Pineville, Ky., in Deed Book 34, page 230.

TRACT 36

A tract of land lying in Bell County, Ky., on Log Mtn. and Cannon Creek, waters of Yellow Creek, adjoining lands formerly owned by J. Moseley and James Crawford tract, containing 36¼ acres. Being same land conveyed by Margaret Maden to Alex A. Arthur, Trustee, by deed dated 25 of June 1887, recorded at Pineville, Ky, in book 6, page 55. Deed from American Association Ltd. by James H. Bartlett, Mas Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 37.

A tract of land lying in Bell County, Ky., on Cannon Creek and Log Mtn., adjoining lands formerly owned by J. G. Turner and M. Maden, containing 103½ acres. Being same land conveyed by Jeremiah Mosely to Alex A. Arthur, Trustee, by deed dated 25 of June 1887, recorded at Pineville, Ky., in deed book 5, page 579. Deed from American Association Ltd., by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in Deed Book 34, page 230.

TRACT 38

A tract of land lying in Bell County, Ky., on Log Mtn. and Caney Knob, near the lands of E. Hurst, containing 26 acres. Being the same land conveyed by John G. Kelloms to Alex A. Arthur, Trustee, by deed dated 28th October 1887, recorded at Pineville, Ky. in deed book 6, page 565. Deed from American Association Ltd, by James H. Bartlett, Special Commissioner, to American Association Incorporated, dated May 1, 1895, recorded at Pineville, Ky., in Deed Book 34, page 230.

TRACT 39

A tract of land lying in Bell County, Ky., on Log Mountain, waters of Yellow Creek and Cannon Creek, adjoining the lands formerly owned by J. K. Hoskins, the Evans heirs, J. H. Tinsley, M. J. Moss, Dr. Pugg, containing 383-3/4 acres, more or less. Being same land conveyed by Jas. K. Huskins to Alex A. Arthur, Trustee, by deed dated 12 Sept. 1887, recorded at Pineville, Ky., in deed book 6, page 426. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Incorporated, dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 41

A tract of land lying in Bell County, Ky., being inside of a survey granted to Thos. Evans for 50 acres, on headwaters of Cannon Creek waters of Yellow Creek, adjoining land formerly owned by Jas. K. Hoskins and Jerusha Evans, containing 27 acres. Being the same land conveyed by Jas. K. Hoskins to Alex A. Arthur, Trustee, by deed dated 27 of August 1888, recorded at Pineville, Ky., in deed book 7, page 418. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 42

A tract of land lying in Bell County, Ky., on waters of Alum Rock branch of Cannon Creek, being part of grant No. 60793 in name of Jas. K. Hoskins bounded on north by Thos. Evans grant No. ~~53180~~ 23353, on east by the land of Alex A. Arthur, and Jerusha Evans grant No. 53180 and on south and west by the Jerusha Evans grant No. 53180, being intended to convey all the land within the boundary of said grant No. 60793, also all the land between the Hoskins 382 acre boundary and the Jerusha Evans 274 acre boundary, containing 5 27-100 acres more or less. Being the same land conveyed by Jas. K. Hoskins to Alex A. Arthur, Trustee, by deed dated 21 of January 1890, recorded at Pineville, Ky., in deed book 15, page 234. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34 page 230.

618

TRACT 43
A tract of land lying in Bell County, Ky., on Lick Fork waters of Big Yellow Creek, being patent No. 61765 in name of Alexander Smith, adjoining land formerly owned by J & A Smith and J. M. Tinsley, containing 8 acres more or less. Being the same land conveyed by Alexander Smith to Alex A. Arthur, Trustee, by deed dated 24 of March 1890, recorded at Pineville, Ky., in deed book 15, page 395. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 44
A tract of land lying in Bell County, Ky., on ridge between Cannon Creek and Brown's Branch, adjoining lands formerly owned by W. G. and D. G. Colson and James Bussell, containing 72 acres, and conveyed by Wm. Bussell to Alex A. Arthur, Trustee, by deed dated 1st November 1886, recorded at Pineville, Ky., in deed book 5, page 223. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated, dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 45
A tract of land of three boundaries lying in Bell County, Ky., on Brown's Branch of Yellow Creek, adjoining land formerly owned by Wm. Bussell, J. C. Slusher, W. J. Campbell, E. Hurst J. H. Barnett, containing in all 455 acres. Being same land conveyed by W. G. Colson and others to Alex A. Arthur, Trustee, by deed dated 1st November 1886, and recorded at Pineville, Ky., in deed book 5, page 320. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated, dated May 1, 1895 recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 46
A tract of land lying in Bell County, Ky., on Brown's and Allen's branches, adjoining lands formerly owned by W. G. and D. G. Colson, W. J. Campbell and J. M. Unthank, containing 57½ acres, conveyed by E. Hurst to Alex A. Arthur, Trustee, by deed dated 21st March, 1887, recorded at Pineville, Ky., in deed book 5, page 332. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 189 recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 47
A tract of land lying in Bell County, Ky. on waters of Brown's branch of Yellow Creek, adjoining lands formerly owned by W. J. Campbell and W. G. & D. G. Colson, containing 44 26-100 acres. Being the same land conveyed by John M. Unthank to Alex A. Arthur, Trustee, by deed dated 1st of Sept., 1891, recorded at Pineville, Ky., in deed book 26, page 80 Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 48
A tract of land lying in Bell County, Ky., on Log Mountain adjoining lands formerly owned by E. Hurst, W. J. Campbell and W. G. & D. G. Colson, containing 51 acres. Conveyed by Isaac Sharp to Alex A. Arthur, Trustee, by deed dated 7th of April 1887, recorded at Pineville, Ky. in deed book 5, page 290. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 49
A tract of land lying in Bell County, Ky., on Yellow Creek, adjoining land formerly owned by J. M. Unthank, G. M. Adams, Exr., Wm L. Evans and Isaac Sharp, containing 200 acres more or less. Conveyed by W. J. Campbell to Alex A. Arthur, Trustee, by deed dated 24 of March, 1887, recorded at Pineville, Ky., in deed book 5, page 270. Deed from American Association, Limited, by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

6/9

TRACT 50

This indenture made and entered into 7th day of June 1890 between Geo. M. Adams as Executor of J. C. Eve of first part and Alex A. Arthur, Trustee, of second part. Witnesseth that for and in consideration of thirteen hundred and twenty-five dollars paid and to be paid as follows, towit- one hundred and twenty-five dollars cash in hand paid the receipt of which is hereby acknowledged and twelve hundred dollars to be paid within six months from date hereof with interest from this date until paid, a lien being retained for the payment of said twelve hundred dollars, the party of first part has sold and hereby aliens and conveys unto the party of second part all the right, title and interest which Johnly Eve in his life time had in and to a tract or parcel of land lying on waters of Yellow Creek in what was formerly Knox but now Bell County, said tract being the same which was granted by the Commonwealth of Kentucky to O. P. Herndon on 5th day of March 1856 by patent #24736 and the same which was on 11th of February 1863 conveyed by O. P. Herndon and wife to J. C. Eve by their written deed now of record in clerks office of Knox County, Court and bounded as follows, towit:
Beginning at a Sugar tree corner of a survey made in the name of Isaac Sharp; thence south 42 west 34 poles to a chestnut and red oak; thence north 42 west 52 poles to a hickory; thence north 30 east 100 poles to a stake; thence east 100 poles to a stake on said Sharp's line; thence to the beginning, containing(by a survey made by C. D. Moss in life 1886) 53 acres. To have and to hold unto the party of the second part, his heirs and assigns forever free from claim of said John C. Eve and free from the Claim of all persons claiming by, through or under him. In witness whereof the party of the first part has hereunto subscribed his name the day and date first above written. GEO. M. ADAMS, Executor of J. C. Eve. No record of how the American Association Inc. obtained the above tract. The American Association Inc. has had same under possession since 1900.

TRACT 51

A tract of land lying in Bell county, Ky., on waters of Isabella branch of Yellow Creek, adjoining lands formerly owned by J. C. Slusher and G. M. Adams, Exr., being part of grant #60957 to Margaret Slusher, containing 18 22/100 acres. Being same land conveyed by J. C. and Margaret Slusher to Alex A. Arthur, Trustee, by deed dated 18 of Oct, 1889, recorded at Pineville, Ky., in deed book 10, pg. 339. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 52

A tract of land lying in Bell County, Ky., on Big Yellow Creek, adjoining lands formerly owned by W. G. & D. G. Colson, J. H. Barnett, W. J. Campbell, Wm. H. Baughman and J. C. Colson and W. J. Campbell & Sons, containing 226 acres. Being same land conveyed by J. C. Slusher and wife to Alex A. Arthur, Trustee, by deed dated 16 Dec. 1886, recorded at Pineville, Ky. in deed book 5, page 308. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in Deed Book 34, page 230.
Sold 3 acres in fee on south end of this tract to Leonard Evans, Bell County, Ky. - Feb. 11, 1929. Sold 1/2 acre in fee on south end of this tract east of L & N R. R. right-of-way to County Board of Education of Bell County, Ky. - July 12, 1909. American Association Inc. owns 222.50 acres in fee.

TRACT 60

A tract of land lying in Bell county, Ky., on Four Mile Creek, waters of Yellow Creek, being part of 170 acre grant to Isaac Sharp, adjoining lands formerly owned by W. L. Evans and R. H. Raine, containing 31 acres. Being the same land conveyed by W. L. Evans to Alex A. Arthur, Trustee, by deed dated 28 of Nov. 1887, recorded at Pineville, Ky., in deed book 6, page 234. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky. in deed book 34, page 230.

TRACT 61

A tract of land lying in Bell county, Ky., on waters of Four Mile Creek of Yellow Creek, adjoining lands formerly owned by W. L. Evans and W. H. Raine, containing 182 3/4 acres. Being the same land conveyed by W. L. Evans to Alex A. Arthur, Trustee, by deed dated 28 of Nov., 1887, recorded at Pineville, Ky., in deed book 6, page 234. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 61½

A tract of land lying in Bell county, Ky., on Four Mile Creek of Yellow Creek, being part of a 170 acre grant to Isaac Sharp, adjoining lands formerly owned by W. L. Evans, containing 8 1/8 acres. Being the same land conveyed by W. L. Evans to Alex A. Arthur, Trustee, by deed dated 28th of Nov., 1887, recorded at Pineville, Ky., in deed book 6, page 234. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

620

605

TRACT 62
A tract of land lying in Bell County, Ky., on Four Mile Creek, waters of Yellow Creek, adjoining lands formerly owned by W. L. Evans, Jerusha Evans and W. H. Rains, containing 185 3/4 acres more or less. Being same land conveyed by W. H. Rains to Alex. A. Arthur, Trustee, by deed dated 28th of Nov., 1887, recorded at Pineville, Ky., in deed book 6, page 637. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 63
A tract of land lying in Bell County, Ky., on Trace Ridge between Four Mile Creek and Lick Fork of Yellow Creek. Bounded on the north and east by William H. Rains, now Arthur, lands; on the south and west by the W. L. Evans and W. R. Davis and G. W. Hamblin lands, containing 35 8-10 acres. Being the same land conveyed by Wm. H. Rains to Alex A. Arthur, Trustee, by deed dated 15th of August 1889, recorded at Pineville, Ky., in deed book 9, page 390. Deed from the American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 64
A tract of land lying in Bell County, Ky., on waters of Four Mile Creek, being a part of grant No. 60814 in name of J. J. Campbell, adjoining Wm. Evans 421 acre tract, containing 2 14-100 acres. Being the same land conveyed by the Middlesborough Town Co. to the American Association Limited by deed dated 23 of October 1890, recorded at Pineville, Ky., in deed book 25, page 112. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in Deed book 34, page 230.

TRACT 65
A tract of land lying in Bell County, Ky., on waters of Lick Fork of Yellow Creek, adjoining lands of W. R. Davis, being the land included in grant No. 40040 for 50 acres in name of Spencer King, containing 51 81-100 acres. Being the same land conveyed by the Middlesborough Town Co. to American Association Limited, by deed dated 23 of Oct., 1890, recorded at Pineville, Ky., in deed book 25, page 112. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 66
A tract of land lying in Bell County, Kentucky, on waters of Lick Fork of Yellow Creek, bounded on north by the lands of Geo. W. Hamblin, now Arthur, on the east by lands of Alex A. Arthur, purchased from W. D. King, on the south by the lands of Geo. Hamblin, on the west by lands of W. R. Davis, containing 76 44-100 acres. Being same land conveyed by the Middlesborough Town Co. to American Association Limited by deed dated 23 of Oct., 1890, recorded at Pineville, Ky., in deed book 25, page 112. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 67
A tract of land lying in Bell County, Ky., on waters of Lick Fork of Yellow Creek, adjoining lands of G. W. Hamblin and lands formerly owned by M. Pearce, Nelson Rose, Craig Baker and Jas. Powers, containing 67½ acres. Being the same land conveyed by W. D. King to Alex A. Arthur, Trustee, by deed dated 31 of Jan., 1888, recorded at Pineville, Ky., in deed book 6, page 414. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 76 ~~7~~ 8E
A tract of land lying in Bell County, Ky., on Big Yellow Creek and its waters, bounded on north by the Jones and Colson lands and east and south by Jones, Colson and John F. Turner, on the west by the Hiram Parks, John Moyars, John Watson and Howard and Colson lands. Conveyed by John Nealer to Alex A. Arthur, Trustee, by deed dated 3rd Sept., 1888, recorded at Pineville, Ky., in deed book 7, page 262. Containing 380 acres more or less, after excluding such portions thereof deeded by American Association Limited to Middlesborough Town Co. by two deeds, one dated the 7th of Sept., 1888, registered at Pineville, Ky., in deed book 7, page 534, etc., and one dated 23 of Oct., 1890, registered at Pineville, Ky., in deed book 25, page 131. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230. American Association Inc. owns 219.65 acres in fee after selling the following parcels;

Sold 58.01 acres to Henry Miller deed dated April 15, 1896.
Sold 15.86 acres to Benjamin Harrell deed dated June 12, 1929.
Sold 53.76 acres to Arthur Browning deed dated Dec. 18, 1930.
Sold 32.72 acres to State of Kentucky deed dated Mar. 22, 1945.

621

81/282

TRACT 78

A tract of land lying in Bell County, Ky., on waters of Orchard Branch of Yellow Creek, bounded on north by lands of Alex A. Arthur, bought from Mealer; on the east by lands of Alex A. Arthur, bought from Howard; on the south by lands of the heirs of Madison Rains; and on west by lands of Henry Rains. Conveyed by Mary C. Parker to Alex A. Arthur, Trustee, by deed dated 31 of July, 1888, recorded at Pineville, Ky., in deed book 7, page 207. Containing 2 acres more or less, after excluding such portions thereof conveyed by American Association Limited to Middlesboro Town Company by two deeds, one dated 7th day of Sept., 1888, registered at Pineville, ky., in deed book 7, page 534, etc; and one dated 23 of Oct., 1890, registered at Pineville, Ky., in deed book 25, page 131. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 82

A parcel of land in two boundaries lying in Bell County, Ky., on Mingo Mountain and waters of Little Yellow Creek, being part of John F. Turner grant No. 60680, adjoining land sold to Alex A. Arthur by John Mealer, the J. F. Turner lands and the Bingham & Rains patent. Conveyed by Middlesborough Town Co. to American Association Limited, by deed dated 23 of Oct., 1890, registered at Pineville, Ky., in deed book 25, page 112, etc., containing 30 acres more or less. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 83

A tract of land lying in Bell County, Ky., on Little Yellow Creek near the state line, bounded on northwest by Wm. Beaty grant 22364; on northeast by lands of John F. Turner; and on south and southeast by lands of J. F. Turner and A. A. Arthur, trustee, being grant No. 55 61 in the name of Wm. M. Bingham and Madison Rains. Conveyed by the Middlesborough Town Co. to American Association Limited by deed dated 23 of Oct., 1890, registered at Pineville, Ky., in deed book 25, page 112, etc. Deed from American Association Limited by James H. Bartlett Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230. Contains 12 acres more or less.

TRACT 84

A tract of land lying in Bell County, Ky., on both sides of Little Yellow Creek, bounded on north by Bingham & Rains grant and the Anderson Parker land; on east by J. F. Turner grant; on south by state line between Kentucky and Tennessee; on west by Anderson Parker land. Conveyed by John Mealer to Alex A. Arthur, Trustee, by deed dated 1 of Sept., 1888, recorded at Pineville, Ky., in deed book 7, page 260. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230. Containing 37¼ acres more or le

[redacted]

A tract of land lying in Bell County, Ky., on waters of Yellow Creek, adjoining lands formerly owned by J. C. Colson and H. C. Pursifull. Conveyed by Wm. Rains to Alex A. Arthur, Trustee, by deed dated 17 of Dec., 1886, recorded at Pineville, Ky., in deed book 5, page 316. Containing 81 acres more or less. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated, dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 86

A tract of land lying in Bell county, Ky., on waters of Yellow Creek and on north side of Cumberland Mountain, adjoining lands formerly owned by Wm. Rains and the state line between Kentucky and Tenn., being the land granted to Jones and Evans by two grants nos. 74458 and 74459, containing 331½ acres. Being same land conveyed by J. C. Colson to Alex A. Arthur Trustee, by deed dated 1st of Nov., 1887, recorded at Pineville, Ky., in deed book 6, page 178. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230. Sold to Cumberland Gap National Park 113.9 acres in fee.
American Association Inc., owns 217.60 acres in fee.

TRACT 89

A tract of land lying in Bell County, Ky., on waters of Yellow Creek and Canada Mountain, adjoining lands formerly owned by Dr. Pegg and W. R. Davis, containing 208 acres. Conveyed by Moss & Lane heirs and J. C. Turner to Alex A. Arthur, Trustee, by deed dated 16 of May, 1887, recorded at Pineville, Ky., in deed book 6, page 41. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 90

A tract of land lying in Bell County, Kentucky, on waters of Yellow Creek and Log Mountain, adjoining lands formerly owned by J. C. Turner and Dr. Pegg, containing 218 acres more or le Conveyed by J. C. Turner and wife to Alex A. Arthur, Trustee, by deed dated 21 of March, 1887 recorded at Pineville, Ky., in deed book 5, page 279. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

627

TRACT 90½
A tract of land lying in Bell County, Ky., on Log Mountain, being the tract upon which John Lake formerly lived, and conveyed by J. C. Turner to Alex A. Arthur, Trustee, by deed dated 29 of March, 1887, recorded at Pineville, Ky., in deed book 5, page 274. Contains 54 ac Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed cook 34, page 230.

TRACT 91
A tract of land lying in Bell County, Ky., on Log Mountain and on waters of Little Clear Creek and Yellow Creek, adjoining lands formerly owned by Dr. Pegg and J. C. Turner, containing 148 acres more or less. Conveyed by J. C. Turner to Alex. A. Arthur, Trustee, by deed dated 21 of March, 1887, recorded at Pineville, Ky., in deed book 5, page 279. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association I dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 92
A tract of land lying in Bell County, Ky., on both sides of right hand fork of Bean's Fork of Yellow Creek, being the land covered by grant No. 60289 in name of G. P. and William Rains, adjoining land formerly owned by Moss and Lane, containing 83. 68/100 acres. Being same land conveyed by G. P. and William Rains to Alex A. Arthur, Trustee, by deed dated 3rd of August, 1888, recorded at Pineville, Ky., in deed book 7, page 257. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Ky., in deed book 34, page 230.

TRACT 93
A tract of land lying in Bell County, Ky., on waters of Yellow Creek, adjoining lands formerly owned by W. Ballew and G. P. and William Rains, containing 97 acres. Conveyed by A. L. Monroe and others to Alex A. Arthur, Trustee, by deed dated 21st of March, 1887, recorded at Pineville, Ky., in deed book 5, page 481. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 94
A tract of land lying in Bell County, Ky., on Log Mountain, adjoining lands formerly owned by Moss and Lane and J. C. Turner, containing 74½ acres more or less. Conveyed by J. C. Turner to Alex A. Arthur, Trustee, by deed dated 21 of March, 1887, recorded at Pineville, Ky., in deed book 5, page 279. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 95
A tract of land lying in Bell county, Ky., on Beans Fork of Yellow Creek and on Log Mountain, adjoining lands formerly owned by J. C. Turner and John Burns, containing 185 acres Conveyed by J. C. Turner to A. A. Arthur, Trustee, by deed dated 21 March, 1887, recorded at Pineville, Ky., in deed book 5, page 279. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 96
A tract of land lying in Bell County, Ky., on waters of Beans Fork of Yellow Creek, adjoining lands formerly owned by J. C. Turner, containing 18½ acres more or less. Conveyed by J. C. Turner to A. A. Arthur, Trustee, by deed dated 21 March 1887, recorded at Pineville, Ky., in deed book 5, page 279. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 97
A tract of land lying in Bell County, Ky., on waters of Beans Fork of Yellow Creek, adjoining lands formerly owned by J. C. Turner, Moss and Lane, Speed Marsee and John Burns, containing 38 5/10 acres. Also all lands and patents Nos. 46109, 54595 and 41930 described in a deed of John Burns dated 1st March, 1890, recorded at Pineville, Ky., in deed book 13, pg. 592. Being the same land conveyed by Hughes and Love to Alex A. Arthur, Trustee, by deed dated 1st of April 1890, recorded at Pineville, Ky., in deed book 15, page 434 Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895, recorded at Pineville, Kentucky, in deed book 34, page 230.

TRACT 98
A tract of land lying in Bell County, Ky., on Beans Fork of Yellow Creek, adjoining lands formerly owned by J. C. Turner, John Burns and J. C. Colson, containing 168 acres more or le conveyed by A. L. Monroe and other to Alex A. Arthur, Trustee, by deed dated 21 March, 1887, recorded at Pineville, Ky., in deed book 5, page 481. Deed from American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc., dated May 1, 1895 recorded at Pineville, Kentucky, in deed Book 34, page 230.

623

TRACT 121
A tract of land lying in Bell County, Ky., on Bennett Fork of Yellow Creek, adjoining lands formerly owned by Thos. Parker, H. Parker, W. T. Moss and G. W. Partin, containing 26 acres. Conveyed by W. T. Moss to Alex A. Arthur, Trustee, by deed dated 17th of Dec., 1886, recorded at Pineville, Ky., in deed book 5, page 304. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, recorded at Pineville, Ky. in deed book 34, page 230

TRACT 123
A tract of land lying in Bell County, Ky. on waters of Bennett Fork of Yellow Creek, adjoinin lands formerly owned by Parker heirs, Thos. Parker, W. T. Moss, E. B. Moss, Monroe et al, Hurst & Moss, Henderson & Parker and Thos. Parker; also all of a cleared field lying around the 10th corner of said tract, also all of a cleared field lying around the 12th corner of said tract, containing 192 acres more or less, after excepting 20 acres widow's dower described in the judgment in case of A. A. Arthur against Henry Parker and others in Bell Common Pleas Court, and also in the report of the Commissioner filed in said case on 27th May, 1892. Being the same land conveyed by Middlesborough Town Co. to American Association Limited by deed dated 23 October, 1890, registered at Pineville, Ky., in deed book 25, page 112, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, and recorded at Pineville, Ky., in book 34, page 230. American Association Inc. owns 192 acres surface and 87 acres mineral rights.

TRACT 123A
A tract of land lying in Bell County, Ky., on Langly Branch and Bennett Fork of Yellow Creek, being known as part of the 20 acre Parker dower reserved in a deed from C. B. Johnson and others to Alex A. Arthur, Trustee, including the house formerly occupied by Henry Parker, containing 8 acres more or less. And described in a deed from the Master Commissioner of Bell Circuit Court to American Association Limited, dated 3 of Jan., 1894, registered at Pineville, Ky., in deed book 29, page 382. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky., in book 34, page 230. This 8.00 acres is in tract #123.

TRACT 124
A tract of land lying in Bell County, Ky., on Bennett Fork of Yellow Creek on Mingo Mountain, adjoining the state line and adjoining lands formerly owned by J. H. S. Morrison, Hurst and Moss, H. Parker, and Monroe et al, containing 18 acres. Being the same land conveyed by T. J. Henderson and others to Alex A. Arthur, Trustee, by deed dated 14th of May 1887, recorded at Pineville, Ky., in deed book 6, page 39. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., by deed dated May 1, 1895, recorded at Pineville, Ky., in book 34, page 230.

TRACT 125
A tract of land lying in Bell County, Ky., on Mingo Mountain, waters of Yellow Creek, adjoining the J. W. Carroll tract and lands formerly owned by W. T. Moss, Alvis Turner and H. Parker, containing 76 acres. Conveyed by Emma B. Moss to Alex A. Arthur, Trustee, by deed dated 3 of May, 1887, recorded at Pineville, Ky., in deed book 5, page 390. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., by deed dated May 1, 1895, recorded at Pineville, Ky., in book 34, page 230

TRACT 126
A tract of land lying in Bell County, Ky., on Mingo Mountain and on waters of Yellow Creek, adjoining J. W. Carroll tract, and a tract formerly owned by E. B. Moss, containing 12 acres. Conveyed by W. T. Moss to Alex A. Arthur, Trustee, by deed dated 17 of Dec., 1886, recorded at Pineville, Ky., in deed book 5, page 304. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., by deed dated May 1, 1895, and recorded at Pineville, Ky., in book 34, page 230.

TRACT 127 Covered by #128
A tract of land lying in Bell County, Ky., on Mingo Mountain, waters of Yellow Creek, adjoining lands formerly owned by E. B. Moss and Alvis Turner, containing 11¼ acres. Conveyed by W. T. Moss to Alex A. Arthur, Trustee, by deed dated 17 Dec., 1886, recorded at Pineville, Ky., in deed book 5, page 304. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., by deed dated May 1, 1895, recorded at Pineville, Ky., in book 34, page 230.

TRACT 128 Covered by #267
A tract of land lying in Bell County, Kentucky, on Mingo Mountain waters of Yellow Creek, adjoining the state line and tracts formerly owned by Henderson and Parker, H. Parker, Alvis Turner and J. C. Moyers, containing 137 acres. Conveyed by A. L. Monroe et al to Alex A. Arthur, Trustee, by deed dated 15 of Dec., 1886, recorded at Pineville, Ky. in deed book 5, page 292. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

624

TRACT 129
A tract of land lying in Bell County, Ky., on Mingo Mountain, waters of Yellow Creek, adjoining the Alvis Turner land, and lands formerly owned by J.H.S. Morrison and Monroe et al, containing 3 acres. Conveyed by W.T. Moss to Alex A. Arthur, Trustee, by deed dated 17th of Dec., 1886, recorded at Pineville, Ky., in deed book 5, page 304. (Covered by tract 1267) From Am. Assn. Ltd. by Jas. H. Bartlett, Spec. Commissioner, to Am. Assn. Inc. deed 5/1/1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 130
A tract of land lying in Bell County, Ky., on waters of Yellow Creek, and Mingo Mountain, adjoining land of J.W. Carroll and lands formerly owned by W.T. Moss, J.M. Moyers, W. Partin, A. Turner, J.C. Moyers and E.B. Moss. Conveyed by W.T. Moss to A.A. Arthur, Trustee, by deed dated 17th of Dec., 1886. Recorded at Pineville, Ky., in deed book 5, page 304; containing 135 acres more or less, after excluding that part thereof deeded by American Association Limited to Middlesborough Town Co. by deed dated 23 Oct., 1890, recorded at Pineville, Ky., in deed book 25, page 131. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky., in book 34, page 230. Also from Abijah Smith and others to American Association Inc. by deed dated Mar. 29, 1905, recorded at Pineville, Ky. in book 72, page 68.

TRACT 131
A tract of land lying in Bell County, Ky., on Mingo Mountain and on waters of Yellow Creek, adjoining lands formerly owned by W.T. Moss, containing 1½ acres. Conveyed by Jas. M. Moyers to Alex A. Arthur, Trustee, by deed dated 29th March, 1887, recorded at Pineville, Ky. in deed book 5, page 310. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 132
A tract of land lying in Bell County, Ky., on Yellow Creek, adjoining land formerly owned by W.T. Moss, J.M. Moyers and J.C. Moyers, containing 12½ acres and conveyed by the Middlesborough Town Co. to American Association Limited by deed dated Oct. 23, 1890. Recorded at Pineville, Ky., in deed book 25, page 112, etc. From American Association Liminted by James H. Bartlett, Special Commissioner, to American Association Inc., by deed dated May 1, 1895, recorded at Pineville, Ky., in book 34, page 230.

TRACT 133
A tract of land lying in Bell County, Kentucky, on waters of Yellow Creek and on Mingo Mtn. adjoining lands formerly owned by Alvis Turner, H. Lane, Moyers and Watson, J.C. Moyers and W.T. Moss, containing 179 acres. Conveyed by J.M. Moyers to Alex A. Arthur, Trustee, by deed dated 29 of March 1887, recorded at Pineville, Ky., in deed book 5, page 310. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230. Deed for 1½ acres to Millers Chappel for cemetery on east end of this tract. American Association Inc. owns 177½ acres in fee.

TRACT 134
A tract of land lying in Bell County, Ky., on Mingo Mountain between Big and Little Yellow Creeks, including Bennett Gap. Adjoining lands formerly owned by J.C. Moyers and J.M. Moyers, containing 20 acres more or less. Conveyed by J.C. Moyers to Alex A. Arthur, Trustee, by deed dated 17th of Dec., 1886, recorded at Pineville, Ky. in deed book 5, page 334. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, recorded at Pineville, Ky., in book 34, page 230.

TRACT 134-A
Contains 36 Acres. Deed from Henry Steele, Master Commissioner of Bell Circuit Court to American Association Incorporated, dated July 11, 1901, registered at Pineville, Ky. (Bell County) in Commissioner's Deed Book 3, page 355.

TRACT 135
A tract of land lying in Bell County, Ky., on Mingo Mountain, adjoining the state line and on waters of Yellow Creek, adjoining land formerly owned by J.C. Moyers and J.H.S. Morrison, containing 26¼ acres. Conveyed by J.M. Moyers to Alex A. Arthur, Trustee, by deed dated 29 of March 1887, recorded at Pineville, Ky., in deed book 5, page 310. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, recorded at Pineville, Ky., in book 34, page 230.

610 625

TRACT 136
A tract of land lying in Bell County, Ky., on waters of Sam Lane Branch of Yellow Creek, adjoining lands formerly owned by Moyers and Watson, containing 200 acres by patent. Being same land conveyed by Henry Parker to Alex A. Arthur, Trustee, by deed dated 12 of Dec., 1889. Recorded at Pineville, Ky. in deed book 12, page 610. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230. American Association Inc. owns 26.00 acres in tec.

TRACT 137
A tract of land lying in Bell County, Ky., on Mingo Mountain on waters of Yellow Creek, adjoining J. W. Carroll tract, and land formerly owned by W. T. Moss, containing 10½ acres. Conveyed by J. M. Moyers to Alex A. Arthur, Trustee, by deed dated 29th of March, 1887, recorded at Pineville, Ky., in deed book 5, page 310. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230.

TRACT 138
A tract of land lying in Bell County, Ky., on Mingo Mountain, waters of Yellow Creek, adjoining lands formerly owned by J. C. Moyers and John Burns, and adjoining the state line, containing 52 acres. Conveyed by J. C. Moyers to Alex A. Arthur, Trustee, by deed dated 17th of December, 1886, recorded at Pineville, Ky., in deed book 5, page 334. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

TRACT 139
A tract of land lying in Bell County, Ky., on Mingo Mountain, north side and the waters of Yellow Creek, known as the Henry Lane-Burns tract. Bounded on north by lands of Preston Moyers, on east by lands of Moyers and Watson, and on south and west by lands of Alex A. Arthur, and deeded to him by J. M. Moyers, containing 19½ acres. Being same land conveyed by Middlesborough Town Co. to American Association Limited, by deed dated 23 October, 1890, recorded at Pineville, Ky., in deed book 25, page 112, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230.

TRACT 139-A
Was bought from John D. Turner and others Nov. 13, 1918, and is recorded at Pineville, Bell County, Ky. in book 73, page 340. To clear title to Tract #139.

TRACT 140
A tract of land lying in Bell County, Ky. on Yellow Creek, adjoining lands formerly owned by H. Parker, John Watson, John Mealer, J. C. Colson and J. M. Moyers and H. Lane, containing 30 acres more or less. Being same land conveyed by Middlesborough Town Co. to American Association Limited, by deed dated 23 October, 1890, recorded at Pineville, Ky., in deed book 25, page 112, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

TRACT 140-A
Contains 52 Acres. Deed from J. F. Neal and wife to American Association Inc., dated April 10, 1899. File does not show where recorded. Also deed from Henry Steel, Master Commissioner, to American Association Inc., recorded at Pineville, Ky. in deed book 3, page 355.

TRACT 141
A tract of land lying in Bell County, Ky., on waters of Yellow Creek, bounded on north and northwest by a tract of land formerly owned by J. C. Moyers and John Watson jointly. Conveyed by them to Alex A. Arthur; on the east by land conveyed to Alex A. Arthur, ~~[illegible]~~ by John Mealer, and on south and southwest by lands of Alex A. Arthur, formerly Henry Parker, containing 58.97 acres. Being same land conveyed by Middlesborough Town Co. to American Association Limited by deed dated 23 October, 1890, recorded at Pineville, Ky., in deed book 25, page 112, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

626

611

TRACT 142
A tract of land lying in Bell County, Ky., on Mingo Mountain, adjoining lands formerly owned by J. C. Colson, J. C. Moyers and H. Parker, containing 26 acres. Conveyed by Henry Parker and wife to Alex A. Arthur, Trustee, by deed dated 16 May, 1887, recorded at Pineville, Ky., in deed book 5, page 441. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, recorded at Pineville, Ky. in deed book 34, page 230.

TRACT 143
A tract of land lying in Bell County, Ky., on waters of Yellow Creek, on ridge dividing Big and Little Creeks, adjoining lands formerly owned by H. Parker, J. M. Moyers, J. C. Moyers, John Burns, containing 27 acres more or less. Conveyed by J. C. Moyers to Alex A. Arthur, Trustee, by deed dated 2 of May, 1887, recorded at Pineville, Ky., in deed book 5, page 416. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230.

TRACT 144
A tract of land lying in Bell County, Ky., on Mingo Mountain, waters of Little Yellow Creek, adjoining the state line and lands formerly owned by J. C. Moyers and H. Parker, containing 53¼ acres. Conveyed by John Burns to Alex A. Arthur, trustee, by deed dated 22nd of January 1887, recorded at Pineville, Ky., in deed book 5, page 330. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, and recorded at Pineville, Ky., in Book 34, page 230.

TRACT 145
A tract of land lying in Bell County, Ky., on Mingo Mountain, waters of Yello Creek, being all the land held by a 50 acre survey granted to Anderson Parker by patent #56563, adjoining lands formerly owned by John Mealer and H. Parker, containing 8 21/100 acres more or less. Being the same land conveyed by the Middlesborough Town Co. to American Association Limited by deed dated 23 October, 1890, recorded at Pineville, Ky. in deed book 25, page 112, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, and recorded at Pineville, Ky., in book 34, page 230.

TRACT 146
A tract of land lying in Bell County, Ky., on Bennett Fork of Yellow Creek, adjoining the state line and land owned formerly by Monroe and others, Thos. Parker and Hurst and Moss, containing 75 acres more or less. Conveyed by Thomas Parker to Alex A. Arthur, Trustee, by deed dated 7th of December 1886, recorded at Pineville, Ky., in deed book 5, page 273. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230.

TRACT 147
A tract of land lying in Bell County, Ky., on south side of Bennett Fork, waters of Yellow Creek, adjoining land formerly owned by H. Parker, containing 33 acres more or less. Conveyed by Thomas Parker to Alex A. Arthur, Trustee, by deed dated 7 of Dec., 1886. Recorded at Pineville, Ky., in deed book 5, pg. 283. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, and recorded at Pineville, Kentucky, in book 34, page 230.

TRACT 148
A tract of land lying in Bell County, Ky., on waters of Yellow Creek, adjoining the state line and lands formerly owned by Thomas Parker, H. Parker, and Henderson and Parker, containing 112 acres. Conveyed by E. C. Hurst and others to Alex A. Arthur, Trustee, by deed dated 3 of May 1887, recorded at Pineville, Ky. in deed book 5, page 395. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230.

TRACT 149
A tract of land lying in Bell County, Ky., included in a survey recently made by Thomas Parker, adjoining lands formerly owned by John Dishman, Monroe and others, Thomas Parker and J. C. Moyers, containing 35 acres more or less, conveyed by Thomas Parker to Alex A. Arthur, Trustee, by deed dated 7 of Dec., 1886, recorded at Pineville, Ky., in deed book 5, page 283. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

627

612

87/282

TRACT 150
A tract of land lying in Bell County, Ky. on south side of Fork Ridge on waters of Bennett Fork, adjoining lands formerly owned by John Dishman, E. B. Moss and Thomas Parker, containing 46½ acres. Conveyed by A. L. Monroe et al to Alex A. Arthur, Trustee, by deed date 15 day of Dec., 1886, recorded at Pineville, Ky., in deed book 5, page 292, From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc., by deed dated May 1, 1895 and recorded at Pineville, Ky., in book 34, page 230.

TRACT 151
A tract of land lying in Bell County, Ky. on Fork Ridge on waters of Yellow Creek, adjoining lands formerly owned by John Dishman and Monroe et al, containing 24 acres. Conveyed by Emma B. Moss To Alex A. Arthur, Trustee, by deed dated 3 of May 1887, recorded at Pineville, Ky. in deed book 5, page 390. From American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230. Tract #335 covers part of tract of East Shades Branch - other 1/2 claimed by Bell Land Co.

TRACT 152
A tract of land lying in Bell County, Ky., on Fork Ridge and waters of Yellow Creek, adjoining land formerly owned by J. R. Turner, Thomas Parker, Monroe et al, E. B. Moss, the Hawn lands, Turner and Colson, and Reno surveys, containing 518- 35/100 acres. Conveyed by John Dishman to Alex A. Arthur, Trustee, by deed dated 28 of Aug., 1886, recorded at Pineville, Ky., in deed book 4, page 538. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

TRACT 153
A tract of land lying in Bell County, Ky. on Fork Ridge and Jones Branch of Yellow Creek, adjoining lands formerly owned by John Dishman, T. J. Henderson, the Reno lands, and the Hawn lands, and a Moss and Lane tract, containing 21 acres. Conveyed by J. M. Turner and W. G. Colson to Alex A. Arthur, Trustee, by deed dated 16th of May 1887, recorded at Pineville, Ky. in deed book 5, page 492. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 154
A tract of land lying in Bell County, Ky., on Fork Ridge on waters of Bennett Fork and Stoney Fork of Yellow Creek, adjoining the Hawn surveys and lands formerly owned by W. Ballew and T. J. Henderson containing 82 acres. Conveyed by A. L. Monroe and others to Alex A. Arthur, Trustee, by deed dated 21 March 1887, recorded at Pineville, Ky. in deed book 5, page 481. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

TRACT 155
A tract of land lying in Bell County, Ky. on Fork Ridge on Jones Branch and water of Yellow Creek, adjoining lands formerly owned by Turner and Colson, Moss and Lane, the Reno grants and the Hawn land, containing 219 acres more or less. Conveyed by T. J. Henderson and W. G. Colson to Alex A. Arthur, Trustee, by deeds dated respectively 3rd of May 1887, recorded in Bell County in deed book 5, page 436, and deed dated 21 of April 1891 and recorded in Bell County in deed book 25, page 27. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230. This was a grant covering 219 acres which is all covered by other tracts and sold to Yellow Creek Land Co. except 70.00 acres. American Association Incorporated owns 70.00 acres.

TRACT 156
A tract of land lying in Bell County, Ky., on Jones Branch waters of Bennett Fork of Yellow Creek, adjoining the state line, the Reno lands and land formerly owned by T. J. Henderson, containing 162 3/10 acres more or less. Conveyed by A. L. Monroe and others to Alex A. Arthur, Trustee, by deed dated 21 March 1887, recorded at Pineville, Ky. in deed book 5, page 481. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230.

TRACT 157
A tract of land lying in Bell County, Ky., on Lick Branch of Stoney Fork of Yellow Creek being a 50 acre survey in name of Joseph Pearce No. 38456, including an improvement made by said Pearce. Adjoining the Hawn lands and land formerly owned by Wasley Ball containing 49 acres, being same land conveyed by T. J. Henderson to Alex A. Arthur, Trustee, by deed dated 10 of Nov., 1887, recorded at Pineville, Ky., in deed book 6, pag 277. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated by deed dated May 1, 1895 and recorded at Pineville, Ky. in Book 34, page 230.

628

88/282

TRACT 159

A tract of land lying in Bell County, Ky., on Fork Ridge and Hignite Creek and Stony Fork of Yellow Creek, adjoining lands formerly owned by J. M. Gibson, Turner and Colson, Monroe et al, J. C. Moyers, W. H. & J. T. Burch, the Hawn land and a Newlee tract, containing 482 acres more or less. Conveyed by A. L. Monroe et al to Alex A. Arthur, Trustee, by deed dated March 21, 1887. Recorded at Pineville, Ky. in deed book 5, page 481. From American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895 and recorded at Pineville, Ky. in Book 34, page 230 To Louisville Property Co. in exchange except 3.0 acres more or less on the tract map.

TRACT 180

A tract of land lying in Bell County, Ky., on Log Mountain and Turner Spur on the waters of Yellow Creek, adjoining the Hawn and the Reno lands, containing 101 73/100 acres. Conveyed by J. W. Turner to Alex A. Arthur, Trustee, by deed dated 30th April, 1887. Recorded at Pineville, Ky., in deed book 5, page 429. From American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in Book 34, page 230. American Association Inc. own 101.73 acres in fee.

TRACT 181

A tract of land lying in Bell County, Ky., on Rock House Branch and Stony Fork of Yellow Creek adjoining lands formerly owned by J. W. Turner, J. M. Gibson, Moss land and W. Ballew, containing 103 acres. Conveyed by John Mealer to Alex A. Arthur, Trustee, by deed dated 18th of Dec., 1886, recorded at Pineville, Ky., in deed book 5, page 328. From American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in Book 34, page 230. American Association Inc. own 103.00 acres in fee.

TRACT 182

A tract of land lying in Bell County, Ky., on waters of Stony Fork of Yellow Creek, on Fork Ridge, adjoining lands formerly owned by John Mealer, W. Ballew and Hawn tracts, containing 41 acres more or less. Conveyed by A. L. Monroe and others to Alex A. Arthur, Trustee, by deed dated 21 March, 1887, recorded at Pineville, Ky., in deed book 5, page 481. From American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230.

TRACT 184

A tract of land lying in Bell County, Ky., on Stony Fork of Yellow Creek, adjoining lands formerly owned by John Mealer and J. M. Gibson, containing 3½ acres more or less. Conveyed by A. L. Monroe and others to Alex A. Arthur, Trustee, by deed dated 21st March, 1887, recorded at Pineville, Ky. in deed book 5, page 481. From American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230.

TRACT 186

A tract of land lying in Bell County, Ky., on Stony Fork of Yellow Creek, and on Log Mtn., adjoining lands formerly owned by J. W. Turner, Turner and Burch, and Hawn, containing 89 28/100 acres. Conveyed by J. W. Turner to Alex A. Arthur, Trustee, by deed dated 30 of April 1887, recorded at Pineville, Ky., in deed book 5, page 429. From American Association Limited by James H. Bartlett, Special Commissioner to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in Book 34, page 230.

TRACT 194

A tract of land lying in Bell County, Ky. on waters of Clear Fork of Cumberland river, adjoining lands formerly owned by John Davis, lands of Henry Sowder and John Davis, adjoining the state line, containing 43.50 acres. Conveyed by Ancil Gatliff to Alex A. Arthur, Trustee, by deed dated 24 of Aug., 1891, recorded at Pineville, Ky. in deed book 32, page 152, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

629

89/282

TRACT 195
A tract of land lying in Bell County, Ky. on waters of Clear Fork of Cumberland River, on Stinnetts Branch, adjoining lands formerly owned by J.S. Marsee and Preston Davis, and adjoining the state line, containing 130 acres. Conveyed by Jacob S. Marsee to Ancil Gatliff by deed dated 17th of Sept. 1891, recorded at Pineville, Ky., in deed book 34, page 1 to 9. From American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 196
A tract of land lying in Bell County, Ky., on both sides of Clear Fork of Cumberland river, on Straight Fork, Marcy's Branch and Stinnett's Branch, adjoining lands formerly owned by J.S. Marsee, Jacob E. Sowder and Preston Davis, containing 77 3/4 acres, and conveyed by Jacob Marsee to Ancil Gatliff by deed dated 17th of Sept., 1891, recorded at Pineville, Ky. in deed book 34, page 1 to 9. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 197
A tract of land lying in Bell County, Ky. on waters of Straight Fork and Stephenson Branch and Marcy's Branch being tributaries of Clear Fork of Cumberland River, adjoining lands formerly owned by Jacob S. Marsee, containing 144 ; 80 acres, conveyed by Jacob S. Marsee to Ancil Gatliff by deed dated 17th of Sept., 1891, recorded at Pineville, Ky. in deed book 34, page 1 to 9. From Ancil Gatliff and wife to A. A. Arthur - Oct. 13, 1891. From American Association Ltd. by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 198
A tract of land lying in Bell County, Ky., on waters of Clear Fork of Cumberland River, on Stephenson Branch, adjoining the state line and lands formerly owned by Jacob S. Marsee and Preston Davis, containing 39 acres and conveyed by Jacob S. Marsee to Ancil Gatliff by deed dated 17th of Sept., 1891, recorded at Pineville, Ky. in deed book 34, pages 1 to 9. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230

TRACT 199
A tract of land lying in Bell County, Ky. on waters of Clear Fork of Cumberland River, beginning on the state line, being the N.E. corner of P. Sowders Grant #3520 and obtained from Jacob S. Marsee and wife to the American Association Incorporated by deed dated Nov. 27, 1895 recorded at Pineville, Ky. in Deed book 32, page 613 - Dec. 31, 1895. Contains 28.31 acres.

TRACT 200
A tract of land lying in Bell County, Ky. on north side of Straight Fork of Clear Fork of Cumberland River, adjoining lands formerly owned by Jacob S. Marsee and Visa Gibson, containing 43.33 acres. Conveyed by Jacob S. Marsee to Ancil Gatliff by deed dated 17th of Sept., 1891, recorded at Pineville, Ky., in deed book 34, page 1 to 9. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

TRACT 201
A tract of land lying in Bell County, Ky. in forks of Sowders Creek and Clear Fork of Cumberland river, adjoining lands formerly owned by Jacob S. Marsee and J. E. Sowder and L. F. and Sarah Sowder, containing 261¼ acres and conveyed by Ancil Gatliff to Alex A. Arthur, Trustee by deed dated 24 Aug., 1891, recorded at Pineville, Ky. in deed book 32, page 152, etc. From American Association Ltd. by Jas. H. Bartlett, Spec. Commissioner, to American Association Inc. by deed dated May 1, 1895; recorded at Pineville, Ky. in book 34, page 230. Deeded .6 acr near southeast end of this tract of Fonde Baptist Church-June 15, 1934. A. A. Lown 261 acres in fee.

630

615

90/282

TRACT 203
A tract of land lying in Bell County, Ky., being that part of the William Sowder patent #19210 which lies west of Sowder Creek, adjoining lands formerly owned by L. F. & Sarah Sowder and Jacob S. Marsee, containing 6.60 acres, conveyed by Ancil Gatliff to Alex A. Arthur, Trustee, by deed dated 28 of Aug. 1891, recorded at Pineville, Ky. in deed book 32, page 161, etc From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated, by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 204
A tract of land lying in Bell County, Ky., on north side of Clear Fork of Cumberland River, adjoining lands of Jacob E. Sowder and John Davis, and other lands claimed by L. F. Sowder, containing 88.60 acres, and conveyed by Ancil Gatliff to Alex A. Arthur, Trustee, by deed dated 28th of Aug., 1891, recorded at Pineville, Ky. in deed book 32, page 161, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 204-A
From L. F. Sowders and wife to American Association Inc. dated Sept. 10, 1909. Not recorded. To clear title to #204.

TRACT 205
A tract of land lying in Bell County, Ky. on waters of Sowders Creek of Clear Fork of Cumberland River, including all lands held under the William H. Sowder grant #57579, adjoining lands formerly owned by Russell Davis and L. F. & Sarah Sowder, containing 185.25 acres, conveyed by Ancil Gatliff to Alex A. Arthur, Trustee, by deed dated 28 of Aug., 1891, recorded at Pineville, Ky. in deed book 32, page 161, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

TRACT 206
A tract of land lying in Bell County, Ky., on headwaters of Back Creek, a tributary of Clear Fork of Cumberland River, adjoining a tract of land formerly owned by Russell Davis, containing 478 acres, and conveyed by Ancil Gatliff to Alex A. Arthur, Trustee, by deed dated 24 of August, 1891, recorded at Pineville, Ky. in deed book 32, page 152, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, pg. 230.

TRACT 207
A tract of land lying in Bell County, Ky. on head waters of Back Creek of Clear Fork of Cumberland River, adjoining land formerly owned by Russell Davis, containing 46.33 acres, conveyed by Ancil Gatliff to Alex A. Arthur, Trustee, by deed dated 24 of Aug., 1891, recorded at Pineville, Ky. in deed book 32, page 152, etc. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 208
A tract of land lying in Bell County, Ky., on headwaters of Back Creek of Clear Fork of Cumberland River, adjoining land formerly owned by Russell Davis, containing .40 acre(4/10) conveyed by Ancil Gatliff to Alex A. Arthur, Trustee, by deed dated 24 of Aug., 1891, recorded at Pineville, Ky. in deed book 32, page 152, etc. From American Association Ltd. by James H. Bartlett, Special Commissioner to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky., in book 34, page 230.

TRACT 209
A tract of land in Bell County, Ky. on New Cabin Fork of Big Yellow Creek, containing 200 acres from W. G. Colson through Sheriff by deed for 1/3 interest, dated July 21, 1898, in deed book #36, page 413. From James B. Partin and wife, Nov. 3, 1899, in deed book #37, page 457. Deed from C. G. Renfro and wife, June 29, 1898, recorded at Pineville, Ky. in Deed book #38, page 336.

631

91/282

TRACT 210

A tract of land lying in Bell County, Ky., on waters of Yellow Creek. Beginning at a red oak and chestnut oak; thence N 45 E 50 poles to a beech, north 20 poles to a beech, north 45 west 80 poles to a stake, south 75 west 120 poles to a stake, south 60 east 158 poles to the beginning, containing 62 acres more or less. Conveyed by A. L. Monroe and others to Alex A. Arthur, Trustee, by deed dated 21 of March, 1887, recorded at Pineville, Ky. in deed book 5, page 481. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 212

A tract of land lying in Bell County, Ky., on Log Mountain waters of Lick Fork of Big Yellow Creek, containing 58.75 acres, adjoining what is known as the Pegg land. Conveyed by M. J. Moss to Alex A. Arthur, Trustee, by deed dated 16 of May, 1887, recorded at Pineville, Ky. in deed book 5, page 490. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

TRACT 213

A tract of land lying in Bell County, Ky. on waters of Little Yellow Creek, adjoining Carr Britton and Wm. Beard, being a survey No. 22117 in name of Mount Pursiful, containing 50 acres more or less. Being the same land conveyed by H. C. Pursiful and others to Alex A. Arthur, Trustee, by deed dated 31 of March, 1890, recorded at Pineville, Ky., in deed book 15, page 443. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

TRACT 214

A tract of land lying in Bell County, Ky. being patent 45105, on waters of Jones Branch of Big Yellow Creek, adjoining land formerly owned by T. J. Henderson, containing 163.50 acres. Conveyed by C. W. Short to Alex A. Arthur, Trustee, by deed dated 1st of June, 1889, recorded at Pineville, Ky. in deed book 8, page 620. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 215

All that part of the following tract of land which lies in Bell County, Ky., being patent #45106 on Bennett Fork, adjoining land formerly owned by John Dishman, containing 180 acres. Conveyed by C. W. Short to Alex A. Arthur, Trustee, by deed dated 1st of June 1889, recorded at Pineville, Ky. in deed book 8, page 620. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in Book 34, page 230.

TRACT 216

A tract of land lying in Bell County, Ky., being patent 45108, on the mountain dividing waters of Puncheon Camp Hollow and head of Big Yellow Creek, containing 124 acres, adjoining what is known as the Hawn lands. Being the same land conveyed by C. W. Short to Alex A. Arthur, Trustee, by deed dated 1st of June 1889, recorded at Pineville, Ky. in deed book 8, pg. 620. From American Association Ltd. by Jas. H. Bartlett, Spec. Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 217

A tract of land lying in Bell County, Ky. on waters of Big Yellow Creek, being patent #45109, containing 168 acres, adjoining what is known as the Hawn lands. Being same land conveyed by C. W. Short to Alex A. Arthur, Trustee, by deed dated 1st of June 1889, recorded at Pineville, Ky. in deed book 8, page 620. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, recorded at Pineville, Ky. in book 34, page 230.

TRACT 218

A tract of land lying in Bell County, Ky. on ridge dividing the waters of Puncheon Camp Branch and the head of Big Yellow Creek, being patent 45111, containing 156 acres, adjoining what is known as the Hawn land. Being the same land conveyed by C. W. Short to Alex A. Arthur, Trustee, by deed dated 1st of June 1889, recorded at Pineville, Ky. in deed book 8, page 620. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

TRACT 219

A tract of land lying in Bell County, Ky. on the mountain dividing the waters of Puncheon Camp Hollow of Big Yellow Creek, being patent 45119, containing 69 acres more or less, adjoining land formerly owned by J. W. Turner and the Hawn tract. Being same land conveyed by C. W. Short to Alex A. Arthur, Trustee, by deed dated 1st of June 1889, recorded at Pineville, Ky. in deed book 8, page 620. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895, and recorded at Pineville, Ky. in book 34, page 230.

632

612

92/282

TRACT 228

All that part of the following tract which lies in Bell County, Ky., being patent 45118 on Puncheon Camp Branch, waters of Big Yellow Creek, adjoining lands formerly owned by Mors and Lane and T. J. Henderson, containing 146.50 acres more or less, being the same land conveyed by C. W. Short to Alex A. Arthur, Trustee, by deed dated 1st of June 1889, recorded at Pineville, Ky. in deed book 8, page 620. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association Inc. by deed dated May 1, 1895 and recorded at Pineville, Ky. in book 34, page 230.

TRACT 229

Lying in Bell County, Ky. on north side of Mingo Mountain being part of James Carroll grant No. 55737 and containing 9.90 acres. From W. D. Marsee and wife and W. M. Ausmus and John F. Ausmus to American Association Incorporated by deed dated Jan. 11, 1896; and recorded in Bell County, Ky., in deed book 31, page 637 - March 4, 1896.

TRACT 230

Lying in Bell County, Ky. on south side of Bennett Fork of Yellow Creek being all of the Mack W. Carroll grant No. 55737, containing 7.70 acres. From W. M. D. Marsee and wife and Wm. Ausmus and John F. Ausmus to the American Association Inc. by deed dated Jan. 11, 1896, and recorded at Pineville, Ky. in deed book #34, page 637 - March 4, 1896.
Tract No. 230½ is covered by tract 230.

TRACT 231

Lying in Bell County, Ky., on Stoney Fork of Yellow Creek, containing 172½ acres from W. F. Gibson and wife to American Association Inc. by deed dated April 1, 1899, recorded at Pineville, Ky. in deed book 37, page 160 - May 1, 1899. (162½ acres to Louisville Property Company in land exchange.). American Association Inc. own 10.00 acres in fee.

TRACT 232

Lying in Bell County, Ky., and Claiborne County, Tenn. north of Back Creek at the state line and on the south side of Clear Fork of Cumberland River, containing 100 acres more or less. From L. F. Sowders and wife to American Association Inc. dated April 1, 1899, recorded at Pineville, Ky. in deed book 37, page 157 - May 1, 1899; and recorded in Claiborne County, Tenn. in deed book 10, Vol. 3, page 283 and 284, April 30, 1900.

TRACT 233

Lying in Bell County, Kentucky, on the south side of Clear Fork of Cumberland River, containing 60 acres by deed from Henry M. Sowder and wife to the American Association Inc. dated July 5, 1899 and recorded in deed book 27, page 245, etc. at Pineville, Kentucky - July 6, 1899.

TRACT 233-A

Lying in Bell County, Kentucky, on south side of Clear Fork of Cumberland River near the mouth of Sowders Creek, containing one acre, from the County Board of Education of Bell County, Ky., by deed dated July 7, 1909, and recorded at Pineville, Ky. in Deed book 59, page 161 etc. - July 13, 1909. Covered by tract No. 233.

TRACT 234

Lying in Bell County, Kentucky, on waters of Bennett Fork of Yellow Creek and being the same land described in a Kentucky grant for 200 acres #44374, registered in the Land Office at Frankfort, Ky., in book 79, page 56, from John E. Ruston to American Association Inc. by deed dated Sept. 5, 1900, and recorded at Pineville, Ky. in Deed Book 38, page 384, etc. Nov. 14, 1900.

TRACT 234-A

Lying in Bell County, Ky., on waters of New Cabin Fork, containing 13 acres. From Alfred Farmer, widower, to American Association Inc. by deed dated Sept. 15, 1905, recorded at Pineville, Ky. in deed book 49, page 278. Sept. 21, 1905.
A tract lying in Bell County, Ky., on waters of New Cabin Fork of Bennett Fork of Yellow Creek, containing 13 acres, from Joseph Baillet and wife to American Association Inc. by deed dated July 3, 1899. American Association Inc. own 26 acres.

TRACT 235

Lying in Bell County, Kentucky, on waters of Bennett Fork of Yellow Creek and being the same land described in a Kentucky grant for 200 acres #44375, registered in the Land Office at Frankfort, Ky., in Book 79, page 57, from John E. Ruston to American Association Inc. by deed dated Sept. 5, 1900, and recorded at Pineville, Ky. in Deed Book 38, page 384. XXXX Nov. 14, 1900.

TRACT 236
Lying in Bell County, Ky. on New Cabin Fork, waters of Bennett Fork, containing 30 acres. From Lee A. Turner & Lucy Jane Turner to American Association Inc. by deed dated June 9, 1899, recorded at Pineville, Ky. in deed book 37, page 224, June 13, 1899; from John W. Turner to American Association Inc. by deed dated April 14, 1903, recorded at Pineville, Ky. in deed book 44, page 56, May 16, 1903; from K. D. Turner to American Association Inc. by deed dated April 14, 1903, recorded at Pineville, Ky. in deed book 44, page 54, May 16, 1903; from Gill Turner and James Turner to American Association Inc. by deed dated April 30, 1903, and recorded at Pineville, Ky. in deed book 45, page 501, etc. Feb. 2, 1904; from John T. Davis and wife, Fannie Davis, to American Association Inc. by deed dated Jan. 25, 1904, recorded at Pineville, Ky., in deed book 45, page 503, etc. Feb. 2, 1904; from Nancy Jane Turner to American Association Inc. by deed dated March 30, 1904, recorded at Pineville, Ky. in deed book 46, page 122, etc., March 31, 1904.

TRACTS 237 to 241 inclusive:
Lying in Bell County, Kentucky - on Fork Ridge Mountain between Stony Fork and Cabin Fork.
237 - 1st tract, being grant from the Commonwealth of Kentucky #44368.
238 - 2nd tract, being grant from the Commonwealth of Kentucky #44369.
239 - 3rd tract, being grant from the Commonwealth of Kentucky #44370.
240 - 4th tract, being grant from the Commonwealth of Kentucky #44371.
241 - 5th tract, being grant from the Commonwealth of Kentucky #44372.
From George W. Easton, individually and as Trustee, to American Association Incorporated by deed dated 9th day of April, 1900, and recorded at Pineville, Ky., in deed book 38, page 92, etc. April 17, 1900. Contains 557.60 acres

TRACT 242
Lying in Bell County, Kentucky, on north side of Mingo Mountain near the Gibson Spring, and on waters of Bennett Fork of Yellow Creek, containing 35 acres - from Thomas Parker, Mandy Parker, John Holland and Sam Holland to American Association Incorporated by deed dated 15 November, 1899, and recorded at Pineville, Ky. in deed book 37, page 455, Nov. 18, 1899.

TRACT 243
Lying in Bell County, Kentucky, and Claiborne County, Tenn. near the state line and on the south side of Clear Fork of Cumberland River from John Davis and wife to American Association Incorporated, dated 27th Nov. 1899, and recorded at Pineville, Ky. in deed book No. 37, pages 494 etc, Dec. 7, 1899; and in Claiborne County, Tenn. in deed book No. 10, Vol. 3, pages 286-7, April 30, 1900. Containing 100 acres.

TRACT 244
Lying in Bell County, Kentucky, on north side of Bennett Fork of Yellow Creek, containing 50 acres, from William F. Turner and wife, and James R. Turner and wife, to the American Association Inc. by deed dated 8th June, 1900, recorded at Pineville, Ky. in deed book 38, page 186 - June 14, 1900.

TRACT 245
Lying in Bell County, Ky. on head waters of Clear Fork of Cumberland River, (being the lands covered by two grants from the Commonwealth of Kentucky to Peruda Sowder Nos. 23147 and 28813, and said lands described in a deed from Vice Calloway, formerly Vice Sowder, to American Association Inc., dated 1st Sept., 1900, recorded in office of clerk of Bell County Court in deed book 39, page 177,) from G. W. Davis and Mary Davis to American Association Inc. by deed dated 1st July, 1902, and recorded at Pineville, Ky., in Deed Book 43, page 36, Dec. 8, 1902. Containing 173.60 acres.

TRACT 245-A
Lying in Bell County, Ky. on headwaters of Clear Fork of Cumberland River, from W. S. Thomas and wife, Matilda Thomas, to American Association Inc. by deed dated 31st day of July 1916, and recorded at Pineville, Ky. in deed book 70, page 123, etc. Oct. 18, 1916. Covered by Tract 245.

TRACT 246
Lying in Bell County, Kentucky, on Stony Fork of Yellow Creek and being the same land heretofore conveyed by said John H. Wilson and others to American Association Inc. by deed dated 25th day of May 1901, from Julia Wilson, wife of John H. Wilson, to American Association Inc. by deed dated 6th August, 1902, and recorded in Bell County, in deed book No. 42, page 231, Aug. 9, 1902 - Containing 50 Acres.

634

94/282

TRACTS 247, 248, 249, 250, 251 and 252.
Lying in Bell County, Ky., as follows:- containing 422.95 acres.
No. 247 - on waters of Daniels Branch of Clear Fork of Cumberland River.
No. 248 - on headwaters of Back Creek of Clear Fork of Cumberland River.
No. 249 - on waters of Back Creek of Clear Fork of Cumberland River.
No. 250 - on waters of Daniels Branch of Clear Fork of Cumberland River.
No. 251 - on waters of Daniel Branch and Laurel Fork, tributaries of Clear Fork of Cumberland River.
No. 252 - on waters of Clear Fork of Cumberland River.
By Commissioner's Deed from Mollie C. Neal, Administratrix and Guardian, and Mollie C. Neal, Ethel Neal, James F. Neal, Mary C. Neal, and Houston Neal, by Henry Steele, Master Commissioner of the Bell Circuit Court, to the American Association Incorporated, dated 11th July, 1901, registered at Pineville, Ky., Sept. 28, 1901, in Commissioner's Deed Book No. 3, pages 355, etc. (Conveys (inter alia) an undivided one-half interest in the six tracts of land above. Also by Deed of General Warranty from H. J. Merwin and wife to American Association Incorporated, dated 15 June, 1901, registered at Pineville, Ky., Sept. 6, 1901, in deed book 39, pages 339 etc. (Conveys an undivided one-half interest in the six tracts above.
Tract No. 247 - sold all in fee 19.0 acres; and Tract No. 250 - sold 200.0 acres in fee - all to Thackers by deed dated ~~Dec~~ November 23, 1960.
American Association Inc. owns 203.95 acres in fee and oil and gas on 219 acres.

TRACT No. 256
Lying in Bell County, Kentucky, on Straight Fork, headwaters of Clear Fork of Cumberland River, containing 75 acres, from B. F. Sowders and Catherine Sowders, his wife, to American Association Incorporated, by deed dated the 13 January, 1902, recorded at Pineville, Ky. in Deed book 40, page 450, etc. Jan. 11, 1902.

TRACT 257
Lying in Bell County, Kentucky, on Fork Ridge which divides the waters of Stony Fork and Bennett Fork of Yellow Creek, containing 50 acres, from William M. Bingham and wife, and Robert Goodin and wife, Thomas Goodin and wife, W. J. Goodin and wife, J. H. King and wife, and Sallie Goodin, heirs at law of John Goodin, deceased, to the American Association Inc., dated 14 Sept., 1901, recorded at Pineville, Ky., in deed book 39, at page 407, Sept. 14, 1901.

TRACT 259
Lying in Bell County, Kentucky, on the Clear Fork of Cumberland River between Back Creek and Sowder Creek, containing 64.84 acres, from John Davis and wife, to the American Association Incorporated, dated 15th May, 1902, and recorded at Pineville, Ky. in deed book 42, page 11, May 20, 1902.

TRACTS 260, 261 and 262
Lying in Bell County, Kentucky, on waters of New Cabin Fork of Bennett Fork of Big Yellow Creek; containing 600 acres, from Emilie Zier, widow, to American Association Inc., dated 18th Sept, 1902, and recorded at Pineville, Kentucky, in deed book 42, page 423, Oct. 17, 1902.
Tract 260 - covers grant No. 45032 from Commonwealth of Kentucky - 200 acres.
Tract 261 - covers grant No. 45033 from Commonwealth of Kentucky - 200 acres.
Tract 262 - covers grant No. 45-34 from Commonwealth of Kentucky - 200 acres.

TRACT 264
Lying in Bell County, Kentucky, on Fork Ridge and at head of Jones Branch, a tributary of Bennett Fork of Yellow Creek, containing 53.45 acres, from R. C. Ford and wife to American Association Incorporated, dated 24 Dec., 1902, and recorded in Pineville, Ky. in deed book 43, page 167, Jan. 5, 1903. And from - S. W. Hagar, Auditor of the Commonwealth of Kentucky, to American Association Incorporated, dated 20th August, 1904, and recorded at Pineville, Ky. in deed book 46, at pages 533, etc. Oct. 27, 1904.

TRACT 265
Lying in Bell County, Kentucky, on Shingletree Spur waters of Yellow Creek, and being the same land granted by the Commonwealth of Kentucky to Hugh Murphy by patent dated 22nd July, 1858, No. 29460 - one/fourth interest from J. J. Marsee to American Association Inc. by deed dated Nov. 7, 1903 and recorded at Pineville, Ky., in Deed Book 44, page 537, Nov. 10, 1903. Contains 28.25 acres.

635

620

TRACT 266

Lying in Bell County, Kentucky, on Back Creek, a tributary of Clear Fork of Cumberland River, contains 97.34 acres, - to American Association Inc. from

	Deed dated	Recorded at Pineville, Ky. date	Deed Book	Page
John Davis	11-23-03	11-25-03	45	254
James Davis	4-12-04	4-13-04	46	175
Ambrose Lawson & wife, Amy	4-25-04	4-26-04	46	228
Frankie Davis	6-28-04	6-29-04	47	10
Ike Davis and Wife	11-18-04	11-21-04	46	581
James Davis	6- 0-05	6-12-05	47	624
John Davis and wife	4-12-05	5- 2-05	48	348
Thomas Davis and wife	4-28-05	5- 3-05	48	350
John Davis	11-10-05	12-15-05	50	125
Thomas Davis and wife	11- 8-05	11-10-05	49	394
John Davis and wife	2-14-07	2-16-07	52	369
Frankie Davis	4-26-07	5- 9-07	52	483
Frankie Davis	12- 8-11	12-11-11	63	242
Frankie Davis	3-30-08	4-16-08	55	374
James Davis	4- 7-08	9-10-08	55	556
Geo. Robt. Huddleston, and Frankie J. Huddleston and Jas. Huddleston by L. K. Rice, M. C.	10-17-13	11-17-13	C. D. B. 4	337
Thomas Davis & wife	3- 9-11	3-29-11	62	73
Wm. Lawson & wife	6-29-09	7- 3-09	59	128
Frankie Davis	7-20-15	7-28-15	68	410
Ike H. Davis and wife	10-12-10	10-21-10	61	324
Ike H. Davis & wife	6-27-17	7- 3-17	71	214

TRACT 267 to 270 inclusive;

Lying in Bell County, Ky. (five tracts) containing 185 acres,.

1st tract - lying on north side of Mingo Mountain.
2nd tract - lying on waters of Bennett Fork of Yellow Creek.
3rd tract - lying on waters of Bennett Fork of Yellow Creek.
4th tract - lying on Sheep Branch on Bennett Fork of Yellow Creek.
5th tract - On Bennett Fork of Yellow Creek.

From J. J. Marsee and W. D. Marsee and wife to American Association Inc. by deed dated Jan. 12, 1904, recorded at Pineville, Ky. in deed book 45, page 405 - Jan. 13, 1904.
Also- and undivided one-half interest in a tract of land lying on the south side of Bennett Fork of Yellow Creek - from the Winona Coal & Coke Co. to American Association Inc. by deed dated 21 May 1904, and recorded at Pineville, Ky. in deed book 46, page 369, June 10, 1904.

No. 267 - contains 100.00 acres.
No. 268 - contains 85.00 acres.
No. 269 - contains 25.00 acres;
No. 270 - contains 50.00 acres and 23 acres.

TRACT 271

Lying in Bell County, Kentucky, on Straight Fork and Turkey Branch, waters of the Clear Fork of Cumberland River, containing 98.75 acres, from Curd-Williams Co. to American Association Incorporated by deed dated 9th Feb., 1904, and recorded at Pineville, Ky., in Deed Book 45, page 548 - Feb. 10, 1904.

Beginning on a large chestnut, a corner of the Parada Sowder grant #23147; thence S 51-38 E 63.45 poles to two sugar trees; thence N 78- 54 E 22.73 poles to an ash; thence S 58 - 40 E 30.42 poles to a chestnut; thence S 41 E to a stake in the state line (Ky.-Tenn.); thence with said state line easterly to a stake on crest of Log Mountain where East boundary of grant #52753 crosses the state line; thence N 39 E to a stake, the sixth corner of said grant #52753; thence N 20 W 40 poles to a stake; thence N 78 W 40 poles to a stake; thence S 39 W 60 poles to a stake; thence N 3 E 95 poles to a stake; thence South 79 - 30 W 244.50 poles to the beginning.

[redacted]

Lying in Bell County, Kentucky, on what is known as Parker Branch, waters of Yellow Creek, said strip of land is 50 feet wide; from the Fern Lake Coal Co. to the American Association Incorporated by deed dated 16th Nov., 1903, and recorded at Pineville, Ky. in Deed Book No. 45, page 252, etc., Nov. 25, 1903. Contains 1/2 acre more or less. This is a railroad right-of-way.

636

621

96/282

TRACT 273

Lying in Bell County, Ky. on waters of Back Creek of Clear Fork of Cumberland River, containing 10 acres, to American Association Incorporated from:-

		on record in Pineville, Ky., in		
John Jones by deed dated	11-23-03	D.B.45, page	254	Nov. 25, 1903
Sarah Mossy Hamblin	1-11-04	45	397	Jan. 12, 1904
W.H. Sowders and wife	2-1-04	45	509	Feb. 3, 1904
F.S. Branham and wife	2-1-04	45	505	Feb. 3, 1904
W.C. Partin and wife	6-28-09	59	127	June 3, 1909
Wm. A. Leach and wife	7-15-13	65	265	Aug. 4, 1913
John R. Davis and wife	3-20-04	46	116	Mar. 31, 1904
J.P. Morgan and wife	4-27-04	46	308	May 21, 1904

Lying in Bell County, Ky. at and around the mouth of Back Creek of Clear Fork of Cumberland River and bounded on the west by Back Creek, on the south by the old Tom Davis line and Clear Fork; on the east by lands of L. F. Sowder now owned by American Association Inc., and on the north by the Wilson Partin tract on which his store stands and other lands. Being intended to include and all land on said Clear Fork lying east of Back Creek which descended to the party of the first part as the sole heir at law of America Hamblin, deceased.

TRACT 274

Lying on Martins Branch of Stony Fork Creek and containing 78.33 acres. From the Kentucky Land Association to American Association Incorporated by deed dated December 16, 1903, recorded in Bell County, Kentucky, in Deed Book 45, page 427 on Jan. 20, 1904. Containing 78.33 acres.

Lying on both sides of Stony Fork of Yellow Creek, being the tract on which Wesley Ballew now lives or did formerly live. Beginning on a maple on the north bank of Stoney Fork corner to the land sold by Wm. H. & J. T. Burch to Alex. A. Arthur, being a grant #30408 in name of J. C. Eve. Thence with the lines of said Arthur tract N 24 W 20 poles to a stake corner to same. Thence S 66 W. 69½ poles to a stake in the East boundary of land deeded by J. C. Moyers to Alex. A. Arthur. Thence with lines of the last named Arthur tract S 1 W 16¼ poles to a spruce pine and maple stumps on the south bank of Stoney Fork corner to said Arthur land. Thence continuing with Arthur lines S 89½ W 17.68 poles to a black gum stump on the South bank of Stoney Fork. Thence S 41 W 43 poles to a sugartree corner of tracts deeded to Alex. A. Arthur by J. C. Moyers & John Mealer. Thence with said Mealer now Arthur lines S 8 W 45.51 poles to a stake with two dogwood and three chestnut oak pointers corner of said Mealer now Arthur land. Thence N 35¼ W 26 poles to a stake in the Mealer line the extreme East corner of the 10th tract deeded Alex. A. Arthur by Moss and Lane. Thence S 41 W 45 poles with said Moss & Lane tract to a stake with three chestnut pointers. Thence N 89 W 10 poles to a stake with chestnut and sugartree pointers. Thence S 1 W 65 poles to a stake with Buckeye and Lynn pointers. Thence S 51 W 90 poles to a stake and three locust pointers. Thence S 9 E 28 poles to a stake and two chestnut pointers on the south side of Fork ridge about 14 poles from the top of same. Thence N 42½ E 381 poles crossing Stoney Fork to the beginning.

TRACT 277

Lying on the waters of Stevens Branch of Lick Fork of Yellow Creek, adjoining now or formerly the lands of Geo. Hamblin, Morgan Pearce, Jas. T. Burch, Thos. Marsee and Melissa King. From the Kentucky Land Association to American Association Inc. by deed dated Dec. 14, 1903, recorded in Bell County, Ky., in Deed Book 45, page 427 on Jan. 20, 190

Containing 242.54 acres.

Beginning on a beech the third corner of the Jeff. Craig Grant No. 17560 now or formerly a corner of Morgan Pearce. Thence with said Pearce N 29½ W 56.67 poles to a dogwood and chestnut in said Pearce's or Craig line - S 29 W 6.92 poles leaving said Pearce to two sourwood and chestnut oaks a corner of grant 60157 in name of Wm. R. Davis; thence continuing with said grant #60157 South 15.70 poles to two chestnuts the beginning corner of said grant 60157; thence S 5½ E 62½ poles to a stake in the N. E. boundary of W. R. Davis grant 56576; thence with said N. E. boundary of grant 56576 N 23 - 25 W 59.25 poles to a stake with black gum, hickory and black oak pointers in the south boundary of grant 59896 in name of King and Davis; thence with said King and Davis line N 60 E 4.5 poles to a stake the S. E. corner of same; thence with the east boundary of same north 102.5 poles to a stake and maple N. E. corner of same; thence with the N. boundary of said King and Davis grant S 71 - 46 W 136.40 poles to a poplar and spanish oak the beginning corner of same; thence continuing with King & Davis line North 10.08 poles to a chestnut oak and chestnut corner of same; thence N 37 - 40 E 10.19 poles to a chestnut oak; thence N 35 - 11 W 32.96 poles to a chestnut & chestnut oak corner of King & Davis grant; thence S 67 - 39 W 11.07 poles to a spanish oak and chestnut oak; thence S 67 - 2 W 74.43 poles to a forked chestnut oak 6th corner of the King & Davis grant aforesaid. Thence S 7 - 17 East 35.59 poles to a black oak; thence S 88 - 54 E 14.60 poles to a chestnut oak; thence S 47 - 32 E 58.97 poles to two locusts and a small white oak; thence N 77 - 6 E 15.45 poles to three chestnut oaks; thence S 55 - 30 E 45.17 poles to two dogwoods; thence S 38 - 48 E 31.06 poles to a white oak the 12th corner of the King & Davis grant and with the lines of grant No56576 in name of W. R. Davis S 67 - 52 W 13.56 poles to a sourwood the beginning corner of grant #56575 in name of W. R. Davis; thence with the lines of the last mentioned grant S 78 - 33 W 14.93 poles to a chestnut corner of the same; thence S 59½ W passing a corner of J. T. Burch at 2 poles in all 37.10 poles to a white oak & dogwood corner of said Burch; thence continuing with said Burch S 28½ W 23.5 poles to a stake in the line of the Thos. Marsee #21373; thence with said Marsee grant S 45 E [illegible] the line of the W. R. Davis #56575 aforesaid

637

97/282

Tract 277 continued:
corner of another tract of said Jas. T. Burch; thence with said Burch S 76¼ E 16.5 poles to a pine on top of the Rocky Ridge corner of said Burch; thence continuing with said Burch S 57 E 25 poles to a stake corner of same; thence N 64 E 43.5 poles to a black gum corner to patents Nos. 56575 & 56576; thence N 38½ E 18 poles to a poplar stump in a field corner of Wm. & Henry Rains grant and a corner also to Jas. T. Burch; thence S 30 W 39 poles to a chestnut stump and sprouts in said Burch line; thence leaving said Burch line and with the lines of land deeded to Wm. R. Davis by Wm. Marsee et al. S 64 3/4 E with the top of the ridge 22.88 poles to a stake; thence S 53¼ E 6.04 poles; thence S 50 E 5.80 poles - S 75¼ E 7.06 poles - N 67 E 7.68 poles - N 83¼ E 7.08 poles - S 37 E 8.14 poles to a white oak and black oak on top of said ridge corner of land deeded by Malissa King to Wm. R. Davis; thence continuing with the said ridge and with lines of Malissa King S 50 E 5.52 poles to a sourwood; thence N 83¼ E 5.26 poles to two chestnuts; thence S 85 E 9.38 poles to a beech on top of a ridge; thence leaving the top of the ridge - N 37 - 32 E 10.61 poles to a stake; thence N 46¼ E 10.06 poles to a beech on the West bank of Stevens branch; thence N 10 W 1.26 poles to point in the middles of Stevens branch; thence down said branch with its meanders the following courses: S 54 E 4 poles - S 35 3/4 E 5.80 poles - S 18¼ W 4.72 poles - S 37¼ E 4.56 poles - S 16½ E 5.38 poles - S 42½ E 5.60 poles to a stake on the East bank of Stevens branch; thence leaving the branch and leaving the King land N 40 E 42 poles to a sourwood and maple the 7th corner of Grant 60157 in the name of Wm. R. Davis; thence N 3 - 2 W 16.25 poles to a chestnut and black gum corner of said grant 60157 and also a corner of the land of Morgan Pearce; thence with the lands of Morgan Pearce N 25 - 38 W 18.40 poles to a beech corner of said Pearce; thence N 2 - 52 E 70 poles to the place of beginning.

TRACT 278
Lying on the waters of Lick Fork of Yellow Creek, adjoining the lands of Geo. W. Hamblin, Joshua and Alex. Smith, Morgan Pearce, Jerusha Evans, Isaac Sharp grant 23582. From the Kentucky Land Association to American Association Incorporated by deed dated Dec. 16, 1903, recorded in Bell County, Kentucky, in Deed Book 45, page 427 on Jan. 20, 1904. Contains 241.41 acres.
Beginning at a white oak on top of a ridge S. of Lick Fork the beginning corner of grant 60782 in the name of G. W. Hamblin for 12 acres; thence with the lines of said Hamblin S 46½ E 1.40 poles to a white oak stump in a fence corner reputed corner of the Martin Beaty grant No. 524 for 1000 acres; thence N 36 - 36 E 47.13 poles to a stake in a lane; thence with said lane S 37½ E 13.92 poles to a stake; thence N 40¼ E 2.36 poles; thence N 37 E 24.28 poles to a sweet gum on the South bank of Lick Fork; thence up said Lick Fork and crossing the same N 18¼ E 8.66 poles to a black oak at the mouth of a branch coming in from the N. side; thence up said branch the following courses N 26 E 2.82 poles N 18½ E. 8.76 poles - N 32 E 7.10 poles - N 11 E 4.90 poles - N 1 E 4 poles to a spanish oak on the W. bank of said branch; thence N 20½ W 4.20 poles to a maple reputed corner of the Martin Beaty Grant 524 for 1000 acres; thence N 70½ W 4 poles to line of Wm. Browning grant 23359; thence with lines of same N 30 E up the Trace ridge 78 poles to the line of Isaac Sharp grant 23582 near the top of the Trace ridge; thence leaving the lines of said G. W. Hamblin and with the line of the Isaac Sharp Grant 23582 N 26 - 25 W 33.25 poles to the N. W. boundary of the aforesaid Wm. Browning grant 23359; thence with the line of said Browning grant S 60¼ W 28.5 poles to two spanish oaks and an elm the beginning corner of said grant; thence leaving the Browning grant and with lines of land deeded to W. R. Davis by Spencer King & Alex. & Joshua Smith N 71 W 28.5 to a stake in the east line of the Wm. R. Davis grant 54122 1.75 poles from a white oak the South corner of same; thence with the east boundary of said grant 54122 N 10 - 37 W 108.30 poles to a stake with beech and chestnut oak pointers 10th corner of grant No. 54122; thence North 100 poles to a stake with chestnut oak and three sourwood pointers near the top of Trace ridge corner of Jerusha Evans grant 53180; thence with the same S 88 W 20 poles to a stake with black oak, four chestnut, three chestnut oak pointers near the top of the Trace ridge; thence S 7 W 35 poles to a large chestnut; thence S 42 - 45 W 12.27 poles to a chestnut; thence S 1 - 10 W 14.85 poles to a chestnut oak; thence S 36 W 29.82 poles to a white oak; thence S 32 - 16 E 20.02 poles to a double chestnut, one prong fallen; thence S 32 W 47.68 poles to a poplar extreme west corner of said grant 54122; thence S 51 - 45 E 11.5 poles to the line of the A. & F. Campbell grant No. 23358; thence with

638

98/282

Tract 278 continued:
the same S 60 - 58 E 7 poles to a poplar above a spring 5th corner of said Campbell; thence S 37 - 5 E 5½ poles to a stake in the line of the A. & F. Campbell grant where the line of said Davis #54122 crosses the same; Thence S 51 - 45 E 82½ poles to a stake in said Davis line 4 poles from the white oak extreme south corner of same; thence with the line of the A. & F. Campbell grant #23358 N 71 W. 35.75 poles to a point where said line crosses a branch; thence down said branch with its meanders the following courses:- S 31 W 3½ poles - S 6½ W 3.94 poles - S 9 W 6.64 poles - S 5 W 4.28 poles - S 16¼ W 5.25 poles - S 39½ W 3.84 poles - S 23 3/4 W 6 poles - S 77½ W 4.30 poles - S 23 3/4 W 3.18 poles - leaving the branch S 34½ W 6.64 poles to a beech; thence S 49 -16 W 14.26 poles to a beech on the S.W. Bank of Lick Fork; thence S 48 - 10 W 20.11 poles to a double dogwood Campbell's corner; thence with the Campbell lines N 73 - 17 W 52.03 poles to a birch, three chestnuts and a dogwood his beginning corner, also a corner of the Jeff. Craig Grant 17563 and Wm. R. Davis #59895; thence with lines of said Davis grant S 38 - 48 W 34.44 poles to a chestnut oak, 5th corner of said grant; thence continuing with the same S 87 - 39 W 25.60 poles to the line of the A. & F. Campbell grant; with the same S 59 -45 W 16.75 poles to where the west boundary of Davis grant 59895 crosses said Campbell line; thence with said Davis line S 9 W 3½ poles to a chestnut his corner; thence S 12 - 6 E 8½ poles to the line of Morgan Pearce's King grant #40040; thence with the same N 42 - 48 E 4.35 poles to a stake with black oak, dogwood and two chestnut pointers; thence continuing with said Pearce line S 9 E 73.25 poles to a brich and chestnut oak in said line, second corner of the Davis Grant 59895; thence leaving said Pearce line N 84 E 8.22 poles to a hickory and chestnut beginning corner of said Davis grant 59895; thence S 73 - 35 E 132.25 poles to a stake in the line of the C. W. Hamblin land; thence with the same N. 38 - 2 E 13.75 poles to the beginning.

TRACT 279

Lying in Bell County, Kentucky, on the head waters of Lick Fork of Yellow Creek. From the Kentucky Land Association to the American Association Inc. by deed dated Dec. 16th., 1903, recorded in Bell County, Kentucky, in Deed Book 45, page 427, on Jan. 20, 1904. Built a part of the A. & F. Campbell 200 acre grant #23358. Bounded on the N. & N. W. by the Thos. Evans grant #23352, on the E. & S. by the W. R. Davis lands and on the S. W. by the Dr. Pugg lands. Beginning on a birch and three chestnuts and dogwood a corner of the Jeff Craig grant #17563 and the Wm. R. Davis grant #59895; thence S 73 - 17 E 52.03 poles to a dogwood, Davis' corner; thence N 48 - 10 E 20.11 poles to a beech on the S. W. bank of Lick Fork; thence N 49 - 16 E 14.26 poles to a beech; thence N 34½ E 6.64 poles to a branch and with its meanders the following courses: N 23 3/4 E 3.18 poles - N 77½ E 4.30 poles - N 23 3/4 E 6 poles - N 39½ E 3.84 poles - N 16¼ E 5.25 poles - N 5 E 4.28 poles - N 9 E 6.64 poles - N 6½ E 3.94 poles - N 31 E 3½ poles to a point in the line of the A. & F. Campbell grant #23358 aforesaid; thence with the same and leaving the branch. N 71 W 2.90 poles to a stake with dogwood, two black oak, beech and poplar pointers - thence N 37 - 5 W 53.29 poles to a poplar near a spring corner of Davis; thence N 69-58 W 29.97 poles to a poplar and hickory - N 44 - 19 W 41.20 poles to two large chestnuts the S. E. corner of the Thos. Evans grant #23352 aforesaid; thence with said Thos. Evans grant N 57 - 30 W 104.20 poles crossing the east prong of Lick Fork to a rock with a cross marked on it with four chestnut pointers corner of said Thos. Evans grant; thence continuing with said Thos. Evans grant S 66 - 14 W crossing the top of Log mountain and passing the S. W. corner of the Evans Grant, a chestnut at 237 poles in all 249.70 poles to a stake, pile of rocks with hickory, double chestnut and locust pointers; thence S 59½ E 270 poles to a stake with ash, chestnut and hickory pointers; thence N 60 - 10 E 92.97 poles to the beginning. Containing 323.07 acres.

TRACT 280

Containing 116.12 acres. Lying in Bell County, Kentucky, on the waters of Lick Fork of Yellow Creek and on Canada and Log Mountain, adjoining the A. & F. Campbell grant 23358, the Z. S. Gibson grant #5213 and lands of Alex. A. Arthur purchased from J. C. Turner and from Moss & others. From the Kentucky Land Association to the American Association Incorporated by deed dated Dec. 16th., 1903, recorded in Bell County, Kentucky, in Deed Book 45, page 427, on January 20, 1904.

Beginning on a stake pile of rocks hickory and double chestnut and locust pointers the extreme

639

624

99/282

Tract 280 continued:
west corner of the A. &F. Campbell grant #23358; thence with the line of said grant N 66 - 14 E 12.70 poles to a chestnut on top of Log Mountain southwesterniost corner of the Thos. Evans grant #23352; thence with said Evans grant N 40 - 13 E 13.75 poles to the line of the Z.S. Gibson grant #5213; thence with said Gibson grant N 71 - 5 W 20.5 poles to a white oak and spanish oak corner of the same on top of Log Mountain; thence S 44 - 35 W 51.92 poles to one (formerly three) chestnut corner of the same; thence S 15 - 35 W 27.66 poles to three buckeyes; thence S 46¼ W 32 poles to a stake pile of rocks with two locust and chestnut pointers; thence S 7¼ W 45 poles to line of Wm. L. Evans grant #38238; thence leaving the lines of the Gibson grant aforesaid and with the lines of the Evans grant S 35 - 4 E 25.5 poles to a stake in the stump of a large spanish oak corner of land deeded to Arthur by J. C. Turner; thence S 3/4 E 43.16 poles to a spanish oak, chestnut and rock corner of said Turner to Arthur deed; thence S 83¼ E 70.90 poles to a black walnut stump on top of the Canada Mountain; thence N 3¼ E 51 poles to a black oak and white oak; thence N 65 E 57.25 poles to a hickory and chestnut oak; thence N 17 E 59 poles to the S.W. boundary of the A. &F. Campbell grant previously mentioned; thence with the same N 59¼ W 100.5 poles to the place of beginning. American Association Inc. now owns 70.00 acres, the balance of tract 280 went to Louisville Property Company in an exchange of land.

TRACT 282
Containing 239.15 acres. Lying in Bell County, Kentucky on both sides of Lick Fork of Yellow Creek, being lands deeded to George W. Hamblin by Wm. King and wife, 17 Nov. 1870. Also the lands held by the said Geo. W. Hamblin under a grant for 38 acres #60783 and under a grant #60782 for 12 acres, bounded on the north by the Isaac Sharp 170 acres #23582, on the east by lands deeded by Wm. L. Evans to Alex. A. Arthur and the lands of Jame Powers, on the south by the lands deeded to Alex. A. Arthur by Wm. D. King and the lands of Morgan Pearce, and on the west and northwest by the lands of Wm. Davis. From the Kentucky Land Association to American Association Inc. by deed dated Dec. 16, 1903, recorded in Bell County, Kentucky, in Deed Book 45, page 427, on Jan. 20, 1904. Beginning on a large rock on the N. W. side of the rocky branch the S. W. corner of the Geo. W. Hamblin 12 acre agrant #60782; thence with the N. W. boundary of same N 38 - 2 E 113.30 poles to a white oak on top of a ridge the beginning corner of said grant #60782; thence S 46½ E 1.40 poles to a white oak stump in a fence corner, the reputed corner of the Martin Beaty 1000 acre grant #524; thence with the lines of Wm. Davis N 36 - 36 E 47.13 poles to a stake in the lane; thence with said lane S 37½ E 13.92 poles to a stake; thence N 40¼ E 2.36 poles; thence N 37 E 24.28 poles to a sweet gum on the South bank of Lick Fork; thence up said Lick Fork and crossing the same N 18¼ E 8.66 poles to a black oak at the mouth of a branch coming in from the North side; thence up said branch with meanders of same the following courses: N 26 E 2.82 poles - N 48½ E 8.76 poles - N 42 E 7.10 poles - N 11 E 4.90 poles - N 1 E 4 poles to spanish oak on west side of said branch; thence leaving said branch N 20½ W 4.20 poles to a maple reputed corner of the Martin Beaty 1000 acre #524; thence N 70½ W 4 poles to the line of the Wm. Browning 25 acre grant #23359; thence with the same N 30 E crossing the top of the ridge dividing the waters of Lick Fork and Four Mile Creek at 82½ poles in all 91.88 poles to a stake and three chestnut oak pointers in the line of Isaac Sharp 170 acre #23582; thence with the same leaving the lines of Wm. Davis S 29 E 41.80 poles to a chestnut oak about 2 poles south of the top of the ridge corner of said Sharp grant; thence S 63 E 27.72 poles to a stake in the east boundary of the Geo. W. Hamblin 38 acre grant at a point 1.75 poles S 11 degrees E from a white oak and locust the beginning corner of said grant; thence S 11 E with the same 49.10 poles to a dogwood and black gum on top a ridge side of a path corner to same; S 7 - 10 W 15.50 to a white oak in a low gap; thence along the to p of the ridge the following courses: - S 10 E 8.56 poles to a stake with black oak and chestnut pointers - S 8½ W 19.32 poles - S 20¼ W 10 poles - S 7 W 9.72 poles - S 1 E 13.26 poles to a large black oak; S 69 E 9.16 poles - S 34 E 8.20 poles - S 39 E 1.28 poles to a black jack - S 24¼ E 2.94 poles - S 10 W 11.14 poles - S 34 E 7.72 poles - S 30 3/4 E 4.36 poles to two small black oaks - S 18 W 19.20 poles - S 10½ W 6.60 poles - S 19 E 8 poles to a pine and hickory corner between Evans and Powers; thence continuing along the top of the ridge with Powers S 30½ E crossing the road at 2 poles in all 8.36 poles - thence S 32 E 4 poles - thence S 21¼ E 4.34 poles - thence S 25 E 28.38 poles to two small black oaks -

640
635
100/282

Tract 282 continued;
thence S 48 E 7.22 poles - thence S 46 3/4 E 2.60 poles - thence S 54 W 5.40 poles to a pine - thence S 33 - 7 W 10.93 poles to three pines the N.E. corner of the land sold by W.D. King to Alex. A. Arthur - thence with said Alex. A. Arthur N 85 - 11 W 118.20 poles to a chestnut on the south side of the Muddy Branch the N.W. corner of said Arthur land - thence with the same S 2 W 9.92 poles to a sourwood and two dogwoods and white oak and chestnut pointers - thence with the line of Morgan Pearce S 45 W 25.96 poles to a large black oak at a ledge of rocks - thence continuing with said Morgan Pearce and with the top of the ridge the following courses: N 49½ W 5 poles to a chestnut stump and sprouts - N 70½ W 11 poles - N 61½ W 8 poles to a red oak - N 51½ W 19.12 poles - N 36½ W 5.82 poles to a red oak - N 26 W 4.80 poles to a white oak - N 32 W 12.42 poles to a white oak - N 22¼ W 8.74 poles to a chestnut oak - S 58½ W 6.12 poles - S 54½ W 6.72 poles to two black oaks - S 55 W 6.30 poles - N 72 W 5.12 poles - S 75 3/4 W 3.88 poles to a red oak in the south boundary of Geo. W. Hamblin 12 acre grant #60782. - thence with the same W crossing the Rocky branch at 20.8 poles in all 24.84 poles to the beginning. Containing 239.15 acres. Courses by magnetic meridian of 1888. Variation 2 degrees 10' East.

TRACT 283
Containing 218.25 acres. Lying in Bell County, Kentucky on Lick Fork of Yellow Creek and Log Mountain, patented to Thomas Evans May 22, 1855, and bounded as follows: Beginning at a poplar corner to a 100 acre survey made in the name of Wm. Evans; thence S 87 E with said Evans' line 65½ poles to a black locust; thence N 18½ E 69 poles to a chestnut oak, thence N 31½ E 40 poles to the Kolcee road and a poplar; thence N 42 E 24 poles to two white oak; thence N 85½ E 20 poles to 2 chestnut oaks; thence N 54½ E 50 poles to a stake; thence S 39 E 30 poles; thence S 82½ E 54 poles; thence S 2½ W 55 poles; thence S 50½ W 40 poles; thence S 3½ E 170 poles to a forked chestnut on a line of a survey of 100 acres made in the name of A. Campbell; thence with Campbell's line N 53½ W 100 poles to two sassafras'; thence S 66½ W 208 poles to a stake in a line of a survey made in the name of Z Gibson; thence with said survey N 88 E 32 poles; thence N 40 E 140 poles to the beginning. From the Kentucky Land Association to American Association Inc. by deed dated Dec. 16, 1903, recorded in Bell County, Kentucky, in Deed Book 45, page 427, on Jan. 20, 1904. All except 22 acres was lost by litigation.

TRACT 284
Containing 24.09 acres. Lying in Bell County, Kentucky, located in Four Mile Creek. From the Kentucky Land Association to American Association Inc. by deed dated Dec. 16, 1903, recorded in Bell County, Kentucky in Deed Book 45, page 427, on Jan. 20, 1904. And described as follows: Beginning on a stake with sourwood, beech and chestnut oak pointers the 10th corner of Grant 54122 in the name of W.R. Davis; thence with said Davis North 40 poles to the line of grant #60871; thence with the last mentioned grant S 30 - 42 E 19.75 poles to the line of the Isaac Sharp 170 acre grant #23582; thence with said Sharp grant South 44½ poles to a chestnut oak; thence N 86 - 54 E 20.77 poles to a chestnut oak; thence S 26 - 25 E 90.30 poles to the N.W. corner of W.R. Davis Browning grant in the Sharp line; thence leaving the Sharp line and with the line of the Browning grant #23359 S 60¼ W 22.40 poles to the line of said Evans #60871; thence leaving the Browning grant and with the line of said Evans grant N 59 W 40.25 poles to the East boundary of Wm. R. Davis grant #54122; thence leaving the lines of the Evans grant and with the East boundary of Davis #54122 N 10 degrees 37' W 93.5 poles to the place of beginning.

TRACT 285
Contains 16.72 acres. Lying in Bell County, Kentucky, located in Four Mile Creek. From Kentucky Land Association to American Association Inc. by deed dated Dec. 16, 1903, and recorded in Bell County, Kentucky, in Deed Book 45, page 427, Jan. 20, 1904. And further described as follows: Beginning on a chestnut and chestnut oak beginning corner of W.L. Eavns grant 60871, running thence with the same N 70 E 15.02 poles to 2 chestnut oaks and a sourwood corner of same; thence S 21 E 8 poles to the west boundary of the Wm. R. Davis grant 54122; thence with said Davis grant S 7 W 21.50 poles to a large chestnut corner of the same; thence S 42 3/4 W 1.50 poles to the line of Wm. L. Evans grant 60871; thence with the same N 4¼ E 23 poles to three chestnuts on the north side of the Trace ridge path; thence S 14 W 30 poles to the line of W.R. Davis grant 54122; thence with the same S 42 3/4 W 2.75 poles to a chestnut corner of the same; thence S. 1 - 10' W 4.50 poles to the line of the Evans grant 60871 aforesaid; thence with the same leaving Davis S 14 W. 16.5 poles to the line of Wm. R. Davis #54122; thence with the last mentioned grant S 36 W 21.5 poles to a stake in the line of Davis where the line of the Evans grant crosses it. Said stake is N 36 E 1.5 poles from the white oak corner of Davis; thence leaving Davis and with the lines of Evans N 35 W. 44.70 poles to a stake with two chestnut, hickory and poplar pointers corner of same; thence N 18 E 60 poles to a stake with chestnut pointers near the top of Trace ridge; thence S 37 - 30 E 29.30 poles to the place of beginning.

TRACT 286

Contains 49.54 acres. Lying in Bell County, Kentucky, on Four Mile Creek, waters of Big Yellow Creek. From the Kentucky Land Association to American Association Inc. by deed dated Dec. 16, 1903, and recorded in Bell County, Kentucky, in Deed Book 45, page 427, January 20, 1904. The lands covered and held by grant #4005 in name of Alex. Evans, recorded at Frankfort in land Office, Book 9, page 170. Lying on Four Mile Creek, waters of Yellow Creek at the head of the same and on Trace Ridge. Bounded on the North, South and East by the lands of Jerusha Evans and on the west by lands deeded to Alex. A. Arthur by Jas. K. Hoskins. Beginning at a chestnut oak on the top of Trace Ridge near the South end of Jas. K. Hoskins (now Arthur's) field, running thence with said field N 38 W 20 poles to a stake and pile of rocks; thence leaving said field and crossing the road along the Trace Ridge N 46 - 20 E 40 poles to two white oaks; thence N 83 3/4 E 163 poles to the west boundary of grant #19223 in name of Wm. Evans; thence with said Wm. Evans line crossing the Alex. Evans grant # 4005 S 34 E 22 poles to the south boundary of said grant #4005; thence with said south boundary S 82¼ W 9 poles to a stake; thence S 25½ W 18 poles to two white oaks; thence S 76 - 50 W 132.25 poles to a chestnut oak; thence N 84¼ W crossing the road along the Trace Ridge 45 poles to the place of beginning.

TRACT 287

Contains 58.26 acres. From the Kentucky Land Association to American Association Inc. by deed dated Dec. 16, 1903, and recorded in Bell County, Kentucky, in Deed Book 45, page 427, January 20, 1904. A tract of land in Bell County, Kentucky, lying on the waters of Four Mile Creek, a tributary of Yellow Creek, bounded on the North east and West by the Jerusha Evans land, being the land contained in grant No. 12278 in name of Alex. Evans, recorded in Book V, page 51, Kentucky Land Office. Beginning at two poplars at the forks of Four Mile Creek, one being marked A, running thence up the point between the forks of Four Mile Creek and with the lands of Jerusha Evans N 43 - 46 W 112.90 poles to a large chestnut and dogwood at the foot of a hill; thence N 85 - 25 W 56.60 poles crossing the west prong of Four Mile Creek to a chestnut in the corner of a field; thence through said field S 9 - 26 W 5120 poles to a large hickory; thence S 60 E passing the corner of Jerusha Evans land at 92½ poles in all 170 poles to a stake with birch, two dogwoo and a buckeye pointers; thence N 4 - 56 W 50.30 poles to the place of beginning. Being all the lands held by Alex. Evans grant No. 12278.

TRACT 288

Lying on the headwaters of Four Mile Creek in Bell County, Kentucky. Obtained from the Kentucky Land Association by deed dated December 16, 1903, containing 50.11 acres and described as follows:

And lying on both sides of Four Mile Creek, adjoining the Alex. Evans 50 acres grant #12278. Beginning on two ashes on a bench on the East side of the Trace Ridge; thence S 76 - 53 E 43.05 poles to a hickory North of Wm. Rains field, thence N 77 - 49 E 57.05 poles to a chestnut having crossed Four Mile Creek; thence N 22 - 3 W 34.48 poles to an ash; thence N 11 3/4 E 24 poles to a stake, pile of rocks and two hickory, dogwood and chestnut pointers; thence N 22 - 17 W 54.70 poles to a chestnut oak; thence N 88¼ W 43 poles to the east boundary of Grant #53179 in name of Jerusha Evans; thence with said Jerusha Evans S 3½ E 51 poles to two poplars in the forks of Four Mile Creek one marked A, the beginning corner of the Alex. Evans grant 12278; thence with the last mentioned grant S 4 - 56 E 50.30 poles to a stake with birch, two dogwood and buckeye pointers corner of the same; thence with the same N 60 W 77½ poles to a stake in said line at intersection with line of Jerusha Evans grant 53180; thence with the same S 10 - 35 W 9.75 poles to a stake with dogwood, chestnut and birch pointers corner of the same; thence S 54 W 16.25 poles to the closing line of the Jerusha Evans grant 23354; thence with the same S8 - 50 E 54½ poles to the place of beginning. Courses by magnetic meridian of 1888. Variation 2 degrees 10' East.

627 642

TRACT 289

Lying on the headwaters of Four Mile Creek and on the head of the Ground Hog Hollow waters of Cannon Creek in Bell County, Kentucky. Obtained from the Kentucky Land Association by deed dated December 16, 1903, containing 359.30 acres, and described as follows:

Beginning on a poplar standing at the forks of Four Mile Creek on the west bank of the channel the beginning corner of the Alex. Evans 50 acres grant #10561 and a corner of the Jerusha Evans grant #53179. Running thence with the last mentioned grant N 3½ W 71½ poles to the South boundary of the first tract of a deed from Jno. Baughman to Jerusha Evans dated 29 March, 1853; thence with the south boundry of said last mentioned tract N 87 E 48 poles to a dogwood S. E. corner of said tract; thence with the S. E. boundary of the Jerusha Evans grant #46112 N 21 - 11 E 46.77 poles to a large rock with sourwood, two black oak, a chestnut oak and chestnut pointers near the top of the mountain; thence N 30 W 100 poles crossing the top of Log Mountain to a white oak and poplar corner to said Jerusha Evans #46112 on the waters of Cannon Creek; thence 45 - 9 W 10.90 poles to a white oak and dogwood; thence S 67 - 53 W 18.40 poles to a stake in the N. E. boundary of the Wm. Evans grant #19223. Said stake is 1/3 pole N 67 - 53 E from a large chestnut corner to the Jerusha Evans #46112. Thence with the N. E. boundary of said Wm. Evans #19223 North 29 - 37 W 127.60 poles to a stake in a cornfield claimed by Jas. Givens; thence S 36 W 46 poles to a stake with chestnut, chestnut oak and dogwood pointers; thence S 8 W 19.20 poles to a stake with two dogwood, sassafras and sourwood pointers at the intersection of the lines of Wm. Evans #19223 and Jerusha Evans #53180; thence with the lines of said Jerusha Evans #53180 S 73 - 25 W 19.30 poles to two chestnut oaks her corner; thence S 60 - 57 W 111.60 poles to a large chestnut; thence N 65 - 28 W 19.70 poles to three chestnut oaks; thence S 61 W 16.88 poles to a black gum and chestnut oak; thence S 31 - 12 W 25 poles to two small sourwoods; thence S 63 - 7 W 13.27 poles to a rock midway between a chestnut oak and a maple both marked for corner near the county road and south side of a branch waters of Cannon Creek - S 1 degree W 5.52 poles to a black oak and chestnut on the north side of the County road opposite Hoskins' now Arthur's field; thence S 34 - 43 E 27.95 poles to a large black oak; thence S 46 - 7 E 14.35 poles to a white oak and black oak; thence S 31 - 48 E 187.90 poles to a stake with four chestnut and three chestnut oak and a black oak pointers near the top of the Trace Ridge the N. W. corner of the W. R. Davis grant #54122; thence with the North boundary of said Davis N 88 E 20 poles to a stake with chestnut, chestnut oak and three sourwood pointers N. E. corner of said Davis; thence continuing with said Davis S 25 poles to a stake in his line with chestnut, dogwood and white oak pointers; thence E 20 poles to a stake with sourwood, black gum and white oak pointers; thence N 54 E 60 poles to a stake with dogwood, chestnut and birch pointers; thence N 10 - 35 E 9.75 poles to a stake in the S. W. boundary of the Alex. Evans grant #10561; thence with the lines of said Alex. Evans grant N 60 W 92.50 poles to a large hickory corner to same

North 9 - 26 E 51.20 poles to a large chestnut; thence S 85 - 25 E 56.60 poles to a large chestnut and Dogwood at the foot of a hill between the forks of Four Mile Creek; thence S 43 - 46 E 112.90 poles to the place of beginning.

TRACT 290

Lying on the top of Trace Ridge between Four Mile Creek and Lick Fork in Bell County, Kentucky. Obtained from the Kentucky Land Association by deed dated December 16, 1903, containing 2.91 acres, and described as follows:

Adjoining the lands heretofore conveyed by Wm. L. Evans to Alex. A. Arthur. Beginning on a post oak on a point of Trace Ridge a corner of land heretofore conveyed to Alex. A. Arthur by W. L. Evans. Running thence with said Arthur land N 29 - 27 E 45.36 poles to a stake pile of rocks and two sourwood, black gum and chestnut pointers in the line of the Isaac Sharp 170 acre grant #23582; thence with the line of said Sharp grant S 66½ W 25.88 poles to a chestnut on the top of the Trace ridge a corner of the same; thence continuing with said Sharp line N 63 W 9.60 poles to a stake on the top of the Trace ridge in said Sharp line and S 24 E 2.75 poles from a white oak and locust corner of a grant in name of Geo. W. Hamblin; thence with the lines of the Evans grant #60754 S 24 E 24.40 poles to a black gum and maple corner of said grant #60754; thence S 4 - 34 W 20.25 poles to the line of the Martin Beaty 1000 acre grant; thence with the same S 76½ E 5 poles to the line of land deed to Alex A. Arthur by Wm. L. Evans; thence with said deeded land N 18¼ W 11 poles to the place of beginning.

643

624

TRACT 291

Lying on the waters of Four Mile Creek, in Bell County, Kentucky, adjoining lands heretofo deeded to Alex. A. Arthur by Wm. L. Evans. Obtained from the Kentucky Land Association by deed dated December 16, 1903, containing 24.32 acres, and described as follows: Beginning on a double beech and two white oaks S. W. corner of grant #38239 in name of Wm. L. Evans and corner of lands heretofore conveyed by Wm. L. Evans to Alex. A. Arthur. Running thence with said Arthur S 7½ E 16 poles - S 29½ E 20 poles N 68 E 71 poles - S 17 E 21½ poles to the line of the Isaac Sharp 150 acre grant #23583; thence with the same N 70 E 51½ poles to a stake in the line of same where it crosses the line of lands conveyed by Nancy J. Campbell to Alex. A. Arthur. Said stake stand S 70 W 3 poles from a poplar on S bank of Allens Br. a corner of the Isaac Sharp grant aforesaid; thence with said Campbell now Arthur line N 38 - 38 E 37 poles to the East boundary line of the aforesaid grant #60795 thence with the same N 10 poles to a chestnut and white oak; thence S 82 W 43.18 poles to a dogwood and black oak; thence S 63 W 31.90 poles to a chestnut oak; thence N 23 W 21.44 poles to a hickory and two chestnuts on the divide between Allens Br. and Four Mile Creek; thence S 69 - 13 W 47.10 poles to two hickories the S.E. corner of grant #38239 in the name of Wm. L. Evans; thence with the same S 69 W 34.54 poles to place of beginning.

TRACT 294

Lying on the waters of Little Yellow Creek, opposite the Parker or Turner gap in Mingo Mountain, in Bell County, Kentucky. Obtained from the Kentucky Land Association by deed dated December 16, 1903, containing 44.93 acres, and described as follows: Being the same tract granted to Wm. Beaty by patent #22364. Beginning on a white oak near the foot of Mingo Mountain; thence S 55 3/4 W 40 poles to a pile of rocks and nine chestnut sapplings pointers; thence S 62 3/4 W 40 poles to a pile of rocks with three hickories; three dogwood pointers; thence N 30 - 4 W 58.77 poles to a fallen forked chestnut oak near the Parker and Turner gap; thence N 59 3/4 E 200 poles to a stake, pile of rocks and four hickory pointers; thence S 35 - 55 W 146.60 poles to the beginning.

TRACT 295 ✓

Lying on the southeast side of Little Yellow Creek, in Bell County, Kentucky, containing 50.11 acres, and being the same land described in the deed from John F. Turner and wife to Alex. A. Arthur, Manager, recorded in the office of the Clerk of the Bell County Court in deed book number 7, page 482, and reference to said deed is hereby made for further description. Obtained from the Kentucky Land Association by deed dated December 16, 1903, and recorded in Bell County, Kentucky, in Deed Book 45, page 427, Jan. 20, 1904.

TRACT 319

Lying in Bell County, Kentucky, on the waters of Big Yellow Creek, containing 20 acres - obtained from John Fulton, Jr. and wife, Jennie M. Fulton, by deed dated 19th September, 1904, and recorded at Pineville, Kentucky, in Deed Book 47, page 231, etc. Oct. 17, 1904.

TRACT 321

Lying in Bell County, Kentucky, on the waters of Yellow Creek, containing 200 acres, and composed of three tracts. (Tract #1 being the land covered by a grant from the Commonwealth of Kentucky #44377. Tract #2 being the land covered by a grant from the Commonwealth of Kentucky #44378. Tract #3 being the land covered by a grant from the Commonwealth of Kentucky #44379.) From Gertrude Elliot to the American Association Incorporated by deed dated 2nd November, 1904, and recorded at Pineville, Ky., in deed book No. 47, page 395 - 14th Nov December, 1904.

TRACT 322

Lying in Bell County, Kentucky, on the waters of Back Creek of Clear Fork of Cumberland River, containing 53.12 acres. From Winson Parton and Susan Parton to the American Association Incorporated by deed dated 1st November, 1905, and recorded at Pineville, Ky. in Deed Book No. 50, page 396, November 10, 1905.

TRACT 322-A

Lying on Buck Creek, a tributary of the Clear Fork of Cumberland River, in Bell County, Kentucky, containing 3/4 acre. From John Jones to the American Association Incorporated by deed dated June 12, 1913, and recorded at Pineville, Ky., in Deed Book No. 65, page 130, June 27, 1913.

TRACT 324

Lying in Bell County, Kentucky, on the headwaters of Lick Fork, a tributary of Yellow Creek of Cumberland River, containing 60 acres. From Nicholas Elflur and wife, Maggie S. Elflur, to American Association Incorporated, by deed dated February 11, 1907, and recorded at Pineville, Kentucky, in deed book No. 52, page 403, February 28, 1907. Also covers tract 347.

TRACT 325

Lying in Bell County, Kentucky, on Back Creek, a tributary of the Clear Fork of Cumberland River, containing 2.75 acres. From J. C. Davis and wife, Mary Elizabeth, and John Leach and Sarah Jane Leach, his wife, to the American Association Incorporated by deed dated December 9, 1910, and recorded at Pineville, Kentucky, in Deed Book No. 61, page 527, Jan. 5, 1911.

644

629

TRACTS Nos. 326, 328, 329, 330, 331, 333, 334, 335, 336, 337, 338, 339, and 342.
Lying in Bell County, Kentucky, on the waters of Little Yellow Creek, Bennetts Fork and Stony Fork, all tributaries of Big Yellow Creek, and also on the waters of Clear Fork of Cumberland River. From the Yellow Creek Land Company and C. W. Metcalf, Trustee, et al, by deed dated the 7th September, 1908, and recorded at Pineville, Kentucky, in Deed Book No. 57, page 342. January 15, 1909.

Tract #326 - On Yellow Creek.	Contains	51.00 acres.
Tract #328 - On Yellow Creek.	Contains	4.00 "
Tract #329 - " " "	Contains	6.00 "
Tract #330 - " " "	Contains	10.00 "
Tract #331 - On Bennetts Fork.	Contains	150.00 "
Tract #333 - Covered Tract #110.		
Tract #334 - On State line and Bennetts Fork.	Contains	150.00 "
Tract #335 - On west of Shades Branch.	Contains	197.00 "
Tract #336 - On New Cabin Fork.	Contains	60.00 "
Tract #337 - On Martins Branch.	Contains	80.00 "
Tract #338 - On Martins Branch.	Contains	47.00 "
Tract #339 - On Stony Fork. (Also in Louisville Property Co. Deed).	Contains	120.00 "
Tract #342 - On Stony Fork.	Contains	6.00 "
	TOTAL ACREAGE	841.00 acres.

TRACT 343
Lying in Bell County, Kentucky, on Back Creek, a tributary of Clear Fork of Cumberland River, containing 10.50 acres. From J. D. Tomplin and wife, Minnie E., to American Association Incorporated by deed dated February 23, 1911, and recorded at Pineville, Ky. in deed book No. 62, page 79. March 29, 1911.

Tract 343-A -	Contains 1/2 acre. From Henry Hatfield & wife	by deed Dec. 14, 1908. Apr. 2, 1910.
Tract 343-B -	" no acreage ,	
Tract 343-C -	Contains 1/8 acre. From Adam H. Hatfield	by deed June 30, 1913.
Tract 343-D -	Contains 1/8 acre. From Thomas Ettal	by deed June 30, 1913.

TRACT 345
Lying in Bell County, Kentucky, on both sides of Big Yellow Creek and on the waters of the Mary Branch, containing 400 acres. From Burton Mansfield Sawyer and wife, Austa B. Sawyer, to the American Association Incorporated by deed dated 28th July, 1913, and recorded at Pineville, Ky., in deed book 66, page 3, etc. Sept. 2, 1913.
Sold 200 acres of surface to Lena Ward Evans on January 1, 1937.
American Association Inc. owns 200 acre in fee and 200 acres minerals.

TRACT 346
A tract of land lying west of Canada Peak on Log Mountain and the tributaries of Beans Fork and Lick Fork of Yellow Creek. Obtained from the Louisville Property Company by exchange of lands by deed dated January 2, 1922. See Louisville Property Co. deed for description. Contains 270.00 acres. Also covers tract #96.

TRACTS Nos. 347 to 364 inclusive.
Lying on Log Mountain in the Yellow Creek watershed in Bell County, Kentucky, and were obtained from the Louisville Property Company in the land exchange dated Jan. 2, 1922.

Tract #347 - covered by tract 324.	
Tract #348 - contains	106.68 acres.
Tract #349 - contains	66.50 "
Tract #350 - contains	3.25 "
Tract #351 - contains	9.59 "
Tract #352 - contains	40.21 "
Tract #353 - contains	45.93 "
Tract #354 - contains	24.50 "
Tract #355 - contains	28.43 "
Tract #356 - contains	6.90 "
Tract #357 - contains	0.38 "
Tract #358 - contains	1.95 "
Tract #359 - contains	0.18 "
Tract #361 -)	
Tract #362 -) contains	600.00 "
Tract #363 -)	
Tract #364 - Surface sold, contains 90.00 acres minerals.	
TOTAL ACREAGE	934.50 acres.

Total Mineral Rights - 124 acres.

645

630

TRACTS Nos. 368, 369 and 370.
Lying in Bell County, Kentucky, on the waters of Yellow Creek. From the Middlesborough Town and Land Company, and E. T. Partridge and Frank Morris Crisp, Trustees, to the American Association Incorporated by deed dated July 3, 1917, and recorded at Pineville, Kentucky, in Deed Book No. 71, page 218, etc., 6th July, 1917, containing the following acreage:

Tract #368 - Lying on Beans Fork of Yellow Creek. Contains ----	8.28 acres.
Tract #369 - Lying on Beans Fork of Yellow Creek. Contains ----	41.25 "
Tract #370 - Lying on Beans Fork of Yellow Creek. Contains --	23.69 "
Total acreage ----------	73.22 acres.

TRACT 374
Lying in Bell County, Kentucky, on the waters of Four Mile Creek, a tributary of Big Yellow Creek, containing 97.9 acres. From Yellow Hill Coal Mining Company and Shelton Evans and wife, Rena Evans, by deed to American Association Incorporated, dated July 14, 1925, and recorded at Pineville, Kentucky, in deed book No. 92, page 323, July 30, 25

TRACT 375
Lying in Bell County, Kentucky, on the waters of Four Mile Creek, a tributary of Big Yellow Creek, containing 43.25 acres. From Yellow Hill Coal Mining Co. and William K. Evans and wife, Bessie, by deed dated July 14, 1925, to the American Association Inc. on record at Pineville, Ky., in Deed Book No. 92, page 320, July 30, 1925.

TRACT 377
Lying in Bell County, Kentucky, on Stephens Branch of Lick Fork of Big Yellow Creek, and containing 56 acres. To the American Association Incorporated by the following deeds:-
From C. P. Mayhall and wife, Ethel Neal, dated Aug. 24, 1926 and recorded at Pineville, Kentucky, in deed book 95, page 60, Sept. 2, 1926.
From H. C. Neal and wife, Elizabeth, dated Aug. 28, 1926, and recorded at Pineville, Kentucky, in deed book 95, page 62, Sept. 2, 1926.
From Mary C. Neal dated August 22, 1926, and recorded at Pineville, Ky., in deed book 95, page 58, Sept. 2, 1926.
From John G. Fitzpatrick dated Sept. 1, 1926, and recorded at Pineville, Ky. in deed book 95, page 64, Sept. 2, 1926.

TRACTS 379 - 380 - 381 - 382 - 383
Lying in Bell County, Kentucky. Containing in all 365 acres, as follows:-
1st tract - on the waters of Cannon Creek, a tributary of Big Yellow Creek.
2nd tract - on the waters of Lick Fork of Big Yellow Creek.
3rd tract - on headwaters of Lick Fork of Big Yellow Creek.
4th tract - On Alum Rock branch of Cannon Creek.
5th tract - on Rocky branch, a tributary of Lick Fork of Big Yellow Creek.
From George M. Camp and wife, Nancy Y. Camp, to the American Association Incorporated by deed dated the 24th January 1929, and recorded at Pineville, Kentucky, in Deed Book 100, page 168. February 14, 1929.

TRACT 385
On Tract map lying on Beans Fork in Bell County, Kentucky and contains 20 acres. Covered by Louisville Property Company deed dated January 2, 1922, in exchange of lands.

TRACT 386
Lying in Bell County, Kentucky, on the waters of Lick Fork of Big Yellow Creek, containing 78 Acres. From R. H. Treadway and wife, Margaret Treadway, to the American Association Incorporated by deed dated 17th day of October, 1931, and recorded at Pineville, Kentucky, in Deed Book No. 105, page 428. Jan. 12, 1932.

~~FIRST PARTY ALSO HEREBY~~ CONVEYS to the second party all those rights and easements in and upon the 4,240 acres conveyed to the United States of America above-stated which were granted and conveyed to the Louisville Property Company by the Commonwealth of Kentucky by deed acknowledged June 30, 1959 and recorded in Deed Book No. 170, page 3 et seq., records of said Clerk's office, to which deed reference is here made for a more particular description of such rights and easements.

Being a portion of the same property conveyed to BLC Properties, LLC by J.M. Huber Corporation in that certain Special Warranty Deed dated July 5, 2001 and recorded in Deed Book 307, Page 601, in the Office of the Clerk of Court of Bell County, Kentucky.

Exhibit "A" continued

Less and Except the Following:

LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

PARCEL A.

A parcel of land located in Bell County, Commonwealth of Kentucky, northwest of the City of Middlesboro, as shown on sheet 1 of US-TVA drawing LW-8018, Revision 0, the said parcel being more particularly described as follows:

Beginning at a point on the property line between J.M. Huber Corporation and Marcus Cable Associates, L.P. (US-TVA Tract MRS-3AR), the said point being on the southeast right-of-way line of an access road (US-TVA Tract MRRS-2AR) and being the north property corner of the herein described parcel; thence leaving the said road right-of-way line and with the said property line S 32°00'00" E, 36.00 feet to a point; thence with the southeast property line of the herein described parcel S 58°00'00" W, 26.00 feet to a point, thence with the southwest property line of the herein described parcel N 32°00'00" W, 36.00 feet to a point on the aforementioned road right-of-way line; thence with the said road right-of-way line and the northwest property line of the herein described parcel N 58°00'00"E, 26.00 feet to the point of beginning and containing 0.02 acre, more or less.

The bearings given in the above description are based on Magnetic North.

Being a portion of the property conveyed to J.M. Huber Corporation by deed dated June 28, 1963, from Louisville Property Company of record in Deed Book 180, page 324 of the Bell County Court Clerk's office.

PARCEL B.

There is also included in this conveyance a permanent, non-exclusive right-of-way for ingress and egress to the foregoing Parcel A from Kentucky Highway 74, along and through the existing road leading up Higgnite Hollow and continuing up the mountain to the site described herein as Parcel A

Being the same property conveyed by J.M. Huber Corporation to The United States of America by Special Warranty Deed dated December 24, 1996 and recorded in Deed Book 287, Page 674, in the office of the Clerk of Court of Bell County, Kentucky.

647

632

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron in (set) on the west edge of the gravel-covered Sowders Creek Road, this point is further described as bearing N 31 degrees 22' 48 degrees E 2089.17 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the Intersection of Highway 74 and 535.

THENCE North 84 degrees 34 minutes 56 seconds West for a distance of 71.52 feet leaving the Sowders Creek Road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 09 degrees 45 minutes 35 seconds West for a distance of 209.79 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set).

THENCE South 84 degrees 34 minutes 56 seconds East for a distance of 76.50 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the west edge of the gravel-covered Sowders Creek Road.

THENCE South 08 degrees 26 minutes 23 seconds East for a distance of 208.54 feet with the west edge of the Sowders Creek Road to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to John L. Parks by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 289, Page 151, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, Bell County, Kentucky

Beginning at an iron pin (set) on the south side of a gravel-covered access road, this point is further described as bearing N 77 degrees 17' 27" degrees E 1666.85 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church.

THENCE North 27 degrees 00 minutes 41 seconds West for a distance of 66.16 feet crossing the gravel-covered access road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 28 degrees 08 minutes 06 seconds East for a distance of 28.03 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 66 degrees 21 minutes 14 seconds East for a distance of 171.73 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 19 degrees 42 minutes 06 seconds East for a distance of 115.60 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 76 degrees 06 minutes 38 seconds West for a distance of 183.96 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.42 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 10/03/1996

Being the same property conveyed by J.M. Huber Corporation to Beech Grove Baptist Church by Quitclaim Deed dated July 7, 1997 and recorded in Deed Book 289, Page 520, in the office of the Clerk of Court of Bell County, Kentucky.

649

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, Bell County, Kentucky

Beginning at an iron pin (set) on the southwesterly right-of-way line of a gravel-covered access road, this point is further described as bearing S 34 degrees 31' 03" E 118.87 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the gravel-covered access road leading to the Pruden First Baptist Church

THENCE South 41 degrees 29 minutes 59 seconds East for a distance of 205.21 feet with the southwest right-of-way line of the gravel access road and through the lands of the J.M. Huber Corporation to an iron (pin) set near a fork of the gravel road

THENCE South 51 degrees 32 minutes 42 seconds West for a distance of 107.75 feet with the north right-of-way line of the gravel access road and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 56 degrees 06 minutes 49 seconds West for a distance of 135.98 feet leaving the road and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 01 degrees 19 minutes 35 seconds East for a distance of 69.06 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 38 degrees 11 minutes 49 seconds East for a distance of 96.51 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.54 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 09/25/96

Being the same property conveyed by J.M. Huber Corporation to First Baptist Church by Quitclaim Deed dated July 8, 1997 and recorded in Deed Book 289, Page 564, in the office of the Clerk of Court of Bell County, Kentucky.

650

635

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, Bell County, Kentucky.

Beginning at an iron pin (set) on the southeast right-of-way line of a gravel-covered access road, this point is further described as bearing S 7½ degrees 08' 25" E 217.67 feet from a railroad spike (set) in the centerline of the Norfolk and Southern Railroad with said spike also being in the center of the road leading to the Pruden First Baptist Church

THENCE North 50 degrees 00 minutes 44 seconds East for a distance of 137.48 feet with the southeast right-of-way line of the above mentioned access road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 36 degrees 21 minutes 30 seconds East for a distance of 106.50 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 36 degrees 45 minutes 37 seconds West for a distance of 115.28 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 47 degrees 56 minutes 05 seconds West for a distance of 134.00 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to Harley Lambdin by Quitclaim Deed dated July 7, 1997 and recorded in Deed Book 289, Page 523, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

> Part of tract 3-11-4 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, Bell County, Kentucky
>
> Beginning at an iron pin (set) on the southeast right-of-way line of a gravel-covered access road, this point is further described as bearing N 84 degrees 45' 38" E 316.04 feet from a railroad spike (set) in the centerline of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church .
>
> THENCE North 49 degrees 34 minutes 22 seconds East for a distance of 125.01 feet with the southeast right-of-way line of the gravel-covered access road and through the lands of the J.M. Huber Corporation to an iron pin (set)
>
> THENCE South 39 degrees 00 minutes 00 seconds East for a distance of 129.00 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set)
>
> THENCE South 59 degrees 32 minutes 18 seconds West for a distance of 131.33 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)
>
> THENCE North 36 degrees 21 minutes 30 seconds West for a distance of 106.50 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.34 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on October 3, 1996.

Being the same property conveyed by J.M. Huber Corporation to Mary Liz Partin by Quitclaim Deed dated July 8, 1997 and recorded in Deed Book 289, Page 538, in the office of the Clerk of Court of Bell County, Kentucky.

652

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, Bell County, Kentucky

Beginning at an iron pin (set) that bears South 35 degrees 13' 36" E 486.32 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 53 degrees 50 minutes 40 seconds East for a distance of 158.68 feet through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 36 degrees 09 minutes 20 seconds East for a distance of 95.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 53 degrees 50 minutes 40 seconds West for a distance of 158.68 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 36 degrees 09 minutes 20 seconds West for a distance of 95.00 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on October 14, 1996.

Being the same property conveyed by J.M. Huber Corporation to Alfred Siler by Quitclaim Deed dated July 7, 1997 and recorded in Deed Book 289, Page 517, in the office of the Clerk of Court of Bell County, Kentucky.

653

634

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, Bell County, Kentucky

Beginning at an iron pin (set) on the southeast side of a gravel-covered access road, this point is further described as bearing N 74 degrees 59' 14" E 424.37 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 52 degrees 34 minutes 07 seconds East for a distance of 100.32 feet with the southeast right-of-way line of the above-mentioned access road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 78 degrees 06 minutes 16 seconds East for a distance of 19.31 feet continuing with the southeast right-of-way line of the access road and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 71 degrees 01 minutes 28 seconds East for a distance of 86.52 feet leaving the road and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 35 degrees 53 minutes 31 seconds West for a distance of 169.20 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 39 degrees 00 minutes 00 seconds West for a distance of 129.00 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

12.50

Said property contains 0.34 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on October 3, 1996.

Being the same property conveyed by J.M. Huber Corporation to Estel Waldroop by Quitclaim Deed dated July 7, 1997 and recorded in Deed Book 289, Page 526, in the office of the Clerk of Court of Bell County, Kentucky.

654

639

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-1A on the south side of Kentucky Highway 74 and the north side of Stony Fork near the mouth of Rockhouse Branch, Bell County, Kentucky

Beginning at an iron pin (set) on the south right-of-way line of Kentucky Highway 74 with this point being further described as bearing N 69 degrees 23'. 14"W 5492.92 feet from a triangle (set) cut in the center of a concrete bridge on Martins Branch Road where Stony Fork runs under said road

THENCE North 80 degrees 26 minutes 27 seconds West for a distance of 65.59 feet leaving Highway 74 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 87 degrees 57 minutes 54 seconds West for a distance of 76.92 feet to an iron pin (set)

THENCE North 39 degrees 51 minutes 34 seconds West for a distance of 79.06 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 22 degrees 43 minutes 35 seconds East for a distance of 46.11 feet to a concrete highway right-of-way monument (found)

THENCE South 56 degrees 10 minutes 51 seconds East for a distance of 209.93 feet with the south right-of-way line of Highway 74 to the point of beginning.

Said property contains 0.192 acre as determined by survey of Mark A. Comparoni, Ky. P.LS. No. 2989 on July 23, 1997.

Being the same property conveyed by J.M. Huber Corporation to Garmeda Baptist Church by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 763, in the office of the Clerk of Court of Bell County, Kentucky.

655

640

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation in the community of Pruden, on the waters of Clear Fork, Bell County, Kentucky

Beginning at an iron pin (found) with this pin being the southeast corner of a 0.34 acre tract previously deeded to Harley Lambdin by the J.M. Huber Corporation with said 0.34 acre deed being recorded in deed book 289, page 523 in the Bell County, Kentucky Clerk's Office

THENCE South 36 degrees 21 minutes 30 seconds East for a distance of 60.00 feet leaving the Lambdin lot and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 46 degrees 35 minutes 03 seconds West for a distance of 103.07 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 47 degrees 56 minutes 05 seconds West for a distance of 40.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (found) with this point being the southwest corner of the above-mentioned 0.34 acre Harley Lambdin lot

THENCE North 36 degrees 45 minutes 37 seconds East for a distance of 115.28 feet with the south line of Lambdin to the point of beginning

12.50

Said property contains 0.123 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on August 21, 1997.

Being the same property conveyed by J.M. Huber Corporation to Harley Lambdin by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 726, in the office of the Clerk of Court of Bell County, Kentucky.

656

641

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M Huber Corporation's tract 3-11-4 on the east side of Parker branch Road, south of the City of Middlesboro Corporation Line, off of Evans Drive, Bell County, Kentucky

Beginning at an iron pin (set) on the east line of Parkers Branch Road with said pin being 15 feet from the center of Parkers Branch Road, this point is further described as bearing S 40 degrees 34' 16" W 1152.75 feet from a railroad spike (set) in the centerline of the CSX (formerly L & N) Railroad and the centerline of Evans Drive

THENCE South 79 degrees 59 minutes 01 seconds East for a distance of 77.17 feet leaving Parkers Branch Road and through the lands of the J.M. Huber Corporation to an iron pin (set) on the west bank of a small drain

THENCE South 32 degrees 52 minutes 00 seconds West for a distance of 99.11 feet continuing through the lands of Huber to an iron pin (set) on the west bank of the drain

THENCE South 05 degrees 54 minutes 51 seconds East for a distance of 69.34 feet to an iron pin (set) on the west bank of the drain

THENCE South 06 degrees 14 minutes 46 seconds West for a distance of 80.39 feet to an iron pin (set) on the west bank of the drain

THENCE South 40 degrees 22 minutes 47 seconds West for a distance of 48.61 feet to an iron pin (set) on the northwest bank of the drain

THENCE North 87 degrees 29 minutes 33 seconds West for a distance of 69.43 feet to an iron pin (set) on the north bank of the drain and the east line of Parkers Branch Road

THENCE North 00 degrees 34 minutes 21 seconds West for a distance of 82.84 feet with the east line of Parkers Branch Road to an iron pin (set)

THENCE North 11 degrees 35 minutes 04 seconds East for a distance of 55.29 feet continuing with the east line of the road to an iron pin (set)

THENCE North 18 degrees 12 minutes 34 seconds East for a distance of 45.33 feet to an iron pin (set)

THENCE North 29 degrees 17 minutes 24 seconds East for a distance of 114.07 feet continuing with the east line of the road to the point of beginning.

Said property contains 0.573 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on August 7-8, 1997.

Being the same property conveyed by J.M. Huber Corporation to Tommy Marcum and Linda Marcum by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 707, in the office of the Clerk of Court of Bell County, Kentucky.

657

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-1A on the south side of Kentucky Highway 74, 2.3 miles from where the City of Middlesboro Corporation Line crosses Highway 74, Bell County, Kentucky

Beginning at an iron pin (set) on the south right-of-way line of Kentucky Highway 74 with this point being further described as bearing N 71 degrees 46' 49" E 2451.31 feet from a triangle (set) cut in the center of a concrete bridge on Martins Branch Road where Stony Fork crosses under said road

THENCE South 19 degrees 40 minutes 18 seconds West for a distance of 16.19 feet leaving Highway 74 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 37 degrees 35 minutes 34 seconds West for a distance of 56.93 feet continuing through the lands of Huber to an iron pin (set)

THENCE South 66 degrees 16 minutes 00 seconds West for a distance of 113.40 feet to an iron pin (set)

THENCE South 88 degrees 30 minutes 58 seconds West for a distance of 69.11 feet to an iron pin (set)

THENCE North 88 degrees 58 minutes 08 seconds West for a distance of 47.55 feet to an iron pin (set) on the south right-of-way line of Highway 74

THENCE North 67 degrees 41 minutes 31 seconds East for a distance of 281.71 feet with the south right-of-way line of Highway 74 to the point of beginning;

Said property contains 0.196 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on July 18, 1997.

Being the same property conveyed by J.M. Huber Corporation to Monarch Church of God by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 729, in the office of the Clerk of Court of Bell County, Kentucky.

658

643

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4 on the west side of Martins Branch Road and on the south side of Stony Fork, off of Highway 74, Bell County, Kentucky

Beginning at an iron pin (set) on the west line of Martins Branch Road with this point being further described as bearing S 36 degrees 29' 56" W 28.59 feet from a triangle (set) cut in the center of a concrete bridge where Stony Fork crosses under Martins Branch Road

THENCE South 14 degrees 37 minutes 45 seconds West for a distance of 51.02 feet with the west line of Martins Branch Road to an iron pin (set) at the south edge of a gravel-covered driveway

THENCE South 03 degrees 51 minutes 43 seconds East for a distance of 72.02 feet continuing with the west line of Martins Branch Road to an iron pin (set)

THENCE South 33 degrees 05 minutes 35 seconds West for a distance of 14.72 feet with the northwest line of Martins Branch Road to an iron pin (set)

THENCE North 88 degrees 19 minutes 35 seconds West for a distance of 83.12 feet with the north line of Martins Branch Road to an iron pin (set)

THENCE South 83 degrees 38 minutes 55 seconds West for a distance of 83.89 feet continuing with the north line of Martins Branch Road to an iron pin (set)

THENCE North 41 degrees 53 minutes 52 seconds West for a distance of 186.75 feet leaving Martins Branch Road and through the lands of the J.M. Huber Corporation to an iron pin (set) 15 feet south of the south bank of Stony Fork

THENCE North 89 degrees 44 minutes 22 seconds East for a distance of 307.25 feet continuing through the lands of Huber to the point of beginning

Said property contains 0.732 acre as determined by survey of Mark A. Comparoni, KY. P.L.S No. 2989 on 7/22/1997

Being the same property conveyed by J. M. Huber Corporation to John Henry and Tilda Mae Nash by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 703, in the office of the Clerk of Court of Bell County, Kentucky.

659

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4 on the east side of Martins Branch Road on the south side of Stony Fork, off of Highway 74, Bell County, Kentucky

Beginning at an iron pin (set) in a fence line of the east side of Martins Branch Road with this point being further described as bearing S 06 degrees 31' 30"W 28.74 feet from a triangle (set) cut in the center of a concrate bridge where Stony Fork runs under Martins Branch Road

THENCE South 63 degrees 13 minutes 46 seconds East for a distance of 108.90 feet leaving Martins Branch Road and through the lands of the J.M. Huber Corporation to an iron pin (set) 15 feet south of the south bank of Stony Fork

THENCE South 13 degrees 11 minutes 29 seconds East for a distance of 104.28 feet continuing through the lands of Huber to an iron pin (set) 5 feet north of the north bank of Martins Branch

THENCE South 77 degrees 13 minutes 04 seconds West for a distance of 132.09 feet running near the north bank of Martins Branch to an iron pin (set) 2 feet north of the north bank of Martins Branch

THENCE South 48 degrees 57 minutes 01 seconds West for a distance of 12.83 feet to an iron pin (set) 4 feet north of the north bank of Martins Branch

THENCE North 64 degrees 34 minutes 58 seconds West for a distance of 52.35 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 30 degrees 48 minutes 40 seconds East for a distance of 23.42 feet to an iron pin (set) on the southerly line of Martins Branch Road

THENCE South 84 degrees 32 minutes 07 seconds East for a distance of 34.65 feet with the south line of Martins Branch Road to an iron pin (set)

THENCE North 22 degrees 31 minutes 43 seconds East for a distance of 31.77 feet with the southeast line of Martins Branch Road to an iron pin (set)

THENCE North 03 degrees 52 minutes 10 seconds West for a distance of 72.89 feet with the east line of Martins Branch Road and now with an old fence to an iron pin (set)

660

645

THENCE North 14 degrees 53 minutes 15 seconds East for a distance of 45.49 feet continuing with the east line of Martins Branch Road and with the old fence to the point of beginning

Said property contains 0.412 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on July 22, 1997.

Being the same property conveyed by J. M. Huber Corporation to Robert Eugene Nash by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 699, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-A on the north side of Kentucky Highway 74, 2.4 miles along Highway 74 from the City of Middlesboro Corporation Line, Bell County, Kentucky

Beginning at an iron pin (set) on the north right-of-way line of Highway 74 with this point being further described as bearing N 71 degrees 33' 00" E 1689.32 feet from a triangle (set) cut in the center of a concrete bridge on Martins Branch Road where Stony Fork crosses under said road

THENCE North 04 degrees 44 minutes 19 seconds East for a distance of 64.78 feet leaving the road and up the hill through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 07 degrees 24 minutes 40 seconds East for a distance of 92.18 feet continuing up the hill through the lands of Huber to an iron pin (set)

THENCE North 69 degrees 49 minutes 56 seconds East for a distance of 96.80 feet around the hill through the lands of Huber to an iron pin (set)

THENCE North 87 degrees 21 minutes 07 seconds East for a distance of 70.17 feet continuing around the hill and through the lands of Huber to an iron pin (set)

THENCE South 01 degrees 25 minutes 18 seconds East for a distance of 139.42 feet down the hill and continuing through the lands of Huber to an iron pin (set) on the north right-of-way line of Highway 74

THENCE South 67 degrees 27 minutes 34 seconds West for a distance of 91.78 feet with the north right-of-way line of Highway 74 to an iron pin (set)

THENCE South 68 degrees 28 minutes 41 seconds West for a distance of 103.62 feet continuing with the north right-of-way line of Highway 74 to the point of beginning.

Being the same property conveyed by J. M. Huber Corporation to Richardson Chapel Missionary Baptist Church by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 744, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4 on the east side of Martins Branch Road on the south side of Stony Fork, off of Highway 74, Bell County, Kentucky

Beginning at an iron pin (set) in a fence line of the east side of Martins Branch Road with this point being further described as bearing S 06 degrees 31' 30"W 28.74 feet from a triangle (set) cut in the center of a concrate bridge where Stony Fork runs under Martins Branch Road

THENCE South 63 degrees 13 minutes 46 seconds East for a distance of 108.90 feet leaving Martins Branch Road and through the lands of the J.M. Huber Corporation to an iron pin (set) 15 feet south of the south bank of Stony Fork

THENCE South 13 degrees 11 minutes 29 seconds East for a distance of 101.28 feet continuing through the lands of Huber to an iron pin (set) 5 feet north of the north bank of Martins Branch

THENCE South 77 degrees 13 minutes 04 seconds West for a distance of 132.09 feet running near the north bank of Martins Branch to an iron pin (set) 2 feet north of the north bank of Martins Branch

THENCE South 48 degrees 57 minutes 01 seconds West for a distance of 12.83 feet to an iron pin (set) 4 feet north of the north bank of Martins Branch

THENCE North 64 degrees 34 minutes 58 seconds West for a distance of 52.35 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 30 degrees 48 minutes 40 seconds East for a distance of 23.42 feet to an iron pin (set) on the southerly line of Martins Branch Road

THENCE South 84 degrees 32 minutes 07 seconds East for a distance of 34.65 feet with the south line of Martins Branch Road to an iron pin (set)

THENCE North 22 degrees 31 minutes 43 seconds East for a distance of 31.77 feet with the southeast line of Martins Branch Road to an iron pin (set)

THENCE North 03 degrees 52 minutes 10 seconds West for a distance of 72.89 feet with the east line of Martins Branch Road and now with an old fence to an iron pin (set)

963

THENCE North 14 degrees 53 minutes 15 seconds East for a distance of 45.49 feet continuing with the east line of Martins Branch Road and with the old fence to the point of beginning

Said property contains 0.412 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on July 22, 1997.

Being the same property conveyed by J. M. Huber Corporation to Robert Eugene Nash by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 699, in the office of the Clerk of Court of Bell County, Kentucky.

604

649

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-A on the north side of Kentucky Highway 74, 2.4 miles along Highway 74 from the City of Middlesboro Corporation Line, Bell County, Kentucky

Beginning at an iron pin (set) on the north right-of-way line of Highway 74 with this point being further described as bearing N 71 degrees 33' 00" E 1689.32 feet from a triangle (set) cut in the center of a concrete bridge on Martins Branch Road where Stony Fork crosses under said road

THENCE North 04 degrees 44 minutes 19 seconds East for a distance of 64.78 feet leaving the road and up the hill through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 07 degrees 24 minutes 40 seconds East for a distance of 92.18 feet continuing up the hill through the lands of Huber to an iron pin (set)

THENCE North 69 degrees 49 minutes 56 seconds East for a distance of 96.80 feet around the hill through the lands of Huber to an iron pin (set)

THENCE North 87 degrees 21 minutes 07 seconds East for a distance of 70.17 feet continuing around the hill and through the lands of Huber to an iron pin (set)

THENCE South 01 degrees 25 minutes 18 seconds East for a distance of 119.42 feet down the hill and continuing through the lands of Huber to an iron pin (set) on the north right-of-way line of Highway 74

THENCE South 67 degrees 27 minutes 34 seconds West for a distance of 91.78 feet with the north right-of-way line of Highway 74 to an iron pin (set)

THENCE South 68 degrees 28 minutes 41 seconds West for a distance of 103.62 feet continuing with the north right-of-way line of Highway 74 to the point of beginning.

Being the same property conveyed by J. M. Huber Corporation to Richardson Chapel Missionary Baptist Church by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 744, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-1A on the north side of Kentucky Highway 74 near the mouth of Rockhouse Branch, Bell County, Kentucky

Beginning at an iron pin (set) on the westerly edge of 10 foot wide, asphalt-covered, access road with this point being further described as bearing N 66 degrees 31' 52" W 5925.42 feet from a triangle (set) cut in the center of a concrete bridge where Stony Fork runs under Martins Branch Road

THENCE South 28 degrees 42 minutes 03 seconds West for a distance of 136.41 feet leaving the access road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 51 degrees 29 minutes 39 seconds West for a distance of 151.39 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 14 degrees 25 minutes 10 seconds East for a distance of 120.20 feet up the hill and continuing through the lands of Huber to an iron pin (set)

THENCE North 88 degrees 47 minutes 00 seconds East for a distance of 52.70 feet to an iron pin (set) at the base of a 26 inch Beech

THENCE South 47 degrees 52 minutes 52 seconds East for a distance of 109.23 feet to an iron pin (set) on the southwesterly side of the above-mentioned access road

THENCE South 47 degrees 07 minutes 09 seconds East for a distance of 27.75 feet to the point of beginning.

Said property contains 0.528 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on July 23-24, 1997.

Being the same property conveyed by J. M. Huber Corporation to Lucy Stephens by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 735, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-1A on the north side of Kentucky Highway 74, 2.55 miles along Highway 74 from the City of Middlesboro Corporation Line, Bell County, Kentucky

Beginning an iron pin (set) on the north right-of-way line of Kentucky Highway 74 with this point being further described as bearing N 67 degrees 10' 59" E 919.55 feet from a triangle (set) cut in the center of a concrete bridge where Stony Fork runs under said road

THENCE North 12 degrees 51 minutes 06 seconds West for a distance of 52.05 feet leaving the road and up the hill through the lands of the J.M. Huber Corporation to an iron pin (set) at the base of utility pole

THENCE North 54 degrees 53 minutes 44 seconds East for a distance of 90.15 feet continuing through the lands of Huber to an iron pin (set) at the base of a 36 inch (at the base) double Poplar

THENCE North 71 degrees 38 minutes 04 seconds East for a distance of 133.75 feet to an iron pin (set) at the base of a small cliff

THENCE South 14 degrees 32 minutes 23 seconds East for a distance of 99.15 feet down the hill and continuing through the lands of Huber to an iron pin(set)on the on the north right of way line of Highway 74

THENCE South 77 degrees 09 minutes 54 seconds West for a distance of 219.49 feet with the north right of way line of Highway 74 to the point of beginning.

Said property contain 0.419 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. 2989 on July 21, 1997.

Being the same property conveyed by J. M. Huber Corporation to Thomas and Linda Upton by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 717, in the office of the Clerk of Court of Bell County, Kentucky.

667

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-1A on the north side of Highway 74, near the mouth of Rockhouse Branch, Bell County, Kentucky

Beginning at a triangle (set) cut in a large, flat rock with this point being further described as bearing N 69 degrees 26' 08" W 5022.96 feet from a triangle (set) cut in the center of a concrete bridge where Stony Fork runs under Martins Branch Road

THENCE North 65 degrees 20 minutes 43 seconds West for a distance of 182.91 feet through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 21 degrees 29 minutes 14 seconds West for a distance of 85.37 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 69 degrees 29 minutes 30 seconds East for a distance of 151.55 feet to an iron pin (set)

THENCE South 74 degrees 02 minutes 53 seconds East for a distance of 65.70 feet to an iron pin (set)

THENCE South 02 degrees 17 minutes 05 seconds West for a distance of 190.93 feet continuing through the lands of Huber to the point of beginning.

Said property contains 0.638 acre as determined by survey of Mark. A. Comparoni, Ky. P.L.S. No 2989 on July 24, 1997.

Being the same property conveyed by J. M. Huber Corporation to Hazel Warwick by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 720, in the office of the Clerk of Court of Bell County, Kentucky.

668

453

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 11-1A on the north side of Kentucky Highway 74 near the mouth of Rockhouse Branch, Bell County, Kentucky.

Beginning at a concrete highway right-of-way monument (found) on the north right-of-way line of Kentucky Highway 74 with his point being further described as bearing N 68 degrees 05' 59" W 5792.93 feet from a triangle (set) cut in the center of a concrete bridge where Stony Fork runs under Martins Fork Road

THENCE North 67 degrees 24 minutes 35 seconds West for a distance of 48.20 feet with the north right-of-way line of Highway 74 to an iron pin (set)

THENCE North 69 degrees 36 minutes 54 seconds West for a distance of 40.41 feet continuing with the north right-of-way line of Highway 74 to an iron pin (set)

THENCE North 42 degrees 51 minutes 45 seconds West for a distance of 14.59 feet leaving Highway 74 to a point in the center of a 10 foot wide, asphalt-covered access road at which point a 10 foot wide Ingress and egress easement that is to be reserved through these premises terminates

THENCE North 42 degrees 51 minutes 45 seconds West for a distance of 49.33 feet leaving and crossing the access road to an iron pin (set)

THENCE North 28 degrees 42 minutes 03 seconds East for a distance of 136.41 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the south side of the above-mentioned 10 foot wide access road

THENCE South 67 degrees 23 minutes 25 seconds East for a distance of 6.84 feet continuing through the lands of Huber to a point in the center of the above-mentioned 10 foot wide access road at which point a 10 foot wide ingress and egress easement that is to be reserved through these premises begins.

THENCE South 67 degrees 23 minutes 25 seconds East for a distance of 21.55 feet leaving and re-crossing the access road to an iron pin (set)

THENCE South 64 degrees 42 minutes 48 seconds East for a distance of 134.82 feet continuing through the lands of Huber to an iron pin (set)

THENCE South 33 degrees 54 minutes 00 seconds West for a distance of 157.34 feet continuing through the lands of Huber to the point of beginning.

454 616

Said property contains 0.553 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. no. 2989 on 07/23/-24/1997

Being the same property conveyed by J. M. Huber Corporation to Mickey and Nancy Webb by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 713, in the office of the Clerk of Court of Bell County, Kentucky.

655 670

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-1A on the north side of Kentucky Highway 74, near the mouth of Rockhouse Branch, Bell County, Kentucky

Beginning at an iron pin (set) on the north side of the 10 foot wide access road that leads to Hazel Warwick's residence with said point being further described as bearing N 67 degrees 48' 47"W 5452.59 feet from a triangle (set) cut in the center of a concrete bridge where stony fork runs under Martins Branch Road

THENCE North 57 degrees 11 minutes 10 seconds West for a distance of 149.94 feet crossing the access road leading to the Felix Whitehead residence and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 21 degrees 19 minutes 41 seconds East for a distance of 118.01 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 77 degrees 56 minutes 50 seconds East for a distance of 42.67 feet to an iron pin (set)

THENCE South 51 degrees 12 minutes 15 seconds East for a distance of 142.44 feet continuing through the lands of Huber to an iron pin (set)

THENCE South 16 degrees 36 minutes 35 seconds West for a distance of 69.77 feet continuing through the lands of Huber to a triangle (set) cut in a flat rock (found)

THENCE South 48 degrees 29 minutes 40 seconds West for a distance of 66.37 feet to the point of beginning.

Said property contains 0.540 acre as determined by survey of Mark A. Comparoni P.L.S. No. 2989 on 07/24/97

Being the same property conveyed by J. M. Huber Corporation to Felix and Joyce Whitehead by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 723, in the office of the Clerk of Court of Bell County, Kentucky.

671

656

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4 on the southeast side of Martins Branch Road, off of Highway 74, Bell County, Kentucky

Beginning at an iron pin (set) on the southeast side of Martins Branch Road with this point being further described as bearing S 47 degrees 22' 54" W 280.62 feet from a triangle (set) cut in the center of a concrete bridge where Stony Fork runs under Martins Branch Road

THENCE South 58 degrees 20 minutes 55 seconds East for a distance of 106.39 feet through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 21 degrees 26 minutes 20 seconds West for a distance of 128.10 feet continuing through the triangle of Huber to a triangle (set) cut in a large flat rock

THENCE North 73 degrees 56 minutes 28 seconds West for a distance of 89.48 feet continuing through the lands of Huber to an iron pin (set) on the east line of Martins Branch Road

THENCE North 01 degrees 04 minutes 10 seconds East for a distance of 58.60 feet with the east line of Martins Branch Road to an iron pin (set)

THENCE North 24 degrees 09 minutes 40 seconds East for a distance of 100.53 feet leaving Martins Branch Road to the point of beginning.

Said property contains 0.341 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 07/22/1197

Being the same property conveyed by J. M. Huber Corporation to Nadine Wilson by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 290, Page 696, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4 on the west side of Parkers Branch Road, off of Evans Drive, just south of the City of Middlesboro Corporation Line, Bell County Kentucky

Beginning at an iron pin (set) on the west line of Parkers Branch Road and the north bank of a small drain with this point being further described as bearing S 36 degrees 13' 16"W 1449.85 feet from a railroad spike (set) in the centerline of the CSX (formerly L & NJ Railroad and the centerline of Evans Drive

THENCE South 68 degrees 25 minutes 04 seconds West for a distance of 39.61 feet leaving Parkers Branch Road and through the lands of the J.M. Huber Corporation to an iron pin (set) on the north bank of the above mentioned small drain

THENCE South 44 degrees 23 minutes 27 seconds West for a distance of 59.38 feet to an iron pin (set) on the north bank of the drain

THENCE North 86 degrees 37 minutes 20 seconds West for a distance of 93.70 feet to an iron pin (set) on the north bank of the drain

THENCE North 27 degrees 47 minutes 39 second East for a distance of 137.28 feet leaving the small drain and continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the top of a bank

THENCE North 48 degrees 53 minutes 38 seconds East for a distance of 105.12 feet to an iron pin (set)

THENCE North 83 degrees 34 minutes 55 seconds East for a distance of 34.14 feet to an iron pin (set) on the west line of Parkers Branch Road

THENCE South 09 degrees 40 minutes 32 seconds West for a distance of 58.74 feet with the west line of Parkers Branch Road to an iron pin (set)

THENCE South 03 degrees 07 minutes 16 seconds East for a distance of 85.11 feet with the west line of Parkers Branch Road to the point of beginning.

Said property contains 0.449 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 08/07-08/1997

Being the same property conveyed by J. M. Huber Corporation to Bertie Good by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 291, Page 23, in the office of the Clerk of Court of Bell County, Kentucky.

673

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

PARCEL 56

All that remaining portion of a certain parcel of real property, previously designated by American Association and J. M. Huber Corporation as Parcel 56, originally consisting of 68 as 1/4 acres, as conveyed to J. M. Huber Corporation by deed from American Association, Ltd., dated January 22, 1980 of record in Deed Book 228, page 690. For further source of title see Deed Book 177, page 293; Deed Book 34, page 230; Deed Book 5, page 393, all of record in the Bell County Court Clerk's Office, but excluding from said parcel 56 all of that property heretofore conveyed to Lena Ward Evans by deed from American Association, Inc., dated January 1, 1937 and of record in Deed Book 114, page 523;

Further there is conveyed with covenant of special warranty the "present road as it meanders" and all rights therein, "Which now forms the south boundary line" of the Lena Ward Evans property from U. S. 25E to the forks of Campford Branch, as described in Deed Book 114, page 523, Bell County Court Clerk's Office.

PARCEL 57

Lying and being situated in the County of Bell, State of Kentucky on Yellow Creek and Dark Ridge and bounded as follows: viz:

Beginning at a white oak standing on the bank of Yellow Creek, thence S 55 E 46 poles to a chestnut thence S 60 E 34 poles to a stake on the line of the Robert George 200 acre survey, thence with said line and the line between James Campbell and said William H. Baughman N 22 E 57 poles to a beech on the line of the Wm. H. Baughman 80 acres, thence with said line S 88 E 40 poles to a chestnut a corner of same, thence with the Hudull 50 acre survey S 47 E 40 poles to 3 chestnuts, thence S 27 W 14 poles to a line of a 500 acre survey in the name of George W. Craig, thence with said line N 78 E 55 poles, thence N. 45 E leaving the 500 acre survey and with the Hudull line 17 poles to 2 chestnuts a corner of the William H. Baughman 80 acre survey, thence with said line N 11 W27 poles to a black oak, thence N 33 W 18 poles to a chestnut oak; thence N 20 W 40 poles to a Black Pine thence leaving the 80 acre line N 85 W 194 poles to a chestnut on the Bank of Yellow Creek thence up said creek with its meanders S 15W 12 poles to a horn beam a corner of the _____ boundary reserved by said Baughman, thence running around said reservation S 81 E 28 poles to a stone, thence S 11 1/2 W 53 poles to a black walnut, thence N 81 1/2 W 38 poles and 10 links to a beech on the bank of Yellow Creek, thence up with the meanders of same S 15 W 26 poles and 20 links to the beginning, containing together and in all 138 11/16 acres, more or less by survey made by J. M. Pursifull on the 14th day of April, 1887.

674

PARCEL 58

Lying and being situated in the County of Bell, State of Kentucky on Big Yellow Creek and bounded as follows, viz:

Beginning at a poplar and chestnut on a line of 500 acre survey made in the name of George W. Craig, thence N 20 1/2 E 80 poles to a large white oak; thence N 77 1/2 E 43 poles to two chestnut oaks on the top of a ridge thence S 39 1/2 E 70 poles to a stake; thence S 10 1/2 E 34 poles to a stake on the line of said 500 acres survey; thence with said line S 88 W 170 poles to the beginning, it being part of a 50 acres survey made in the name of William Tinsley and granted to him by Patent dated 2nd June, 1837. Recorded in Frankfort in Book L, page 203 and was conveyed by said Tinsley to Willis Johnson by deed recorded in Knox County, and by said Johnson to the Party of the First Part by deed recorded in Knox County, containing together and in all 43 acres, by survey made by J. M. Pursifull on the 18th day of October, 1886.

PARCEL 69

Being a portion of the same real property conveyed to J. M. Huber Corporation by deed from American Association Limited, dated January 22, 1980, Deed Book 228, page 690; by deed to American Association Limited from American Association Incorporated, dated August 1, 1962, Deed Book 177, page 293; to American Association Incorporated by deed from American Association Limited, dated May 1, 1895, Deed Book 34, page 230; (being designated as Parcel 69 thereof and originally containing 348 acres). For further source of title see deed from Middlesboro Town Company to American Association Limited, dated October 23, 1890, Deed Book 25, page 112, Bell County Court Clerk's Office, being the third tract thereof. For further source of title see Deed Book 10, page 333 and Deed Book 9, page 320, Bell County Court Clerk's Office. The East boundary line of said parcel 69 as conveyed herein shall be as described in a separate boundary line agreement executed between J. M. Huber Corporation and Hugh Delk, et al, dated May 20, 1996, and of record in Misc. Book 17, page 608 of the Bell County Court Clerk's Office.

PARCEL 70

Being a portion of the same real property conveyed to J. M. Huber Corporation by deed from American Association Limited, dated January 22, 1980, Deed Book 228, page 690; to American Association Limited from American Association Incorporated; dated August 1, 1962, Deed Book 177, page 293; to American Association, Incorporated by deed from American Association, Limited, dated May 1, 1895, Deed Book 34, page 230, Bell County Court clerk's Office, (being designated as Parcel 70 thereof and originally containing 72 54/100 acres). For further source of title see deed from Middlesboro Town Company to American Associated Limited, dated October 23, 1890, Deed Book 25, page 112, Bell County Court Clerk's Office, being the Sixth Tract thereof.

Being the same property conveyed by J. M. Huber Corporation to Forest Land Management & Development, Inc., by Deed of Conveyance dated May 20, 1996 and recorded in Deed Book 284, Page 656, in the office of the Clerk of Court of Bell County, Kentucky.

675

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Beginning on the North side of Highway #186, 50.00 feet from the West side of 46th Street. A corner between Huber and John Wallace. Thence with old fence (wood) between Huber Sawmill Office and John Wallace N17-44W 150.00 feet to corner between same. Thence with same N77-16E 50 feet to West Edge of 46th Street. Thence leaving said fence and with the West side of 46th Street N 12-23W 167.24 feet corner between Huber and Tubal Loveday property. Thence leaving 46th Street and with line between said Tubal Loveday and Huber N88-00W 101.43 feet to a corner monument. Corner between Huber, Loveday and Appolo Fuels. Thence with line between Huber and Appolo Fuels S25-59-24-W 78.58 feet to a cross on steel rail.
Thence S. 42-20-45W 88.88 feet to a cross on steel rail.
Thence S 58-10-55W 101.27 feet to a cross on steel rail with an 11" sweet gum for pointer.
Thence S18-42-50W crossing haul road at 55.00 feet in all 65.61 feet.
Thence S11-45-21W 18.73 feet to a cross on steel rail.
Thence S64-39-00W 304.98 feet to a cross on steel rail.
Thence S79-33-54W 73.17 feet to a cross on steel rail.
Thence N85-01-55W 74.86 feet to a cross on steel rail.
Thence S62-06-10W 185.82 feet to a cross on steel rail.
Thence S62-17-30W 106.28 feet to a cross on steel rail 15.00 feet East of Hollow.
Thence S44-43-28E 59.00 feet to a stake 9.2 feet from North edge of Highway #186.
Thence Eastwardly with North right-of-way of Highway #186 to the beginning containing 3.5 acres more or less.

Being the same property conveyed by J. M. Huber Corporation to APPOLO Fuels, Inc., by Quitclaim Deed dated October 1, 1996 and recorded in Deed Book 286, Page 501, in the office of the Clerk of Court of Bell County, Kentucky.

676

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Beginning at a point (Number 183), identified as a corner stone in a January 1992, survey by Mark A. Comparoni, RLS Ky. #2989, for J.M. Huber Corporation and identified as "Property Lines of the J.M. Huber Corporation on the Southwest side of Hignite Creek, Bell County, Kentucky." Point 183 further identified with NAD 27 State Plane Coordinates as N 111,233.999 and E 2,567,837.377, and appearing to lay on an old surface mine bench of the Hignite coal bed (Also being the Southwest corner of Patent #63089). Survey continuing from said point 183 along said Hignite bench and continuing in the following progression,

From point 183 to Point 1 - South 71 degrees 48 minutes and 02 seconds West for 206.27 Feet, Thence, From point 1 to Point 2 - North 44 degrees 46 minutes and 01 seconds West for 368.99 Feet, Thence, From Point 2 to Point 3 - North 29 degrees 23 minutes and 56 seconds West for 971.02 feet, Thence From point 3 to Point 4 - North 30 degrees 50 minutes and 22 seconds East for 795.18 Feet, Thence, From point 4 to point 5 - North 32 degrees 14 minutes and 50 seconds West for 806.07 Feet, Thence From point 5 to point 6 - North 08 degrees 07 minutes and 28 seconds East for 1,024.74 feet, Thence From point 6 to point 7, South 64 degrees 28 minutes and 29 seconds East for 2,035.13 Feet, Thence leaving said bench and continuing down the slope from point 7 to Point 155 - South 85 degrees 04 minutes and 02 seconds East for 1388.99 feet.

Point 155 reported to be a #20 nail set in the above mentioned J.M. Huber Survey, and having coordinates of North - 113,660.099 and East - 2,570,247.617. Thence, from Point 155 progressing continuously in sequential order back to 183 along a common border with Bell County Coal Corp., and being heretofore described as the J.M. Huber survey, to the beginning. Containing 121.73 Acres, more or less.

Being the same property conveyed by J. M. Huber Corporation to Bell County Coal Corporation by Quitclaim Deed dated August 5, 1996 and recorded in Deed Book 285, Page 725, in the office of the Clerk of Court of Bell County, Kentucky.

677

662

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron Pin(set) in an old fence line on the north side of Highway 535, this point is further described as bearing N 79 degrees 55' 40" E 2189.18 feet from a PK Nail (set) in the center of Kentucky Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535, this point is still further described as being on the northerly right-of-way line of the Norfolk and Southern Railroad.

THENCE North 18 degrees 27 minutes 28 seconds East for a distance of 140.34 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 71 degrees 57 minutes 27 seconds East for a distance of 150.74 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 20 degrees 21 minutes 45 seconds West for a distance of 131.82 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the northerly right-of-way line of the Norfolk and Southern Railroad

THENCE North 75 degrees 19 minutes 54 seconds West for a distance of 146.68 feet with said northerly railroad right-of-way line to the pint of beginning.

Being the same property conveyed by J. M. Huber Corporation to Fonde Baptist Church, Its' Members and Their Successors, as defined by the By-Laws, by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 599, in the office of the Clerk of Court of Bell County, Kentucky.

678

663

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

> Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde. Bell County. Kentucky.
>
> Beginning at an iron pin (set) on the southeast right-of-way line of an extension of Highway 535, this point is further described as bearing S 65 degrees 31' 23" E 1314.17 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535
>
> Thence North 64 degrees 53 minutes 50 seconds East for a distance of 161.80 feet with the above mentioned southeast right-of-way line of the Highway 535 extension to a railroad spike (set) at the edge of the asphalt of the Fonde Church of God parking lot
>
> THENCE South 27 degrees 28 minutes 02 seconds East for a distance of 288.48 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to an iron pin (set)
>
> THENCE North 83 degrees 51 minutes 36 seconds West for a distance of 205.82 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)
>
> THENCE North 24 degrees 23 minutes 05 seconds West for a distance of 181.50 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.
>
> Said property contains 0.90 acres as determined by survey of Mark A. Comparoni, KY. P.L.S. No. 2989 on 9/14/1996.

Being the same property conveyed by J. M. Huber Corporation to Fonde Christian Academy of Fonde, Kentucky by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 286, Page 608, in the office of the Clerk of Court of Bell County, Kentucky.

679

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of Tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde. Bell County. Kentucky

Beginning at an iron pin (set) on the northwest right-of-way line of an extension of Highway 535, this point is further described as bearing S 70 degrees 37' 59" E 1385.05 feet from a PK nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535

THENCE North 32 degrees 35 minutes 21 seconds West for a distance of 213.69 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 67 degrees 53 minutes 04 seconds East for a distance of 221.23 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 25 degrees 53 minutes 4" seconds East for a distance of 200.11 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the northwest right-of-way of the Highway 535 extension

THENCE South 64 degrees 39 minutes 25 seconds West for a distance of 195.86 feet with the above mentioned northwest right-of-way line to the point of beginning .

Said property contains 0.98 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 9/14/1996.

Being the same property conveyed by J. M. Huber Corporation to Fonde Christian Academy (Gym) of Fonde, Kentucky by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 286, Page 611, in the office of the Clerk of Court of Bell County, Kentucky.

680

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron pin (set) on the southeast right-of-way line of an extension of Highway 535, this point is further described as bearing S 78 degrees 09' 06" E 1662.93 feet from a PK Nail (set)in the center line of the Norfolk and Southern Railroad near the Intersection of Highways 74 and 535

THENCE South 00 degrees 38 minutes 52 seconds East for a distance of 225.51 feet leaving the highway and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 43 degrees 07 minutes 17 seconds West for a distance of 225.91 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set).

THENCE North 27 degrees 28 minutes 02 seconds West for a distance of 288.48 feet continuing through the lands of the J.M. Huber Corporation to a railroad spike (set) on the southeast right-of-way line of an extension of Highway 535, this point is further described as being on the edge of the asphalt of the Fonde Church of God parking lot

THENCE North 64 degrees 44 minutes 37 seconds East for a distance of 315.05 feet with the above mentioned southeast right-of-way line to the point of beginning.

Said property contains 1.44 acres as determined by survey of Mark A. Companoni, Ky. P.L.S. no 2989 on 9/14/1996.

Being the same property conveyed by J. M. Huber Corporation to Fonde Church of God Mountain Assembly, Its' Trustees and Their Successors (by James L. Cox, Jr.) by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 286, Page 614, in the office of the Clerk of Court of Bell County, Kentucky.

681

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky.

Beginning at an iron pin (set) on the southeast right-of-way line of Kentucky Highway 535, this point is further described as bearing N 82 degrees 24' 21" E 1757.16 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535

THENCE North 79 degrees 04 minutes 20 seconds East for a distance of 140.04 feet with the southeast right-of-way line of Highway 535 to an iron pin (set)

THENCE South 10 degrees 34 minutes 25 seconds East for a distance of 121.33 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to a nail (set) in the top of wooden fence post (found)

THENCE South 87 degress 11 minutes 30 seconds West for a distance of 105.36 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) approximately 15 feet north of the north bank of Clear Fork

THENCE North 29 degrees 07 minutes 15 seconds West for a distance of 112.05 feet continuing throught the land of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 9/12/1996.

Being the same property conveyed by J. M. Huber Corporation to Elta Garland by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 286, Page 773, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky.

Beginning at an iron pin (set) on the north right-of-way line of Kentucky Highway 535, this point is further described as bearing N 82 degrees 35' 46" E 1174.04 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highway 74 and 535

THENCE North 10 degrees 47 minutes 00 seconds West for a distance of 125.00 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 79 degrees 24 minutes 55 seconds East for a distance of 120.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin set

THENCE South 10 degrees 47 minutes 00 seconds East for a distance of 125.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the north right-of-way line of Highway 535

THENCE South 79 degrees 24 minutes 55 seconds West for a distance of 120.00 feet with the above-mentioned north right-of-way line to the point of beginning.

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 9/13/1996.

Being the same property conveyed by J. M. Huber Corporation to Michael Gaylor by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 742, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky.

Beginning at an iron pin (set) on the northwest right-of-way line of Kentucky Highway 74, this point is further described as bearing S 57 degrees 54' 36" W 2417.99 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535.

THENCE South 61 degrees 17 minutes 25 seconds West for a distance of 187.50 feet with the northwest right-of-way line of Highway 74 to an iron pin (set)

THENCE North 28 degrees 42 minutes 35 seconds West for a distance of 80.00 feet leaving Highway 74 and through the lands of the J.M. Huber Corporation to an iron pin (set).

THENCE North 61 degrees 17 minutes 25 seconds East for a distance of 187.50 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 28 degrees 42 minutes 35 seconds East for a distance of 80.00 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 09/11/1996.

Being the same property conveyed by J. M. Huber Corporation to Alva Hill by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 691, in the office of the Clerk of Court of Bell County, Kentucky.

684

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron pen (set) on the northwest right-of-way line of Kentucky Highway 535, this point is further described as bearing N 89 degrees 04' 00" E 3664.89 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the Intersection of Highways 74 and 535

THENCE North 08 degrees 57 minutes 18 seconds East for a distance of 120.23 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 75 degrees 38 minutes 01 seconds East for a distance of 131.35 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 13 degrees 43 minutes 33 seconds West for a distance of 119.70 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the northwest right-of-way line on Highway 535

THENCE North 75 degrees 38 minutes 04 seconds West for a distance of 121.35 feet with the northwest right-of-way line of Highway 535 to the point of beginning

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, KY. P.L.S. No. 2989 on 9/18/1996.

Being the same property conveyed by J.M. Huber Corporation to Gilbert Huddleston by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 590, in the office of the Clerk of Court of Bell County, Kentucky.

685

670

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron pen (set) on the northwest right-of-way line of Kentucky Highway 535, this point is further described as bearing N 89 degrees 04' 00" E 3664.89 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the Intersection of Highways 74 and 535

THENCE North 08 degrees 57 minutes 18 seconds East for a distance of 120.23 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 75 degrees 38 minutes 01 seconds East for a distance of 131.35 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 13 degrees 43 minutes 33 seconds West for a distance of 119.70 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the northwest right-of-way line on Highway 535

THENCE North 75 degrees 38 minutes 04 seconds West for a distance of 121.35 feet with the northwest right-of-way line of Highway 535 to the point of beginning ,

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, KY. P.L.S. No. 2989 on 9/18/1996.

Being the same property conveyed by J. M. Huber Corporation to Gilbert Huddleston by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 590, in the office of the Clerk of Court of Bell County, Kentucky.

686

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation, on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron pin (set)on the west edge of the gravel-covered Sowders Creek Road, this point is further described as being on the north side of a gravel-covered driveway, this point is still further described as bearing N 34 degrees 41' 08 degrees E 1870.01 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535.

THENCE North 85 degrees 43 minutes 30 seconds West for a distance of 79.91 feet leaving Sowders Creek Road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 07 degrees 25 minutes 42 seconds West for a distance of 161.86 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 79 degrees 25 minutes 44 seconds East for a distance of 121.95 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the west edge of the gravel-covered Sowders Creek Road

THENCE South 07 degrees 37 minutes 06 seconds West for a distance of 145.36 feet with the west edge of the Sowders Creek Road to the point of beginning

Said property contains. 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 09/17/96.

Being the same property conveyed by J. M. Huber Corporation to Charles Huddleston by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 286, Page 605, in the office of the Clerk of Court of Bell County, Kentucky.

687

672

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky.

Beginning at an iron pin (set) that bears N 78 degrees 23' 43" E 925.20 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk Southern Railroad near the intersection of Highways 74 and 535

THENCE North 15 degrees 35 minutes 05 seconds West for a distance of 125.00 feet through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 74 degrees 24 minutes 55 seconds East for a distance of 120.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 15 degrees 35 minutes 05 seconds East for a distance of 125.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 74 degrees 24 minutes 55 seconds West for a distance of 120.00 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 9/13/1996.

Being the same property conveyed by J. M. Huber Corporation to Lloyd Huddleston by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 712, in the office of the Clerk of Court of Bell County, Kentucky.

688

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tracts 3-11-4 owned by the J.M Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron pin (set) on the southeast right-of-way line of Kentucky Highway 535, this point is further described as bearing N 87 degrees 40' 42" E 2524.41 feet from a PK Nail (set) in the center of Kentucky Highway 74 and the center line of the Norfolk and Southern Railroad near the Intersection of Highways 74 and 535

THENCE North 73 degrees 15 minutes 41 seconds East for a distance of 12.96 feet with the southeast right-of-way line of Highway 535 to an iron pin (set)

THENCE North 66 degrees 12 minutes 58 seconds East for a distance of 37.56 feet continuing with the southeast right-of-way line of Highway 535 to an iron pin (set)

THENCE North 54 degrees 35 minutes 05 seconds East for a distance of 35.54 feet continuing with the southeast right-of-way line on Highway 535 to an iron pin (set)

THENCE South 40 degrees 47 minutes 35 seconds East for a distance of 154.53 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 63 degrees 13 minutes 34 seconds West for a distance of 118.11 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set).

THENCE North 28 degrees 35 minutes 50 seconds West for a distance of 148.88 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning .

Being the same property conveyed by J. M. Huber Corporation to Andy Lambdin by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 688, in the office of the Clerk of Court of Bell County, Kentucky.

674 689

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky.

Beginning on an iron pin (set) on the southeast right-of-way line of Highway 535, this point is further described as bearing N 85 degrees 05' 03" E 951.67 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535.

Thence North 80 degrees 04 minutes 50 seconds East for a distance of 150.00 feet with the southeast right-of-way line of Kentucky Highway 535 to an iron pin (set)

THENCE South 07 degrees 39 minutes 35 seconds East for a distance of 100.00 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 80 degrees 04 minutes 50 seconds West for a distance of 150.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 07 degrees 39 minutes 35 seconds West for a distance of 100 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 09/13/96.

Being the same property conveyed by J. M. Huber Corporation to Clarence Lawson by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 286, Page 799, in the office of the Clerk of Court of Bell County, Kentucky.

675 690

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at a nail (set) in the top of a wooden fence post (found) near the northwest right-of-way line of Kentucky Highway 535, this point is further described as bearing N 84 degrees 49' 26" E 2655.27 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535.

THENCE North 11 degrees 05 minutes 59 seconds East for a distance of 121.27 feet through the lands of the J.M. Huber Corporation with an old fence to an iron pin (set) in said fence line

THENCE South 74 degrees 30 minutes 07 seconds East for a distance of 119.58 feet leaving the old fence and continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 01 degrees 33 minutes 29 seconds West for a distance of 110.90 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the northwest right-of-way line of Highway 535.

THENCE North 83 degrees 54 minutes 55 seconds West for a distance of 91.59 feet with the northwest right-of-way line of Highway 535 to an iron pin (set)

THENCE North 72 degrees 24 minutes 47 seconds West for a distance of 46.67 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains. 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 9/18/96

Being the same property conveyed by J. M. Huber Corporation to Clyde Mace by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 596, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron pin set on the southeast right-of-way line of Kentucky Highway 535, this point is further described as bearing N 86 degrees 32' 06" E 758.82 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535.

THENCE North 79 degrees 24 minutes 05 seconds East for a distance of 194.05 feet with the southeast right-of-way line of Highway 535 to an iron pin (set)

THENCE South 07 degrees 39 minutes 35 seconds East for a distance of 100.00 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 88 degrees 55 minutes 25 seconds West for a distance of 157.68 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 34 degrees 58 minutes 00 seconds West for a distance of 81.00 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni. Ky. P.L.S. No. 2989 on 09/13/96.

Being the same property conveyed by J. M. Huber Corporation to Wilma Mays by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 286, Page 617, in the office of the Clerk of Court of Bell County, Kentucky.

692

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron pin (set) on the north edge of the gravel-covered Sowders Creek Road, this point is further described as bearing N 36 degrees 02' 18" E 1616.25 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the Intersection of Highways 74 and 535.

THENCE North 58 degrees 15 minutes 13 seconds West for a distance of 41.27 feet leaving Sowders Creek Road and through the lands of the J.M Huber Corporation to an iron pin (set).

THENCE North 35 degrees 47 minutes 38 seconds East for a distance of 49.50 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 12 degrees 48 minutes 24 seconds East for a distance of 179.30 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 85 degrees 43 minutes 30 seconds East for a distance of 79.91 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the north edge of the gravel-covered Sowders Creek Road, this point is further described as being on the north side of a gravel-covered driveway

THENCE South 14 degrees 10 minutes 00 seconds West for a distance of 81.69 feet crossing said driveway and with the west edge of the Sowders Creek Road to an iron pin (set)

THENCE South 29 degrees 22 minutes 52 seconds West for a distance of 129.19 feet continuing with the west edge of said road to an iron pin (set)

THENCE South 37 degrees 30 minutes 55 seconds West for a distance of 49.12 feet continuing with the west edge of said road to the point of beginning.

Being the same property conveyed by J. M. Huber Corporation Johnny Parks by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 593, in the office of the Clerk of Court of Bell County, Kentucky.

693

628

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron in (set) on the west edge of the gravel-covered Sowders Creek Road, this point is further described as bearing N 31 degrees 22' 48 degrees E 2089.17 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the Intersection of Highway 74 and 535.

THENCE North 84 degrees 34 minutes 56 seconds West for a distance of 71.52 feet leaving the Sowders Creek Road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 09 degrees 45 minutes 35 seconds West for a distance of 209.79 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 84 degrees 34 minutes 56 seconds East for a distance of 76.50 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the west edge of the gravel-covered Sowders Creek Road.

THENCE South 08 degrees 26 minutes 23 seconds East for a distance of 208.54 feet with the west edge of the Sowders Creek Road to the point of beginning.

Said property contains. 0.34 acres as determined by survey of Mark A. Comparoni, KY. P.L.S. No 2989 on 9/17/1996.

Being the same property conveyed by J. M. Huber Corporation to Johnny L. Parks by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 659, in the office of the Clerk of Court of Bell County, Kentucky.

694

679

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron pin (set) near an extension of Highway 535, this point is further described as bearing S 37 degrees 29' 41" E 752.45 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535

THENCE South 85 degrees 07 minutes 10 seconds West for a distance of 54.91 feet through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 44 degrees 41 minutes 20 seconds West for a distance of 177.84 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 31 degrees 39 minutes 00 seconds East for a distance of 57.04 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) near the south bank of Clear Fork

THENCE South 64 degrees 21 minutes 42 seconds East for a distance of 117.14 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the north side of a gravel extension of Highway 535

THENCE South 20 degrees 17 minutes 40 seconds East for a distance of 127.55 feet crossing said extension and continuing through the lands of the J.M. Huber Corporation to the point of beginning

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L. S. No. 2989 on 9/14/1996.

Being the same property conveyed by J. M. Huber Corporation to Jeffrey Partin by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 602, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky.

Beginning at an iron pin (set) on the north right-of-way line of Kentucky Highway 535, this point is further described as bearing N 81 degrees 59' 20" E 1454.98 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535

THENCE North 08 degrees 50 minutes 12 seconds West for a distance of 174.03 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 63 degrees 08 minutes 30 seconds East for a distance of 89.59 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 06 degrees 26 minutes 24 seconds East for a distance of 198.17 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the north right-of-way line of Highway 535

THENCE South 78 degrees 22 minutes 02 seconds West for a distance of 77.00 feet with the above mentioned north right-of-way line to the point of beginning.

Sold property contains 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. no. 2989 on 9/13/1996.

Being the same property conveyed by J. M. Huber Corporation to Francis Russell by Quitclaim Deed dated October 28, 1996 and recorded in Deed Book 286, Page 715, in the office of the Clerk of Court of Bell County, Kentucky.

696

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky

Beginning at an iron pin (set) on the southeast right-of-way line of Kentucky Highway 74, this point is further described as bearing S 57 degrees 14' 58" W 2549.30 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535.

THENCE North 61 degrees 17 minutes 25 seconds East for a distance of 150.00 feet with the southeast right-of-way line of Highway 74 to an iron pin (set)

THENCE South 28 degrees 42 minutes 35 seconds East for a distance of 100.00 feet leaving Highway 74 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 61 degrees 17 minutes 25 seconds, West for a distance of 150.00 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 28 degrees 42 minutes 35 seconds West for a a distance of 100.00 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.34 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 09/11/1996.

Being the same property conveyed by J. M. Huber Corporation to Duff Siler by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 286, Page 623, in the office of the Clerk of Court of Bell County, Kentucky.

697

682

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tact 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, In the community of Fonde, Bell County, Kentucky

Beginning at an iron pin (set) on the southeast right-of-way line of Kentucky Highway 535, this point is further described as bearing N 82 degrees 09' 36" 1896.98 feet from a PK Nail (set) in the center of Kentucky Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535

THENCE North 80 degrees 23 minutes 15 seconds East for a distance of 71.28 feet with the southeast right-of-way line of Highway 535 to an iron pin (set)

THENCE South 88 degrees 46 minutes 20 seconds East for a distance of 48.37 feet continuing with the southeast right-of-way line of Highway 535 to an iron pin (set)

THENCE South 80 degrees 37 minutes 28 seconds East for a distance of 12.80 feet continuing with the southeast right-of-way line of Highway 535 to an iron pin (set)

THENCE South 75 degrees 06 minutes 32 seconds East for a distance of 1.21 feet continuing with the southeast right-of-way line of Highway 535 to an iron pin (set)

THENCE South 03 degrees 00 minutes 28 seconds East for a distance of 104.79 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to a nail (set) in the top of a wooden fence post (found)

THENCE South 14 degrees 45 minutes 26 seconds West for a distance of 6.69 feet continuing through the lands o f the J.M. Huber Corporation to an iron pin (set) in a fence line

THENCE South 81 degrees 41 minutes 53 seconds West for a distance of 115.16 feet continuing through the lands of the J.M. Huber Corporation to a nail (set) in the top of a wooden fence post (found)

THENCE North 10 degrees 34 minutes 25 seconds West for a distance of 121.33 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Being the same property conveyed by J. M. Huber Corporation to Lawrence Lawson and Reba Lawson by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 286, Page 709, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tract 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of fonde, Bell County, Kentucky.

Beginning at an iron pin (set) on the northwest right-of-way line of Kentucky Highway 74, this point is further described as bearing S 57 degrees 20' 32" W 2070.69 feet from a PK Nail (set) in the center of Highway 74 and the center line of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535.

THENCE South 61 degrees 17 minutes 25 seconds West for a distance of 185.00 feet with the northwest right-of-way of Highway 74 to an iron pin (set)

THENCE North 28 degrees 42 minutes 35 seconds West for a distance of 81.08 feet leaving Highway 74 and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 61 degrees 17 minutes 25 seconds East for a distance of 185 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 28 degrees 42 minutes 35 seconds East for a distance of 81.08 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning;

Said property contains 0.34 aces as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 9/11/1996.

Being the same property conveyed by J. M. Huber Corporation to Cathy Wilson by Quitclaim Deed dated October 29, 1996 and recorded in Deed Book 287, Page 10, in the office of the Clerk of Court of Bell County, Kentucky.

699

684

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tracts 3-11-4 owned by the J.M. Huber Corporation on the waters of Clear Fork, in the community of Fonde, Bell County, Kentucky.

Beginning at an iron pin (set) on the southeast right-of-way line of Kentucky Highway 535, this point is further described as bearing N 82 degrees 46' 32" E 1588.42 feet from a PK Nail (set) in the center of Highway 74 and the center line of the of the Norfolk and Southern Railroad near the intersection of Highways 74 and 535

THENCE North 78 degrees 55 minutes 45 seconds East for a distance of 169.08 feet with the southeast right-of-way line of Kentucky Highway 535 to an iron pin (set)

THENCE South 29 degrees 07 minutes 15 seconds East for a distance of 112.00 feet leaving Highway 535 and through the lands of the J.M. Huber Corporation to a railroad spike (set) 15 feet north of the north bank of Clear Fork Creek

THENCE South 81 degrees 42 minutes 38 seconds West for a distance of 180.73 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) 15 feet north of the north bank of Clear Fork Creek

THENCE North 24 degrees 28 minutes 00 seconds West for a distance of 100.50 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning.

Said property contains 0.34 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 09/12/1996.

Being the same property conveyed by J. M. Huber Corporation to Johhny Jones and Barbara Jones by Quitclaim Deed dated November 20, 1996 and recorded in Deed Book 287, Page 07, in the office of the Clerk of Court of Bell County, Kentucky.

700

65

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

A parcel of property located in Bell County, Kentucky, beginning on a concrete monument located on the East side of the right-of-way of U.S. 25E; thence N 85° 55' 23" E 3155.74 feet to a stake; thence N03° 36' 00" W 1317.30 feet to a concrete monument; thence N 51° 40' 00" W 660.10 feet to a stake; thence N 76° 35' 57" W 725.94 feet to a stake; thence N 00° 24' 03" E 826.00 feet to triangular mark in rock; thence S 76° 25' 35" W 907.20 feet to a stake; thence S 29° 24' 00" W 577.20 feet to a stake; thence S 86° 23' 54" W 110.47 feet to a mark in roundtable rock; thence S 86° 28' 00" W 135.53 feet to a concrete monument near easterly right-of-way of Highway U.S. 25E (now gone); thence S 32° 15' 09" W 222.08 feet to a concrete monument; thence S 87° 02' 20" E 409.13 feet to a mark in a rock; thence S 14° 07' 59" W 609.88 feet to a concrete monument; thence N 87° 07' 19" W 4.82 feet to an iron pipe; thence S 11° 06' 41" W 555.00 feet to an iron pipe; thence N 87° 07' 19" W 350.90 feet to a concrete right-of-way monument; thence S 27° 16' 26" W 153.30 feet to a concrete right-of-way monument; thence S 12° 57' 02" E 106.16 feet to a concrete right-of-way monument; thence S 09° 33' 48" W 257.28 feet to a concrete right-of-way monument; thence S 41° 37' 57" E 121.84 feet to a concrete right-of-way monument; thence S 19° 34' 34" W 318.67 feet to a concrete monument in the easterly right of of U. S. 25E, the beginning corner, containing 136.8 acres.

Being the same property conveyed by J. M. Huber Corporation to Ausmus Enterprises by Deed dated February 2, 1993 and recorded in Deed Book 271, Page 780, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BEGINNING at concrete monument in a Yellow and Red painted boundary line of the J. M. Huber Corporation this point is further described as being witnessed by an 18 inch dead Red Oak with old Red and Yellow paint on it, this point is still further described as bearing N 67° 50' 29"E on a distance of 2878.43 feet from the beginning corner of the 1st Tract being sold to Mars and Shoffner.

THENCE with said line of the J. M. Huber Corporation S67° 50' 29"W 732.57 feet to a nail
THENCE through the property of the J. M. Huber Corporation N37° 03' 38"W 65.62 feet to an 18 inch Hickory,
THENCE N 52° 26' 55"E 441.10 feet to a nail,
THENCE N 52° 26' 55" E 67.34 feet to a nail,
THENCE N 52° 26' 55"E 158.21 feet to a nail,
THENCE N 52° 26' 55"E 312.21 feet to a nail in the center of a hole with pieces of an old rotten pine stump in it, this point is further described as being in a line of the J. M. Huber Corporation, in a line of the Cumberland Gap National Historical Park, and still further described as being on the crest of a ridge,
THENCE with the J. M. Huber Corporation line, the Cumberland Gap National Historical Park line, and the crest of the ridge S51° 42' 30"E 375.86 feet to a concrete monument labeled N.P.S. 273,
THENCE S34° 42' 55"E 257.84 feet to a concrete monument labeled N.P.S. 272,
THENCE S 83° 48' 15"E 154.80 feet to a concrete monument labeled N.P.S. 271,
THENCE S 29° 59'-40"E 93.28 feet to a concrete monument labeled N.P.S. 270,
THENCE S71° 30'08"E 312.46 feet to a concrete monument labeled N.P.S. 269,
THENCE S30° 05'49"W 269.46 feet to a concrete monument labeled N.P.S. 268,
THENCE S42° 50'00"E 117.44 feet to a concrete monument labeled N.P.S. 267,

THENCE S04° 04' 59"E 163.65 feet to a concrete monument labeled N.P.S. 266,
THENCE S22°50' 05"E 167.12 feet to a concrete monument labeled N.P.S. 265,
THENCE S17° 24' 05"E 72.19 feet to a 13 inch White Oak,
THENCE S10° 54' 04"E 83.44 feet to a nail where a concrete monument of the American Association once stood, this point is further described as being witnessed by a 17 inch Chestnut Oak with yellow paint on it that bears S 51° 58' 55" E on a distance of 22.00 feet from the nail,
THENCE leaving the park line and the ridge but continuing with the Yellow and Red paint of the J. M. Huber Corporation N44° 58' 38"W 1493.03 feet to the point of beginning containing 14.38 acres.

Being the same property conveyed by J. M. Huber Corporation to Sam Mars, Jr. and J. Roy Shoffner by Quitclaim Deed dated July 13, 1993 and recorded in Deed Book 273, Page 737, in the office of the Clerk of Court of Bell County, Kentucky.

687 702

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

TRACT 1: (TRACT 1 ON PLAT)

BEGINNING at concrete monument in a Yellow and Red painted J. M. Huber Corporation boundary line on the Southerly bank of the drain in Happy Hollow, this point is further described as being approximately 2,900 feet up the Happy Hollow road from the point where said Happy Hollow road intersects Highway U. S. 25E,
THENCE with a line of the J. M. Huber Corporation N01° 12' 39" W 55.66 feet to a nail on the Southerly edge of the above mentioned Happy Hollow Road,
THENCE through the property of the J. M. Huber Corporation and with the Southerly edge of the Happy Hollow road the following courses and distances N 42° 23' 39" E 108.90 feet to a nail,
THENCE N50° 38' 31" E 97.41 feet to a nail,
THENCE N 65° 00' 46" E 77.53 feet to a nail,
THENCE N65° 10' 17"E 85.71 feet to a nail,
THENCE N55° 38'50" E 171.54 feet to a nail,
THENCE N62° 15' 58"E 75.31 feet to a nail,
THENCE N71° 01' 18" E 80.36 feet to a nail,
THENCE N66° 46' 18" E 63.19 feet to a nail,
THENCE N50° 30' 17"E 131.28 feet to a nail,
THENCE N64° 26' 01"E 114.94 feet to a nail,
THENCE N69° 50' 12"E 77.43 feet to a nail,
THENCE S88° 27' 04"E 137.52 feet to a nail,
THENCE S 86° 46' 10"E 127.80 feet to a nail,
THENCE S65° 09' 57"E 128.14 feet to a nail,
THENCE N 89° 05' 18" E 41.76 feet to a nail on the southerly edge of the road and also in a line of the J. M. Huber Corporation,
THENCE leaving the road and with a line of the J. M. Huber Corporation S67° 50' 29"W 1445.50 feet to the point of beginning containing 4.96 acres.

TRACT 2: (TRACT 3 ON PLAT)

BEGINNING at a nail on the southerly edge of the road in Happy Hollow, this point is further described as being in a boundary line of the J. M. Huber Corporation and still further described as bearing N67°50'29"E on a distance of 1849.21 feet from the beginning corner of the 1st tract,
THENCE leaving the road and with the line of the J. M. Huber Corpoartion S 67°50'29"W 357.48 feet to a nail on the southerly edge of said Happy Hollow road,
THENCE through the property of the J. M. Huber Corporation and with the southerly edge of the road the following courses and distances N61° 38' 57"E 77.64 feet to a nail,
THENCE N55° 58' 35"E 171.07 feet to a nail,
THENCE S89° 24' 42"E 46.07 feet to a nail,
THENCE N 87° 55' 24" E 74.94 feet to the point of beginning containing 0.16 acre. Bearings are equivalent to the Tennessee Lambert Grid minus 03° 53' 49". 1st and 2nd tracts contain a total of 5.12 acres.

Being the same property conveyed by J. M. Huber Corporation to Sam Mars, Jr. and Roy Shoffner by Deed dated July 13, 1993 and recorded in Deed Book 273, Page 740, in the office of the Clerk of Court of Bell County, Kentucky.

703

688

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Beginning at a number 20 nail in a ditch, said ditch being the Westerly Right of Way of Kentucky Highway 74, this point is further described as bearing S 49° 14' 12" W, 2945.55 feet from triangulation station "Logmont"; thence crossing Highway 74, S 38° 45' 09" E, 38.59 feet to a number 20 nail on the Easterly Right of Way line of Kentucky 74; thence with the Easterly Right of Way of Kentucky 74 the following courses and distances, S 29° 58' 36" W, 37.15 feet, S 23° 42' 20" W, 54.84 feet, S 17° 57' 07" W, 92.17 feet, S 03° 50" 26" W, 86.20 feet to a number 20 nail at the end of a guard rail; thence leaving the Easterly Right of Way line and crossing Highway 74 N 85° 10' 04" W, 45.99 feet to a number 20 nail in a ditch, said point also being in the Westerly Right of Way line of Kentucky 74; thence with the Westerly Right of Way of Kentucky 74 the following courses and distances, N 00° 55' 16" W, 83.29 feet, N 11° 38' 27" E, 90.62 feet, N 30° 24' 13" E, 107.13 feet, N 54° 45" 39" E, 30.97 feet to the point of beginning, containing 0.34 acres. (All bearings are based on Kentucky South Grid)

Being the same property conveyed by J. M. Huber Corporation to the Commonwealth of Kentucky by Deed of Conveyance dated May 26, 1992 and recorded in Deed Book 268, Page 848, in the office of the Clerk of Court of Bell County, Kentucky.

704

689

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BEGINNING at a fence post on the north westerly side of a hollow, this point is further described as being in a line of the J. M. Huber Corporation, and also as being in a line of the Leonard Gordon property; thence crossing the hollow with the Huber Corporation and the Gordon line N 85° 16' E crossing a drain at 15.00 feet in all 28.19 feet to a stake in an old dirt road; thence S 89° 34' E 13.00 feet to a stake in the above mentioned road; thence S 88° 47' E 68.26 feet to a stake in the road; thence N 86° 51' E 31.23 feet to a steel rail corner in a fence line; thence through the property the J. M. Huber Corporation S 10° 12' W 119.96 feet to a stake; thence S 34° 48'E 83.17 feet to a stake witnessed by a 14 inch triple Beech corner that bears N 82° 55' W three (3) feet from the stake; thence continuing up the easterly side of the hollow S 21° 04' W 57.15 feet to a stake witnessed by a 10 inch White Oak corner that bears N 81° 46' E four (4) feet from the stake; thence N 82 26' W 52.96 feet to a stake witnessed by a 12 inch Poplar corner; thence S 48° 52' W 99.16 feet to a stake about twenty (20) feet from a small drain; thence S 12° 59' W 105.22 feet to a stake in the drain; thence S 31° 49' E 65.87 feet to a stake in an old dirt road on the easterly bank of the drain, this point is further described as being witnessed by a 13 inch Poplar corner that bears S 38° 47' E three (3) feet from the stake; thence leaving the road and crossing the hollow S 78° 10' W 66.57 feet to a stake witnessed by a 22 inch Red Oak; thence N 56° 20' W 94.11 feet to a stake; thence N 51° 10" W crossing a drain at 95 feet, in all 114.04 feet to a stake on the westerly side of the hollow witnessed by a 9 inch Cucumber corner that bears S 37° 09' E 4.50 feet from the stake; thence down the westerly side of the hollow N 41° 19' E 147.20 feet to a stake about six (6) feet from the drain; thence N 25° 09' E 140.83 feet to a stake about 30 feet from the drain; thence N 23° 00'E 114.68 feet to the BEGINNING, containing 1.9 acres. All bearings are based on the Magnetic Meridian of 1987.

Being the same property conveyed by J. M. Huber Corporation to Mark A. Comparoni by Deed dated _____, 1987 and recorded in Deed Book 252, Page 452, in the office of the Clerk of Court of Bell County, Kentucky.

705

690

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

A 149.107 acre tract of property located in Bell County, Kentucky, more particularly described as follows:

BEGINNING on an iron rail set for corner between Givens and J. M. Huber Corporation, West of spur and East of Hignite Creek below the Hignite Coal Seam, with an iron rail set for pointer on spur that bears S 20° 31' 54" W 32.56 feet, thence N 17° 31' 30" E 1224.34 feet to a set stone with an eight (8) inch White Oak marked for pointer, a corner between said Givens and J. M. Huber Corporation, thence N 23° 39' 59" W 2162.29 feet to an old concrete monument, a corner between said Givens and J. M. Huber Corporation, thence S 46° 16' 45" W 2494.0 feet to an old set stone with an eight (8) inch Maple marked for pointer, a corner between Givens and J. M. Huber Corporation, thence with marked and painted line between said Givens and J. M. Huber Corporation S 43° 26" 44" E 672.44 feet to a set stone in a small hollow, thence with said line and said hollow S 66° 02' 53" W 160.93 feet to a stake, thence with same N 86° 47' 31" W 95.33 feet to a stake, thence with same N 88° 59' 59" W 221.10 feet to a stake, thence with same S 61° 07' 05" W 153.43 feet to a cross on rock in Hignite Creek, thence with said creek S 15° 19' 07" E 509.95 feet to a cross on rock in Hignite Creek, thence with same S 36° 38' 50" E 225.44 feet to a cross on rock in said creek, thence with same S 58° 59' 30" E 136.55 feet to a cross on rock in said creek, thence with same S 39° 48' 20" E 76.21 feet to a point on large rock in said creek, thence with same S 2° 51' 21" W 335.48 feet to a point on rock in said creek, thence with same S 5° 53' 44" W 137.34 feet to a point on rock in said creek, thence with same S 60° 13' 55" E 322.27 feet to a point on large rock in said creek, thence with same S 10° 48' 00" E 177.31 feet to a point on large rock in said creek, thence leaving said creek and with marked and painted line N 65° 00' 30" E 1897.44 feet to the Beginning.

Being the same property conveyed by J. M. Huber Corporation to Marietta E. Givens by Deed dated September 23, 1987 and recorded in Deed Book 253, Page 55, in the office of the Clerk of Court of Bell County, Kentucky.

706

69

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BEGINNING on a tack in the top of a corner fence post, this point is further described as being a corner of the J. M. Huber Corporation, a corner of Harold May, and a corner of Mable Partin, this point is still further described as being about 220 feet West of the Middlesboro Corporation line, and about 195 feet North of Highway 74; thence, leaving the fence and through the lands of the J. M. Huber Corporation N 12° 32' 19" W 41.15 feet to a steel rail; thence, with the tree line N 57° 12' 45" E 122.72 feet to a 20 inch Sycamore with three new hacks and fence in it; thence, with the fence S 46° 25' 02" E 95.88 feet to a steel rail, this point is further described as being on the J. M. Huber Corporation line and a line of the Harold May property; thence, with the above-mentioned line dividing the Huber and May properties S 76° 05' 49" W 168.63 feet to the beginning containing 0.2 acre. All bearings are based on the Magnetic Meridian of 1987.

Being the same property conveyed by J. M. Huber Corporation to Harold L. May and Lula Jean May by Deed dated February 2, 1988 and recorded in Deed Book 253, Page 675, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BEGINNING at a 20 inch maple marked as a corner, thence S 9° 14" E, 1790.95 feet to the lone rock (15' x 30' x 15') and hickory (gone) at Rock Town at the top of Log Mountain; thence S 67° 28' W 1409.34 feet with the old yellow painted line to a stake (gone) and locust stake (set) witnessed by yellow painted trees; thence 28° 45' W, 1412.26 feet with the old yellow painted line to a stake (gone) marked by a 22" poplar; thence S 75° 39' E, 195.79 feet to a chestnut and poplar corner (gone) marked by a 12 inch maple; thence with the old yellow painted line N 53° 10' E, 1861.61 feet to the point of beginning.

Being the same property conveyed by J. M. Huber Corporation to Elzina Partin, Andy Lambdin, Versie Maiden, Richard Elam Maiden and Lillie Partin by Quitclaim Deed dated May 11, 1989 and recorded in Deed Book 257, Page 787, in the office of the Clerk of Court of Bell County, Kentucky.

693 708

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Located on the waters of Bennetts Fork, Waters of Yellow Creek of the Cumberland River in Bell County, Kentucky.

BEGINNING on a Concrete Monument that bears S 88° 00' E 130.45 feet to 46th Street near the Southwest section of Middlesboro, Kentucky, a corner between Appolo Fuels and J. M. Huber Corporation Sawmill Tract.

THENCE S 25° 59' 24" W 78.58 Feet to a Cross on Steel Rail a corner between same,

THENCE S 42° 09' 45" W 88.68 feet to a cross on Steel Rail a corner between same,

THENCE S 58° 10' 55" W 101.27 feet to a cross on Steel Rail a corner between same with an 11 inch Sweet Gum for pointer,

THENCE S 18° 42' 50" W crossing Haul Road at 55.00 feet in all 65.61 feet to a tack in edge of Black Top of Haul Road,

THENCE S 11° 45' 21" W 18.78 feet to a cross on Steel Rail a corner between same,

THENCE S 64° 39' 00" W 304.98 feet to a cross on Steel Rail a corner between same,

THENCE S 79° 33' 54" W 73.17 feet to a cross on Steel Rail a corner between same,

THENCE N 85° 01' 55" W 74.86 feet to a cross on Steel Rail a corner between same on East side of drain,

THENCE S 62° 06' 10" W 185.82 feet to a cross on Steel Rail a corner between same,

THENCE S 62° 17' 30" W 106.28 feet to a cross on Steel Rail a corner between same 15.00 feet East of Hollow,.

THENCE S 44° 43' 28" E 59.00 feet to a stake 9.2 feet from North edge of Highway No. 186,

THENCE S 66° 57' 37" W 134.78 feet to a tack in old Fence Post 13.1 feet from North edge of Highway No. 186,

THENCE S 64° 35' 19" W 269.00 feet to a tack in stump 11.6 feet from North edge of Highway No. 186,

THENCE S 63° 47' 09" W 158.04 feet to a stake 8.2 feet from North edge of Highway No. 186,

THENCE S 65° 25' 16" W 104.82 feet to a stake 16.0 feet from North edge of Highway No. 186,

709

169

THENCE S 54° 26' 15" W 120.27 feet to a stake 10.4 feet from North edge of Highway No. 186,

THENCE S 53° 18' 51" W 324.55 feet to a stake, 10.3 feet from North edge of Highway No. 186,

THENCE S 50° 10' 17" W 371.38 feet to a cross on Rock Wall 7.4 feet from North edge of Highway No. 186,

THENCE S 53° 24' 36" W 63.15 feet to a stake, 5.0 feet from North edge of Highway No. 186,

THENCE S 62° 23' 18" W 82.26 feet to a stake near Rock Wall, 5.7 feet from North edge of Highway No. 186,

THENCE S 65° 47' 28" W 177.54 feet to a stake, 7.0 feet from North edge of Highway No. 186,

THENCE S 56° 17' 42" W 94.10 feet to a stake, 9.0 feet from North edge of Highway No. 186,

THENCE S 52° 37' 57" W 101.98 feet to a stake, 7.0 feet from North edge of Highway No. 186,

THENCE S 54° 04' 19" W 114.71 feet to a stake, 19.0 feet from North edge of Highway No. 186,

THENCE S 41° 36' 43" W 160.84 feet to a stake, 19.0 feet from North edge of Highway No. 186,

THENCE S 41° 17' 43" W 151.54 feet to a stake, 19.4 feet from North edge of Highway No. 186,

THENCE S 41° 21' 48" W 114.78 feet to a stake, 20.0 feet from North edge of Highway No. 186,

THENCE S 45° 03' 46" W 172.50 feet to a tack in Driveway, 24.0 feet from North edge of Highway No. 186,

THENCE S 42° 52' 02" W 143.14 feet to a stake, 19.0 feet from North edge of Highway No. 186,

THENCE S 43° 38' 56" W 385.50 feet to a stake, 10.6 feet from North edge of Highway No. 186,

THENCE S 51° 00' 57" 98.08 feet to tack in root, 9.6 feet from North edge of Highway No. 186,

THENCE S 65° 52' 13" W 91.57 feet to a stake 8.3 feet from North edge of Highway No. 186,

THENCE N 3° 46' 24" E 27.76 feet to a stake in YELLOW and RED painted line,

695 710

THENCE N 2° 00' 06" E 138.61 feet to a stake in said line,

THENCE N 1° 36' 48" E 57.66 feet to a stake in said line,

THENCE N 3° 03' 06" E 106.75 feet to a stake in said line,

THENCE N 2° 20' 12" E 127.22 feet to a stake in said line,

THENCE N 4° 03' 12" E crossing drain at 102 feet also crossing Hollow at 117 feet, in all 152.42 feet to a stake in said line,

THENCE N 2° 48' 48" E crossing drain at 65.0 feet in all 115.70 feet to a stake in said line,

THENCE N 2° 43' 12" E 175.64 feet to a stake in said line,

THENCE N 3° 37' 48" E 79.70 feet to a stake in said line,

THENCE N 2° 22' 54" E 135.62 feet to a stake in said line,

THENCE N 2° 33' 00" E 191.97 feet to a stake in said line,

THENCE N 3° 11' 12" E 78.00 feet to a stake in said line,

THENCE N 1° 46' 42" E 87.98 feet to a stake in said line,

THENCE N 3° 00' 00" E 245.65 feet to a stake in said line,

THENCE N 4° 27' 24" E 46.46 feet to a point in triangle in rock on top of cliff.

THENCE N 5° 30' 00" E 87.45 feet to a point in triangle in rock on top of cliff.

THENCE N 1° 55' 00" E 108.23 feet to a stake in said line,

THENCE N 1° 54' 18" E 163.34 feet to a stake in said line,

THENCE N 3° 30' 00" E crossing small branch at 154.0 feet, in all 277.76 feet to a stake in said line,

THENCE N 2° 44' 00" E 80.77 feet to a stake in drain in said line,

THENCE N 2° 37' 06" E 217.85 feet to a stake in said line,

THENCE N 3° 41' 54" E 164.13 feet to a stake on North side of Ridge in said line,

THENCE N 3° 12' 00" E crossing said Ridge 186.86 feet to a stake in said line,

THENCE N 1° 55' 54" E 169.19 feet to a concrete monument set for corner in 1966,

THENCE N 75° 50' 06" E 267.37 feet to a stake in said line,

THENCE N 74° 07' 54" E 164.90 feet to a stake in said line,

THENCE N 76° 08' 06" E 248.39 feet to a stake in said line,

THENCE N 70° 53' 06" E 157.38 feet to a stake in said line,

THENCE N 69° 38' 54" E 100.25 feet to a stake in said line,

THENCE N 75° 18' 00" E 71.54 feet to a point in triangle on top of 3' x 4' rock in said line,

THENCE N 77° 11' 54" E 233.67 feet to a stake in said line,

THENCE N 75° 44' 12" E 141.38 feet to a stake in said line,

THENCE N 75° 16' 54" E 155.83 feet to a stake in said line,

THENCE N 74° 51' 54" E 173.66 feet to a stake corner with a 20" Red Oak for pointer on top of Ridge,

THENCE S 42° 53' 04" E 704.50 feet to a stake corner formerly a concrete monument with an 18" Black Gum marked with three (3) old hacks,

THENCE S 69° 13' 36" E 414.87 feet to an old concrete monument,

THENCE S 68° 52' 17" E 355.66 feet to an old concrete monument corner 18.0 feet from old fence, in old RED and YELLOW painted line,

THENCE S 88° 51' 36" E 512.46 feet to an old concrete monument corner in fence line in RED and YELLOW painted line,

THENCE S 2° 28' 32" W 149.84 feet to an old concrete monument corner in RED and YELLOW painted line,

THENCE S 86° 53' 11" E 39.48 feet to an old concrete monument corner in RED and YELLOW painted line,

THENCE S 5° 04' 05" W 25.18 feet to a stake in RED and YELLOW painted line,

THENCE S 0° 58' 25" W 61.42 feet to the BEGINNING.

Containing 143.76 acres more or less.

Being the same property conveyed by J. M. Huber Corporation to APPOLO Fuels, Inc., by Deed dated May 10, 1989 and recorded in Deed Book 258, Page 85, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Beginning at a concrete monument on the southeasterly edge of a dirt road, this point is further described by its Tennessee Plane Coordinates which are x-2,671,690.904 Y-809,275.657, this point is still further described as being in a Yellow painted line of the J. M. Huber Corporation.

THENCE with the J. M. Huber Corporation line S 59° 51' 12" E 540.52 feet to a concrete monument in the field where the Middlesboro water storage plant is located;

THENCE, leaving the above mentioned field N 27° 36' 48" W 316.09 feet to a concrete monument in the center of the abovementioned dirt road,

THENCE, continuing with the J. M. Huber line N 62° 23' 18" E 261.43 feet to a concrete monument in the above mentioned field, said point is further described as being near a chain link fence erected by the Kentucky Water Service, Inc.,

THENCE leaving said field and continuing with the Yellow painted line of the J. M. Huber Corporation N 25° 47' 33" W 168.41 feet to a concrete monument,

THENCE leaving the J. M. Huber Corporation line and through the land of the J. M. Huber Corporation S 59° 34' 45" W 555.80 feet to the BEGINNING containing 2.54 acres. All bearing are based on the Tennessee Lambert Grid. Survey of Mark A. Comparoni, Ky. Reg. 2989, March 6, 1991.

Being the same property conveyed by J. M. Huber Corporation to AQUA/KWS, Inc., by Deed dated April 15, 1991 and recorded in Deed Book 264, Page 347, in the office of the Clerk of Court of Bell County, Kentucky.

713

996

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Lying and being on Bennett's Fork, in Bell County, Kentucky, and more particularly described as follows:

BEGINNING at a steel pin in a fence line, this point is further described as being in a property line of the J. M. Huber Corporation, and still further described as being near an extension of 46th Street and lying approximately 170 feet South of the L&N Railroad,
THENCE through the property of the J. M. Huber Corporation with a fence line the following courses and distances, N 62° 50' 58" W 8.45 feet, N 54° 55' 14" W 10.41 feet, N 50° 07' 09" W 7.70 feet, N 44° 53' 23" W 20.18 feet, N 30° 57' 09" W 25.39 feet,
THENCE temporarily leaving the fence N 24° 56' 28" W 23.09 feet,
THENCE again running with the fence N 32° 44' 30" W 67.16 feet,
THENCE N 63° 42' 56" E 17.52 feet, Thence N 82° 42' 29" E 18.74 feet to a steel pin in a property line of the J. M. Huber Corporation,
THENCE with said property line S 23° 47' 15" E 151.26 feet to the BEGINNING. Containing 0.083 Acre. Bearings are based on the Magnetic Meridian of 1991.

Being the same property conveyed by J. M. Huber Corporation to William S. Garner and wife, Gloria A. Garner by Deed dated September 23, 1991 and recorded in Deed Book 266, Page 289, in the office of the Clerk of Court of Bell County, Kentucky.

714

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

"Being at a point in the south line of a 150 foot Kentucky Utility Transmission line easement and the east right-of-way line of U.S. 25E; thence, S 01° 46' W, 2286.00 feet to a point in the south line of the 150 foot Kentucky Utility Transmission Line easement; thence, leaving said easement S 86° 34' W, 1581.52 feet to a point in the ease right-of-way line of U.S. 25E, thence, N 28° 36' E, along said line, 500.00 feet to a point; thence, N 28° 22' E, 349.03 feet to a concrete monument in said right-of-way; thenoe, N 37° 36' E, 456.59 feet to a concrete monument in said right-of-way; thence N 11° 25' W, 128.82 feet to a concrete monument in said right-of-way; thence N 38° 11' E, 497.55 feet to a concrete monument in said right-of-way; thence N 38° 11' E, 679.00 feet to a concrete monument in said right-of-way; thence N 50° 02' E, 343.70 feet to the point of beginning and containing 47.04 acres.

Being the same property conveyed by J. M. Huber Corporation to the Commonwealth of Kentucky by Quitclaim Deed dated February 6, 1979 and recorded in Deed Book 225, Page 750, in the office of the Clerk of Court of Bell County, Kentucky.

715

760

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BEGINNING at a point in the center line of Ky. 74, said point being 1.86 miles West of the Middlesboro City limits and N 21 degrees 17' W, 101.21 feet from a point in the West abutment of a bridge over Stoney Fork Creek and in the center-line of said Ky. 74; thence with a center-line, to include a forty foot (40') right-of-way, S 74 degrees 37' E, 218.37 feet; thence N 60 degrees 06' E, 225.00 feet; thence N 60 degrees 05' E, 247.51 feet; thence N 39 degrees 16' E, 191.32 feet; thence N 11 degrees 10' W, 267.29 feet; thence N 25 degrees 31' W, 149.61 feet; thence N 21 degrees 24' W, 294.57 feet; N 17 degrees 06' W, 233.08 feet; thence N 09 degrees 04' W, 256.04 feet; thence N 32 degrees 03' W, 310.83 feet; thence N 26 degrees 34' W, 297.91 feet; thence N 29 degrees 36' W, 374.69 feet to a point which lies in the center-line of the existing county road, containing 2.82 acres more or less.

Being the same property conveyed by J. M. Huber Corporation to Bell County Kentucky by Deed dated October 19, 1976 and recorded in Deed Book 219, Page 624, in the office of the Clerk of Court of Bell County, Kentucky.

716

701

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Lying and being on the waters of Lick Fork in Bell County, Kentucky, near and north of the corporation line of the city of Middlesboro, Kentucky, known as Lick Fork Farm, being more particularly described as follows:

BEGINNING at a concrete monument (found) in the Middlesboro Corporation line, said point having coordinates of X = 2,592,201.57, Y = 114,881.04 in the plane coordinate system of Kentucky, South Zone; thence with an existing fence N 84° 43' 00" W, 1,217.77 feet to a bend in a fence near Lick Fork; thence continuing with the fence, S 11° 46' 45" W, 9.73 feet to a bend in the fence near Lick Fork; thence crossing Lick Fork N 85° 11' 49" W, 721.21 feet to a concrete monument (found) at the fence; thence continuing with the fence N 70° 45' 28" W, 136.51 feet to a concrete monument (found) at the fence; thence continuing with the fence N 82° 23' 12" W, 103.62 feet to a concrete monument (found) at the fence; thence continuing with the fence S 84° 12' 48" W, 103.06 feet to a concrete monument (found) at the fence; thence continuing with the fence N 86° 03' 55" W, 122.42 feet to a concrete monument (found) at the fence; thence continuing with the fence N 89° 44' 42" W, 139.07 feet to a concrete monument (found) at the fence; thence continuing with the fence N 85° 46' 15" W, 184.32 feet to a concrete monument (found) at the fence; thence leaving the fence N 04° 39' 16" W, 1,456.27 feet to a native hub and tack (found) marking the corner on top of a knoll east of Lick Fork; thence N 69° 23' 27" E, 626.51 feet to a native hub and tack (found) on top of a knoll east of Lick Fork; thence N 03° 57' 47" W, 2,647.32 feet to a native hub and tack (found) marking the corner 18 feet east of the creek bank of Lick Fork; thence S 85° 02' 12" E, 2,535.85 feet to a native hub and tack (found) marking the corner; thence S 05°40' 24" W, 1,534.35 feet to a native hub and tack (found) on top of the ridge between Lick Fork and Four Mile Run; thence S 47° 09' 18" E, 270.13 feet to a native hub and tack (found) on top of the ridge between Lick Fork and Four Mile Run; thence S 00° 55' 31" W, 929.08 feet

717

763

to a concrete monument (found) at the head of Coal Bank Branch; thence S 24° 43' 05" E, 760.83 feet to a concrete monument (found) at a fence to a concrete monument (found) at a fence intersection on the ridge between Lick Fork and Four Mile Run; thence with the fence S 39° 22' 39" W, 132.04 feet to a bend in the fence; thence continuing with the fence S 07° 43' 47" W, 643.64 feet to a concrete monument (found) at the fence; thence continuing with the fence S 01° 05' 40" W, 365.80 feet to a concrete monument (found) at the fence; thence S 02° 37' 54" W, 495.35 feet to the point of beginning containing 295.273 acres by survey dated November, 1980. All bearings are measured from the grid meridian of the Kentucky Plane Coordinate System, South Zone.

Being the same property conveyed by J. M. Huber Corporation to Green, Melton and Vaughn Holding Corporation by Deed dated December 29, 1980 and recorded in Deed Book 231, Page 344, in the office of the Clerk of Court of Bell County, Kentucky.

718

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Parcel No. 1

Beginning at a point in the existing West Right of Way Line of existing Ky. 74, 54 feet left, West of Station 0+38 (Slide No. 1) of the centerline of the Baseline Station of the proposed public road; thence Northerly to a point 135 feet left, West of Baseline Station 1+65; thence Northeasterly and parallel to the Baseline Centerline to a point 135 feet left, West of Baseline Station 2+25; thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 45 feet left, West of Baseline Station 3+58; thence Southwesterly along the existing West Right of Way Line to the point of beginning.

Also beginning at a point in the existing West Right of Way Line of existing Ky. 74, 52 feet left, West of Station 0+30 (Slide No. 2) of the centerline of the baseline of the proposed public road; thence Northwesterly to a point 60 feet left, West of Baseline Station 1+25 (Slide No. 2); thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 33 feet left West of Baseline Station 2+00 (Slide No. 2); thence Southerly along said existing West Right of Way Line to the point of beginning.

Also beginning at a point in the existing West Right of Way Line of existing Ky. 74, 38 feet left West of Station 4+00 (Slide No. 3) of the centerline of the baseline of the proposed public road; thence Northwesterly to a point 80 feet left West of Baseline Station 5+00 (Slide No. 3); thence Northwesterly to a point 110 feet left West of Baseline Station 6+00; thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 37 feet left, West of Baseline Station 7+00 (Slide No. 3); thence Southeasterly along said existing West Right of Way Line to the point of beginning.

Also beginning at a point in the existing East Right of Way Line of existing Ky. 74, 30 feet left, East of Station 0+00 (Slide No. 4 & 5) of the centerline of the Baseline Station of the proposed public road; thence Southeasterly to a point 95 feet left, Northeast of Baseline Station 2+00; thence Southeasterly to a point 115 feet left, Northeast of Baseline Station 4+00; thence Southeasterly to a point 110 feet left, East of Baseline Station 5+20; thence Southerely to a point 85 feet left, Northeast of Baseline Station 6+00; thence Southwesterly to a point in the existing East Right of Way Line of existing Ky. 74, 26 feet left, Northeast of Baseline Station 6+87; thence Northwesterly along the existing East Right of Way Line of existing Ky. 74 to the point of beginning.

Also beginning at a point in the existing East Right of Way Line of existing Ky. 74, 30 feet left, Northeast of Station 7+80 (Slide No. 6) of the centerline of the Baseline Station of the proposed public road; thence Easterly to a point 50 feet left, Northeast of Baseline Station 8+00; thence Southeasterly to a point 95 feet left, Northeast of Baseline Station 9+50; thence Southeasterly to a point 95 feet left, Northeast of Baseline Station 10+50; thence Southerly to a point in the existing North Right of Way Line of existing Ky. 74, 37 feet left, Northwest of Baseline Station 12+75; thence Westerly along the existing East Right of Way Line to the point of beginning.

Also beginning at a point in the existing North Right of Way Line of existing Ky. 74, 55 feet left, North of Station 0+24 (Slide No. 8, 9, & 10) of the centerline of the Baseline Station of the proposed public road; thence Easterly to a point 90 feet left, North of Baseline Station 1+50; thence Easterly to a point 80 feet left, North of Baseline Station 3+00; thence Easterly to a point 60 feet left, North of Baseline Station 4+50; thence Northerly to a point 95 feet left, West of Baseline Station 6+50; thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 30 feet left, West of Station 7+50; thence Southwesterly along the existing Northwest Right of Way Line of existing Ky. 74 to the point of beginning.

7/9

704

Also beginning at a point in the existing West Right of Way Line of existing Ky. 74, 48 feet left, West of Station 9+00 (Slide No. 10A & 11) of the centerline of the Baseline Station of the proposed public road; thence Northerly to a point 70 feet left, West of Baseline Station 9+50; thence Northeasterly to a point 55 feet left, West of Baseline Station 10+00; thence Northeasterly to a point 75 feet left, West of Baseline Station 0+50; thence Northwesterly to a point 110 feet left, West of Baseline Station 2+25; thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 28 feet left, West of Baseline Station 4+00; thence Westerly along the existing West Right of Way Line of existing Ky. 74 to the point of beginning.

EQUATION: Station 11+42.62 Slide No. 10A Back =
Station 0+00 Slide No. 11 Ahead

Containing 3.02 acres which is new right of way to be acquired.

Also the following described Parcel (a):

Beginning at a point on the centerline of the baseline for Slide No. 1, Station 4+50; thence along a baseline N 22° 15' E, 237.1 feet; thence N 36° 00' E, 415.7 feet; thence N 15° 14' E, 277.7 feet; thence N 46° 29' E, 227.9 feet; thence N 6° 31' W, 203.1 feet to a point for the beginning of the following described parcel, said following parcel lies on the South side of existing Ky. 74 and being described more particularly as follows: thence N 72° 05' E, 174.3 feet; thence N 76° 41' E, 63.4 feet; thence N 45° 22' E, 64.1 feet; thence N 64° 50' E, 123.9 feet; thence N 32° 30' E, 123.0 feet; thence N 70° 54' W, 199.7 feet; thence S 45° 14' W, 132.0 feet; thence S 59° 14' W, 116.0 feet; thence S 29° 14' W, 102.8 feet; thence S 12° 14' W, 94.0 feet to the point of beginning.

The property described above consists of 1.62 acres.

Also the following described Parcel (b):

Beginning at a point on the centerline of the Baseline for Slide No. 12, Station -1+50 on extended back tangent; thence along a baseline S 35° 30' W, 375.0 feet; thence S 7° 45' W, 470.0 feet; thence S 18° 33' W, 110.8 feet to a point for the beginning of the following described parcel, said following parcel lies on the South side of existing Ky. 74 and being described more particularly as follows: thence S 20° 39' E, 302.6 feet; thence S 18° 29' W, 60.0 feet; thence S 17° 59' W, 105.9 feet; thence S 60° 59' W, 183.5 feet; thence S 54° 29' W, 106.8 feet; thence S 79° 58' W, 111.1 feet; thence N 6° 30' W, 82.5 feet; thence N 28° 00' E, 128.7 feet; thence N 50° 47' E, 125.3 feet; thence N 22° 43' E, 170.9 feet; thence N 26° 05' E, 198.5 feet to the point of beginning.

The property described above consists of 2.58 acres.

Being the same property conveyed by J. M. Huber Corporation to the Commonwealth of Kentucky by Deed of Conveyance dated February 4, 1980 and recorded in Deed Book 231, Page 465, in the office of the Clerk of Court of Bell County, Kentucky.

720

705

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BEGINNING on a concrete monument on the Middlesboro corporation line, which point is on a bench of land on the East side of Parker Branch and is about 146 feet Easterly from said branch; thence leaving the corporation line S 23° 41.4' W 307.23 feet to a concrete monument; thence S 63° 27.9' E crossing a driveway at 33 feet, in all 68 feet to a concrete monument; thence N 23° 15.4' E 347.53 feet to a concrete monument on the Middlesboro corporation line; thence with the corporation line around a right-hand curve to the point of beginning, the long chord of this curve being S 84° 12' W 75.00 feet. Containing 0.5 acre. By survey of R. M. Rogan dated 12-11-80.

Being the same property conveyed by J. M. Huber Corporation to Oleana Jones by Deed dated February 12, 1981 and recorded in Deed Book 231, Page 747, in the office of the Clerk of Court of Bell County, Kentucky.

721

706

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BEGINNING at a concrete monument at a 30" maple, a corner of J. M. Huber Corporation; thence South 49° 42' East 156.86 feet to a stake; thence South 44° 24.6 East 90.19 feet to a stake at the right of way fence of the L & N Railroad; thence South 25° 34.3' West 88.14 feet to a stake near said fence; thence South 03° 30.3' West 52.61 feet to a mark in a rock; thence leaving the railroad right of way North 70° 01.7' West 246.81 feet to a stake on the east edge of the road and about 50 feet north of Cannon Creek; thence North 02° 39.9' East 172.94 feet crossing the road to a mark in a rock; thence North 63° 42.9' East 92.09 feet re-crossing the road to the beginning, containing 1.46 acres.

Being the same property conveyed by J. M. Huber Corporation to Mary Collett Thompson and husband, John Henry Thompson by Quitclaim Deed dated April 27, 1981 and recorded in Deed Book 232, Page 146, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Parcel No. 1

Beginning at a point in the proposed north right-of-way line, said point also being in the south property line 49.30 feet left of the proposed centerline of the proposed Middlesboro-Capito-Pruden Road (KY 74) Station 18+42.14; thence with said proposed north right-of-way line N 3° 11' 33" W, 46.54 feet to a point 89.40 feet left of said centerline, Station 18+76.31; thence with said proposed right-of-way line N 57° 11' 35" E, 114.92 feet to a point 65.00 feet left of said centerline Station 20+00.00; thence with said proposed right-of-way line N 55° 38' 36" E, 127.48 feet to a point 40.00 feet left of said centerline Station 21+25.00; thence with said proposed right-of-way line N 44° 20' 00" E, 100.00 feet to a point 40.00 feet left of said centerline Station 22+25.00; thence with said proposed right-of-way line N 34° 51' 30" E, 244.44 feet to a point 90.00 feet left of said centerline Station 24+50.00; thence with said proposed right-of-way line N 7° 54' 03" E, 200.42 feet to a point in the common property line between grantor's property and the Bell County Coal Corporation property, said point being 249.69 feet left of said centerline Station 25+40.15; thence with said common property line and crossing said centerline S 51° 42' 32" E, 327.01 feet to a point in the existing north right-of-way line of KY 74, said point being 15.00 feet right of said centerline Station 26+99.00; thence with the existing north right-of-way line of KY 74 for 5 calls, along an arc 70.50 feet to the left (having a radius of 716.20 feet) the chord of which is S 78° 02' 48" W, 70.47 feet to a point 18.00 feet right of said centerline Station 26+26.00; thence along an arc 164.10 feet to the left (having a radius of 477.47 feet) the chord of which is S 66° 56' 08" W, 163.29 feet to a point 15.00 feet right of said centerline Station 24+56.00; thence along an arc 254.03 feet to the left (having a radius of 716.20 feet) the chord of which is S 47° 04' 09" W, 252.70 feet to a point 12.00 feet right of said centerline Station 22+00.00; thence along an arc 164.03 feet to the left (having a radius of 477.47 feet) the chord of which is S 27° 13' 50" W, 163.22 feet to a point 60.00 feet right of said centerline Station 20+44.00; thence S 19° 53' 29" W, 20.31 feet to a point in the said south property line 69.00 feet right of said centerline Station 20+25.80; thence leaving the existing north right-of-way line and with said south property line S 80° 50' 05" W, 210.56 feet to the point of beginning.

723

708

Also beginning at a point in the proposed north right-of way line said point also being in the south property line 25.70 feet left of the proposed centerline of Middlesboro-Capito-Pruden Road (KY 74) Station 14+00.00; thence with said proposed north right-of-way line N 86° 58' 14" E, 199.84 feet to a point in the south property line, said point being 37.96 feet left of said centerline Station 16+00.00; thence with existing south property line S 80° 50' 05" W, 121.67 feet to a point 18.00 feet left of said centerline Station 14+80.00; thence with said south property line N 83° 40' 00" W, 79.94 feet to the point of beginning.

Being the same property conveyed by J. M. Huber Corporation to the Commonwealth of Kentucky by Deed of Conveyance dated March 7, 1983 and recorded in Deed Book 237, Page 439, in the office of the Clerk of Court of Bell County, Kentucky.

724

184/282

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Parcel No. 1

Beginning at a point in the existing south right of way line of existing KY 74 30 feet right, south of the centerline of the proposed KY 74 Relocation station 10+00, thence N 64°19'10"E, along the existing south right of way line of existing KY 74, 193.36 feet to a point 0.61 feet right, south of station 11+90.92, thence with the existing south right of way line of existing KY 74 along an arc 187.30 feet, and the chord of 186.55 feet N 55°18'20"E, to a point 58.64 feet left, north of station 13+68.21 thence along the existing south right of way line of existing KY 74 N 46°24'24"E, 102.93 feet to a point 105.41 feet left, north of station 14+59.90 thence with the existing south right of way line of existing KY 74 along an arc 175.65 feet and the chord of 167.07 feet N 77°39'52"E, to a point 93.06 feet left, north of station 16+26.99 thence along the existing south right of way line of existing KY 74 S 71°04'40"E, 86.53 feet to a point 39.76 feet left, north of station 17+00.31 thence with the existing south right of way line of existing KY 74 along an arc 39.23 feet and the chord of 39.14 feet S 75°34'00"E, to a point in the south property line 16.38 feet left, north of station 17+32.70, thence S 55°02'00"W, along the south property line 293.56 feet to a point 70 feet right, south of station 14+52, thence S 80°13'05"W, 107.75 feet to a point 57.26 feet right south of station 13+45 thence S 11°34'16"W, 53.00 feet to a point in the south property line 104 feet right, south of station 13+20, thence S 65°23'00"W with the south property line 121.19 feet to a point in the south property line 120.96 feet right, south of station 12+00, thence N 17°06'56"E, 90.15 feet to a point 45.95 feet right, south of station 12+50, thence S 80°13'05"W, 50.35 feet to a point 40 feet right, south of station 12+00, thence S 69°36'54" W, 150.33 feet to a point 50 feet right, south of station 10+50, thence N 84°46'10" W 53.85 feet to the point of beginning.

Also beginning at a point in the existing north right of way line of existing KY 74, 118 feet left, north of the centerline of the proposed KY 74 relocation station 13+50, thence N 14°48'08"E, 96.04 feet to a point 200 feet left, north of station 14+00, thence N 65°23'29"E, 241.66 feet to a point 30 feet left, north of approach road station 3+75, said approach being to the left, north of KY 74, Relocated station 14+00, thence S 30°04'38"E, 94.48 feet to a point in the existing north right of way line of existing KY 74 62.49 feet right, south of approach road station 3+37.29, thence with the existing north right of way line of existing KY 74 along an arc 241.12 feet and the chord of 229.33 feet, S 77°39'52"W, to a point 158.86 feet left, north of KY 74 Relocation station 14+32.64 thence along the existing north right of way line of existing KY 74 S 47°07'20"W, 92.19 feet to the point of beginning.

Being the same property conveyed by J. M. Huber Corporation to the Commonwealth of Kentucky by Deed of Conveyance dated May 26, 1983 and recorded in Deed Book 237, Page 756, in the office of the Clerk of Court of Bell County, Kentucky.

735

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Lying in the County of Bell, State of Kentucky, and more particularly described as follows:

BEGINNING on a mark in a rock on the northerly edge of the Happy Hollow Road which point is further described as being 831 feet on a bearing N 54° 11'E from a concrete monument corner of J. M. Huber Corporation land which corner is on the southerly side of the Happy Hollow road and is approximately on the Middlesboro Corporation line; thence N 22° 05' W 155.57 feet to a stake; thence N 77° 38' E 310.52 feet to a stake; thence S 11° 22' E 156.44 feet to a stake at the northerly edge of the Happy Hollow Road and is witnessed by a 5 inch triple sweet gum; thence with the northerly edge of the Happy Hollow road the following courses and distances N 89° 55' W 86.62 feet; thence S 73° 26' W 125.32 feet; thence S 72° 30' W 72.27 feet to the point of beginning, containing 0.99 acres.

Being the same property conveyed by J. M. Huber Corporation to Dan L. Johnson and wife, Diane K. Johnson by Deed dated September 9, 1983 and recorded in Deed Book 238, Page 603, in the office of the Clerk of Court of Bell County, Kentucky.

711 726

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BEGINNING on a stake on top of ridge with 18" water oak as pointer in bearing N60-30E 5.0 feet. Thence up ridge with said line N77-00E 130.0 feet to a stake on top of Willard Knob a corner between J. M. Huber Corporation and American Association with a 12" hickory as pointer in bearing S88-45 W3.0 feet, thence continuing with ridge N42-10E 200.00 feet to a stake on ridge with 14" black oak as pointer in bearing N2-45E 21.0 feet and a 10" maple pointer in bearing N37-30W 16.0 feet. Thence leaving ridge N32-00W 238.- feet to a stake on top highwall. Thence around hillside above highwall S58-00W 315.0 feet to a stake above highwall. Thence S32-00E 250.0 feet to the BEGINNING corner, containing 1.93 acres.

Being the same property conveyed by J. M. Huber Corporation to Middlesboro Cable TV System, Inc., by Deed dated March 7, 1968 and recorded in Deed Book 195, Page 239, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4, recorded in deed book 228, page 690, located on the northwest side of the CSX Railroad, In Ely Hollow, off of Old Pineville Pike, near the Community of Meldrum, Bell County, Kentucky

Beginning at an iron pin (set) on the east right-of-way line of the 15 foot wide Ely Hollow Road, with said pin being further described as bearing North 00 degrees 25' 20 degrees West 244.08 feet from a PK Nial (set) in the center line of the CSX Railroad and the centerline of Ely Hollow Road

THENCE North 02 degrees 51 minutes 49 seconds West for a distance of 24.97 feet with the easterly right-of-way line of Ely Hollow Road to an iron pin (set)

THENCE North 17 degrees 35 minutes 27 second West for a distance of 20.77 feet continuing with the easterly right-of-way line of the road and crossing the driveway that leads to the Ownie Givens house to an iron pin (set)

THENCE North 32 degrees 58 minutes 44 seconds West for a distance of 20.70 feet continuing with the easterly right-of-way line of the road to an iron pin (set)

THENCE North 46 degrees 54 minutes 26 seconds West for a distance of 15.12 feet continuing with the easterly right-of-way line of the road to an iron pin (set) at the southerly-most corner of a tract currently owned by the J.M. Huber Corporation, but is in the process of being deeded to Ervin Barnett

THENCE North 33 degrees 44 minutes 15 seconds East for a distance of 152.61 feet leaving the road and up the hill through the lands of the J.M. Huber Corporation with what will be the southeasterly line of the above-mentioned 1.760 acres Barnett tract

THENCE North 32 degrees 53 minutes 00 seconds East for a distance of 78.14 feet to an iron pin (set)

THENCE North 35 degrees 18 minutes 15 seconds East for a distance of 88.51 feet to an iron pin (set)

THENCE North 39 degrees 49 minutes 55 seconds East for a distance of 54.46 feet to a 4 inch x 4 inch concrete monument (found) in a red and yellow painted line of the J.M. Huber Corporation, with said monument being further described as having a copper rod in it and as sticking 4 inches out of the ground, and said monument is lastly described as being the southeast and easterly-most corner of the above-mentioned 1.760 acres tract that the J.M. Huber Corporation is currently in the process of deeding to Ervin Barnett

THENCE South 48 degrees 43 minutes 03 seconds East for a distance of 261.83 feet leaving the Barnett tract and now with the red and yellow painted line of the J.M. Huber Corporation and the southwesterly line of a tract owned by Donnie Shackleford, with said Shackleford tracts being recorded in deed book 233 page 43 and deed book 285 page 227, to an iron pin (set) on the northwest right-of-way line of the CSX Railroad 2 feet northwest of a woven-wire fence

THENCE leaving the red and yellow painted line of Huber and now along a curve to the right having a radius of 3105.37 feet and an arc length of 158.20 feet, being subtended by a chord of South 41 degrees 15 minutes 06 seconds West for a distance of 158.18 feet with the northwest right-of-way line of the CSX Railroad to an iron pin (set)

THENCE along a curve to the right having a radius of 2595.59 feet and an arc length of 84.19 feet, being subtended by a chord of South 42 degrees 40 minutes 18 seconds West for a distance of 84.18 feet continuing with the northwest right-of-way line of the CSX Railroad to an iron pin (set)

THENCE along a curve to the right having a radius of 2384.57 feet and an arc length of 128.69 feet, being subtended by a chord of South 44 degrees 59 minutes 40 seconds West for a distance of 128.58 feet continuing with the northwest right-of-way line of the CSX Railroad to an iron pin (set) I feet southwest of the drain in Ely Hollow and 3 feet northwest of a woven-wire fence

THENCE along a curve to the right having a radius of 2384.57 feet and an arc length of 128.69 feet, being subtended by a chord of South 44 degrees 59 minutes 40 seconds West for a distance of 128.58 feet continuing with the northwest right-of-way line of the CSX Railroad to an iron pin (set) I feet southwest of the drain in Ely Hollow and 3 feet northwest of a woven-wire fence

THENCE North 23 degrees 42 minutes 35 seconds West for a distance of 53.44 feet leaving the CSX Railroad and with the northerly line of a tract currently owned by the J.M. Huber Corporation, but is in the process of being deeded to Raymond Simpson, to an iron pin (set) 10 feet south of the drain in Ely Hollow

THENCE North 60 degrees 54 minutes 07 seconds West for a distance of 40.57 feet to an iron pin (set) 10 feet south of the drain in Ely Hollow

THENCE North 81 degrees 59 minutes 47 seconds West for a distnace of 26.50 feet to an ion pin (set) 6 feet south of the drain in Ely Hollow

THENCE South 81 degrees 59 minutes 47 seconds West for a distance of 26.50 feet to an iron pin (set) 6 feet south of the drain in Ely Hollow

THENCE 81 degrees 20 minutes 24 seconds West for a distance of 45.14 feet to the point of beginning

Together with and subject to covenants, easements, and restrictions of record.

Said property contains 2.056 acres as determined by survey of Mark A. Comparoni, KY P.L.S. No. 2989 on 09/27/1999 - 10/07/1999

Being the same property conveyed by J. M. Huber Corporation to Ownie and Sritha Givens by Quitclaim Deed dated July 1, 2000 and recorded in Deed Book 303, Page 67, in the office of the Clerk of Court of Bell County, Kentucky.

729

714

189/282

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4, recorded in deed book 228 page 690, located on the northwest side of the CSX Railroad in Ely Hollow, off of Old Pineville Pike, near the Community of Meldrum, Bell County, Kentucky

Beginning at a 4 inch x 4 inch concrete monument (found) in a yellow and red painted line of the J.M. Huber Corporation, with this monument being further described as sticking 4 inches above the ground, as having a copper rod in its center, as bearing North 16 degrees 14" 53" East 649.00 feet from a PK nail (set) in the centerline of the CSX Railroad and the centerline of Ely Hollow Road, and is lastly described being in the southwesterly line of a tract owned by Donnie Shackleford

THENCE South 39 degrees 49 minutes 55 seconds West for a distance of 54.46 feet leaving the red and yellow painted Huber and Shackleford line and now through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 35 degrees 18 minutes 15 seconds West for a distance of 88.51 feet continuing through the lands of Huber to an iron pin (set)

THENCE South 32 degrees 53 minutes 00 seconds West for a distance of 78.14 feet to an iron pin (set)

THENCE South 33 degrees 44 minutes 15 seconds West for a distance of 152.61 feet to an iron pin set on the northeast right-of-way line of the 15 foot wide Ely Hollow Road

THENCE North 55 degrees 06 minutes 59 seconds West for a distance of 30.57 feet with the northeasterly right-of-way line of Ely Hollow Road to an iron pin (set)

THENCE North 66 degrees 28 minutes 00 seconds West for a distance of 27.81 feet to an iron pin (set)

THENCE North 75 degrees 32 minutes 32 seconds West for a distance of 32.40 feet to an iron pin (set)

THENCE North 65 degrees 44 minutes 11 seconds West for a distance of 43.23 feet continuing with the northeasterly right-of-way line of Ely Hollow Road and crossing the driveway that leads to the Ervin Barnett trailer to an iron pin (set)

THENCE North 53 degrees 41 minutes 38 seconds West for a distance of 68.89 feet leaving the Ely Hollow Road right-of-way line and now through the lnads of the J.M> Huber Corporation to an iron pin (set)

THENCE North 05 degrees 19 minutes 05 seconds West for a distance of 59.93 feet crossing the drain in Ely Hollow to an iron pin (set)

THENCE North 21 degrees 49 minutes 10 seconds East for a distance of 40.09 feet continuing through the lands of Huber to an iron pin (set)

730

715

THENCE North 61 degrees 06 minutes 20 seconds East for a distance of 88.08 feet to an iron pin (set)

THENCE North 45 degrees 40 minutes 50 seconds East for a distance of 90.83 feet to an iron pin (set)

THENCE North 65 degrees 22 minutes 00 seconds East for a distance of 94.35 feet to an iron pin (set) at the southeast edge of an overhead utility line clearing in the above-mentioned red and yellow painted line between Huber and Donnie Shackleford, with said Huber tract being recorded in deed book 228 page 590, and said Shackleford property being recorded in deed book 233 page 43 and deed book 285 page 227.

THENCE South 32 degrees 09 minutes 35 seconds East for a distance of 110.34 feet leaving the power line clearing and now with the red and yellow painted Huber-Shackleford line to the point of beginning

Together with and subject to covenants, easement, and restrictions of record.

Said property contains 1.760 acres as determined by survey of Mark A. Comparoni, KY L.L.S. No. 2989 on 9/27/1999. Grantor will be responsible for the current years taxes.

Being the same property conveyed by J. M. Huber Corporation to Ervin and Ada Barnett by Quitclaim Deed dated July 1, 2000 and recorded in Deed Book 302, Page 763, in the office of the Clerk of Court of Bell County, Kentucky.

716 731

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Parts of Tracts 3-11-4 and 4-11-1 owned by the J.M. Huber Corporation on the Kentucky-Tennessee Line, in the community of Pruden, just north of Tennessee Highway 90, on the waters of Clear Fork, Bell County, Kentucky and Claiborne County, Tennessee

Beginning at an iron pin (set) on the northerly right-of-way line of Tennessee Highway 90, this point is further described as bearing S 58 degrees 07' 25" W 1206.45 feet from a railroad spike (set) in the centerline of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 10 degrees 58 minutes 02 seconds West for a distance of 93.82 feet leaving the road and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 12 degrees 23 minutes 41 seconds East for a distance of 76.44 feet continuing through the lands of the J.M. Huber Corporation and crossing the Kentucky-Tennessee State Line into Kentucky to an iron pin (set)

THENCE North 70 degrees 37 minutes 36 seconds East for a distance of 75.29 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 24 degrees 44 minutes 26 seconds East for a distance of 106.61 feet continuing through the lands of the J.M. Huber Corporation and re-crossing the Kentucky-Tennessee Sate Line back into Tennessee to an iron pin (set) on the northerly right-of-way line of Tennessee Highway 90

THENCE South 50 degrees 16 minutes 11 seconds West for a distance of 148.50 feet with the above-mentioned northerly right-of-way line to the point of beginning

Said property contains 0.34 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 and Tenn. P.L.S. No. 1626 on 10/17/1996

Being the same property conveyed by J. M. Huber Corporation to Marilyn Teague by Quitclaim Deed dated July 8, 1997 and recorded in Deed Book 300, Page 476, in the office of the Clerk of Court of Bell County, Kentucky.

732

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Beginning at an iron pin (set) on the east side of the road leading up the left hand fork of Polly Hollow, with said pin being further described as being 1 feet from the edge of the asphalt of said road and also as being at the position once occupied by American Association concrete monument number 01C78 (now gone), and this pin is lastly described as being the northwest corner of a tract owned by Hugh Gordon, with said Gordon tract being recorded in Deed Book 176, page 403.

THENCE North 02 degrees 13 minutes 05 seconds West for a distance of 720.71 feet leaving the Gordon tract and the left hand fork of Polly Hollow Road, and now up the old left hand fork of Polly Hollow Road to a square-shaped, 4 inch x 4 inch concrete monument (found) at the base of a wooden fence post where a wooden fence corners, with this monument being further described as being the northeast corner of the tract owned by Don and Linda Cupp, and said monument is lastly described as being on the westerly edge of the old left hand fork of Polly Hollow Road; thence South 83 degrees 06 minutes 33 seconds West for a distance of 242.48 feet leaving the old road bed and now down the hill with the north line of Cupp to a square-shaped 4 inch x 4 inch concrete monument (found) on the east side of the new left hand fork of Polly Hollow Road that is 6 feet from the east edge of said road, with said monument being further described as being the northwest corner of the Cupp tract, and is lastly described as bearing N 17° 00' 00" W 0.58 feet from a wooden fence post where the wooden fence corners; thence North 20 degrees 59 minutes 48 seconds West for a distance of 48.40 feet leaving the Cupp tract and the fence and now up the left hand fork of Polly Hollow Road to an iron pin (set) 3 feet east of the edge of said road; thence North 11 degrees 47 minutes 05 seconds West for a distance of 73.71 feet to an iron pin (set) 3 feet east of the edge of said road; thence North 01 degrees 11 minutes 00 seconds West for a distance of 80.65 feet to an iron pin (set) 3 feet east of the edge of said road; thence North 01 degrees 50 minutes 43 seconds East for a distance of 103.19 feet to an iron pin (set) 3 feet east of the edge of said road; thence North 05 degrees 54 minutes 20 seconds West for a distance of 66.89 feet to a railroad spike (set) in asphalt 3 feet east of the edge of said road; thence North 07 degrees 43 minutes 15 seconds West for a distance of 48.23 feet to a railroad spike (set) in asphalt 3 feet east of the edge of said road; thence North 08 degrees 45 minutes 25 seconds West for a distance of 43.74 feet to a railroad spike (set) in asphalt 3 feet east of the edge of said road; thence North 04 degrees 18 minutes 13 seconds West for a distance of 58.62 feet leaving the road that runs up the left hand fork of Polly Hollow to an iron pin (set) on the east edge of an old dirt road bed in a yellow and red painted line of the J. M. Huber Corporation; thence North 04 degrees 10 minutes 49 seconds East for a distance of 19.19 feet to an iron pin (set) on the east edge of the old road bed in a yellow and red painted line of the J. M. Huber Corporation; thence North 04 degrees 06 minutes 55 seconds East for a distance of 62.32 feet to an iron pin (set) on the east edge of the old dirt road bed in a yellow and red painted line of the J. M. Huber Corporation; thence North 13 degrees 33 minutes

733

59 seconds East for a distance of 37.92 feet to an iron pin (set) on the east edge of the old dirt road bed in a yellow and red painted line of the J. M. Huber Corporation; thence North 07 degrees 10 minutes 07 seconds East for a distance of 41.86 feet to an iron pin (set) on the east edge of the old dirt road bed in a yellow and red painted line of the J. M. Huber Corporation; thence North 02 degrees 54 minutes 24 seconds East for a distance of 83.68 feet crossing the old dirt road bed to a square-shaped, 4 inch x 4 inch concrete monument (found) that bears N 50° 57' 46" E 2.24 feet from a 22 inch triple Sweet Gum in which a barbed-wire fence corners, with this point being further described as being the northeast corner of a tract now owned by Reda Green, with this monument being lastly described as being on the westerly edge of the old dirt road bed; thence North 84 degrees 16 minutes 01 seconds East for a distance of 242.43 feet leaving the Green tract and the fence and recrossing and leaving the old dirt road bed, and now through the lands of the J. M. Huber Corporation to an iron pin (set) on the crest of a spur; thence North 84 degrees 16 minutes 00 seconds East for a distance of 238.15 feet continuing through the lands of the J. M. Huber Corporation and twice crossing a 4-wheeler road to an iron pin (set); thence North 84 degrees 16 minutes 00 seconds East for a distance of 355.60 feet continuing through the lands of the J. M. Huber Corporation and crossing another 4-wheeler road to an iron pin (set); thence North 84 degrees 16 minutes 00 seconds East for a distance of 279.57 feet continuing through the lands of the J. M. Huber Corporation to an iron pin (set) 2 feet west of a fence line in a yellow and red painted line of the J. M. Huber Corporation; thence South 12 degrees 39 minutes 21 seconds West for a distance of 66.54 feet with the fence and a red and yellow painted line of the J. M. Huber Corporation to an iron pin (set) in the fence line; thence South 10 degrees 55 minutes 17 seconds West for a distance of 27.95 feet to a 10 inch White Oak with the fence in it; thence South 22 degrees 55 minutes 42 seconds West for a distance of 21.01 feet to a 12 inch (at the base) triple White Oak with the fence in it; thence South 30 degrees 57 minutes 53 seconds East for a distance of 83.91 feet continuing with the fence and the yellow and red painted line of the J. M. Huber Corporation to a square-shaped, 4 inch x 4 inch concrete monument (found) at a corner of the old fence; thence South 34 degrees 12 minutes 40 seconds West for a distance of 52.47 feet down the hill with the west line of Earl Overton, the old fence, and the red and yellow painted line of the J. M. Huber Corporation to an iron pin (set); thence South 21 degrees 12 minutes 50 seconds West for a distance of 371.27 feet to a point in the center of an old dirt road bed; thence South 21 degrees 12 minutes 50 seconds West for a distance of 41.96 feet to an iron pin (set); thence South 24 degrees 41 minutes 45 seconds West for a distance of 248.72 feet leaving the Earl Overton line and the fence and continuing down the hill with the yellow and red painted line of the J. M. Huber Corporation to a square-shaped, 4 inch x 4 inch concrete monument (found) on a crest of a spur; thence South 87 degrees 23 minutes 56 seconds West for a distance of 94.05 feet down the hill with the yellow and red painted line of the J. M. Huber Corporation to a point in the center of the above-mentioned old dirt road bed; thence South 87 degrees 23 minutes 56 seconds West for a distance of 147.89 feet continuing down the hill with the yellow and red paint of the J. M. Huber Corporation to a large (heavy gauge) steel rail (found) on the east bank of small drain; thence South 16 degrees 17 minutes 30 seconds East for a distance of 122.60 feet no longer finding any fence and now down the drain and the Huber painted line to an iron pin (set) on the west bank of the drain; thence South 05 degrees 24 minutes 42 seconds east for a distance of 196.09 feet to an iron pin (set) 2 feet west of an old fence and 10 feet west of the drain in the yellow and red painted line of the J. M. Huber Corporation; thence South 40 degrees 59 minutes 30 seconds East for a distance of 87.75 feet to an iron pin (set) 2 feet west of the old fence and 10 feet west of the drain

734

219

in the painted line of the Huber Corporation; thence south 42 degrees 39 minutes 55 seconds East for a distance of 79.76 feet to an iron pin (set) 2 feet west of the fence and 10 feet west of the drain in the painted line of the Huber Corporation; thence South 30 degrees 06 minutes 02 seconds East for a distance of 116.85 feet to a square-shaped, 4 inch x 4 inch concrete monument (found) buried approximately 1 foot deep that bears N 30° 16' 56" W 2.84 feet from a 12 inch Black Gum with yellow and red Huber Corporation corner paint markings on it, and said Black Gum is further described as having old fence in it, and said monument is further described as being on the west bank of the small drain, and said monument is lastly described as being approximately 15 feet west of the asphalt-covered road that runs up the right hand fork of Polly Hollow; thence South 78 degrees 42 minutes 37 seconds West for a distance of 299.38 feet leaving the drain and now up the hill with the yellow and red paint of the J. M. Huber Corporation to a locust fence post (found) at a corner of an old fence; thence South 79 degrees 01 minutes 18 seconds West for a distance of 162.55 feet leaving the fence and now with the north line of a tract now owned by Alva Crusenbury to a 5/8 inch diameter iron pin (found) in the yard of Crusenbury with a yellow, plastic, I.D. cap on it that reads "KY PLS 2989", with this pin being further described as having been set during the Mark A. Comparoni, L.L.S. No. 2989 survey of the Crusenbury Tract; thence South 22 degrees 09 minutes 51 seconds West for a distance of 89.39 feet with the westerly line of Crusenbury to a square-shaped, 4 inch x 4 inch concrete monument (found), with this monument being further described as being station number 01B78 of the old American Association survey of these premises, and said monument is lastly described as being a corner of the Hugh Gordon tract previously mentioned; thence South 84 degrees 40 minutes 51 seconds West for a distance of 37.34 feet leaving the Crusenbury tract and now down the hill with the north line of Gordon crossing a driveway currently being used by Gordon to the point of beginning.

Being the same property conveyed by J. M. Huber Corporation to Bell-Whitley Community Action Agency, Inc., by Quitclaim Deed dated October 12, 1999 and recorded in Deed Book 300, Page 238, in the office of the Clerk of Court of Bell County, Kentucky.

735

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of tracts 3-11-4 and 4-11-1 owned by the J.M. Huber Corporation on the Kentucky-Tennessee State Line, in the community of Pruden, just south of Tennessee Highway 90, on the waters of Clear Fork, Bell County, Kentucky and Claiborne County, Tennessee

Beginning at an iron pin (set) on the southerly right-of-way line of the Norfolk and Southern Railroad, this point is further described as being on the easterly right-of-way line of a 30 foot wide gravel-covered access road, this point is still further described as bearing S 48 degrees 02' 49" W 697.58 feet from a railroad spike (set) in the center line of the Norfolk and Southern Railroad with said spike also being in the center of the road that leads to the Pruden First Baptist Church

THENCE North 51 degrees 59 minutes 34 seconds East for a distance of 98.40 feet leaving the road and with the southerly right-of-way line of the Norfolk and Southern Railroad to an iron pin (set)

THENCE South 37 degrees 50 minutes 39 seconds East for a distance of 87.69 feet leaving the railroad and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 38 degrees 37 minutes 44 seconds West for a distance of 196.44 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 03 degrees 04 minutes 19 seconds West for a distance of 162.35 feet continuing through the lands of the J.M. Huber Corporation to the point of beginning

Being the same property conveyed by J. M. Huber Corporation to Larry Teague by Quitclaim Deed dated July 8, 1997 and recorded in Deed Book 298, Page 139, in the office of the Clerk of Court of Bell County, Kentucky.

721 736

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

> BEGINNING at a stake in the easterly Right-of-Way line of the L&N Railroad, this point is further described as bearing N 86° 14' 13" E on a distance of 96.07 from a concrete monument of the J.M. Huber Corporation in the westerly Right-of-Way line of the above mentioned Railroad, thence with the Lewis Bingham line N 86° 24' 13" E 256 feet to a steel rail on the westerly Right-of-Way line of Highway U.S. 25 E, thence leaving Bingham and with said westerly Right-of-Way S 03° 22' E 55 feet to a steel rail, thence S 13° 50' 31" W 648.67 feet to a steel rail in a ditch, thence S 50° 39' W 250 feet to a concrete Right-of-Way monument on the easterly Right-of-Way line of the L&N Railroad, thence leaving the westerly Right-of-Way line of Highway U.S. 25E and with the easterly Right-of-Way of the L&N Railroad N 06° 11' 40" E 832.05 feet to the BEGINNING. ~~Containing 3.7 Acres.~~ All bearings are based on Tennessee Lambert Grid.
>
> By survey of Mark A. Comparoni, Ky. P.L.S No. 2989 on December 14, 1993.

Being the same property conveyed by J. M. Huber Corporation to Harold Simpson by Quitclaim Deed dated January 28, 1999 and recorded in Deed Book 296, Page 349, in the office of the Clerk of Court of Bell County, Kentucky.

737

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BEGINNING on a concrete monument, a corner of the J. M. Huber Corporation property and the land of the Kentucky Water Service Company, thence S 59° 34' 45" W 555.80 feet to a concrete monument; thence S 62° 10' 01" W 1239.76 feet to a 3/4" re-bar (set); thence N 88° 13' 38" W 771.15 feet to a 3/4" re-bar (set); thence N 00° 26' 43" E 343.75 feet to a 3/4" re-bar (set); thence S 85° 52' 36" E 227.78 feet to a point; thence N 40° 04' 11" E 179.61 feet to a point; thence N 03° 06' 07" E 341.83 feet to a point; thence N 19° 09' 55" E 91.00 feet to a point; thence N 19° 58' 10" W 415.53 feet to a point; thence N 03° 56' 03" W 159.00 feet to a point; thence N 15° 10' 20" E 160.96 feet to a 3/4" re-bar (set); thence N 44° 54' 06" E 103.74 feet to a point; thence N 35° 19' 33" E 142.22 feet to a point; thence N 42° 02' 44" E 135.98 feet to a point; thence N 36° 50' 13" E 92.55 feet to a point; thence N 40° 21' 16" E 58.02 feet to a point; thence N 39° 04' 30" E 223.85 feet to a point; thence N 40° 31' 44" E 69.13 feet to a point; thence N 42° 59' 32" E 128.67 feet to a point; thence N 33° 50' 04" E 156.27 feet to a concrete monument; thence S 27° 34' 20" E 179.55 feet to a concrete monument; thence S 48° 36' 30" E 217.80 feet to a concrete monument; thence N 82° 57' 21" E 340.55 feet to a concrete monument; thence S 00° 50' 41" W 578.03 feet to a concrete monument; thence S 83° 53' 32" E 330.67 feet to a concrete monument; thence S 38° 22' 21" E 391.73 feet to a concrete monument; thence S 26° 15' 07" E 487.42 feet to a concrete monument to the point of BEGINNING, containing 74.16 acres more or less.

Surveyed by Mark A. Comparoni P.L.S. KY REG. NO. 2989 surveyed 12/16/93.

Being the same property conveyed by J. M. Huber Corporation to Hickory E. Grace and wife, Eleanor Grace by Deed of Conveyance dated January 28, 1999 and recorded in Deed Book 296, Page 308, in the office of the Clerk of Court of Bell County, Kentucky.

738

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4B on the west side of Highway 1534 (Page Cut-Off Road and U.S. Highway 25E, Bell County, Kentucky

Beginning at an iron pin (set) on the west line of Highway 1534 (Page Cut-Off Road) with this point being further described as bearing S 45 degrees 29' 19" W 71.78 feet from a point where the extension of the center line of the gravel covered access road that leads to the Bell County Animal Shelter intersects the center line of Highway 1534

THENCE North 46 degrees 22 minutes 25 seconds West for a distance of 54.83 feet leaving the highway and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 04 degrees 07 minutes 03 seconds West for a distance of 71.66 feet continuing through the lands of Huber to an iron pin set

THENCE North 21 degrees 10 minutes 48 seconds East for a distance of 125.20 feet to an iron pin (set)

THENCE North 85 degrees 36 minutes 21 seconds East for a distance of 56.46 feet to an iron pin (set

THENCE South 58 degrees 56 minutes 05 seconds East for a distance of 58.90 feet to an iron pin set on the west line of Highway 1534

THENCE South 24 degrees 08 minutes 05 seconds West for a distance of 66.34 feet with the west line of Highway 1534 to an iron pin (set)

THENCE South 30 degrees 03 minutes 15 seconds West for a distance of 78.47 feet to an iron pin (set) near the north edge of the gravel covered access road that leads to the above-mentioned animal shelter

THENCE South 29 degrees 39 minutes 25 seconds West for a distance of 82.30 feet crossing the above mentioned access road and continuing with the west line of Highway 1534 to the point of beginning

Said property contains 0.458 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 08/04/1997

Being the same property conveyed by J. M. Huber Corporation to Bell County Fiscal Court by Quitclaim Deed dated October 20, 1997 and recorded in Deed Book 296, Page 270, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

TRACT NO. 202-1: FEE

Beginning at an iron pin set on the east side of Old Pineville Road at a corner common to lands now or formerly owned by Otto Sams, et ux, and the lands of the subject owner and having coordinates of N=119,715.85, E=2,600,488.06;

Thence from the beginning along said Sams' line as follows:

South 52°39'32" East 30.33 feet, and
South 05°49'12" West 474.07 feet to a point in Yellow Creek at a corner of lands now or formerly owned by Austin Douglas Redmon, et ux;

Thence along said Yellow Creek as follows:

South 47°47'55" West 118.24 feet,
South 28°21'32" West 289.72 feet,
South 15°15'22" West 162.33 feet,
South 10°57'07" West 171.28 feet,
South 15°20'36" West 165.55 feet, and
South 15°04'37" West 42.37 feet, more or less to a point;

Thence leaving said creek and along said Austin Douglas Redmon's line South 79°53'25" East 118.69 feet to an iron pin set on the right-of-way line of U. S. Highway No. 25E;

Thence leaving said Redmon's line and along the right-of-way line of said highway as follows:

South 35°30'23" West 120.67 feet, and
South 14°40'00" West 141.58 feet to an iron pin set at a corner of lands now or formerly owned by Al Brock and having coordinates of N=118,110.09,E=2,600,119.73;

Thence leaving said highway right-of-way line North 51°29'59" West 96.10 feet to a point in the center of Yellow Creek;

Thence again along the center of Yellow Creek as follows:
South 20°16'05" West 170.00 feet,
South 24°54'56" West 226.83 feet,
South 29°06'56" West 252.01 feet, and
South 17°35'58" West 112.59 feet to a point at a corner of lands of said Al Brock;

740

725

Thence leaving said creek and along said Al Brock's line South 70°41'23" East 40.40 feet to an iron pin set at a corner of lands now or formerly owned by Edward Noonchester, et ux;

Thence along said Noonchester's line as follows:

South 13°46'19" East 371.29 feet,
South 29°16'07" East 98.75 feet,
South 01°30'24" East 72.04 feet, and
South 09°00'40" East 116.24 feet to a point at a corner of lands now or formerly owned by Edith Janeway;

Thence along said Janeway's line South 17°57'31" West 116.54 feet and North 54°10'07" West 130.88 feet to a corner of lands now or formerly owned by Lee Oris Vanbever;

Thence along said Vanbever's line North 52°53'44" West 504.33 feet to a point on the east right-of-way line of the CSX Railroad;

Thence along said CSX Railroad right-of-way line North 15°48'23" East 568.51 feet to a corner of lands now or formerly owned by Damon Helton;

Thence leaving said railroad right-of-way line and along Helton's line as follows:

South 86°24'57" East 89.98 feet,
North 34°38'40" East 154.06 feet, and
North 52°09'21" West 164.78 feet to a point on the southeast right-of-way line of the Old Pineville Road;

Thence along the southeast right-of-way line of Old Pineville Road as follows:

North 33°38'07" East 112.13 feet,
North 27°24'37" East 114.31 feet,
North 22°22'52" East 84.17 feet,
North 24°49'57" East 458.93 feet,
North 24°50'02" East 312.70 feet,
North 24°40'10" East 244.36 feet,
North 24°23'09" East 288.51 feet,
North 26°29'36" East 272.18 feet, and
North 31°23'49" East 169.86 feet to the point of beginning, containing 17.04 acres, more or less.

TRACT NO. 202-2; FEE

Beginning at an iron pin set in the division property line between lands now or formerly owned by Otto Sams, et ux and the lands of the subject owner; said pin having coordinates of N=119,210.05, E=2,600,659.56;

Thence from the beginning along said Otto Sams' line South 85°23'09" East 117.49 feet to a point on the right-of-way line of U. S. 25E Highway;

741

736

Thence along a line 25.00 feet from and parallel to the centerline of said gravel road as it meanders southwesterly and southeasterly a distance of 1077.30 feet to the point of beginning, containing 1.40 acres, more or less.

The above bearings are based on the Kentucky State Plane Coordinate Grid System.

Being the same property conveyed by J.M. Huber Corporation to the City of Middlesborough, Kentucky by Deed of Special Warranty dated January 16, 1998 and recorded in Deed Book 291, Page 731, in the office of the Clerk of Court of Bell County, Kentucky.

742

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4 off of Highway 186 and south of the Southern Railroad, at Premier, Bell County, Kentucky

Beginning at an iron pin (set) near the south edge of a 10 foot wide access road with this point being further described as bearing S 38 deg. 14' 41" W 251.30 feet from a railroad spike (set) In the centerline of the Southern Railroad and the centerline of the previously-mentioned access road

THENCE South 47 degrees 24 minutes 50 seconds East for a distance of 96.44 feet through the lands of the J.M. Huber Corporation to an iron pin (set) on the north bank of Bennetts Fork

THENCE South 39 degrees 17 minutes 33 seconds West for a distance of 103.83 feet continuing through the lands of Huber and along the north bank of Bennetts Fork to an iron pin (set)

THENCE North 46 degrees 16 minutes 12 seconds West for a distance of 104.49 feet leaving Bennetts Fork and continuing through the lands of Huber to an iron pin (set) near the south edge of the previously-mentioned access road

THENCE North 43 degrees 44 minutes 43 seconds East for a distance of 101.60 feet to the point of beginning

Said property contains 0.237 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 07/16-17/1997

Being the same property conveyed by J. M. Huber Corporation to Billy R. Smith and wife, Bonnie S. Smith by Special Warranty Deed dated June 29, 1998 and recorded in Deed Book 294, Page 240, in the office of the Clerk of Court of Bell County, Kentucky.

743

728

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4 the south side of Kentucky Highway 186, approximately 3200 feet along Highway 186 from the City of Middlesboro Corporation Line, at Premier, Bell County, Kentucky

Beginning at an iron pin (set) on the south right-of-way line of Kentucky Highway 186

THENCE North 41 degrees 04 minutes 15 seconds East for a distance of 112.01 feet with the south right-of-way line of Highway 186 to an iron pin (set)

THENCE South 28 degrees 18 minutes 48 seconds East for a distance of 149.73 feet leaving the road and through the lands of J.M. Huber Corporation to an iron pin (set)

THENCE South 57 degrees 16 minutes 11 seconds West for a distance of 69.62 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 45 degrees 20 minutes 31 seconds West for a distance of 120.96 feet continuing through the lands of Huber to the point of beginning

Said property contains 0.275 acre, as determined by survey of Mark A. Comparoni, Ky. P.L.S.No. 2989 on 07/16-17/1997

Being the same property conveyed by J. M. Huber Corporation to Robert Dale Brock and wife, Judy L. Brock by Special Warranty Deed dated June 29, 1998 and recorded in Deed Book 294, Page 237, in the office of the Clerk of Court of Bell County, Kentucky.

744

729

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Survey of part of the J.M. Huber Corporation's tract 3-11-4 off of Highway 186 and on the south side of the Southern Railroad, at Premier, Bell County, Kentucky

Beginning at an iron pin (set) near the south edge of a 10 foot wide access road with this point being further described as bearing S 15 deg. 13' 33" W 50.62 feet from a railroad spike (set) in the center line of the Southern Railroad and the center line of the previously-mentioned access road.

THENCE South 43 degrees 18 minutes 50 seconds East for a distance of 63.60 feet through the lands of the J.M. Huber Corporation to an iron pin (set) on the north bank of Bennetts Fork

THENCE South 35 degrees 22 minutes 15 seconds West for a distance of 98.22 feet continuing through the lands of Huber and along the north bank of Bennetts Fork to an iron pin (set)

THENCE North 46 degrees 30 minutes 41 seconds West for a distance of 77.70 feet leaving Bennetts Fork and continuing through the lands of Huber to an iron pin (set) 2 feet south of the south edge of the access road

THENCE North 43 degrees 40 minutes 28 seconds East for a distance of 100.78 feet to the point of beginning

Said property contains 0.160 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S No. 2989 on 07/16-17/1997

Being the same property conveyed by J. M. Huber Corporation to Clayton Gordon and wife, Edna Gordon by Special Warranty Deed dated June 29, 1998 and recorded in Deed Book 293, Page 888, in the office of the Clerk of Court of Bell County, Kentucky.

745

730

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4 the south side of Kentucky Highway 186, approximately 3200 feet along Highway 186 from the City of Middlesboro Corporation Line, at Premier, Bell County, Kentucky

Beginning at an iron pin (set) on the south right-of-way line of Kentucky Highway 186

THENCE South 45 degrees 20 minutes 31 seconds East for a distance of 120.96 feet leaving the highway and through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE South 58 degrees 36 minutes 22 seconds West for a distance of 121.75 feet continuing through the lands of J.M. Huber Corporation to an iron pin (set)

THENCE North 44 degrees 33 minutes 09 seconds West for a distance of 80.77 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on the south right-of-way line of Highway 186

THENCE North 39 degrees 21 minutes 41 seconds East for a distance of 117.55 feet with the south right-of-way line of Highway 186 to the point of beginning

Said property contains 0.272 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 07/16-17/1997.

Being the same property conveyed by J. M. Huber Corporation to Kimberly Goley by Special Warranty Deed dated June 29, 1998 and recorded in Deed Book 293, Page 871, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Survey of part of the J. M. Huber Corporation's tract 3-11-4 off of Highway 186 on the south side of the Southern Railroad, at Premier, Bell County, Kentucky

Beginning at an iron pin (set) near the south edge of a 10 foot wide access road with this point being further described as bearing S 34 deg 15' 00" W 147.28 feet from a railroad spike (set) in the centerline of the Southern Railroad and the centerline of the previously-mentioned access road

THENCE South 46 degrees 30 minutes 41 seconds East for a distance of 77.70 feet through the lands of the J. M. Huber Corporation to an iron pin (set) on the north bank of Bennetts Fork

THENCE South 33 degrees 34 minutes 47 seconds West for a distance of 104.92 feet continuing through the lands of the J. M. Huber Corporation along the north bank of Bennetts Fork to an iron pin (set)

THENCE North 47 degrees 24 minutes 50 seconds West for a distance of 96.44 feet leaving Bennetts Fork and continuing through the lands of the J. M. Huber Corporation to an iron pin (set) near the south edge of the access road

THENCE North 43 degrees 51 minutes 32 seconds East for a distance of 104.88 feet to the point of beginning.

Said property contains 0.208 acre as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 07-16-17/1997.

Being the same property conveyed by J. M. Huber Corporation to James H. Smith and wife Joyce F. Smith by Special Warranty Deed dated June 29, 1998 and recorded in Deed Book 293, Page 783, in the office of the Clerk of Court of Bell County, Kentucky.

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

> Commence at the iron pin found in the southeast right-of-way line of Kentucky Highway 535, corner with House No. 5 thence S 28 deg. 35'50"E 148.85 feet to an iron pin found corner with House No. 5, thence N 63 deg. 13'34"E 46.05 feet to an iron pin set corner with House No. 5, thence S 24 deg. 27'03"E 34.28 feet to an iron pin set corner with J.M. Huber Corporation, thence S 65 deg. 41'09"W 202.95 feet to an iron pin set corner with J.M. Huber Corporation, thence N 31 deg. 45'02"W 67.40 feet to an iron pin set corner with J.M. Huber Corporation, thence N 20 deg. 28'42"W 67.20 feet to an iron pin set in the right-of-way line of Kentucky Highway 535 Extension corner with J.M. Huber Corporation, thence N 59 deg. 33'39"E 9.44 feet to an point in the right-of-way line of Kentucky Highway 535 Extension, thence N 42 deg. 46'32"E 28.60 feet to an point in the right-of-way line of Kentucky Highway 535 Extension, thence N 26 deg. 55'13"E 29.29 feet to an point in the right-of-way line of Kentucky Highway 535 Extension, thence N 19 deg. 36'29"E 30.78 feet to an point in the right-of-way line of Kentucky Highway 535 Extension, thence N 5 deg. 46'15"E 16.11 feet to an iron pin set in the right-of-way line of Kentucky Highway 535 Extension and Kentucky Highway 535, thence N 85 deg. 18'47"E 44.77 feet to an point in the right-of-way line of Kentucky Highway 535, thence N 79 deg. 01'46"E 20.36 feet to the point of beginning and containing 0.653 acres more or less.

Being the same property conveyed by J. M. Huber Corporation to Bell Memorial Gardens, Inc., by Quitclaim Deed dated June 1, 1998 and recorded in Deed Book 293, Page 566, in the office of the Clerk of Court of Bell County, Kentucky.

733 748

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

all land and interest in lands owned by Grantor situated in the watershed of the South Fork of Cannon Creek, in Bell County, Kentucky, which lies below a perpendicular elevation of ten (10) feet or a horizontal distance of one hundred (100) feet (whichever is less) above the sea elevation of twelve hundred and ninety (1290) feet, said lands containing approximately 5 acres, more or less.

Being the same property conveyed by J. M. Huber Corporation to Bell County Municipal Properties Corporation by unrecorded Deed dated June 8, 1973.

734 749

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Parcel No. 1

Beginning at a point in the existing West Right of Way Line of existing Ky. 74, 54 feet left, West of Station 0+38 (Slide No. 1) of the centerline of the Baseline Station of the proposed public road; thence Northerly to a point 135 feet left, West of Baseline Station 1+65; thence Northeasterly and parallel to the Baseline Centerline to a point 135 feet left, West of Baseline Station 2+25; thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 45 feet left, West of Baseline Station 3+58; thence Southwesterly along the existing West Right of Way Line to the point of beginning.

Also beginning at a point in the existing West Right of Way Line of existing Ky. 74, 52 feet left, West of Station 0+30 (Slide No. 2) of the centerline of the baseline of the proposed public road; thence Northwesterly to a point 60 feet left, West of Baseline Station 1+25 (Slide No. 2); thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 33 feet left West of Baseline Station 2+00 (Slide No. 2); thence Southerly along said existing West Right of Way Line to the point of beginning.

Also beginning at a point in the existing West Right of Way Line of existing Ky. 74, 38 feet left West of Station 4+00 (Slide No. 3) of the centerline of the baseline of the proposed public road; thence Northwesterly to a point 80 feet left, West of Baseline Station 5+00 (Slide No. 3); thence Northwesterly to a point 110 feet left West of Baseline Station 5+00; thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 37 feet left, West of Baseline Station 7+00 (Slide No. 3); thence Southeasterly along said existing West Right of Way Line to the point of beginning.

Also beginning at a point in the existing East Right of Way Line of existing Ky. 74, 30 feet left, East of Station 0+00 (Slide No. 4 & 5) of the centerline of the Baseline Station of the proposed public road; thence Southeasterly to a point 95 feet left, Northeast of Baseline Station 2+00; thence Southeasterly to a point 115 feet left, Northeast of Baseline Station 4+00; thence Southeasterly to a point 110 feet left, East of Baseline Station 5+20; thence Southerely to a point 85 feet left, Northeast of Baseline Station 6+00; thence Southwesterly to a point in the existing East Right of Way Line of existing Ky. 74, 26 feet left, Northeast of Baseline Station 6+87; thence Northwesterly along the existing East Right of Way Line of existing Ky. 74 to the point of beginning.

Also beginning at a point in the existing East Right of Way Line of existing Ky. 74, 30 feet left, Northeast of Station 7+80 (Slide No. 6) of the centerline of the Baseline Station of the proposed public road; thence Easterly to a point 50 feet left, Northeast of Baseline Station 8+00; thence Southeasterly to a point 95 feet left, Northeast of Baseline Station 9+50; thence Southeasterly to a point 95 feet left, Northeast of Baseline Station 10+50; thence Southerly to a point in the existing North Right of Way Line of existing Ky. 74, 37 feet left, Northwest of Baseline Station 12+75; thence Westerly along the existing East Right of Way Line to the point of beginning.

750

735

Also beginning at a point in the existing North Right of Way Line of existing Ky. 74, 55 feet left, North of Station 0+24 (Slide No. 8, 9, & 10) of the centerline of the Baseline Station of the proposed public road; thence Easterly to a point 90 feet left, North of Baseline Station 1+50; thence Easterly to a point 80 feet left, North of Baseline Station 3+00; thence Easterly to a point 60 feet left, North of Baseline Station 4+50; thence Northerly to a point 95 feet left, West of Baseline Station 6+50; thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 30 feet left, West of Station 7+50; thence Southwesterly along the existing Northwest Right of Way Line of existing Ky. 74 to the point of beginning.

Also beginning at a point in the existing West Right of Way Line of existing Ky. 74, 48 feet left, West of Station 9+00 (Slide No. 10A & 11) of the centerline of the Baseline Station of the proposed public road; thence Northerly to a point 70 feet left, West of Baseline Station 9+50; thence Northeasterly to a point 55 feet left, West of Baseline Station 10+00; thence Northeasterly to a point 75 feet left, West of Baseline Station 0+50; thence Northwesterly to a point 110 feet left, West of Baseline Station 2+25; thence Northeasterly to a point in the existing West Right of Way Line of existing Ky. 74, 28 feet left, West of Baseline Station 4+00; thence Westerly along the existing West Right of Way Line of existing Ky. 74 to the point of beginning.

EQUATION: Station 11+42.62 Slide No. 10A Back =
Station 0+00 Slide No. 11 Ahead

Containing 3.02 acres which is new right of way to be acquired.

Also the following described Parcel (a):

Beginning at a point on the centerline of the baseline for Slide No. 1, Station 4+50; thence along a baseline N 22° 15' E, 237.1 feet; thence N 36° 00' E, 415.7 feet; thence N 15° 14' E, 277.7 feet; thence N 46° 29' E, 227.9 feet; thence N 6° 31' W, 203.1 feet to a point for the beginning of the following described parcel, said following parcel lies on the South side of existing Ky. 74 and being described more particularly as follows: thence N 72° 05' E, 174.3 feet; thence N 76° 41' E, 63.4 feet; thence N 45° 22' E, 64.1 feet; thence N 64° 50' E, 123.9 feet; thence N 32° 30' E, 123.0 feet; thence N 70° 54' W, 199.7 feet; thence S 45° 14' W, 132.0 feet; thence S 59° 14' W, 116.0 feet; thence S 29° 14' W, 102.8 feet; thence S 12° 14' W, 94.0 feet to the point of beginning.

The property described above consists of 1.62 acres.

Being the same property conveyed by J. M. Huber Corporation to the Commonwealth of Kentucky by unrecorded Deed of Conveyance dated February 4, 1980.

751

736

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Parcel No. 1

Beginning at a point in the existing south right of way line of existing KY 74 30 feet right, south of the centerline of the proposed KY 74 Relocation station 10+00, thence N 64°19'10"E, along the existing south right of way line of existing KY 74, 193.36 feet to a point 0.61 feet right, south of station 11+90.92, thence with the existing south right of way line of existing KY 74 along an arc 187.30 feet, and the chord of 186.55 feet N 55°18'20"E, to a point 58.64 feet left, north of station 13+68.21 thence along the existing south right of way line of existing KY 74 N 46°24'24"E, 102.93 feet to a point 105.41 feet left, north of station 14+59.90 thence with the existing south right of way line of existing KY 74 along an arc 175.65 feet and the chord of 167.07 feet N 77°39'52"E, to a point 93.06 feet left, north of station 16+26.99 thence along the existing south right of way line of existing KY 74 S 71°04'40"E, 86.53 feet to a point 39.76 feet left, north of station 17+00.31 thence with the existing south right of way line of existing KY 74 along an arc 39.23 feet and the chord of 39.14 feet S 75°34'00"E, to a point in the south property line 16.38 feet left, north of station 17+32.70, thence S 55°02'00"W, along the south property line 293.56 feet to a point 70 feet right, south of station 14+52, thence S 80°13'05"W, 107.75 feet to a point 57.26 feet right south of station 13+45 thence S 11°34'16"W, 53.00 feet to a point in the south property line 104 feet right, south of station 13+20, thence S 65°23'00"W with the south property line 121.19 feet to a point in the south property line 120.96 feet right, south of station 12+00, thence N 17°06'56"E, 90.15 feet to a point 45.95 feet right, south of station 12+50, thence S 80°13'05"W, 50.35 feet to a point 40 feet right, south of station 12+00, thence S 69°36'54" W, 150.33 feet to a point 50 feet right, south of station 10+50, thence N 84°46'10" W 53.85 feet to the point of beginning.

Also beginning at a point in the existing north right of way line of existing KY 74, 118 feet left, north of the centerline of the proposed KY 74 relocation station 13+50, thence N 14°48'08"E, 96.04 feet to a point 200 feet left, north of station 14+00, thence N 65°23'29"E, 241.66 feet to a point 30 feet left, north of approach road station 3+75, said approach being to the left, north of KY 74, Relocated station 14+00, thence S 30°04'38"E, 94.48 feet to a point in the existing north right of way line of existing KY 74 62.49 feet right, south of approach road station 3+37.29, thence with the existing north right of way line of existing KY 74 along an arc 241.12 feet and the chord of 229.33 feet, S 77°39'52"W, to a point 158.86 feet left, north of KY 74 Relocation station 14+32.64 thence along the existing north right of way line of existing KY 74 S 47°07'20"W, 92.19 feet to the point of beginning.

Being the same property conveyed by J. M. Huber Corporation to the Commonwealth of Kentucky by unrecorded Deed of Conveyance dated May 26, 1983.

737 752

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

All of that part of said tract or tracts which lies within a distance of 30 feet on right-east side of the centerline of the existing road, as above set forth, between the Frank Murphy property line and the end of the existing ~~property line~~ roadway, a distance of approximately 600 feet, total conveyance to include approximately .4 acres.

Being the same property conveyed by J. M. Huber Corporation to the County of Bell, Kentucky by unrecorded Right of Way Deed dated September 27, 1968.

753

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Parcel No. 1

Beginning at a point in the existing north right-of-way line of KY 74 and the south property line, said point being 30.00 feet left of the proposed centerline of Middlesboro-Capito-Pruden Road (KY 74) Station 45+40.00; thence with said existing north right-of-way line and south property line N 21° 16' 22" E, 10.00 feet to a point in the proposed right-of-way line 40.00 feet left of said centerline Station 45+40.00; thence with said proposed right-of-way line S 74° 16' 32" E, 144.32 feet to a point 40.00 feet left of said centerline Station 47+00.00; thence with said proposed right-of-way line N 80° 43' 06" E, 82.95 feet to a point in said existing north right-of-way line and south property line 52.83 feet left of said centerline Station 47+92.21; thence with said existing north right-of-way line and south property line along an arc 102.98 feet to the right (having a radius of 145.00 feet) the chord of which is S 77° 44' 00" W, 100.83 feet to a point 30.00 feet left of said centerline Station 46+83.03; thence with said existing north right-of-way line and south property line along an arc 90.82 feet to the right (having a radius of 394.41 feet) the chord of which is N 75° 19' 26" W, 90.62 feet to a point 30.00 feet left of said centerline Station 45+85.30; thence with said existing north right-of-way line and south property line N 68° 43' 38" W, 41.01 feet to the point of beginning.

Also the following:

Beginning at a point in the existing south right-of-way line of KY 74 and the north property line, said point being 30.00 feet right of the proposed centerline of Middlesboro-Capito-Pruden Road (KY 74) Station 46+30.00; thence with said existing south right-of-way line and north property line along an arc 58.85 feet to the left (having a radius of 454.41 feet) the chord of which is S 78° 12' 38" E, 58.80 feet to a point 30.00 feet right of said centerline Station

754

46+83.03; thence with said existing south right-of-way line and north property line along an arc 145.60 feet to the left (having a radius of 205.00 feet) the chord of which is N 77° 43' 59" E, 142.56 feet to a point 1.93 feet right of said centerline Station 48+18.37; thence with said existing south right-of-way line and north property line crossing proposed centerline KY 74 Station 48+23.07, N 57° 14' 54" E, 138.46 feet to a point 35.84 feet left of said centerline Station 49+50.81; thence with said existing south right-of-way line and north property line S 32° 45' 07" E, 10.00 feet to a point 26.28 feet left of said centerline Station 49+53.57; thence with said existing south right-of-way line and north property line N 57° 14' 53" E, 28.00 feet to a point 35.42 feet left of said centerline Station 49+78.25; thence with said existing south right-of-way line and north property line along an arc 51.32 feet to the right (having a radius of 99.24 feet) the chord of which is N 72° 03' 43" E, 50.75 feet to point 43.35 feet left of said centerline Station 50+24.14; thence with said existing south right-of-way line and north property line N 3° 07' 28" W, 10.00 feet to a point 53.34 feet left of said centerline Station 50+24.56; thence with said existing south right-of-way line and north property line along an arc 64.68 feet to the right (having a radius of 109.24 feet) the chord of which is S 76° 09' 44" E, 63.74 feet to a point 35.85 feet left of said centerline Station 50+80.07; thence with said existing south right-of-way line and north property line crossing said centerline Station 51+54.46 along an arc 217.30 feet to the right (having a radius of 3,633.24 feet) the chord of which is S 57° 29' 13" E, 217.27 feet to a point 28.72 feet right of said centerline Station 52+88.47; thence with said existing south right-of-way line and north property line S 55° 30' 44" E, 27.54 feet to a point in the proposed right-of-way line 30.00 feet right of said centerline Station 53+18.02; thence with said proposed right-of-way line N 69° 51' 31" W, 63.14 feet to a point 40.00 feet right of said centerline Station 52+50.00; thence with said proposed right-of-way line N 83° 59' 56" W, 133.11 feet to a point 60.00 feet right of said centerline Station 51+00.00; thence with said proposed right-of-way line S 75° 16' 43" W, 126.16 feet to a point 80.00 feet right of said centerline Station 49+50.00; thence with said proposed right-of-way line S 77° 16' 39" W, 130.84 feet to a point 70.00 feet right of said centerline Station 48+25.00; thence with said proposed right-of-way line N 85° 19' 04" W, 225.27 feet to a point in said existing south right-of-way line and north property line 60.00 feet right of said centerline Station 46+30.00; thence with said existing south right-of-way line and north property line N 15° 29' 58" E, 30.00 feet to the point of beginning.

It is the specific intention of the grantors herein to convey the right-of-way to be acquired (1.047 acres).

Being the same property conveyed by J. M. Huber Corporation to the Commonwealth of Kentucky by Deed of Conveyance dated April __, 1982 and recorded in Deed Book 235, Page 572, in the office of the Clerk of Court of Bell County, Kentucky.

755

740

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the property owned by the J.M Huber Corporation, recorded in deed book 228 page 690 and deed book 302, page 126, and located on the on the spur between watersheds Lick Fork and Fourmile Run, east of the Ambleside Subdivision, off of the Belt Line Road, Bell County Kentucky

Beginning at an iron pin (set) in the east line of a tract owned by Ambleside, L.T.D., with said Ambleside deed being recorded in deed book 232, page 333, and said pin is further described as bearing South 06 degrees 46' 47" West 431.02 feet from the concrete monument (found) that is the northeast corner of the previously mentioned Ambleside tract.

Thence South 85 degrees 10 minutes 12 seconds East for a distance of 104.50 feet leaving the Ambleside tract and through the lands of the J.M. Huber Corporation to an iron pin (set)

Thence South 01 degrees 13 minutes 20 seconds West for a distance of 79.46 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set) on an interior deed line of the J.M. Huber Corporation

Thence South 01 degrees 13 minutes 20 seconds West for a distance of 169.47 feet continuing through the lands of the J.M. Huber Corporation to an iron pin (set)

Thence South 03 degrees 12 minutes 23 seconds West for a distance of 203.12 feet continuing through the lands of the J.M. Huber Corporation to a 12 inch Poplar

Thence South 01 degrees 38 minutes 04 seconds West for a distance of 400.00 feet to an iron pin (set)

Thence South 01 degrees 38 minutes 04 seconds West for a distance of 400.00 feet to an iron pin (set).

Thence South 01 degrees 37 minutes 55 seconds West for a distance of 22.97 feet to a concrete monument (found) on the east line of the previously mentioned Ambleside, L.T.D. tract

Thence North 45 degrees 57 minutes 00 seconds West for a distance of 270.19 feet with the east line of the Ambleside tract to a concrete monument (found)

Thence North 06 degrees 46 minutes 47 seconds East for a distance of 370.98 feet continuing with the east line of the Ambleside tract to an iron pin (set)

Thence North 06 degrees 46 minutes 48 seconds East for a distance of 414.36 feet continuing with the east line of the Ambleside tract to an iron pin (set)

Thence North 06 degrees 46 minutes 45 seconds East for a distance of 317.63 feet continuing with the east line of the Ambleside tract to the point of beginning

Said property contains 4.234 acres as dtermined by survey of Mark A. Comparoni, Ky L.L.S. No. 2989 on 7/11-14/2000.

Being the same property conveyed by J. M. Huber Corporation to Dan L. Johnson and Diane K. Johnson by Quitclaim Deed dated September 1, 2000 and recorded in Deed Book 304, Page 106, in the office of the Clerk of Court of Bell County, Kentucky.

757

742

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

BELL COUNTY

TRACT VIII (54)

A tract of land lying in Bell County, Kentucky, on Cannon Creek waters of Yellow Creek, and described as follows: BEGINNING at a beech and chestnut, a corner of E. F. Green's and Wilder's near the school house on Cannon Creek; thence N 17 W 165 poles to a dogwood in a low gap; thence N 88 W 31 poles to a black gum; thence S 70 W 25 poles to a sourwood; thence N 84 W 40 poles to a chestnut oak on a line of the John Kellems 2000-acre survey; thence S 29 W 98 poles to a black gum and chestnut oak; thence south 13 poles to a sourwood at some large rocks; thence N 67 E 6 poles to a sourwood; thence N 68 1/2 E 16 poles to a chestnut; thence S 73 E 18 poles to a poplar; thence S 89 E 25 poles to a hickory; thence S 57 1/2 E about 117 poles to 24" chestnut 60' west of center line of L & N Railroad; thence N 62 1/2 E 9.36 poles to the beginning.

Being a portion of the property acquired by Grantor by deed dated February 11, 1980 from American Association, of record in Deed Book 228, page 690, Bell County Court Clerk's Office.

TRACT IX (58)

PARCEL 1: A tract of land lying in Bell County, Kentucky, on Cannon Creek and Yellow Creek and described as follows: BEGINNING on a white oak and black gum, a corner of a survey of 100 acres made in the name of Mount Pursifull; thence with Pursifull's and Gilbert Kellem's line N 5 E 142 poles to a black oak on said Pursifull's line; thence with the line of

Unthank's and Kellem's N 87 W 58 poles crossing the road to a stone; thence with the road N 10 W 24 poles to a small branch; thence with said branch N 50 W 5 poles to Cannon Creek; thence down with the meanders of the same N 14 E 16 poles; thence N 30 W 4 poles; thence N 20 W 10 poles; thence N crossing said creek 10 poles to or near J. M. Unthank's house near the corner of a post office, but on the other side of the road, the corner of the lot on which said Unthank's dwelling house is situated: thence N 10 E 12 poles; thence S 75 W crossing Cannon Creek 15 poles to a small double white oak, a corner of T.J. Kellem's and also on the line of said Mount Pursifull's survey; thence with said line N 5 E 36 poles and 20 links to a chestnut, a corner of said Pursifull's and also a corner of G. Kellem's thence with a line between G. Kellem's and said Unthank's S 9 E 24 poles to a pine corner between Kellem's and Unthank; thence N 72 E crossing the road 11 poles to a chestnut; thence N 47 E 4 poles to a maple; thence N 2 E 16 poles, crossing Cannon Creek to a spruce pine; thence N 20 E up a ridge 28 poles; thence N 26 poles and 32 links to a spanish oak on said Pursifull's line, and also a corner of the Alex Moore 50-acre survey; thence with said Moore's line N 50 W 50 poles to a stake; thence N 50 E 65 poles to two black oaks near T. J. Kellem's fence; thence with said fence leaving the Moore line N 79 E 26 poles; thence N 37 1/2 E 18 poles N 15 E 5 poles; thence S 62 E 9 poles to a black oak, a corner between said Unthank and Kellem's; thence S 62 E crossing Cannon Creek 30 poles to a spruce pine; thence N 49 E 35 poles to a stone on a line of the Alexr. Moore survey 4 poles south of a spring near S Kerby's house; thence S 40 poles to a corner of Mount Pursifull's 50-acre survey; thence S 5 W 20 poles to a corner of a 100-acre survey in the name of J. M. Unthank; thence S 86 E 50 poles to a line of a 200-acre survey in the name of J. M. Unthank; thence S 86 E 50 poles to a line of a 200-acre survey made in the name of said Unthank; thence with said line N 7 E 25 poles to a corner of the said 200-acre survey; thence with a said line S 86 E 179 poles to a stake, S 7 W 220 poles on a line of Jane Poff's; thence with said line S 70 W 30 poles; thence S 5 W with another line of said Jane Poff's 100 poles to a stake on said J. M. Unthank's line; thence W with said Unthank's line 140 poles to a poplar and hickory, same course continued 21 poles to a chestnut oak and two hickories, a corner of a 100-acre survey of said J. M. Unthank's; thence with the line of the same N 86 W 40 poles to the beginning. Excluding from this boundary a church house and lot which the said Unthank sold and conveyed to Cobb T. Berry several years ago, leaving a total of 610 acres including the premises where Cobb T. Berry now lives and containing together and in all 610 acres by survey made by James M. Pursifull on the he 8th day of April, 1887.

759

744

PARCEL 2: FIRST TRACT: Beginning on two black oaks and two spotted oaks standing on the spur on the East side of Rocky Face Mountain near a coal bank; thence N 10 E 22 poles to a white oak and beech; thence N 15 E 10 poles to a chestnut and two black gums; thence North 200 poles to a stake; thence West 50 poles to a stake; thence South 320 poles to a stake; thence East 50 poles to a stake; thence North 10 W 70 poles to the beginning, containing 100 acres (more or less).

SECOND TRACT: Beginning on a sycamore standing on the bank of Yellow Creek and mouth of branch on West side of said Creek a corner of Charity Hendrickson's; thence westwardly with Charity Hendrickson's line to an Elm and Sweet Gum; thence Westward with the said line to a Black pine a corner to U. S. Robbins; thence with said Robbins line N.W. to a sourwood; thence W. with said Robbins line to back line of Poff land; thence South with said line to Debby Turner's back corner; thence with said line East to the spruce pine and maple on bank of Yellow Creek; thence with same to the beginning, being same tract of land conveyed to G. W. West by John Henson and wife, dated May 23, 1912, recorded in Bell County Court Clerk's Office in Deed Book 69, page 570 & c.

THIRD TRACT: Bounded on the North by the second tract described herein and owned by the Peace Heirs on the South by Yellow Creek; on the West by the second tract as described herein, containing 50 acres, more or less and being the same tract of land conveyed to the said G. W. West by John Henson and his wife, Mary Henson, by deed dated May 23, 1912, of record in Bell County Court Clerk's Office in Deed Book 69, page 570 & c.

TRACT NO. X (72)

A tract of land lying in Bell County, Kentucky, on Big Clear Creek, Little Clear Creek, Stony Fork of Yellow Creek, Clear Fork and Laurel Fork of Clear Fork, all waters of the Cumberland River:

Beginning at a stake on the west bank of the county road; thence S 22 30 W 22.04 poles to a white oak 1 1/2 poles east of the county road; thence N 34 17 W 46.68 poles to a black gum on a cliff, 20 poles north of Laurel Fork; thence N 33 45 W 2.50 poles to a point on the 27th line of patent No. 60095; thence with said line reversed, S 64 51 W 38 poles to the 5th line of the I. A. Overton 65 acre patent No. 65139; thence with said line, N 21 39 W 40.70 poles to the 13th line of the J. K. Partin 100 acre patent No. 60094; thence with the lines of said patent reversed, S 73 55 W 63

760

745

poles to a stake; thence N 4 09 W 40 poles to six chestnuts; thence N 84 32 E 22.72 poles to a pine and six chestnuts; thence N 76 30 E 16.60 poles to a chestnut and black gum; thence N 65 21 E 19.32 poles to a double chestnut and poplar, the 9th corner of said patent No. 60094 and also the 29th corner of the Miracle and Partin 105 acre patent No. 63788; thence with the lines of the last named patent reversed, N 10 W 27.24 poles to a black gum; thence N 85 27 W 29.36 poles to a black gum in a flat, a very rocky place; thence S 67 58 W 23.88 poles to a crooked chestnut oak in a small flat, near a drain and three poles north of a hollow; thence N 88 18 W 29.84 poles to a black gum in an ivy thicket and eight poles northeast of said hollow: thence N 43 54 W 36.89 poles to a small sourwood about eighteen poles east of the "George Trick Hollow"; thence N 12 32 W 34.36 poles to a white oak on the crest of Pig Pen Spur; thence S 57 18 E 31.20 poles to a black pine and fallen chestnut oak on Pig Pen Spur, near the Hand Mill Rocks and below several large rocks; thence N 89 15 E 56.76 poles to two chestnut oaks, about 10 poles north of the crest of the ridge between the two forks of Pine Creek, the 21st corner of said patent No. 63788, and also the 9th corner of the William Henderson 100 acre patent No. 13390, and also a corner of the J. J. Partin tract containing 29.65 acres; thence with the lines of said Partin tract, N 14 51 E 92.71 poles to a maple on the south bank of the Left Hand Fork of Pine Creek; thence N 11 30 E 2.68 poles to a poplar on the north bank of said fork of Pine Creek; thence N 13 E 24 poles to a point in the 15th line of said patent No. 13390; thence with said line, S 77 22 E 18 poles to a stake; thence with an agreed line made between the United States Trust Company and John M. Partin and others, N 12 E 39 poles to a stake on the crest of the ridge between the head of Pine Creek and the head of Big Clear Creek, set for the 10th corner of the Miracle and Partin 105 acres patent No. 63788; thence with the lines of said patent reversed, S 57 E 29 poles to two chestnut oaks at a cliff on the crest of said ridge, the 9th corner of said patent; thence S 84 45 E 18.50 poles to a black oak on a high point on the crest of said ridge, its 8th corner; thence S 72 17 E 20.20 poles to the 4th line of the John Word 50 acre patent No. 18065; thence with said line, S 21 30 E 37 poles to the 15th and closing line of patent No. 12390; thence with said line, N 77 22 W 47.94 poles to a stake, the northeast corner of the J. J. Partin Tract; thence with said tract, S 5 E 5 poles to a Spanish Oak, sourwood, dogwood and hickory, eight poles north of the Left Hand Fork of Pine Creek; thence S 4 19 E 73.36 poles to three chestnut oaks, the 13th corner of Patent No. 13390; thence with the 13th line of said patent, N 89 09 E 63 poles to a poplar (dead) and chestnut, standing about 6 poles north of the crest of the ridge between Laurel Fork and Pine Creek; thence S 69 30 E 9.12 poles to a chestnut oak two poles south of the crest of said ridge, the 3rd corner of the J. K. Partin 100 acre patent No. 60095; thence with an agreed line around the west side of a 20 acre tract of land conveyed by G. B. Overton to A. E. Partin, S 30 E 39 poles to a stake; thence S 58 E 31.40 poles to a black oak; thence S 42 45 E 8.32 poles to a black oak;

761

7416

thence N 50 E 34.60 poles to the 2nd line of the Shelton Partin 50 acre patent No. 9704; thence with said patent, S 22 12 E 21.50 poles to a stake set on the west side of the county road for the 2nd corner of said patent; thence N 54 45 E 14.52 poles to a locust stump and maple stump, the 1st corner of said patent; thence leaving said patent, S 18 42 E 13 poles to a stake on the north bank of Laurel Fork at the identified location of a hickory, 7th corner of the Shelton Partin 50 acre patent no. 13056, thence with the 7th line of said patent, S 54 51 W 76 poles to the 3rd line of DeGroot et al, patent No. 43281; thence with said line reversed N 88 24 W 78.80 poles to the 2nd line of the I. A. Overton 65 acres patent no. 65139; thence with the lines of said patent reversed, S 35 58 E 22.60 poles to a black oak standing about eight poles north of Laurel Fork, the 2nd corner of said patent; thence S 55 43 E 5.80 poles to the 27th line of the I. A. Overton 125 acre patent no. 60095; thence with said patent N 64 51 E 52 poles to a stake set for the 28th corner of said patent; thence S 24 09 E 11 poles, crossing Laurel Fork, to a spruce pine and ash on south bank of Laurel Fork at the mouth of a branch, the 1st corner of said patent: thence leaving said patent and running up a branch or hollow with an agreed line along the eastern side of the Green B. Overton tract containing 67.90 acres, to the county road; thence with the county road westerly to the beginning.

Being a part of the property acquired by Grantor by deed dated July 3, 1963 from Louisville Property Company, of record in Deed Book 180, page 324, Bell County Court Clerk's Office.

TRACT XI (76)

A tract of land lying in Bell County, Kentucky on Pine Creek, waters of the Laurel Fork of the Clear Fork of Cumberland River:

Beginning at a beech, the 5th corner of the James Hendrickson 200 acre patent No. 58949; thence with the lines of said patent, N 66 48 W 28.64 poles to a large rock and chestnut; thence S 78 20 W 20.61 poles to a beech; thence N 22 47 W 36.23 poles to a white oak; thence N 1 32 W 14 poles to a black oak and maple; thence leaving the lines of said patent No. 58949 and running with an agreed line made between Green Henderson and A. E. Partin S 64 E 30 poles to a black gum and maple; thence S 59 E 12 poles to a birch and chestnut oak; thence S 21 E 8 poles to a spotted oak and black oak; thence S 55 E 8 poles to a white oak and chestnut; thence S 20 E 26 poles to the beginning, containing 8.85 acres.

Being the same property conveyed by J. M. Huber Corporation to N. G. Houston, III, Loyd L. Shaw and Steve Comer d/b/a TCB Land Partnership by Quitclaim Deed dated December 17, 1997 and recorded in Deed Book 291, Page 442, in the office of the Clerk of Court of Bell County, Kentucky.

767

747

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4, recorded in deed book 228 page 690, and located on the northwest side of CSX Railroad, in Ely Hollow, near the Community of Meldrum, Bell County, Kentucky

Beginning at an iron pin (set) on the northwest right-of-way line of the CSX Railroad and the westerly right-of-way line of the 15 foot wide road that leads up Ely Hollow

THENCE North 66 degrees 46 minutes 55 seconds West for a distance of 51.57 feet leaving the railroad and leaving Ely Hollow Road and now through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 39 degrees 35 minutes 12 seconds West for a distance of 184.94 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 26 degrees 10 minutes 28 seconds East for a distance of 134.98 feet continuing through the lands of Huber to above-mentioned Ely Hollow Road

THENCE South 75 degrees 52 minutes 11 seconds East for a distance of 32.25 feet with the westerly right-of-way line of the road to an iron pin (set)

THENCE South 66 degrees 29 minutes 41 seconds East for a distance of 24.85 feet continuing with the westerly right-of-way line to an iron pin (set)

THENCE South 54 degrees 59 minutes 05 seconds East for a distance of 26.47 feet to an iron pin (set)

THENCE South 47 degrees 29 minutes 12 seconds East for a distance of 14.33 feet to an iron pin (set)

THENCE South 32 degrees 43 minutes 55 seconds East for a distance of 15.71 feet to an iron pin (set)

THENCE South 18 degrees 28 minutes 07 seconds East for a distance of 16.27 feet to an iron pin (set)

THENCE South 03 degrees 14 minutes 22 seconds East for a distance of 21.62 feet to an iron pin (set)

THENCE South 03 degrees 38 minutes 10 seconds West for a distance of 80.38 feet still continuing with the westerly right-of-way line of Ely Hollow Road to an iron pin (set)

763

748

THENCE South 03 degrees 38 minutes 10 seconds West for a distance of 80.38 feet still continuing with the westerly right-of-way line of Ely Hollow Road to an iron pin (set)

THENCE South 00 degrees 57 minutes 23 seconds West for a distance of 14.73 feet to an iron pin (set)

THENCE South 03 degrees 53 minutes 02 seconds East for a distance of 15.84 feet to an iron pin set

THENCE South 06 degrees 14 minutes 55 seconds East for a distance of 80.85 feet continuing with said westerly right-of-way line to the point of beginning.

Said property contains 0.647 acre as determined by survey of Mark A. Comparoni, Ky. L.L.S. No. 2989 on 9/27/1999 10/7/ 1999

Tract 2

Part of the J.M. Huber Corporation's tract 3-11-4, recorded in deed book 228 page 690, located on the northwest side of the CSX Railroad, in Ely Hollow, near the Community of Meldrum, Bell County, Kentucky.

Beginning at an iron pin (set) on the northwest right-of-way line of the CSX Railroad, 50 feet from the centerline of said railroad, and also being on the easterly right-of-way line of the 15 foot wide Ely Hollow Road, with said point being further described as bearing North 47 degrees 48' 25" East 17.95 feet from the beginning corner of the 0.647 acre tract described above

THENCE North 05 degrees 54 minutes 09 seconds West for a distance of 69.97 feet leaving the railroad and with the easterly right-of-way line of the Ely Hollow Road to an iron pin (set)

THENCE North 03 degrees 50 minutes 14 seconds West for a distance of 15.18 feet continuing with said easterly right-of-way line to an iron pin (set)

THENCE North 00 degrees 26 minutes 48 seconds East for a distance of 14.07 feet to an iron pin (set)

THENCE North 03 degrees 43 minutes 37 seconds East for a distance of 78.70 feet to an iron pin (set) on said right-of-way line

THENCE North 81 degrees 20 minutes 24 seconds East for a distance of 45.14 feet leaving the right-of-way line of Ely Hollow Road and through the lands of the J.M. Huber Corporation to an iron pin (set) on the southwesterly side of the drain in Ely Hollow with said pin being 6 feet from the centerline of said drain

THENCE South 81 degrees 59 minutes 47 seconds East for a distance of 26.50 feet continuing through the lands of Huber to an iron pin (set) on the southwesterly side of the above-mentioned drain with said pin being 10 feet from the center of said drain

764

THENCE South 60 degrees 54 minutes 07 seconds East for a distance of 40.57 feet to a pin on the southwesterly side of the drain with said pin being 10 feet from the center of said drain

THENCE South 23 degrees 42 minutes 35 seconds East for a distance of 53.44 feet to an iron pin (set) on the southwesterly side of the drain with said pin being 8 feet from the center of said drain. and said pin is further described as being on the northwest right -of-way line of the CSX railroad

THENCE along a curve to the right having a radius of 2939.23 feet to and an arc length of 167.59 feet. being subtended by a chord of South 48 degrees 09 minutes 02 seconds West for a distance of 167.57 feet with the northwest right-of-way line of CSX Railroad to the point of beginning

Said property contains 0.352 acre as determined by survey of Mark A. Comparoni. KY. L.L.S. No. 2989 on 9/27/1999

Being the same property conveyed by J. M. Huber Corporation to Raymond and Florida Sampson by Quitclaim Deed dated July 1, 2000 and recorded in Deed Book 302, Page 759, in the office of the Clerk of Court of Bell County, Kentucky.

765

750

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

Part of the J.M. Huber Corporation's tract 3-11-4, recorded in deed book 228, page 690 and deed book 302, page 126, and located on the waters of Four Mile Run, off of the Belt Line Road, Bell County, Kentucky

Beginning at a 4" x4" square-shaped concrete monument (found) on the crest of Trace Ridge at an intersection of fences with this monument being further described as being in the east line of a tract owned by Ambleside, L.T.D. and as being the northwest corner of a tract now or formerly owned by Dallas Shackleford and lastly as being on the ridge between Lick Fork Creek and Four Mile Run.

THENCE North 02 degrees 02 minutes 35 seconds East for a distance of 928.71 feet leaving the fences and the Shackleford tract and now with the east line of the previously-mentioned Ambleside tract, the crest of Trace Ridge, and old red and yellow paint, to a concrete monument (found) that is a square-shaped 6" x 6" monument with a metal pin line its center, and said monument is further described as being the southerly-most corner of a 4.234 acre tract owned by Dan L. Johnson and Diane K. Johnson.

THENCE North 01 degrees 37 minutes 55 seconds East for a distance of 22.97 feet leaving the Ambleside, L.T.D. tract and the red and yellow paint and now through the lands of the J.M. Huber Corporation, with the east line of the previously-mentioned tract that is owned by Dan L. Johnson and Diane K. Johnson, to an iron pin (set)

THENCE North 01 degrees 38 minutes 04 seconds East for a distance of 400.00 feet continuing with said east line to an iron pin (set)

THENCE North 01 degrees 38 minutes 04 seconds East for a distance of 400.00 feet continuing with said east line to a 12"Poplar

THENCE North 03 degrees 12 minutes 23 seconds East for a distance of 203.12 feet continuing with said east line to an iron pin (set)

THENCE North 01 degrees 13 minutes 20 seconds East for a distance of 169.48 feet continuing with said east line to an iron pin (set)

THENCE North 74 degrees 07 minutes 50 seconds East for a distance of 400.00 feet leaving the east line of the tract owned by Dan L. Johnson and Diane K. Johnson, and now through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 74 degrees 07 minutes 50 seconds East for a distance of 400.00 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 74 degrees 07 minutes 50 seconds East for a distance of 400.00 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 74 degrees 07 minutes 53 seconds East for a distance of 193.11 feet continuing through the lands of Huber to an iron pin (set) on the west on line of the 15 foot wide Four Mile Run Road

THENCE South 00 degrees 00 minutes 12 seconds West for distance of 34.04 feet with the west line of Four Mile Run Road to an iron pin (set)

THENCE South 18 degrees 21 minutes 37 seconds West for a distance of 74.33 feet with the west line of the road to an iron pin (set)

THENCE South 13 degrees 04 minutes 13 seconds West for a distance of 65.88 feet with the west line of the road to an iron pin (set)

THENCE South 17 degrees 27 minutes 06 seconds East for a distance of 71.12 feet with the west line of the road to an iron pin (set)

THENCE South 20 degrees 56 minutes 40 seconds East for a distance of 92.45 feet with the west line of the road to an iron pin (set)

THENCE South 17 degrees 07 minutes 08 seconds East for a distance of 44.55 feet with the west line of the road to an iron pin (set)

THENCE South 32 degrees 20 minutes 06 seconds East for a distance of 114.26 feet with the west line of the road to an iron pin (set)

THENCE South 31 degrees 30 minutes 11 seconds East for a distance of 84.98 feet with the west line of the road to an iron pin (set)

THENCE South 35 degrees 28 minutes 38 seconds East for a distance of 89.24 feet with the west line of the road to an iron
Pin (set)

767

757

THENCE South 27 degrees 23 minutes 34 seconds East for a distance of 100.41 feet with the west line of the road to an iron pin (set)

THENCE South 31 degrees 52 minutes 51 seconds East for a distance of 78.51 feet with the west line of the road to an iron pin (set)

THENCE South 43 degrees 18 minutes 57 seconds East for a distance of 38.42 feet with the west line of the road to an iron pin (set)

THENCE South 45 degrees 06 minutes 09 seconds East for a distance of 38.10 feet with the west line of the road to an iron pin (set)

THENCE North 73 degrees 24 minutes 28 seconds East for a distance of 14.61 feet crossing the Four Mile Run Road to a point on the east line of said road

THENCE North 73 degrees 24 minutes 28 seconds East for a distance of 376.94 feet up the hill, continuing through the lands of Huber, to an iron pin (set)

THENCE South 69 degrees 31 minutes 59 seconds West for a distance of 7.26 feet leaving the Kentucky Utilities tract and with the north line of Shackleford and running near the old fence line to an iron pin (set) on the east line of Four Mile Run Road

THENCE South 69 degrees 32 minutes 39 seconds West for a distance of 15.00 feet continuing with the north line of Shackleford to an iron pin (set) on the west line of Four Mile Run Road

THENCE South 69 degrees 32 minutes 39 seconds West for a distance of 801.92 feet leaving the road and continuing with the north line of the Shackleford tract near the old fence, crossing Four Mile Run Creek, to a 4" x 4" square-shaped concrete monument (found) 1 foot south of the old fence

THENCE South 86 degrees 12 minutes 56 seconds West for a distance of 1186.93 feet continuing with the north line of Shackleford and continuing near the old fence to the point of beginning

Said property contains 115.69 acres as determined by survey of Mark A. Comparoni, KY L.L.S. No. 2989 on 7/18/2000 - 8/15/2000.

Being the same property conveyed by J. M. Huber Corporation to Givens Coal Company, Incorporated by Quitclaim Deed dated October 1, 2000 and recorded in Deed Book 304, Page 753, in the office of the Clerk of Court of Bell County, Kentucky.

768

753

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:

EXCLUSION NO. 1 FROM TRACT NO. 6.

A tract of land lying in Bell County, Kentucky, on the south side of Bean's Bpnk and on the waters of the Stony Fork of Yellow Creek.


Beginning at a hickory and chestnut, the 1st. corner of the John Cole 50 acre patent No. 9729; thence with the lines of said patent, N 77 10 E 39.68 poles toa poplar, its 2nd. corner; thence S 29 35 E 55.84 poles to a chestnut oak its 3rd. corner; thence S 3 55 E 35.84 poles ot its 4th. corner; thence S 7 19 W 56 poles to a stake, its 5th. corner; thence S 72 54 W 102 poles to a stake, its 6th. corner; thence N 13 09 E 163 poles to the beginning, containing 72.30 acres.

The above courses are referred tothe magnetic meridian of 1903.

EXCLUSION NO. 2 FROM TRACT NO.6

A tract of land lying in Bell County, Kentucky, on Stony Fork including the Wm. F. Gibson and Sarah Parker plaqes:

Beginning at an elm (five beeches and hickory gone), the 5thi corner of the John Bull patent No. 4301, standing two poles north of Stony Fork and on the east bank of Fortner Branch, practically at mouth of said branch; thence up Stony Fork with its meanders, southwardly 12 poles to the Stony Fork Railroad right of way; thence with railroad right of way, westwardly 72 poles to the 7th. line of the James D. George 100 acre patent No. 2380; thence with said line reversed, N 25 35 E 24 poles to a white walnut (fallen) in a small branch, 16 poles



Beginning at a stake set for the [illegible] corner of the Benjamin Turner 50 acre patent No. 23317. - [illegible] Beginning at a chestnut oak, (now down but still retains marks on the east bank of the former Branch), the 1st. corner of said patent No. 23317; thence with the lines of said patent, N 34 E 36.24 poles to a hickory, its 2nd. corner; thence S 58 E 47 W 80 poles to a stake set for its 3rd. corner; thence S 58 E 17 poles to the closing line of the Robert George 75 acre patent No. 12078; thence with said line, S 88 30 E 87 poles to the 4th. line of said patent No. 23317; thence with the lines of said patent, N 48 18 E 22 poles to a white walnut, the 7th. corner of the James D. George patent No. 2380, and also the 5th. corner of said patent No. 23317; thence continuing with the lines of patent no. 23317; thence continuing with the lines of patent No. 23317, N 42 E 50 poles to a stake set for its 6th. corner; thence N 32 28 W 29.06 poles to the beginning, containing 34.80 acres.

The above courses are referred to the magnetic meridian of 1892.

EXCLUSION NO. 4 FROM TRACT NO. 6.

A tract of land lying in Bell County, Kentucky, on Hignite Creek waters of the Stony Fork of Yellow Creek, including what is commonly known as the John W. Turner land and the Benjamin Turner 50 acre patent No. 23318 and the David Turner 50 acre patent No. 10445.

Beginning at a maple located about 8 poles north of the crest of Mosely Spur, the 2nd. corner of the Benjamin B. Burch 100 acre patent No. 30438 thence with the lines of said Buch patent, S 89 30 E 17.91 poles to a cherry tree located about 2 poles north of the crest of Mosely Spur, the 3rd. corner of said patent; thence N 71 04 W 47 poles to the 6th. and closing line of the John Turner 200 acre patent No. 45089; thence with the lines of said Turner patent reversed, N 46 W 45 poles to a stake, the 5th. corner of said patent; thence N 18 24 W 6 poles to a point in the 4th. line of the John G. Eve 100 acre patent No. 30397; thence with the line of said Eve Patent, N 30 18 E 77 poles to a point in the 4th. line of DeGroot et al. patent No. 43869; thence with the lines of said DeGroot patent reversed, S 43 24 E 51 poles to a stake, the 4th. corner of said patent; thence with the 3rd. line of said patent reversed, N 46 36 E 130 poles to a point in the 3rd. line of the John Turner 200 acre patent No. 45089; thence with the 3rd. line of said Turner patent reversed, S 1 36 W 48 poles to the 6th. line of the Benjamin Turner 50 acre patent No. 23318, at a point 3 poles from a lynn and dead hickory stub, the first corner of said patent; thence with the 6th. and closing line of said patent reversed as corrected by re-survey, S 87 10 E 126 poles to a spruce pine stump and small beech, 6th. corner of said patent and [illegible]

770

755

[illegal] reversed, N 85 30 W 38 poles to a stake set for the 3rd. corner of said patent; [illegal] poles to a chestnut oak, standing about 10 poles south of the [illegal] Mosely Spur, the 4th. corner of said Turner patent; thence with the first [illegal] reversed, N 85 30 W 38 poles to the first line of the Benjamin B. [illegal] 100 acre patent No. 30435; thence with said Burch patent, N 25 45 W 11 poles to the beginning, containing 190 acres.

The above courses are referred to the magnetic meridian of 1902.

EXCLUSION NO. 5. FROM TRACT NO. 6.

Being a tract of land in Bell County, Kentubky, on Cole Creek of Stony Fork, conveyed by the Thomas Cairns Heirs to Bell County by deed dated Dec. 1, 1916, and recorded in Bell County Deed Book 70, page 418, and for a school house site and for so long a time as said Bell County shall use and maintain a schoolhouse and public school on the lot below described.

Beginning at a stake, northeast corner of school lot herein conveyed, standing S 17 30 E 297.70 feet from a large beech on east bank of Cole Creek marked for corner, and which beech is N 70 31 E 108 feet from the first road crossing Cole Creek above its mouth; thence S 2 30 W 147.58 feet to a stake; thence N 87 30 W 147.58 feet to a stake; thence N 2 30 E 147.58 feet to a stake; thence S 87 30 E 147.58 feet to the beginning, containing one-half acres.

The above courses are referred to the magnetic meridian of 1916.

EXCLUSION NO. 6. FROM TRACT NO. 6.

A tract of land lying in Bell County, Kentucky, conveyed by the Cairns Heirs to Bell County by deed dated July 12, 1917, for a school house [illegal] as used for that purpose.

Lying on Stony Fork at camp of Monarch Coal & Coke Company.


Beginning at a stake, from which the northwest corner of present [illegal] bears S 81 56 E 85 feet, and five spruce pines, 1 C. 30406, bear N 66 [illegal] feet; thence from said stake, N 70 E 170 feet to a stake; thence [illegal] feet to a stake; thence S 70 W 170 feet to a stake; thence N 20 W 104 [illegal] beginning, containing 0.40 acres.

The above courses are referred to the magnetic meridian of 1917.

EXCLUSION NO. 7 from TRACT NO. 6.

[illegal] the Railroad Right of way and section camp sites now owned by [illegal] Nashville Railroad Company along the Stony Fork Branch of the [illegal] Railroad and its [illegal] and switchbacks in Bell County,

771



...described tract of land ...

...tract of land lying in Bell County, Kentucky, on John Marsee's ...

...the Clear Fork of the Cumberland River.

...Beginning at a stake in the 4th. line of the John L. Craig 200 acre ... patent No. 46247, at a point 148 poles in said line when reversed from the beginning corner of said patent, or at 51 poles from the 4th. corner of said patent; thence N 28 30 W 98 poles to John Marsee's Creek; thence down said creek with its meanders, to the 4th. line of the John L. Craig 200 acre patent No. 46250; thence N 61 30 E 287 poles to the beginning, containing 115 acres.

The above courses are referred to the magnetic meridian of 1902.

Exception 2 → Only the surface and surface rights in the following described tract of land are excluded from said Tract No. 5.

A tract of land lying in Bell County, Kentucky, on top of Log Mountain, and on the waters of the Stony Fork of Yellow Creek, and the Clear Fork of Cumberland River.

Beginning at a white oak on top of Log Mountain, the 8th. corner of the Allen Hurst 140 acre patent No. 19177; thence S 76 45 W 72 poles to a cucumber one and one-half poles north of the center of a hollow; thence N 17 30 W 90.80 poles to a hollow chestnut and two small young chestnuts, from which a spring bears N 65 E 5 poles; thence N 30 30 E 18.76 poles to a chestnut one and one half poles south of a small hollow; thence S 69 30 E 45.44 poles to a hickory and sugartree on the crest of Log Mountain, four poles north of where the winding stairs path comes to the top of Log Mountain; thence S 5 30 W 25 poles to a stake; thence S 13 W 28 poles to a stake, from which a hickory 12 inches in diameter bears S 33 W 16 links, marked for pointer; thence S 8 E 23.78 poles to a spanish oak; thence S 51 30 E 26 poles to a hickory in a cove; thence S 20 30 E 59.80 poles to the beginning, containing 50 acres.

The above courses are referred to the magnetic meridian of 1915.

EXCLUSION NO. 10, FROM TRACT NO. 6


Only the surface and surface rights in the following described tract of land are excluded from said Tract No. 6.

A tract of land lying in Bell County, Kentucky, on Stony Fork of Yellow Creek, the surface and surface rights in which were conveyed to Henry F. Gibson in Settlement of a suit in the Bell Circuit Court No. 6315, as to Henry F. Gibson, a defendant in said action.

Beginning at a stone on the east bank of a branch, from which a maple on the east bank of said branch bears S 9 E 24 links, marked H. T. 38 C. L. A.; thence S 80 W 10.44 poles to a stake, from which the chimney at the southwest of the house where Henry F. Gibson now lives, bears S 81 E 7.74 poles; thence N 45 15 W 21.54 poles to a stake; thence N 6 45 E 24.38 poles to a stake; thence S. 89 30 E 23 poles to a poplar stump on the west bank of a branch with a small p... growing by the side of it; thence down said branch, S 31 10 E 8.10 poles; thence ...

772

252



...Beginning at a chestnut oak, its ... corner ... Puncheon Camp Branch and Laurel Branch; thence ... of said spur, its 5th. corner; ... crest of said spur, its 6th. ... chestnut oak on the crest of said spur, ... to a stake on top of a high spur at an ... Evans; thence with ... between said parties S 8 E 80 W 87.00 poles to a black gum; ... poles to sourwood tree at a branch; thence S 75 30 W 16.72 ... oak (crossing Puncheon Camp Branch at 6.72 poles); thence N ... poles to a stake; thence N 81 15 W 15 poles to a stake; thence S 45 ... poles to a stake on the crest of a ridge and on the 9th. and closing line ... Patent No. 21996; thence with said line reversed, N 80 W 8 ... the 8th. line of patent No. 8811; thence with said line, S 30 30 W 82 ... stake set for the 8th. corner of said patent in Bear Hollow, ten poles ... branch; thence N 17 30 W 14.12 poles to a stake, the 12th. corner of ... R. Martin 158 acre patent No. 62910; thence with thelines of said pat... reversed, N 72 W 18.60 poles to a chestnut oak on top of a cliff on crest of ... spur east of Bear Hollow, the 11th. corner of said patent; thence N 58 16 W ... poles to a chestnut oak on crest of said spur, the 10th. corner of said ... thence N 70 W 15 poles to a line of the Shelton Evans patent No. 56944 ... with said patent N 40 W 62 poles to a stake on the crest of the spur west ... Puncheon Camp Branch; thence N 57 W 22.50 poles to three white oaks on crest ... said spur, the 7th. corner of said patent No. 62910; thence N 30 W 81.60 poles ... hickories on the crest of said spur, the 6th. corner of said patent; thence ... poles to two hickories and spanish oak on crest of said spur, the ... corner of said patent; thence N 30 45 E 80.32 poles to the beginning, containing 201.36 acres.


The above courses are referred to the magnetic meridian of 1861.

EXCLUSION NO. 12. FROM TRACT NO. 6.

Being the John Daniel Tract of land conveyed to him by James ... 1908, and recorded in Bell County Deed Book 57, page 296.

Lying in Bell County, Kentucky, on Little Clear Creek;

773



...containing 80.25...
...79 E 7 poles to a...
...stake; thence N 18 E 9...
...in the ford of Little Clear Creek; t...
...containing 7 acres, m...
...magnetic meridian of 1908.

EXCLUSION NO. 8, FROM TRACT NO. 6.

...ing the ... tract conveyed to him by T. M. Evans and inclu...
...ing the W. M. Mason house and lot...
lying in Bell County, Kentucky, on Little Clear Creek:

Beginning at a poplar stump about eight poles nearly east of said W. M. Mason house and between Little Clear Creek and Laurel Branch, the 1st. corner of the James Mason 180 acre patent No. 25172 and also the 1st. corner of the Mary Evans patent No. 62896; thence with the 1st. line of patent No. 62896, N 82 E 22 poles to a white oak, the 2nd. corner of said patent, and also the 2nd. corner of the Wm. Miracle 80 acre patent No. 55192; thence with patent No. 55192, N 67 45 W 29 poles to two spruce pines, the 3rd. corner of said patent; thence N 9 30 E 14 poles to the 2nd. line of said patent No. 62896; thence with it, N 45 W 21 poles to a stake, the 3rd. corner of patent No. 62896; thence N 6 E 24 poles to the 1st. line of the Wm. Miracle 67 acre patent No. 55468; thence with said line, S 47 W 8 poles to two chestnut stumps on top of the ridge between Meadow Branch and Laurel Branch, the 2nd. corner of the last named patent and also the 1st. corner of the Wm. Miracle 65 acre patent No. 55473; thence with the 1st. line of patent No. 55473, S 38 W 83.80 poles to the 8th. and closing line of the James Mason patent No. 25172; thence with said line, S 65 12 E 41 poles to a stake, the northwest corner of 1 acre tract of land conveyed by J. J. Mason and others to T. M. Evans including the W. M. Mason barn; thence with the lines of said 1 acre tract reversed, S 28 W 12.75 poles to a stake; thence S 76 30 E 12.75 poles to a stake; thence N 28 E 12.75 poles to the beginning.


The above courses are referred to the magnetic meridian of 1908.

EXCLUSION NO. 14, FROM TRACT NO. 6.

A tract of land lying in Bell County, Kentucky, on Sam's Fork waters of Little Clear Creek.

Beginning at a poplar stump in a field, the 6th. corner of the James Partin 100 acre patent No. 29305, also the 8th. corner of the William & Calvin Miracle 50 acre patent No. 44971; thence with the lines of said patent No. 44971, N 0 30 W 96 poles to a white oak stump, the 7th. corner of same; thence N 82 54 E 45 poles to a point in the 6th. line of the Lewis Peavler 70 acre patent No. 6847; thence with the lines of said patent No. 6847, N 70 30 W 50 poles to a stake, the 7th. corner of same; thence N 67 45 E 36.50 poles to a stake, an agreed corner made between the Louisville Property Company and Elijah Miracle; thence with said agreed line, East 65 poles to two chestnut oaks, the 8th. corner of the Charles Smith and J. E. Shackleford 80 acre patent No. 62908; thence with the

794



...to a locust marked 'fore and aft.', near the crest of a ... poles to a chestnut marked 'fore and aft.'; thence N 72 30 W 6.48 poles to ... stump in a hollow; thence down and with the meanders of said hollow, S 40 ... poles; thence N 30 30 W 27 poles; thence S 18 W 15 poles; thence S 24 ... poles to two beeches at the mouth of said hollow; thence up said Ben's ... N 50 E 24.24 poles to a rock marked "X" on the north bank of said fork; ... poles to a small pine stump near the mouth of a drain; thence S ... W 10.32 poles to a stake; thence S 75 W 9.32 poles to a stake; thence S 49 W ... poles to the mouth of Mill Branch; thence up said branch, S 5 30 E 27.68 ... to the point on the 6th. line of said patent No. 29305, an agreed corner between said Miracle and said Louisville Property Company; thence with the 6th. line of patent No. 29305 reversed, S 75 45 E 68 poles to a stake, the 5th. corner of said Miracle patent No. 59075; thence with the 4th. line of same reversed, S 15 ... E 206 poles to a point in the 7th. line of the Wesley King 50 acre patent No. ...; thence with the lines of same reversed, S 60 E 8 poles to three chestnuts, the 7th. corner of same, also the 1st. corner of the John E. King 50 acre patent No. 57679, and on a line of the James A. and John King 90 acre patent No. 62896, and line of the said Louisville Property Company lands; thence with the lines of said patent No. 62896 reversed, and the lines of the Louisville Property Company, N 27 57 E 57 poles to a stake set for the 9th. corner of said patent No. 62896; thence N 61 10 W 6.50 poles to a chestnut, the 8th. corner of same; thence N 24 35 E 76 poles to a chestnut oak, the 7th. corner of same; thence N 77 34 E 19.80 poles to a chestnut oak, the 6th. corner of same; thence N 51 35 E 25.56 poles to a chestnut oak the 5th. corner of same; thence N 67 30 E 9.24 poles to a dead locust on the crest of the spur between said Ben's Fork and Laurel Branch, the 4th corner of same; thence S 38 30 E 10.80 poles to appoint in the 3rd. line of said patent No. 59075; thence with said line reversed, N 30 30 E 13.60 poles to a point in the 2nd. line of the William Miracle 85 acre patent No. 53475; thence with the lines of said patent No. 53475, N 1 30 E 35.50 poles to a stake, the 10th. corner of same; thence S 86 30 E 38 poles to a point in the 1st. line of said patent No. 59075; thence with the 1st. line of said patent reversed, down a spur, N 8 30 E 25 poles to three chestnut oaks, the beginning corner of same, also the 9th. corner of said patent No. 44971; thence with the 7th. line of said ... 971, N 74 30 W 12.44 poles to the beginning, containing 134.50 acres

...of 1908.

[redacted] A tract of land lying in Bell County, Kentucky, on Pork Ridge and on the waters of Big Clear Creek and Little Clear Creek. [redacted] Beginning at the stump of a double maple on the crest of Pork Ridge near the top of the 1st. high knob west of Mish Gap, the 3rd. corner of the John G. Nye 200 acre patent No. 30894, and also the 1st. corner of the Isaac Dean 100 acre patent No. 30488; thence with the 1st. line of the last named patent, S 30 W 28 poles to the closing line of the Wm. Mason 50 acre patent No. 21374; thence with said line, S 56 31 E 82 poles to an ash and poplar stump, the 1st. corner of said patent No. 21374, and also the 4th. corner of said patent No. 30304; thence with the 3rd. line of the last named patent reversed, N 66 15 W 81 poles to the beginning, containing 7.45 acres.

The above courses are referred to the magnetic meridian of 1882.

EXCLUSION NO. 27, FROM TRACT NO. 6.

A tract of land lying in Bell County, Kentucky, on Little Clear Creek, conveyed by the Log Mountain Coal, Coke & Timber Company to School District No. 25, of Bell County, by deed dated August 24, 1894, and recorded in Bell County Deed Book 32, page 90.

Beginning at a stone marked "X" standing S 35 30 W 8.68 poles from a sugar tree near a small drain, said sugartree being a corner in a dividing line made between J. O. Evans and J. M. Martin; thence S 49 W 9 poles to a stone marked "X"; thence N 35 30 W 7 poles to a stone marked "X"; thence N 49 E 9 poles to a stone marked "X" in a line of J. M. Martin; thence S 35 30 E 7 poles to the beginning, containing not 61.47 square rods.

The above courses are referred to the magnetic meridian of 1894.

EXCLUSION NO. 28, FROM TRACT NO. 6.

A tract of land lying in Bell County, Kentucky, on the head of Laurel Fork, conveyed by the Thomas Cairns heirs to James M. Martin by deed dated March 27, 1916.

Beginning at a white oak standing on the south bank of the County road; thence with the county road, S 69 E 18 poles; thence N 71 E 18 poles; thence N 81 E 16 poles; thence N 81 E 28 poles (leaving county road at five poles and running with old road) to a point in old County road; thence continuing with old road, N 69 E 8 poles; thence N 66 30 E 6.88 poles to a small beech on the south bank

EXCEPTION NO. 21. FROM TRACT NO. 6.

A tract of land lying in Bell County, Kentucky, on the waters of the Stony Fork of Yellow Creek and on the end of Bean Spur between Halfway Branch and Bean Branch of Stony Fork.

Beginning at a stake set for the 5th. corner of the John Marsee 25 acre patent No. 30651; thence with the 4th. line of said patent reversed, S 88 15 W 899 feet to a stone in the 6th. line of the S. G. Davis 25 acre patent No. 30401 from which a dogwood 3 inches in diameter bears N 31 30 W 4 feet, a sourwood 8 inches in diameter bears E 79 30 W feet and a hickory 2 inches in diameter bears N 76 45 E 8½ feet, all marked for pointers; thence N 31 15 E 143 feet to a stone set for the 7th. corner of said patent No. 30401, from which a chestnut 10 inches in diameter bears N 15 E 13 feet and a dogwood 4 inches in diameter bears N 26 30 W 19.6 feet, both marked for pointers; thence with the 7th. line of said patent No. 30401, N 43 15 E 560 feet to the 3rd. line of DeGroot Et al, patent No. 43518; thence with said line reversed, S 48 34 E 360 feet to a stake set for the 3rd. corner of said patent No. 43518 and the 4th. corner for DeGroot et al. patent No. 43516 with a white oak and beech marked for pointers; thence with the 3rd. line of No. 43516 reversed, S 48 34 E 74 feet to the 4th. line of the Benjamin Turner 50 acre patent No. 2389; thence with said line reversed, N 68 15 E 165 feet to a st thence S 36 30 E 180 feet to a stake at the extreme north corner of a tract of l containing 3 acres, the surface rights in which were conveyed to Henry F. Gibson by the American Association Inc., and Perley T. Cairns and others by deed, Cat

[redacted]

Bell County, Kentucky, on Stony Fork near
[illegible] S 44 E, 5.5 N. [illegible] regularly [illegible] 25
[illegible] a stake set in the north edge of the County road right
of way [illegible] of the line known as the Middlesboro-Corporation Line,
[illegible] the County road right of way, S 77 W 200 feet to a stake; thence
leaving County road right of way, N 13 W 168 feet to a stake from which a black
oak 10 inches in diameter bears S 75 15 W 20.5 feet marked for pointer; thence
S 77 W 200 feet to a stake from which a locust 8 inches in diameter bears N 84
15 E 24.5 feet marked for pointer; thence S 13 E 154 feet to the beginning, contain-
ing 3 acres.

777

237/282

EXCLUSION NO. 23, FROM TRACT NO. 6.


A tract of land lying in Bell County, Kentucky, on Phoebe Branch of Little Clear Creek, being tract No. 1 described in the deed from the United States Trust Company, Assignee of the Louisville Property Company, to F. M.Evans and Cutie Evans, dated the ___ day of February, 1925.

Beginning at a beech and white oak stump, the 1st. corner of the James A. Fuson and Carson Hoskins 100 acre patent No. 55007; thence with the lines of said patent as resurveyed and corrected in 1916, S 87 30 E 78.46 poles to a double chestnut, 2nd. corner of said patent; thence N 69 15 E 66.88 poles to a chestnut stump with two sprouts growing from it and marked for corner; thence S 86 E 25 poles to a white oak stump 2.72 poles below a large cliff and 2 poles north of a small hollow; thence S 87 E 2 poles to a point in Blood Fork Branch; thence down said branch with its meanders, the same being an agreed line made between parties of the 1st. and 2nd part, 81.71 poles measured with the meanders of said branch to a pine 4 inches diameter marked for corner with a beech, two buckeye sprouts and a dogwood marked for pointers; thence S 87 45 W 14.88 poles to a stake on north edge of Phoebe Branch, with sweet gum, hornbeam, red elm and forked hornbeam all marked for pointers; thence down Phoebe Branch with its meanders to the point where the 11th. line of said Fuson and Hoskins patent No. 55007; crosses said branch; thence with said line to the beginning, containing 28 acres more or less.

EXCLUSION NO. 24, FROM TRACT NO. 6.

A tract of land lying in Bell County, Kentucky, on the South face of Buck Ridge, waters of Little Clear Creek, being Tract No. 2 described in the above mentioned deed from the United States Trust Company, Assignee of the Louisville Property Company, to F. M. Evans and Cutie Evans.

Beginning at a poplar stump 4 poles west of Jack Branch and at mouth of a small hollow and in the north corner of a cleared field, the 1st. corner of the John Null 100 acre patent No. 6936 and also the corner of other patents; thence with the first line of said Null patent as run and marked in 1916, S 88 56 W 136 poles to 2 chestnut oaks (one dead) on crest of a small spur, 2nd. corner of said Null patent and the 4th. corner of the James A. Fuson 11 acre patent No. 65971; thence with the lines of the last named patent, N 15 57 W 16.88 poles to



also the 5th. corner of the common lines of said [illegible] standing on a steep west hillside [illegible] branch from which a chestnut oak [illegible] links marked B. T. 2 C 22736; thence S 87 E 13.50 poles to a [illegible] from which a chestnut oak 12 inches diameter bears N 10 48 E 30 links marked for pointers; thence N 87 12 E 13.80 poles to a stake from which a hickory 10 inches diameter bears N 15 30 W 27 links marked for pointers; thence with an agreed line made between first party and F. M. Evans, which was run and marked on May 17, 1924, N 87 48 E 186.58 poles to a beech 20 inches diameter marked for corner with a hickory, beech and pine marked for pointers; thence S 62 30 E 2.82 poles to the beginning, containing 20 acres.

778

763

EXCLUSION NO. 35, FROM TRACT NO. 6.

The right of way sixty (60) feet wide and wider in places along the Middlesboro Pruden Fike road where same passes through Tract No. 6 above described conveyed to the State Highway Commission, Commonwealth of Kentucky, by the Log Mountain Coal Company, by deed executed October 15, 1925, and recorded in Deed Book 93, page 356, in the office of the Bell County Court Clerk, subject to the reversion stipulation in said deed in case said right of way ceases to be used for public highway, to which deed and book and page of record reference is hereby made for full description of said right of way.

EXCLUSION NO. 36, FROM TRACT NO. 7.

A right of way conveyed by the United States Trust Company, Assignee of the Louisville Property Company, to Bell County in the State of Kentucky, for county road purposes by deed dated February 14th, 1933, which has not yet been recorded. Said right of way conveyed in said deed is 60 feet wide for a distance of about 8600 feet and contains 17.90 acres, more or less, lying mainly on the waters of Laurel Fork. This exclusion is subject to the reversion stipulation in said deed and to the reservation with respect to all mineral rights and other rights as stipulated in said deed, to which reference is hereby made for full description.


Being a portion of the same property conveyed by United States Trust Company, Assignee of the Louisville Property Company to H. C. Williams, as Successor Assignee of the Louisville Property Company by deed dated May 10, 1935 and recorded in Deed Book 111, page 1, in the office of the Clerk of Court of Bell County, Kentucky.

779

767

FURTHER LESS AND EXCEPT from the real property described in Exhibit "A," the following:

All that tract or parcel of land lying and being in Bell County, Kentucky, more particularly described as follows:



Exclusion No. 1 from Tract No. 6

The following Exclusions covering property sold by H. C. Williams, Assignee Louisville Property Company;

EXCLUSION NO. W. 1 from Tract No. 6

A tract or parcel of land lying on the South side of State road leading to Kentucky and adjoining the corporation boundary of the City of Middlesboro, to Cecil Gibson by deed dated December 10th, 1946, Recorded in Deed Book Page 686, Bell County Court Records, described as follows:

Beginning at a stake at the intersection of the North right of way line of the Stony Fork Branch of the L & N R.R. with the corporation line of the City of Middlesboro, thence in a Westerly direction and with said North right of way line 180 ft. to the intersection of same with the South right of way line of the Middlesboro-Pineville Highway. Said point being 30 ft. South of the Center line of said Highway, thence Eastwardly with the South right of way line of said Highway 185 feet to the corporation line of the City of Middlesboro; thence Southwardly with same to point of beginning.

EXCLUSION NO. W. 2 from Tract No. 6

An acre of land located on West Log Mountain, together with a right of way for a power line leading to same conveyed to the Western Union Telegraph Company by deed dated November 10th 1948, Recorded in Deed Book 144 at Page 443, described as follows:

A tract of land containing one (1) acre, situated on West Log Mountain, lying on the north side of State Highway No. 74, eleven (11) miles northwest of Middlesboro, Kentucky; Beginning at a concrete Monument located 841.57 feet N-19 degrees W of U. S. G. S. Monument No.- N-25 located on South side of Highway No. extending 208.71 feet N 63 degrees 59 minutes W. to a concrete Monument, 208.71 feet N 26 degrees.01 minute E, to a concrete Monument; thence 208.71 degrees 59 minutes E, to a concrete Monument;; thence 208.71 feet S 26 minute W, to the beginning. Same being a part of the W. H. Head Patent which contains 44 acres, and a part of Patent No. 43, 340 issued to W. H. Heaton, which contains 200 acres.

780

765

Also, in further consideration of the sum above mentioned, first party hereby bargain, sell, grant and convey unto the second party a perpetual right over and across the adjoining property owned by first party, forty (40) feet in from the boundary of the property above described, and running in a Southeasterly section to State Highway No. 74, to be used by second party, its successors and designees, lessees, or agents as a means of egress and ingress to the property described; also a perpetual right of way over and across the property owned by the first party, one hundred (100) feet in width, generally parallel with the existing highway, extending from the boundary of lot above described, and in a Southeasterly direction approximately 8800 feet to the Kentucky Utilities Transformer Station, to be used by second party, its successors and assigns, designees, lessees or agents to construct, re-construct, operate, repair, re-locate, and maintain poles, wires, cables, crossarms, conduits, pipe lines, guys, guy stubs, anchors and other fixtures and appurtenances such as second party, its successor and assignees, designees, lessees or agents may from time desire or require, upon, over, or under said perpetual right of way, including also the same rights for sewers, electric lights, power, telephone, telegraph and gas, and for such other uses as may be desired or required.

EXCLUSION NO. W. 3 from Tract No. 6.

A tract of land located on Piney Spur, a ridge between heads of Laurel Fork and Big Clear Creek conveyed to William R.Partin by deed dated the IIth day of July, I936, Recorded in Deed Book No. II3 at Page No. 6I6 described as follows:

Beginning at a black oak at the east edge of the County Road, the northwest corner of a tract of land containing I0.86 acres conveyed by the Thomas Cairns Heirs to Elum Partin by deed dated March 2, I9I6; thence with the line of said tract and the County Road, S 50 I8 W. 7.90 poles; thence S I9 33 W 8 poles; thence S 29 I5 W I0 poles; thence S 6 33 W 6 poles; thence leaving the county road, S 46 09 W I2 poles to a white oak stump, the 6th corner of Wm. Reynolds 50 acre patent No. II990; thence with an agreed line made between the Louisville Property Company and Elum Partin, N 73 06 W 34 poles to a stake; thence S 46 39 W 26.50 poles to a stake; thence S 7 29 E 38.22 poles to a white oak and fallen locust on the crest of a ridge, an old agreed corner made between John A. Partin and Wm. H. Partin; thence with an agreed line made between said parties, N 39 24 W 54 poles to two black gums on a ridge east near the Allen Hurst old field, a corner of the tract of land conveyed by the Thomas Cairns Heirs to James H. Hamblin by deed dated April 2, I9I7; thence with the lines of said tract, N 40 30 W 4I.58 poles to two chestnuts growing from one root and one pole west of the crest of a ridge; thence N 47 30 W 33.40 poles to a chestnut on top of a ridge with a black oak marked for pointer; thence N 84 30 W I0.80 poles to two chestnuts on the 6th line of the Allen Hurst 50 acre patent No. I3389 (One chestnut marked " fore and aft. and the other marked for a side line tree on said line); thence with said line reversed, N 39 55 E II5 poles (passing the 6th corner of said patent No. I3389 at 72 poles) to a point at 43 poles in the 5th line of the Neary King's I00 acre patent No. I8072; thence with the lines of said patent, S 84 3I E 42 poles to a maple, hollow at the ground, the 6th corner of said patent; thence S 24 [illegible] 23.36 poles to a small, very crooked chestnut oak, the 7th corner of said patent

[illegible] poles to a stake set for the 8th corner of said patent; [illegible] 30 W 23.96 poles to a chestnut, the 9th corner of said patent; thence [illegible] poles to the 4th line of the I. A. Partin 50 acre patent No. 19166; thence with said line, N 32 30 E 25 poles to a scurwood and double maple, a corner for Toby Shelt Partin land; thence with an agreed line made between Toby Shelt Partin and Wm. S. Partin, S 36 39 E 14.08 poles to two small chestnuts on top of a knob on the crest of Piney Spur; thence with the crest of said spur, S 73 24 E 17 poles; thence S 82 24 E 9 poles; thence N 65 36 E 14 poles to a white oak and chestnut; thence leaving said agreed line but continuing with the crest of said Piney Spur, the same being the 4th line of the Andrew Partin 50 acre patent No. 25165, N 12 09 E 20 poles; thence N 80 09 E 8 poles; thence N 38 39 E 7.44 poles to a stake set on the crest of said spur for the 4th corner of said patent No. 25165; thence with the 3rd line of said patent reversed, S 27 36 W 84.84 poles to the 5th and elbow corner of the I. A. Partin 50 acre patent No. 2392; thence with said line, S 34 1/2 E 109.88 poles to a poplar near the gap in Piney Spur through which the county road passes from Chenoa to the head of Laurel Fork, the first corner of said patent No. 2392; thence S 19 E 4.60 poles to the center of the county road through said gap; thence southwestwardly with the county road, as now used, about 60 poles to the northeast line of a tract of land formerly owned by James M. Partin containing 15.20 acres, and now owned by Chester Partin; thence with the line of said tract W 23 30 W 8 poles (passing 9 1/2 links to the right of a spring at 2.80 poles) to a small beech on the south bank of the old county road; thence S 63 30 W 6.28 poles to a point in the old county road; thence S 49 W 8 poles to a point in said old county road; thence S 61 W 22 poles to a point in the present county road; thence with same, S 51 W 16 poles; S 71 W 13 poles; thence N 69 W 15 poles to a white oak on the south bank of the county road, the southwest corner of said tract of land now owned by Chester Partin; thence leaving said tract but continuing with the county road, S 63 W 10.12 poles; thence S 10 W 11 poles; thence S 38 30 W 20 poles; thence S 44 W 12 poles; thence S 39 W 16 poles to the beginning, containing 160 acres more or less.

EXCLUSION NO. W. 4. From Tract No. 6

All of the oil and gas rights on such parts of this tract as were conveyed to Sylvester Unker by deed from H. C. Williams, as Successor Assignee of the Louisville Property Company dated 26th day of March 1942, Recorded in Deed Book 124 at Page 283 and as listed in said deed.

EXCLUSION NO. 5 W from Tract No. 6.

A lot or parcel of land located along the Fonde-Pruden Highway West of the corporation boundary of the City of Middlesboro, Kentucky conveyed to Hubert Thomas and wife by H. C. Williams, Assignee of the Louisville Property Company by deed dated March 13th 1944, Recorded in Deed Book No. 129 at Page 56, Bell County Court Records, described as follows:

Beginning at apoint in the Northern right of way line of the Middlesboro-Pruden Highway, at a point 30 feet in a Westerly direction from the Middlesboro corporation line, where the same crosses the said highway right of way boundary;

782

767

the said point being also where the eastern boundary of property now owned by parties of the second part joins said highway boundary; thence North 13 deg. along the boundary of property now owned by the second parties, 165 ft. to a [illegible] thence North 77 deg. East to a point in a line 30 feet from and parallel with said corporation line; thence in a Southeasterly direction, parallel with and 30 feet from said corporation line to the point of beginning. It being the intention of the parties hereto that there shall remain a strip of land 30 ft. in width lying between the Corporation line and the property herein conveyed. Said tract containing 1/2 of an acre more or less.

EXCLUSION NO. W. 6 from Tract No. 6.

A tract or parcel of land located on Laurel Fork of Clear Fork conveyed to Amanda Hamlin, Roscoe Hamlin and his wife Fanny Hamlin by deed dated 20th day of February 1943, Recorded in Deed Book No. 137 at Page 192, described as follows:

Beginning at a black oak the southwest corner of a 20 acre tract of land conveyed by O. B. Overton to Al E. Partin; thence N 50 E 34.60 poles to the second line of the Shelton Partin 50 acre Patent No. 9704; thence with said Patent S 22 E 21.50 poles to a stake set on the West side of the County road for the second corner of said Patent; thence N 54 45 E 14.52 poles to a locust stump and maple stump the first corner of said Patent; thence leaving said Patent S 13 42 E 13 poles to a stake on the North bank of Laurel Fork to the identified location of a hickory the 7th corner of the Shelton Partin 50 acre Patent No. 13056; thence with the 7th line of said Patent S 54 51 W about 35 poles to stake; thence N 42 45 W about 30 poles to the beginning, containing 6.5 acres more or less.

EXCLUSION NO. W. 7 from Tract No. 6.

This covers an excess of 14.01 acres in an exchange with F. M. Evans and his wife Ostie Evans by deed dated the 15th day of January 1947 in connection with establishing an agreed boundary between their property and that of H. C. Williams Assignee of the Louisville Property Company, which deed is recorded in Deed Book [illegible] at Page 47. To which deed reference is made for description of new boundary.

The above described Tract No. 6 is subject also to all the terms, conditions, restrictions, limitations and demises set forth in the following leases, contracts and agreements.

This lease made by the United States Trust Company, Assignee of the Louisville Property Company, to the Cairnes Coal Mining Company, dated July 1, [illegible] and recorded in Lease Book No. 10, Page 17 etc., in the office of the Bell County Court Clerk, which lease was later acquired by M. K. Eblen, now doing business as the Margo Coal Company.

This lease made by H. C. Williams, Assignee of the Louisville Property Company to the Garmeada Coal Company, dated the 20th day of May 1939 [illegible] Higuite and Stray Seams of coal.

Lease between same parties dated 20th day of June 1942 [illegible] and Red Springs seams of coal.

Being a portion of the same property conveyed by H. C. Williams, as Assignee of the Louisville Property Company to Ray B. Moss, as Assignee of the Louisville Property Company by deed dated May 20, 1952 and recorded in Deed Book 154, page 111, in the office of the Clerk of Court of Bell County, Kentucky.

783

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Bell County, Kentucky on Big Yellow Creek, in the vicinity of the fords of the Colmar Road and Dixie Highway, and described as follows:

BEGINNING at a concrete monument standing on the south side of the Dixie Highway as said highway is located on the date of these presents; thence south 13 east 51 poles crossing Big Yellow Creek to a white oak; thence south 20 degrees and 24 minutes east 52 28/100 poles to a white oak and chestnut; thence south 10 degrees and 22 minutes west 28 7/100 poles to a chestnut oak and chestnut; thence south 31 1/2 degrees east 27 53/100 poles to a black pine stump on the top of Dark Ridge; thence north 47 degrees east 146 2/100 poles crossing Big Yellow Creek to a stake; thence north 9 degrees and 54 minutes west 79 4/100 poles to a sourwood; thence south 84 degrees and 18 minutes west 136 poles to a chestnut, now down; thence south 13 degrees east 15 poles to the beginning.

Being the same property conveyed by J.M. Huber Corporation to Ronnie Joe Sams by Corrective Deed dated October 27, 1992 and recorded in Deed Book 270, Page 582 in the Office of the Clerk of Bell County, Kentucky.

784

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Bell County, Kentucky

BEGINNING on a stake on top of ridge with 18" water oak as pointer in bearing N60-30E 5.0 feet. Thence up ridge with said line N77-00E 130.0 feet to a stake on top of Willard Knob a corner between J. M. Huber Corporation and American Association with a 12" hickory as pointer in bearing S88-45 W3.0 feet, thence continuing with ridge N42-10E 200.00 feet to a stake on ridge with 14" black oak as pointer in bearing N2-45E 21.0 feet and a 10" maple pointer in bearing N37-30W 16.0 feet. Thence leaving ridge N32-00W 238.- feet to a stake on top highwall. Thence around hillside above highwall S58-00W 315.0 feet to a stake above highwall; Thence S32-00E 250.0 feet to the BEGINNING corner, containing 1.93 acres.

Being the same property conveyed by J.M. Huber Corporation to Middlesboro Cable T.V. System, Inc. by Deed dated March 27, 1968 and recorded in Deed Book 195, Page 239 in the Office of the Clerk of Bell County, Kentucky.

785

770

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Bell County, Kentucky

BEGINNING on a concrete monument, a corner of the J. M. Huber Corporation property and the land of the Kentucky Water Service Company, thence S 59° 34' 45" W 555.80 feet to a concrete monument; thence S 62° 10' 01" W 1239.76 feet to a 3/4" re-bar (set); thence N 88° 13' 38" W 771.15 feet to a 3/4" re-bar (set); thence N 00° 26' 43" E 343.75 feet to a 3/4" re-bar (set); thence S 85° 52' 36" E 227.78 feet to a point; thence N 40° 04' 11" E 179.61 feet to a point; thence N 03° 06' 07" E 341.83 feet to a point; thence N 19° 09' 55" E 91.00 feet to a point; thence N 19° 58' 10" W 415.53 feet to a point; thence N 03° 56' 03" W 159.00 feet to a point; thence N 15° 10' 20" E 160.96 feet to a 3/4" re-bar (set); thence N 44° 54' 06" E 103.74 feet to a point; thence N 35° 19' 33" E 142.22 feet to a point; thence N 42° 02' 44" E 135.98 feet to a point; thence N 36° 50' 13" E 92.55 feet to a point; thence N 40° 21' 16" E 58.02 feet to a point; thence N 39° 04' 30" E 223.85 feet to a point; thence N 40° 31' 44" E 69.13 feet to a point; thence N 42° 59' 32" E 128.67 feet to a point; thence N 33° 50' 04" E 156.27 feet to a concrete monument; thence S 27° 34' 20" E 179.55 feet to a concrete monument; thence S 48° 36' 30" E 217.80 feet to a concrete monument; thence N 82° 57' 21" E 340.55 feet to a concrete monument; thence S 00° 50' 41" W 578.03 feet to a concrete monument; thence S 83° 53' 32" E 330.67 feet to a concrete monument; thence S 38° 22' 21" E 391.73 feet to a concrete monument; thence S 26° 15' 07" E 487.42 feet to a concrete monument to the point of BEGINNING, containing 74.16 acres more or less.

Being the same property conveyed by J.M. Huber Corporation to Hickory and Eleanor Grace by Deed dated January 28, 1999 and recorded in Deed Book 296, Page 308 in the Office of the Clerk of Bell County, Kentucky.

786

771

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Bell County, Kentucky

BEGINNING at a 20 inch maple marked as a corner, thence S 9° 14" E, 1790.95 feet to the lone rock (15' x 30' x 15') and hickory (gone) at Rock Town at the top of Log Mountain; thence S 67° 28' W 1409.34 feet with the old yellow painted line to a stake (gone) and locust stake (set) witnessed by yellow painted trees; thence 28° 45' W, 1412.26 feet with the old yellow painted line to a stake (gone) marked by a 22" poplar; thence S 75° 39' E, 195.79 feet to a chestnut and poplar corner (gone) marked by a 12 inch maple; thence with the old yellow painted line N 53° 10' E, 1861.61 feet to the point of beginning.

Being the same property conveyed by J.M. Huber Corporation to W.E. Partin by Settlement and Release Agreement dated June 5, 1989 as Civil Action No. 82-26 in the United States District Court, London, Kentucky.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Bell County, Kentucky

Part of the J.M. Huber Corporation's tract 3-11-4, recorded in deed book 228, page 690 and deed book 302, page 126, and located on the waters of Four Mile Run, off of the Belt Line Road, Bell County, Kentucky

Beginning at a 4" x4" square-shaped concrete monument (found) on the crest of Trace Ridge at an intersection of fences with this monument being further described as being in the east line of a tract owned by Ambleside, L.T.D. and as being the northwest corner of a tract now or formerly owned by Dallas Shackleford and lastly as being on the ridge between Lick Fork Creek and Four Mile Run.

THENCE North 02 degrees 02 minutes 35 seconds East for a distance of 928.71 feet leaving the fences and the Shackleford tract and now with the east line of the previously-mentioned Ambleside tract, the crest of Trace Ridge, and old red and yellow paint, to a concrete monument (found) that is a square-shaped 6" x 6" monument with a metal pin line its center, and said monument is further described as being the southerly-most corner of a 4.234 acre tract owned by Dan L. Johnson and Diane K. Johnson.

THENCE North 01 degrees 37 minutes 55 seconds East for a distance of 22.97 feet leaving the Ambleside, L.T.D. tract and the red and yellow paint and now through the lands of the J.M. Huber Corporation, with the east line of the previously-mentioned tract that is owned by Dan L. Johnson and Diane K. Johnson, to an iron pin (set)

THENCE North 01 degrees 38 minutes 04 seconds East for a distance of 400.00 feet continuing with said east line to an iron pin (set)

THENCE North 01 degrees 38 minutes 04 seconds East for a distance of 400.00 feet continuing with said east line to a 12"Poplar

THENCE North 03 degrees 12 minutes 23 seconds East for a distance of 203.12 feet continuing with said east line to an iron pin (set)

THENCE North 01 degrees 13 minutes 20 seconds East for a distance of 169.48 feet continuing with said east line to an iron pin (set)

THENCE North 74 degrees 07 minutes 50 seconds East for a distance of 400.00 feet leaving the east line of the tract owned by Dan L. Johnson and Diane K. Johnson, and now through the lands of the J.M. Huber Corporation to an iron pin (set)

THENCE North 74 degrees 07 minutes 50 seconds East for a distance of 400.00 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 74 degrees 07 minutes 50 seconds East for a distance of 400.00 feet continuing through the lands of Huber to an iron pin (set)

THENCE North 74 degrees 07 minutes 53 seconds East for a distance of 193.11 feet continuing through the lands of Huber to an iron pin (set) on the west on line of the 15 foot wide Four Mile Run Road

THENCE South 00 degrees 00 minutes 12 seconds West for distance of 34.04 feet with the west line of Four Mile Run Road to an iron pin (set)

THENCE South 18 degrees 21 minutes 37 seconds West for a distance of 74.33 feet with the west line of the road to an iron pin (set)

THENCE South 13 degrees 04 minutes 13 seconds West for a distance of 65.88 feet with the west line of the road to an iron pin (set)

THENCE South 17 degrees 27 minutes 06 seconds East for a distance of 71.12 feet with the west line of the road to an iron pin (set)

THENCE South 20 degrees 56 minutes 40 seconds East for a distance of 92.45 feet with the west line of the road to an iron pin (set)

THENCE South 17 degrees 07 minutes 08 seconds East for a distance of 44.55 feet with the west line of the road to an iron pin (set)

THENCE South 32 degrees 20 minutes 06 seconds East for a distance of 114.26 feet with the west line of the road to an iron pin (set)

789

THENCE South 31 degrees 30 minutes 11 seconds East for a distance of 84.98 feet with the west line of the road to an iron pin (set)

THENCE South 35 degrees 28 minutes 38 seconds East for a distance of 89.24 feet with the west line of the road to an iron Pin (set)

THENCE South 27 degrees 23 minutes 34 seconds East for a distance of 100.41 feet with the west line of the road to an iron pin (set)

THENCE South 31 degrees 52 minutes 51 seconds East for a distance of 78.51 feet with the west line of the road to an iron pin (set)

THENCE South 43 degrees 18 minutes 57 seconds East for a distance of 38.42 feet with the west line of the road to an iron pin (set)

THENCE South 45 degrees 06 minutes 09 seconds East for a distance of 38.10 feet with the west line of the road to an iron pin (set)

THENCE North 73 degrees 24 minutes 28 seconds East for a distance of 14.61 feet crossing the Four Mile Run Road to a point on the east line of said road

THENCE North 73 degrees 24 minutes 28 seconds East for a distance of 376.94 feet up the hill, continuing through the lands of Huber, to an iron pin (set)

THENCE North 73 degrees 24 minutes 28 seconds East for a distance of 62.66 feet continuing through the lands of Huber to an iron pin (set) in an old yellow-painted line on the crest of a spur

THENCE South 68 degrees 39 minutes 03 seconds East for a distance of 383.65 feet leaving the spur and continuing through the lands of Huber with the old yellow paint to an iron pin (set) 15 feet west of the center of a small drain

THENCE South 22 degrees 37 minutes 35 seconds East for a distance of 400.00 feet leaving the old yellow paint but continuing through the lands of Huber to an iron pin (set)

790

775

THENCE South 22 degrees 37 minutes 35 seconds East for a distance of 400.00 feet continuing through the lands of Huber to an iron pin (set)

THENCE South 22 degrees 37 minutes 35 seconds East for a distance of 400.00 feet continuing through the lands of Huber to an iron pin (set)

THENCE South 22 degrees 37 minutes 35 seconds East for a distance of 267.46 feet continuing through the lands of Huber to a wooden fence post (found) in an old fence line

THENCE South 52 degrees 10 minutes 14 seconds West for a distance of 352.16 feet with the old fence to a wooden fence post (found) at a corner of the old fence

THENCE North 22 degrees 06 minutes 17 seconds West for a distance of 545.63 feet continuing with the old fence to a 4" x 4" square-shaped concrete monument (found) with a metal pin in its center against the south edge of a wooden fence post where the old fence corners, with this monument being further described as being partially broken

THENCE South 69 degrees 32 minutes 39 seconds West for a distance of 500.38 feet with the north line of a tract now or formerly owned by Dallas Shackleford to a 4" diameter circular-shaped concrete monument (found) disturbed against the south edge of a wooden fence post, with this monument being further described as being the southeast corner of a tract owned by the Kentucky Utilities Company, with said Kentucky Utilities tract being recorded in deed book 226, page 210

THENCE North 17 degrees 47 minutes 21 seconds West for a distance of 200.00 feet leaving the Shackleford tract and the old fence and now with the east line of the Kentucky Utilities tract to a 4" diameter circular-shaped concrete monument (found) at the northeast corner of the Kentucky Utilities tract, with this monument being further described as being on its side when it was found

THENCE South 69 degrees 32 minutes 39 seconds West for a distance of 200.00 feet with the north line of the Kentucky utilities tract to an iron pin (set) at the northwest corner of the Kentucky Utilities tract with said pin being further described as being 17 feet from the east edge of Four Mile Run Road

THENCE South 17 degrees 47 minutes 21 seconds East for a distance of 200.00 feet with the west line of the Kentucky Utilities tract to an iron pin (set) in the previously-mentioned old fence line in the north line of the tract now owned by Dallas Shackleford

791

THENCE South 69 degrees 31 minutes 59 seconds West for a distance of 7.26 feet leaving the Kentucky Utilities tract and with the north line of Shackleford and running near the old fence line to an iron pin (set) on the east line of Four Mile Run Road

THENCE South 69 degrees 32 minutes 39 seconds West for a distance of 15.00 feet continuing with the north line of Shackleford to an iron pin (set) on the west line of Four Mile Run Road

THENCE South 69 degrees 32 minutes 39 seconds West for a distance of 801.92 feet leaving the road and continuing with the north line of the Shackleford tract near the old fence, crossing Four Mile Run Creek, to a 4" x 4" square-shaped concrete monument (found) 1 foot south of the old fence

THENCE South 86 degrees 12 minutes 56 seconds West for a distance of 1186.93 feet continuing with the north line of Shackleford and continuing near the old fence to the point of beginning

Said property contains 115.69 acres as determined by survey of Mark A. Comparoni, KY L.L.S. No. 2989 on 7/18/2000 - 8/15/2000.

Being the same property conveyed by J.M. Huber Corporation to Givens Coal Company by Quitclaim Deed dated October 1, 2000 and recorded in Deed Book 303, Page 67 in the Office of the Clerk of Bell County, Kentucky.

FURTHER LESS AND EXCEPT:

All that Tract or parcel of land lying and being in Bell County, Kentucky

located on the northerly side of Cannon Creek Road, near Cannon Creek Lake, near the Community of Meldrum, Bell County, Kentucky

Beginning at a 4 inch x 4 inch concrete monument (found) in a yellow and red painted line of the J.M. Huber Corporation, with this monument being further described as having a copper rod in its center, as being set by the American Association, and as having American Association station number 01A48

THENCE North 08 degrees 36 minutes 42 seconds West for a distance of 287.89 feet leaving the Huber Corporation line and down the hill through the lands of the Huber Corporation to an 18 inch Maple with three new hacks in it

THENCE North 20 degrees 17 minutes 21 seconds East for a distance of 52.46 feet continuing down the hill through the lands of the Huber Corporation to a 6 inch Beech in a yellow and red painted line of the Huber Corporation, with this Beech being further described as having old yellow paint on in it and three new hacks in it

THENCE South 75 degrees 05 minutes 55 seconds East for a distance of 57.99 feet around the hill following red and yellow paint of the J.M. Huber Corporation to a number 20 nail (set)

THENCE North 84 degrees 44 minutes 25 seconds East for a distance of 92.14 feet continuing with the paint to a number 20 nail (set)

THENCE North 70 degrees 57 minutes 40 seconds East for a distance of 89.07 feet to a number 20 nail (set)

THENCE North 76 degrees 44 minutes 59 seconds East for a distance of 203.44 feet to a number 20 nail (set)

793

THENCE North 88 degrees 46 minutes 45 seconds East for a distance of 15.41 feet to a number 20 nail (set)

THENCE North 85 degrees 19 minutes 22 seconds East for a distance 64.61 feet to a point in the painted line in the center of a small drain.

THENCE North 57 degrees 20 minutes 20 seconds East for a distance of 85.85 feet continuing with the red and yellow paint of the Huber Corporation to a number 20 nail (set)

THENCE North 68 degrees 39 minutes 10 seconds East for a distance of 92.61 feet to a point in the painted line in the center of a dirt-covered road that leads down to Cannon Creek Lake

THENCE North 72 degrees 47 minutes 40 seconds East for a distance of 75.17 feet continuing with the red and yellow painted line to a number 20 nail (set)

THENCE South 76 degrees 33 minutes 22 seconds East for a distance of 44.77 feet to a number 20 nail (set)

THENCE North 75 degrees 58 minutes 00 seconds East for a distance of 37.65 feet crossing a small drain to a number 20 nail (set)

THENCE North 65 degrees 53 minutes 45 seconds East for a distance of 90.78 feet crossing another small drain to a number 20 nail (set)

THENCE North 15 degrees 39 minutes 25 seconds West for a distance of 65.18 feet continuing around the hill with the red and yellow paint of the Huber Corporation to a number 20 nail (set)

THENCE North 16 degrees 06 minutes 50 seconds West for a distance of 145.90 feet to a number 20 nail (set)

THENCE North 10 degrees 03 minutes 40 seconds West for a distance of 50.91 feet to a number 20 nail (set)

THENCE North 06 degrees 42 minutes 30 seconds East for a distance of 92.86 feet to a number 20 nail (set)

THENCE North 18 degrees 20 minutes 50 seconds East for a distance of 87.90 feet to a ¾ inch diameter iron pin (found)

794

729

THENCE South 55 degrees 30 minutes 38 seconds East for a distance of 327.20 feet continuing with the paint and now up the hill with a line of George Tuttle to a 4 inch x 4 inch square-shaped concrete monument (found), with this monument being further described as having a copper rod in its center, as being set by the American Association, and as having American Association station number 01B46

THENCE South 18 degrees 34 minutes 45 seconds East for a distance of 328.26 feet continuing up the hill with the paint and the Tuttle line to a point where a concrete monument, set by the American Association, was once located but is now gone, this monument was American Association station number 01D46

THENCE South 57 degrees 04 minutes 02 seconds West for a distance of 266.36 feet continuing with the Huber paint and a line of Tuttle and now around the hill to a triangular-shaped mark in a rock (found) on a large flat rock in a drain, with this mark being further described as having been set by the American Association, and as having American Association station number 01G46

THENCE South 71 degrees 31 minutes 39 seconds West for a distance of 1054.79 feet leaving the drain and continuing around the hill with the paint and the Tuttle line to the point of beginning.

Said property contains 9.47 acres

Being the same property conveyed by J.M. Huber Corporation to George Tuttle by Quitclaim Deed.

795

Exhibit "A" continued

Less and Excepting the Following:

BELL COUNTY, KENTUCKY
and
CLAIBORNE COUNTY, TENNESSEE

Located on Bennetts Branch
at Motch
on TN Rt. 132 and KY Rt. 186

This Excluded Area consists of two adjoining tracts of land, one tract is located south of the Kentucky and Tennessee state line in **Claiborne County, Tennessee** on Bennetts Branch, the other tract is located north of the Kentucky and Tennessee state line in **Bell County, Kentucky** on Bennetts Branch.

Tract I is located in **Claiborne County, Tennessee** between the south right of way of TN Rt. 132 and Bennetts Branch, and is described as follows:

Beginning at LAT: 36°34"56.6769" LON: 83°47'14.1594"on a 1/2" rebar located at the base of a large rock in the south right of way of TN Rt. 132; Thence in a northeast direction with the south right of way of TN Rt. 132 approximately 1010 feet to a point in the state line between Kentucky and Tennessee; Thence with the state line east approximately 260 feet to Bennetts Branch, point being near the state line Monument number 63; Thence in a south, southeast, southwest, and west direction with the meanders of Bennetts Branch approximately 1819 feet to a 1/2" rebar at the base of a triple sycamore on the north bank of Bennetts Branch; Thence in a north direction approximately 190 feet to the point of beginning;

Containing approximately 11.47 ac +/-.

796

This Excluded Area includes, and is together with, a 30 foot wide easement along the existing road from TN Rt. 132 to the bridge across Bennetts Branch, which is to be used as access for all purposes to the property located on the south side of Bennetts Branch at Motch, Tennessee.

Tract 2 of this Excluded Area is located in Bell County. Kentucky between the right-of-way of KY Rt. 186 and Bennetts Branch, and joins Tract 1 along the Kentucky and Tennessee state line, and is described as follows:

Beginning at LAT: 36°55'00.1401" LON: 96°31'33.1099" at a point common to Tract 1 in the state line and south right of way of KY Rt. 186;

Thence with the right-of-way of KY Rt. 186 northeast approximately 1806 feet to a 1/2" rebar in the right-of-way of KY Rt. 186 at a 4' x3' culvert crossing KY Rt. 186; Thence in a southeast direction approximately 83 feet to a 1/2" rebar located at the northeast corner of the north pier of the CSX Railroad bridge; Thence with the meanders of Bennetts Branch in a southwest direction approximately 1754 feet to a point at the branch near the state line Monument number 63; Thence with the state line between Kentucky and Tennessee in a westerly direction approximately 260 feet to the point of beginning.


Containing approximately 6.7 ac +/-.

The foregoing Excluded Areas are generally depicted on the boundary surveys attached, labeled as follows:

"Excluded Area #3
White Oak Load Out
Bell and Claiborne
White Oak Tract #1"

"Excluded Area #3
White Oak Load Out
Bell and Claiborne
White Oak Tract #2"

797



BLC PROPERTIES LLC		
DRAWN BH	DATE 6/19/03	EXHIBIT "B-2" EXCLUDED AREA #3
APPROVED	DATE	WHITE OAK LOAD OUT BELL AND CLAIBORNE
SCALE 1" = 300'	SHEET 1	PROJECT NO. WHITE OAK TRACT #1

798



L1 NORTHEAST 1806.0000'
L2 SOUTHEAST 83.0000'
L3 SOUTHWEST 1754.0000'
L4 WEST 260.0000'
Bennetts Fork
Yellow Creek
1/2" REBAR
1/2" REBAR
(186)
TRACT #2
6.7 ACRES +/-
Mon 63
Beginning Corner
POINT IN STATE LINE
Motch
BLC PROPERTIES LLC
DRAWN DH
DATE 6/19/03
EXHIBIT "B-2"
EXCLUDED AREA #3
APPROVED
DATE
WHITE OAK LOAD OUT
BELL AND CLAIBORNE
SCALE 1" = 300'
SHEET 1
PROJECT NO.
WHITE OAK TRACT #2

Exhibit "A" continued

Less and Except the Following:

This Excluded Area is a tract of land located on Bennett's Fork, waters of Yellow Creek on the West side of Middlesboro in **Bell County, Kentucky,** and is described as follows:

BEGINNING on a nail in the South right-of-way of Highway 186 and in the Middlesboro City Corporation line at LAT: 36°36'04.6454" LON: 83°45'11.0048";

Thence leaving said right-of-way and running southwardly with the Middlesboro City Corporation Line to a nail in the centerline of the Southern Railroad;

Thence S 1 deg. 10' 56" W 19.77 feet to a point in old fence;

Thence with fence S 75 deg. 02' 49" W 28.72 feet to a corner fence post;

Thence with fence S 28 deg. 46' 22" E 55.25 feet to a fence post;

Thence leaving said fence S 1 deg. 10' 56" W 1282.50 feet to an iron pin on the South edge of reclaim area;

Thence S 85 deg. 06' 38" W 455.59 feet to a nail in reclaim area;
Thence S 49 deg. 48' 35" W 691.73 feet to an iron pin in reclaim area;
Thence S 70 deg. 08' 02" W 419.03 feet to a nail with a 10" poplar marked for pointer;
Thence N 56 deg. 15' 10" W 474.23 feet to a cross on rock in rocky ditch line;
Thence S 70 deg. 07' 09" W 2069.21 feet to an iron pin at forks of two old roads;
Thence with old coal haul road S 76 deg. 22' 54" W 202.13 feet to a point in said road;
Thence with same S 67 deg. 47' 51" W 116.29 feet to a point in said road;
Thence with same S 59 deg. 42' 54" W 69.66 feet to a point in said road;
Thence with same S 45 deg. 38' 42" W 114.96 feet to a point in said road;
Thence with same S 23 deg. 25' 03" W 230.02 feet to an iron pin on the south side of road to Premier;
Thence N 77 deg. 24' 02" W 49.90 feet to a nail in North edge of said road;
Thence N 26 deg. 48' 54" E 294.47 feet to a point in the South right-of-way of the Southern Railroad;
Thence with the South right-of-way of the Southern Railroad Northeast 493.98 feet to a point in said right of way;
Thence leaving said railroad right-of-way N 2 deg. 00' 00" E 213.59 feet to a nail in the South right-of-way of Highway 186 and also on the North bank of Bennett's Fork ;
Thence Eastward with the South right-of-way of Highway 186 to the **BEGINNING.**


Containing 114.00 Acres more or less.

This Excluded Area is less and except previous conveyances from the above description of a 30 foot wide right-of-way for the Southern Railroad and also a total of one and fifteen hundredths (1.15) acres for five (5) house lots.

The foregoing Excluded Area is generally depicted on the boundary survey attached hereto, labeled:

"Excluded Area #4
Premier Site
Bell County, KY"

LO	SOUTH WITH LINE	
L1	S 01°10'56" W	19.7700'
L2	S 75°02'49" W	28.7200'
L3	S 28°48'22" E	55.2500'
L4	S 01°10'56" W	1282.5000'
L5	S 85°06'38" W	455.5900'
L6	S 49°48'35" W	691.7300'
L7	S 70°08'02" W	419.0300'
L8	N 55°15'10" W	474.2300'
L9	S 70°07'09" W	2069.2100'
L10	S 76°22'54" W	202.1300'
L11	S 67°47'51" W	116.2900'
L12	S 59°42'54" W	69.6600'
L13	S 45°38'42" W	114.9800'
L14	S 23°25'03" W	230.0200'
L15	N 77°24'02" W	49.9000'
L16	N 26°48'54" E	294.4700'
L17	RR ROW	493.98'
L18	N 02°00'00" E	213.5900'
L19	HIGHWAY ROW	



BLC PROPERTIES LLC		
DRAWN DH	DATE 6/19/08	EXHIBIT "B-2" EXCLUDED AREA #4
APPROVED	DATE	PREMIER SITE BELL COUNTY, KY
SCALE 1" = 500'	SHEET 1	PROJECT NO. 2

Exhibit "A" continued

Less and Except the Following:

The Excluded Area is a tract of land located on **Hignite Creek and Stony Fork near Edgewood Camp in Bell County, Kentucky,** and is described as follows:

Beginning in the center of the L& N Railroad up Stony Fork.;

Thence with an old marked and painted line (yellow) North 46 degrees 32 minutes 31 seconds West 1063.75 feet to an iron pin corner (found with L.S. 3026 on cap);

Thence with an old marked and painted line (yellow) North 30 degrees 23 minutes 53 seconds West 270.00 feet to a set stone in the floor of the old Blue Gem Coal Seam(found, set by James Evans and Johnny Gent in 1970) a corner between BLC Properties and formerly Gibson Heirs;

Thence with old marked and painted line (yellow) North 52 degrees 38 minutes 12 seconds East 1467.53 feet to a steel rail (found) a corner between BLC Properties and formerly Gibson Heirs;

Thence North 40 degrees 41minutes 23 seconds East 318.03 feet to a set stone(found) a corner between BLC Properties and George Givens.

Thence with old marked and painted line (yellow) South 80 degrees 57 minutes 21 seconds West 1681.64 feet to a nail in coal haul road. A corner between BLC Properties and George Givens.

Thence with old marked and painted line (yellow) North 18 degrees 02 minutes 05 East 1251.41 feet to a point in old reclaim area near coal haul road, and corner between BLC Properties and George Givens.

Thence with an old marked and painted line (yellow) South 66 degrees 43 minutes 55 seconds West 1897.44 feet to a point in triangle cut into a large rock in center of Hignite Creek;

Thence with Hignite Creek North 9 degrees 04 minutes 35 seconds West 177.31 feet to a point in triangle cut into a large rock in center of Hignite Creek;

Thence with same North 58 degrees 30 minutes 30 seconds West 322.27 feet to a point in triangle cut into a large rock in Hignite Creek;

Thence with same North 7 degrees 37 minutes 09 seconds East 137.34 feet to a point in a triangle cut into a large rock in Hignite Creek.

Thence with same North 4 degrees 34 minutes 46 seconds East 335.48 feet to a point in triangle cut into a large rock in Hignite Creek;

Thence with same North 38 degrees 4 minutes 55 seconds West 76.21 feet to a point in triangle cut into a large rock in Hignite Creek;

Thence with same North 57 degrees 16 minutes 05 seconds West 136.55 feet to a cross on large rock in Hignite Creek;

Thence with same North 34 degrees 55 minutes 25 seconds West 225.44 feet to a cross on large rock in Hignite Creek;

Thence with same North 13 degrees 35 minutes 42 seconds West 509.95 feet to a cross on large rock in Hignite Creek;

Thence leaving Hignite Creek and running with old marked and painted line (yellow) North 62 degrees 50 minutes 30 seconds East 153.43 feet to a stake in hollow.

Thence with old marked and painted line (yellow) South 87 degrees 16 minutes 34 seconds East 221.10 feet to a stake in Hollow;

Thence with old marked and painted line (yellow) South 85 degrees 04 minutes 06 seconds East 95.93 to a stake in Hollow;

Thence with old marked and painted line North 67 degrees 46 minutes 18 seconds East 160.93 feet to a set stone in hollow with a 26 inch chestnut oak marked for pointer;

Thence with marked and painted line (yellow) North 41 degrees 43 minutes 19 seconds West 2250.80 feet to a set stone;

Thence with marked and painted line (yellow) South 68 degrees 03 minutes 59 seconds West 111.80 feet to a stake;

Thence with marked and painted line (yellow) South 69 degrees 43 minutes 59 seconds West 195.10 feet to a stake;

Thence with marked and painted line (yellow) South 78 degrees 8 minutes 59 seconds West 237.00 feet to a stake;

Thence with marked and painted line (yellow) North 71 degrees 31 minutes 1 second West 157.00 feet to a stake;

Thence with marked and painted line (yellow) North 78 degrees 1 minute 1 second West 240.10 feet to a stake;

Thence with marked and painted line (yellow) South 58 degrees 46 minutes 1 second East 98.80 feet to a stake;

Thence with marked and painted line (yellow) South 55 degrees 31 minutes 1 second East

804

108.00 feet to a stake;

Thence with marked and painted line (yellow) South 37 degrees 36 minutes 1 second East 86.30 feet to a stake;

Thence with marked and painted line (yellow) South 0 degrees 57 minutes 1 second East 229.60 feet to a stake;

Thence with marked and painted line (yellow) South 42 degrees 36 minutes 1 second East 158.50 feet to a stake;

Thence with marked and painted line (yellow) South 50 degrees1 minutes 1 second East 165.20 feet to a stake;

Thence with marked and painted line (yellow) South 45 Degrees 31 minutes 1 second East 103.50 feet to a stake;

Thence South 53 degrees 22 minutes 8 seconds East 53.38 feet to a stake;

Thence South 41 degrees 02 minutes 34 seconds West 71.57 feet to a stake;

Thence South 40 degrees 58 minutes 13 seconds West 178.50 feet to a steel rail cover (found) in marked and painted line (yellow);

Thence with marked and painted line (yellow) South 57 degrees 03 minutes 25 seconds East 88.83 feet to a stake;

Thence with marked and painted line (yellow) South 50 degrees 42 minutes 55 seconds East 195.47 feet to a stake;

Thence with marked and painted line (yellow) South 48 degrees 37 minutes 15 seconds East 127.67 feet to a stake;

Thence with marked and painted line (yellow) South 27 degrees 01 minutes 39 seconds East 44.38 feet to a stake with an 18" maple marked for pointer;

Thence North 70 degrees 30 minutes 32 seconds East 339.19 feet to a point in fill area on East side of Hignite Road;

Thence along out edge of fill area South 39 degrees 57minutes 10 seconds East 628.65 feet to a stake;

Thence South 34 degrees 23 minutes 37 seconds East 385.21 feet to a point;

Thence South 11 degrees 34 minutes 35 seconds West 760.76 feet to an old concrete monument set by Glen Justice for the Louisville Property Company in 1946;

Thence South 9 degrees 23 minutes 39 seconds East 1921.76 feet to an iron pin (set) in strip mine reclaim area;

Thence North 65 degrees 49 minutes 52 seconds West 1668.83 feet to an iron pin (set) with an 8" and 10"maple marked for pointers;

Thence South 16 degrees 57minutes 04 seconds West 548.04 feet to an iron pin (set) in edge of old road;

Thence South 11 degrees 43 minutes 40 seconds East 1018.86 feet to an iron pin (set) in reclaim area;

Thence South 7 degrees 15 minutes 35 seconds West 416.78 feet to a nail on south side of Highway #74;


Thence South 10 degrees 09 minutes 07 seconds East 212.11 feet to an iron pin in old L & N Railroad bed;

Thence with old L & N Railroad bed to the BEGINNING and containing 273.46 acres more or less.

This Excluded Area is **less and except** previous conveyances from the above-described tract of a right-of-way for Highway # 74 and a right-of-way for the L & N Railroad.

The foregoing Excluded Area is generally depicted on the boundary survey attached hereto which is labeled:

"Excluded Area #5 (revised) - Revision Date 9/10/03
Bell County Coal Area
Bell County, KY"



LINE	BEARING	DISTANCE
L1	N 46°32'31" W	1063.75'
L2	N 30°23'53" W	270.00'
L3	N 52°38'12" E	1467.53'
L4	N 40°41'23" E	318.03'
L5	S 80°57'21" W	1681.64'
L6	N 18°02'05" E	1251.41'
L7	S 66°43'55" W	1897.44'
L8	N 09°04'35" W	177.31'
L9	N 58°30'30" W	322.27'
L10	N 07°37'09" E	137.34'
L11	N 04°34'46" E	335.48'
L12	N 36°04'35" W	76.21'
L13	N 57°16'05" W	136.55'
L14	N 34°55'25" W	225.44'
L15	N 13°35'42" W	509.95'
L16	N 62°50'30" E	193.43'
L17	S 87°16'34" E	221.10'
L18	S 77°57'43" E	95.83'
L19	N 67°46'18" E	160.93'
L20	N 41°43'19" W	2250.80'
L21	S 66°03'59" W	111.80'
L22	S 69°43'59" W	195.10'
L23	S 78°08'59" W	237.00'
L24	N 71°31'01" W	157.00'
L25	N 78°01'01" W	240.10'
L26	S 58°46'01" E	98.80'
L27	S 55°31'01" E	108.00'
L28	S 37°36'01" E	86.30'
L29	S 00°57'01" E	229.60'
L30	S 42°36'01" E	158.50'
L31	S 50°01'01" E	165.20'
L32	S 45°31'01" E	103.50'
L33	S 53°22'08" E	93.38'
L34	S 41°02'34" W	71.57'
L35	S 40°58'13" W	178.50'
L36	S 57°03'25" E	88.83'
L37	S 30°42'55" E	195.47'
L38	S 48°37'15" E	127.67'
L39	S 27°01'39" E	44.38'
L40	N 70°30'32" E	339.19'
L41	S 39°57'10" E	628.65'
L42	S 34°23'37" E	385.21'
L43	S 11°34'35" W	760.76'
L44	S 09°23'39" E	1921.76'
L45	N 65°48'52" W	1668.83'
L46	S 16°57'04" W	548.04'
L47	S 11°43'40" E	1018.86'
L48	S 07°15'35" W	416.78'
L49	S 10°09'07" E	212.11'
L50	WITH RAILROAD	TO BEGINNING

BLC PROPERTIES LLC

DRAWN BY DH		EXHIBIT "D" EXCLUDED AREA #5 (revised)
REVISION DATE 9/10/03		BELL COUNTY COAL AREA BELL COUNTY, KY
SCALE 1" = 1000'	SHEET 1	PROJECT NO. 10

Exhibit "A" continued

Less and Except the Following:

Located North of Middlesboro, KY
on KY 3486

This Excluded Area consists of two tracts located in **Bell County, Kentucky** near the mouth of Millitt Branch on KY 3486 approximately 1.3 miles north of KY 3486' s junction with KY 441 in Middlesboro, Kentucky.

Tract 1 is located on the west side of the CSX Railroad right of way in Millitt Hollow, and is described as follows:

Beginning at LAT: 36°38'30.1709" LON: 83°42'21.3209" on a 1/2" rebar located in the west right of way of the railroad, approximately 30 feet north of the culvert, where the branch crosses the railroad;

Thence leaving the right of way, crossing the branch and power line N 76 deg 54 min W approximately 617 feet to a 1/2" rebar near the east side of the gas company road;

Thence N 3 deg 42 min NW approximately 52 feet to a 1/2" rebar on or near the 1350' contour;

Thence in a northwest direction on or near the 1350' contour approximately 1010 feet to a 1/2" rebar on or near the 1350' contour;

Thence N 47 deg 00 min E crossing the branch in all approximately 463 feet to a 1/2" rebar on or near the 1350' contour;

Thence in a southeast direction on or near the 1350' contour, crossing the power line at approximately 657 feet, in all approximately 1123 feet to a 1/2" rebar on a spur of the ridge, the small spur is running in a south direction;

Thence leaving the spur running S 31 deg 54 min E approximately 362 feet to a 1/2" rebar in the west right of way of the railroad;

Thence in a southwest direction with the west right of way of the railroad approximately 697

feet to the point of beginning.

Containing approximately 27.0 ac +/-

Tract 2 is located between the east right of way of the CSX Railroad and the west right of way of KY 3486, and is described as follows:

Beginning at LAT: 36°38'39.0063" LON: 83°42'12.5289" on a 1/2" rebar located in the east right of way of the CSX Railroad and the west right-of-way of KY 3486, point being located as the north corner of tract 2; Thence with the west right-of-way of KY 3486, in a southwest direction approximately 1865 feet to a 1/2" rebar located in the west right-of-way of KY 3486 and in the east right-of-way of the CSX Railroad;


Thence with the east right of way of the CSX Railroad in a northeast direction approximately 2200 feet to the point of beginning.

Containing approximately 6.54 ac +/-

The foregoing Excluded Areas are generally depicted on the boundary surveys attached hereto which are labeled:

"Excluded Area #6
Millitt Branch Site
Bell County, KY
Millitt Branch Tract #1"

"Excluded Area #6
Millitt Branch Site
Bell County, KY
Millitt Branch Tract #2"



LINE	BEARING	DISTANCE
L1	N 76°54'00" W	617.0000'
L2	N 03°42'00" W	52.0000'
L3	NORTHWEST	1010.00'
L4	N 47°00'00" E	463.0000'
L5	SOUTHEAST	1123.00'
L6	S 31°54'00" E	362.0000'
L7	SOUTHWEST	697.00'


BLC PROPERTIES LLC

DRAWN BH	DATE 6/19/08	EXHIBIT "B-2" EXCLUDED AREA #6
APPROVED	DATE	MILLITT BRANCH SITE BELL COUNTY, KY
SCALE 1" = 200'	SHEET 1	PROJECT NO. MILLITT BRANCH TRACT #1

270/282

810

L1	SOUTHWEST	1865.0000'
L2	NORTHEAST	2200.0000'



BLC PROPERTIES LLC

DRAWN DH	DATE 6/19/03	EXHIBIT "B-2" EXCLUDED AREA #6
APPROVED	DATE	MILLITT BRANCH SITE BELL COUNTY, KY
SCALE 1" = 200'	SHEET 1	PROJECT NO. MILLITT BRANCH TRACT #2

EXHIBIT "B-2" (Continued)
BELL COUNTY EXCLUDED AREAS

This Excluded Area consists of one tract of land located in **Bell County, Kentucky** on Stony Fork and KY Rt. 74, approximately 0.4 mile west of KY 74' s junction with KY 441 at Middlesboro. The Excluded Area is located between the right-of-way of KY 74 and the right-of-way of the CSX Railroad at Edgewood, Kentucky, and is described as follows:

Beginning at LAT: 36°36'48.5100" LON: 83°47'01.0342"on a 1/2" rebar located in the north 20 foot right-of-way of the CSX Railroad,

corner being the southwest corner of this tract;

Thence with the BLC Properties LLC line N 28 deg 36 min E 118.6 feet to a 1/2" rebar in the south 25 foot right-of-way KY 74;

Thence with the 25 foot right-of-way N 51 deg 38 mm E 104.0 feet to a point in the right-of-way;

Thence with the 25 foot right-of-way N 75 deg 09 min E 108.7 feet to a point in the right-of-way and center of the access road at the north end of the bridge;

Thence with the 25 foot right-of-way N 79 deg 54 min E 278.0 feet to a point in the right-of-way;

Thence with the 25 foot right-of-way N 79 deg 19 min E 236.3 feet to a point in the right-of-way;

Thence with the 25 foot right-of-way S 87 deg 35 min E 355.1 feet to a point in the right-of-way;

Thence with the 25 foot right-of-way S 74 deg 44 min E 222.7 feet to a point in the right-of-way

Thence with the 25 foot right-of-way S 70 deg 30 min E 137.6 feet to a point in the right-of-way;

Thence with the 25 foot right-of-way S 70 deg 11 min E 118.7 feet to a point in the right-of-way;

Thence with the 25 foot right-of-way S 70 deg 01 min E 185.4 feet to a 1/2" rebar in the 25

foot right-of-way and the edge of the access road;

Thence with the access road S 16 deg 01 min E 93.4 feet to a railroad spike in the 20 foot right-of-way of the CSX Railroad;

Thence with the 20 foot right-of-way N 85 deg 10 min W 869.0 feet to a railroad spike in the 20 foot right-of-way;

Thence with the 20 foot right-of-way N 87 deg 53 min W 220.0 feet to a railroad spike in the 20 foot right-of-way;


Thence with the 20 foot right-of-way; S 86 deg 26 min W 181.5 feet to a railroad spike in the 20 foot right-of-way;

Thence with the 20 foot right-of-way S 84 deg 38 min W 495.7 feet to the point of beginning.

Containing 7.44 ac +/-.

The foregoing Excluded Area is generally depicted on the boundary survey attached hereto which is labeled:

"Excluded Area #8
Edgewood Site
Bell County, KY"



LINE	BEARING	DISTANCE
L1	N 28°36'00" E	118.6000'
L2	N 51°38'00" E	104.0000'
L3	N 75°09'00" E	108.7000'
L4	N 79°54'00" E	278.0000'
L5	N 79°19'00" E	236.3000'
L6	S 87°35'00" E	355.1000'
L7	S 74°44'00" E	222.7000'
L8	S 70°30'00" E	137.6000'
L9	S 70°11'00" E	118.7000'
L10	S 70°01'00" E	185.4000'
L11	S 16°01'00" E	93.4000'
L12	N 85°10'00" W	869.0000'
L13	N 87°53'00" W	220.0000'
L14	S 86°26'00" W	181.5000'
L15	S 84°38'00" W	495.7000'

BLC PROPERTIES LLC

DRAWN DH	DATE 6/19/03	EXHIBIT "B-2" EXCLUDED AREA #8
APPROVED	DATE	EDGEWOOD SITE BELL COUNTY, KY
SCALE 1" = 200'	SHEET 1	PROJECT NO. 1

274/282

8/4

BELL COUNTY, KENTUCKY

DEED EXHIBIT "B-3"
(Removed Property)

NONE

Less and except that certain parcel of land conveyed from Ataya Hardwoods, LLC to The Trust for Public Land by deed dated February 16, 2007 and recorded in Deed Book 335, Page 684 in the Records of Bell County Clerk's Office, Kentucky as further described as follows:

EXHIBIT "A"
Legal Description

Purported Owner: Ataya Hardwoods, LLC

Project: Cumberland Gap NHP

Interest: FEE-O

Area: 185.76 acres, more or less

Date: February 14, 2007

Tract No. 01-142A

All those American Association tracts of land situate in Bell County, Kentucky, lying on Little Yellow Creek described more particularly as follows:

TRACT 85

A tract of land lying in Bell County, Kentucky, on waters of Yellow Creek, adjoining lands formerly owned by J.C. Colson and H.C. Pursifull. Conveyed by William Rains to Alex A. Arthur, Trustee, by deed dated December 17, 1886, recorded at Pineville, Kentucky, in Deed Book 5, Page 316, containing 81.00 acres, more or less. Deed from American Association Limited by James H. Bartlett, Special Commissioner, to American Association Incorporated, dated May 1, 1895, recorded at Pineville, Kentucky, in Deed Book 34, Page 230.

TRACT 213

A tract of land lying in Bell County, Kentucky, on waters of Little Yellow Creek, adjoining Carr Britton and William Beard, being a survey No. 22117 in the name of Mount Pursifull, containing 50.00 acres, more or less. Being the same land conveyed by H.C. Pursifull and others to Alex A. Arthur, Trustee, by deed dated March 31, 1890, recorded at Pineville, Kentucky, in Deed Book 15, Page 443. From American Association Limited by James H. Bartlett, Special Commissioner, to American Association, Inc., by deed dated May 1, 1895, and recorded at Pineville, Kentucky, in Deed Book 34, Page 230.

TRACT 295

Lying on the southeast side of Little Yellow Creek, in Bell County, Kentucky, containing 50.11 acres, more or less, and being the same land described in the deed from John F. Turner and wife to Alex A. Arthur, Manager, recorded in the office of the Clerk of the Bell County Court in Deed Book 7, Page 482, and reference to said deed is hereby made for further description. Obtained from the Kentucky Land Association by deed dated December 16, 1903, and recorded in Bell County, Kentucky, in Deed Book 45, page 427, January 20, 1904.

Containing 185.76 acres, more or less.

Being a portion of the lands conveyed by BLC Properties, LLC to Ataya Hardwoods, LLC by Corrective Special Warranty Deed dated July 1, 2003, and recorded December 9, 2003, in Deed Book 318, Page 520, Bell County, Kentucky.

::ODMA\PCDOCS\ATL\1130442\2

690

9/14

Further less and except that certain parcel of land conveyed from Ataya Hardwoods, LLC to The Fiscal Court of Bell County, Kentucky by deed dated May 31, 2004 and recorded in Deed Book 322, Page 146 in the Records of Bell County Clerk's Office, Kentucky as further described as follows:

EXHIBIT A

Description of a tract to be acquired for constructing and maintaining a water tank, said tract being a portion of the land described in a deed to ATAYA HARDWOODS, LLC., recorded in Deed Book 316 at Pages 217-508, in the records of the Bell County Court Clerk, said tract lying approximately 2000 feet south of Cannon Creek Lake in Bell County, Kentucky, and being described as follows:

TRACT "A"

Commencing at the intersection of Cannon Creek Lake Road and Upper Christy Lane, thence running with the centerline of Upper Christy Lane in a westerly direction approximately 1000 feet to a point in the center of Upper Christy Lane. Thence approximately 8 feet in a northwesterly direction to a point in the northern right-of-way line of Upper Christy Lane.

Thence North 46 degrees 46 minutes 14 seconds West, 283.69' to a point:
Thence with a curve to the right having a radius of 30.00' and an arc length of 33.98' to a point:
Thence North 24 degrees 45 minutes 41 seconds East, 212.22' to a point:
Thence with a curve to the right having a radius of 105.00' and an arc length of 47.46' to a point:
Thence North 47 degrees 44 minutes 55 seconds East 63.65' to a point:
Thence South 30 degrees 19 minutes 25 seconds East, 18.00' to a steel pin and cap bearing stamping PLS 3555 set, said point being the **POINT OF BEGINNING.**

Thence North 30 degrees 19 minutes 25 seconds West, 100.00' to a steel pin and cap bearing stamping PLS 3555 set:

Thence North 64 degrees 14 minutes 02 seconds East, 80.00' to a steel pin and cap bearing stamping PLS 3555 set;

Thence South 30 degrees 19 minutes 25 seconds East, 100.00' to a steel pin and cap bearing stamping PLS 3555 set;

Thence South 64 degrees 14 minutes 02 seconds West, 80.00' to the **POINT OF BEGINNING,** containing 8,000 square feet or 0.18 acres, as surveyed by Calvin M. Capps Jr., Kentucky Surveyor, License Number 3555, in January, 2004.

Further less and except that certain parcel of land conveyed from Ataya Hardwoods, LLC to Garmeda Baptist Church by deed dated April 5, 2006 and recorded in Deed Book 331, Page 114 in the Records of Bell County Clerk's Office, Kentucky as further described as follows:

Exhibit "A"

Legal Description

The Purpose of this description is to describe two tracts of land to be severed from the parent tract as found described in a deed to Ataya Hardwoods, LLC in Deed Book 316 Page 217 of the records of the Bell County Court Clerks office and being more particularly described as follows:

Unless noted all Iron Pin and Caps are a set 24 inch by 1/2 inch steel rebar with a 1 inch diameter yellow plastic cap stamped KY 3454 TN 2144 and all deeds were found in the records of the Bell County Court Clerks Office.

Tract 1

Beginning at an Iron Pin set in the right of south right of way of Kentucky Highway 74, said pin is approximately 200 feet west along the right of way from the south west corner of the double box culvert under KY 74 just West of the church at the time of this survey and approximately 20 south of the edge of pavement, thence with said right of way North 49°00'01" East, 42.04 feet to a point on the right of way;

Thence continuing along the right of way the following calls, North 42°25'55" East, 136.44 feet to a point,

Thence North 55°50'01" East, 127.25 feet to a point in the right of way;

Thence North 73°43'30" East, 125.92 feet to a point in the right of way;

Thence North 88°57'13" East, 135.88 feet to an existing Right of way Monument found, said monument is a common corner to a tract of land described in a deed to the Garmeda Baptist church;

Thence leaving the road right of way and with the church tract the following calls South 08°24'42" East, 46.11 feet to an existing iron pin found;

Thence South 70°59'51" East, 79.06 feet to an existing iron pin found;

Thence North 60°53'49" East, 76.92 feet to an existing iron pin found;

Thence North 68°25'16" East, 65.59 feet to an iron pin and cap set in the right of way of Ky 74;

Thence leaving the right of way South 01°50'43" East, passing a reference iron pin and cap set at 64.84 feet for a total distance of 74.84 feet to the center line Stony Fork of Yellow Creek;

Thence upstream with the meanders of Stony Fork when reduced to straight lines the following calls South 72°44'54" West, 181.22 feet to a point in the center of the stream;

Thence North 75°44'31" West, 105.00 feet to a point in the center of the stream;

Thence South 72°15'32" West, 133.00 feet to a point in the center of the stream;

Thence leaving the stream and passing a reference pin at 30 feet South 09°01'29" West, a total distance of 132.15 feet to an iron pin and cap set,

5/18

Thence South 73°42'39" West, 228.62 feet to an iron pin and cap set;

Thence North 27°02'27" West, 123.67 feet to the point of beginning, containing approximately 2.26 acres as surveyed by Dempsey Miracle Jr. PLS 3454 on Jan 26, 2006

Ataya Hardwoods, LLC retains a 30 foot wide easement across the Western portion of tract one for the purpose of ingress and egress, the easement is to follow along the south side of Stony Fork. The easement is 30 foot wide, being 15 either side and running parallel to the following described center line;

Beginning at a point approximately 113 feet west along the right of way from the South West corner on the double box culvert mentioned in the description of tract one on the right of way of KY 74, thence along the center line North 85°45'26" East 126.52 feet to a point;

Thence South 69°23'56" East 106.83 feet to a the termination point in the South line of tract one

Tract 2

Beginning at Right of way monument found across the road and to the west of the church in its present location thence along the north Right of Way of KY 74 North 89°27'21" West, 108.29 feet to an iron pin and cap set;

Thence leaving the right of way North 07°06'52" West, 6.70 feet to a common corner with a tract of land described to Mickey Webb found in deed book 290 page 713;

Thence leaving the Webb tract and severing the lands of Ataya hardwoods North 48°41'42" East, 133.97 feet to an iron pin and cap set;

Thence South 88°18'38" East, passing an Iron Pin Found at 81.15 feet, a corner of a tract of land described to Felix Whitehead in deed book 290 page 723 and continuing with the Whitehead tact another 149.94 feet for a total distance of 231.09 feet to a iron pin and cap found,

Thence leaving the Whitehead tract and severing the lands of Ataya Hardwoods South 55°06'49" East, 35.84 feet to an iron pin and cap set;

Thence South 12°16'58" East, 83.11 feet to an iron pin and cap set in the North right of way of KY 74 thence along said right of way North 87°21'53" West, 269.87 feet to the point of beginning containing approximately 0.71 acres as surveyed by Dempsey Miracle Jr. PLS 3454 on Jan 26, 2006

Felix Whitehead and Hazel Warwick have the right of ingress and egress across this tract using the 10 foot driveway as illustrated on the plat.

Further less and except that certain parcel of land conveyed from Ataya Hardwoods, LLC to Kentucky Utilities Company by deed dated February 14, 2006 and recorded in Deed Book 330, Page 559 in the Records of Bell County Clerk's Office, Kentucky as further described as follows:

Dean Surveying, Inc.
RR 7 Box 703-C
Pineville, Kentucky 40977
(606) 337-6000

Description

A certain parcel of land located on Willard Knob, Lob Mountain, Bell County, Kentucky, and being more particularly described as follows:

Unless stated otherwise, any monument referred to herein as a "rod and cap" is a set 5/8" x 18" rebar, with a yellow plastic cap stamped PLS 1850. All bearings are referred to Kentucky State Plane Coordinates (South Zone).

Beginning at a rod and cap set at the southeast corner of Marcus Cable Associates, LP (D.B. 282, P.700 and D.B.312, P.638), a corner between Marcus Cable Associates, LP and Ataya Hardwoods, LLC (D.B. 318, P.520); thence with the line between Marcus Cable Associates and Ataya Hardwoods N 36 degrees 48 minutes 15 seconds W, 16.38 feet to a rod and cap (set); thence leaving the line of Marcus Cable and severing the property of Ataya Hardwoods the following calls, N 60 degrees 43 minutes 35 seconds E, 100.00 feet to a rod and cap (set); S 36 degrees 48 minutes 16 seconds E, 100.00 feet to a rod and cap (set); S 60 degrees 43 minutes 35 seconds W, 100.00 feet to a rod and cap (set); N 36 degrees 48 minutes 16 seconds W, 83.62 feet to the beginning, containing 0.23 acres, more or less, according to a survey by J.D. Dean, PLS # 1850 in July, 2005 and being a portion of the Ataya Hardwoods, LLC property which is of record in Deed Book 318, page 520 in the office of the Bell County Court Clerk.

The centerline of an existing access road leading from Kentucky 74, through the property of Ataya Hardwoods, LLC, to the above described parcel is described as follows:
Beginning at the intersection of the centerline of an existing access road with the north edge of Kentucky 74 (N 36 degrees 38 minutes 25 seconds, W 83 degrees 46 minutes 38 second); thence with the approximate centerline the following calls:
N 06 degrees 17 minutes 30 seconds E, 157.90 feet;
N 31 degrees 38 minutes 07 seconds E, 108.31 feet;
N 01 degrees 24 minutes 54 seconds E, 258.76 feet;
N 23 degrees 08 minutes 22 seconds W, 533.85 feet;
N 14 degrees 33 minutes 40 seconds W, 520.18 feet;
N 24 degrees 20 minutes 27 seconds W, 1425.52 feet;
N 42 degrees 26 minutes 02 seconds W, 440.67 feet;
N 22 degrees 22 minutes 35 seconds W, 616.97 feet;
N 45 degrees 46 minutes 33 seconds W, 664.65 feet;
N 49 degrees 51 minutes 16 seconds W, 1019.98 feet;
N 29 degrees 25 minutes 57 seconds W, 409.18 feet;
N 38 degrees 00 minutes 29 seconds W, 641.34 feet;
N 07 degrees 29 minutes 55 seconds W, 479.85 feet;

N 03 degrees 55 minutes 32 seconds W, 612.35 feet;
N 18 degrees 55 minutes 59 seconds W, 558.13 feet;
N 04 degrees 01 minutes 35 seconds W, 295.26 feet;
N 31 degrees 05 minutes 05 seconds W, 953.41 feet;
N 24 degrees 54 minutes 29 seconds W, 349.98 feet;
N 48 degrees 56 minutes 44 seconds W, 752.94 feet;
N 57 degrees 31 minutes 50 seconds W, 775.41 feet;
N 43 degrees 16 minutes 30 seconds W, 809.64 feet;
N 23 degrees 31 minutes 56 seconds W, 1133.78 feet;
N 40 degrees 27 minutes 07 seconds W, 630.26 feet;
N 68 degrees 52 minutes 03 seconds E, 127.98 feet;
S 58 degrees 21 minutes 10 seconds E, 530.67 feet;
S 35 degrees 16 minutes 07 seconds E, 329.74 feet;
N 02 degrees 54 minutes 15 seconds W, 291.39 feet;
N 37 degrees 50 minutes 33 seconds W, 417.59 feet;
N 59 degrees 08 minutes 47 seconds W, 425.65 feet
N 08 degrees 48 minutes 33 seconds E, 321.61 feet;
S 19 degrees 29 minutes 44 seconds E, 279.97 feet;
S 77 degrees 25 minutes 09 seconds E, 658.47 feet;
S 43 degrees 25 minutes 28 seconds E, 850.90 feet;
S 53 degrees 15 minutes 03 seconds E, 319.87 feet;
N 76 degrees 28 minutes 21 seconds E, 510.60 feet;
S 73 degrees 27 minutes 06 seconds E, 203.29 feet;
S 63 degrees 41 minutes 11 seconds E, 512.66 feet;
S 35 degrees 26 minutes 47 seconds E, 484.61 feet;
S 57 degrees 03 minutes 31 seconds E, 538.71 feet;
N 75 degrees 22 minutes 20 seconds E, 579.23 feet;
N 89 degrees 36 minutes 33 seconds E, 264.09 feet;
S 26 degrees 46 minutes 29 seconds E, 427.91 feet;
S 48 degrees 27 minutes 20 seconds E, 531.23 feet;
N 82 degrees 41 minutes 32 seconds E, 545.94 feet;
S 75 degrees 39 minutes 56 seconds E, 435.46 feet;
S 58 degrees 04 minutes 29 seconds E, 753.15 feet;
N 80 degrees 30 minutes 32 seconds E, 554.51 feet;
N 44 degrees 40 minutes 12 seconds E, 412.98 feet;
N 70 degrees 32 minutes 19 seconds E, 383.16 feet;
N 51 degrees 20 minutes 41 seconds E, 1131.20 feet;
N 68 degrees 52 minutes 48 seconds E, 480.63 feet;
N 55 degrees 37 minutes 46 seconds E, 585.44 feet;
S 81 degrees 46 minutes 06 seconds E, 466.95 feet;
S 59 degrees 44 minutes 41 seconds E, 481.50 feet;
S 74 degrees 36 minutes 38 seconds E, 765.36 feet;
S 30 degrees 32 minutes 35 seconds E, 898.01 feet;
N 52 degrees 46 minutes 22 seconds E, 210.44 feet;
N 24 degrees 45 minutes 57 seconds E, 194.37 feet;
N 48 degrees 27 minutes 10 seconds E, 427.36 feet;

N 61 degrees 27 minutes 03 seconds E, 519.81 feet;
N 64 degrees 49 minutes 17 seconds E, 18.06 feet to a point in the west property line of Marcus Cable Associates, LP, said point being S 36 degrees 48 minutes 16 seconds E, 78.43 feet from the northwest corner of the Marcus Cable Associates; thence beginning at a point in the east line of Marcus Cable Associates, said point being S 36 degrees 48 minutes 16 seconds E, 184.88 feet form the northeast corner of said Marcus; thence N 77 degrees 33 minutes 19 seconds E, 33.75 feet; N 83 degrees 10 minutes 19 seconds E, 20.67 feet; S 70 degrees 25 minutes 37 seconds E, 24.91 feet to a point in the north line of the above described parcel, said point being S 60 degrees 43 minutes 35 seconds W, 37.01 feet from the northeast corner of said parcel and being a total of approximately 6.08 miles of road through the Ataya property.

J. A. Dean 8-03-05
P.L.S. #1850

State of Kentucky
County of Bell -ss-
I Joan Asher Cawood, Clerk within and for the State and county aforesaid, do hereby certify that the foregoing Quitclaim Deed
was this day lodged for record, whereupon the same has been duly recorded in Deed Book No. 330 at page No. 559 record of my said office.
Given under my hand this the 20th day of Feb. 2006

JOAN ASHER CAWOOD, CLERK

By Betty Durst
Deputy

4 of 7

4 of 7

EXHIBIT "B"

BELL COUNTY, KENTUCKY - TOGETHER WITH all the rights, title and interest, *to the extent that they affect surface rights,* in the following:

Boundary Line Agreement from J. M. Huber Corporation to Junior Thacker, dated November 23, 1987, recorded in Miscellaneous Instrument Book 13, Page 105.

Reciprocal Easement dated October 4, 1967, between American Association Limited and Fern Lake Company recorded in Miscellaneous Instrument Book 6, Page 515.

Rights retained by the grantor in deed of conveyance from J. M. Huber Corporation to The Trustees of Mount Mary Baptist Church, dated October 10, 1991, recorded in Deed Book 266, Page 194.

Rights retained by the grantor in deed from J. M. Huber Corporation to Hickory E. Grace and wife, Elanor, dated January 28, 1999, recorded in Deed Book 296, Page 308.

Quitclaim Deed from W. E. Partin to J. M. Huber Corporation, dated March 30, 1978, recorded in Deed Book 223, Page 404.

Non-exclusive mutual easement for ingress and egress contained in Settlement and Release Agreement styled J.M. Huber Corporation v. W.E. Partin, Civil Action No. 82-86 in the U.S. District Court for the Eastern District of Kentucky, dated May 22, 1989.

Easement reserved in that Quitclaim Deed from J.M. Huber Corporation to Givens Coal Company dated October 1, 2000, and recorded in Deed Book 303, Page 67 in the Office of the Clerk of Bell County, Kentucky.

Exhibit "C"

Permitted Exceptions

1. Encroachments, overlaps, boundary line disputes, public roads, railroads, paths, rights-of way, streets, highways, cemeteries, graveyards, easements and any other matters that would be disclosed by an accurate survey or inspection of the Premises;

2. Any "rollback" or additional taxes, penalties or interest imposed on the Premises under the provisions of any applicable state or local law of the jurisdiction where the Premises are located for any year and the current year's real property taxes, assessments and other charges of any kind or nature imposed upon or levied against or on account of the Premises by any Governmental Authority, which taxes, assessments and other charges are not yet due and payable but are liens on the Premises; provided, however, that any "rollback" or additional taxes, penalties or interest imposed on the Premises for any year prior to Closing caused by Grantor's use of the Premises shall not be a Permitted Exception;

3. Restrictions on Grantee's ability to build upon or use the Premises imposed by any current or future building or zoning ordinances or any other law or regulation (including environmental protection laws and regulations) of any Governmental Authority, except for any such restrictions which would prohibit the use of the Premises for forestry management and the harvesting of timber from the Premises;

4. Mineral Leases and all previous reservations, exceptions and conveyances of record of any oil, gas, associated hydrocarbons, minerals and mineral substances, and royalty and other minerals rights and interests, and water rights and water royalty rights, including, without limitation, the following:

OIL AND GAS LEASES

a. Lease dated June 18, 1990 between J. M. Huber Corporation and Lonnie D. Ferrin
Amendment dated December 4, 1990
Amendment dated June 8, 1995

b. Right of Way Agreements (2) dated June 17, 1999 between J. M. Huber Corporation and CNR

c. Lease Agreement dated February 6, 2006 between WPP LLC and Daugherty Petroleum, Inc.

COAL LEASES

a. Lease dated August 1, 1997 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 1)
Letter Agreement dated April 14, 2000

224

First Amendment dated June 1, 2000
Letter dated July 18, 2002
Second Amendment dated August 27, 2007

b. Lease dated August 14, 1974 between American Association Limited and Appolo Fuels, Inc. Amendment dated September 30, 1985
Ratification of Lease dated June 25, 1986
Second Amendment dated July 30, 1986
Third Amendment dated Second March 20, 1994
Letter Agreement dated February 22, 1995
Letter Agreement dated March 1, 1995
Agreement for Release and Surrender dated August 1, 1995
Indemnification Agreement dated August 1, 1995

c. Lease dated August 1, 1995 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 2A-Tipple)
Memorandum of Tipple Lease dated June 29, 2000

d. Lease dated August 10, 1989 between J.M. Huber Corporation Appolo Fuels, Inc. (Appolo 3) Amendment dated June 1, 1992
Second Amendment dated September 20, 1995
Third Amendment dated November 20, 1997
Letter dated October 18, 2000
Agreement for Release and Surrender dated November 10, 2000
Indemnification Agreement dated November 10, 2000

e. Lease dated August 10, 1989 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 5A)
Letter Agreement dated October 23, 1990
Letter dated January 22, 1991
Letter Agreement dated July 27, 1992
Letter dated February 23, 1994
Reforestation Agreement dated March 1, 1994
Amendment dated June 9, 1994
Letter dated August 22, 1994
Receipt, Release and Indemnification Agreement dated October 24, 1994
Letter dated July 8, 1999

f. Coal Exploration Permit and Lease Option dated April 1, 1989 between J.M. Huber Corporation and Appolo Fuels, Inc.

g. Lease dated September 1, 1989 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 7A)
Letter dated August 22, 1994
Amendment dated November 1, 1997
Letter dated June 23, 1999

825

Letter dated August 25, 1999
Agreement for Release and Surrender of Deep Coal Mining Agreement dated June 20, 2000 Indemnification Agreement dated June 20, 2000

h. Lease dated February 1, 1995 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 14A)
Amendment dated April 20, 1995
Second Amendment dated June 1, 1996
Letter dated October 25, 1996
Letter dated July 17, 2000

i. Lease dated August 1, 2001 between J.M. Huber Corporation and Appolo Fuels, Inc. (Appolo 19A)
Amendment dated October 1, 2001
Letter Agreement dated April 30, 2002
Second Amendment dated June 25, 2004
Third Amendment dated July 26, 2005
Fourth Amendment dated November 29, 2006
Fifth Amendment dated March 9, 2007

j. Lease dated September 1, 1987 between J.M. Huber Corporation and Bell County Coal Corporation
Agreement dated September 1, 1987
Indemnification Agreement dated September 1, 1987
Sublease Agreement dated September 1, 1987
Letter dated September 27, 1989
Agreement dated March 19, 1990
Indemnification Agreement dated March 19, 1990
Letter Agreement dated May 8, 1990
Letter Agreement dated June 20, 1990
Letter dated October 5, 1990
Letter Agreement dated November 16, 1990
Agreement dated January 7, 1991
Indemnification Agreement January 7, 1991
Letter Agreement dated January 22, 1991
Letter Agreement dated February 11, 1991
Amendment dated April l, 1991
Letter Agreement dated May 10, 1991
Letter Agreement dated September 17, 1991
Letter Agreement dated November 14, 1991
Letter Agreement dated December 9, 1991
Letter Agreement dated March 17, 1992
Agreement dated April 1, 1992
Indemnification Agreement dated April l, 1992
Second Amendment dated May 1, 1992
Third Amendment dated June 1, 1992

Agreement dated June 1, 1992
Indemnification Agreement dated June l, 1992
Agreement dated January 20, 1993
Indemnification Agreement dated January 20, 1993
Letter dated August 31, 1993
Letter dated September 14, 1993
Letter dated September 16, 1993
Fourth Amendment dated October l, 1993
Letter Agreement dated November 18, 1993
Fifth Amendment dated December 1, 1993
Agreement dated December 1, 1993
Indemnification Agreement dated December 1, 1993
Agreement dated June 2, 1994
Indemnification Agreement dated June 2, 1994
Letter Agreement dated September 6, 1994
Sixth Amendment dated November 1, 1994
Letter Agreement dated December 1, 1994
Seventh Amendment dated January 1, 1995
Letter amendment January 16, 1995
Agreement dated September 19, 1995
Indemnification Agreement dated September 19, 1995
Indemnification Agreement dated February 29, 1996
Letter dated March 7, 1996
Letter dated August 8, 1996
Letter Agreement dated October 9, 1996
Letter dated October 25, 1996
Letter Agreement dated June 25, 1997
Agreement dated October 1, 1997
Indemnification Agreement dated October 1, 1997
Eighth Amendment dated January 1, 1998
Letter Agreement dated August 10, 1998
Indemnity Agreement dated September 1, 1998
Letter Agreement dated December 19, 2001
Ninth Amendment dated January 18, 2002
Tenth Amendment dated August 1, 2002
Letter Agreement dated November 5, 2002
Eleventh Amendment dated January 1, 2003
Twelfth Amendment dated January 1, 2003
Thirteenth Amendment dated April 6, 2004
Fourteenth Amendment dated August 27, 2007

k. Lease dated June 1, 1996 between J.M. Huber Corporation and Bell County Coal Corporation (Bell 1A)
Letter Agreement dated June 11, 1997
Letter Agreement dated December 19, 1997
Letter Agreement dated May 11, 1999

Letter Agreement dated February 23, 2000
Letter Agreement dated August 16, 2000
First Amendment dated September 15, 2000
Letter dated March 7, 2001
Letter dated March 20, 2001
Second Amendment April 6, 2004
Third Amendment dated August 27, 2007

l. Lease dated September 21, 1959 between Ray B. Moss, Successor Assignee of the Louisville Property Company, and M.K. Eblen (Appolo Fuels, Inc. by merger with Cairnes Coal Company, Inc.)
Agreement dated December 3, 1971
Agreement dated December 3, 1971
Release dated August 24, 1981
Letter Agreement dated January 4, 1988
Consent dated March 19, 1990
Second Amendment dated June 1, 1992

m. Lease dated August 31, 1994 between J.M. Huber Corporation and Gatliff Co. Company (Gatliff 4)
Letter dated February 6, 1995
Amendment dated April 20, 1995
Letter Agreement dated October 31, 1995
Letter Agreement dated September 12, 1996
Letter Agreement dated January 20, 1997
Letter Agreement dated April 3, 1997
Letter Agreement dated March 19, 1998
Letter dated May 28, 1998
Letter Agreement dated June 7, 1999
Letter Agreement dated July 21, 1999
Letter Agreement dated November 9, 1999
Letter dated February 24, 2000
Letter Agreement dated September 17, 2002

n. Lease dated March 1, 1998 between J.M. Huber Corporation and Strata Mining, Inc. Amendment dated January 1, 2003
Third Amendment dated August 30, 2004 to Strip and Auger Coal Mining Agreement between J. M. Huber Corporation and Strata Mining, Inc.
Fourth Amendment dated October 27, 2004 between WPP LLC and Strata Mining, Inc.

o. Surrender and Termination Agreement dated December 22, 1995 between J.M. Huber Corporation and Consolidation Coal Company
Mutual Release Agreement dated December 22, 1995

p. First Amendment dated June 6, 2007 to Deep Coal Mining Agreement dated June

1, 2002, between BLC Properties, LLC and Straight Creek Coal Resources.

5. Liens for 2008 State and County property taxes, and subsequent years; and

6. Title to that portion of the Premises which is or may be within the bounds of any public roads, paths, rights-of-way, streets and/or highways set forth in the legal descriptions of the Premises or running through the Premises.

7. All claims of Governmental Authorities in and to any portion of the Premises lying in the bed of any streams, creeks or waterways, filled-in land, or any portion of the Premises which lies below the mean high water mark of any river or tidal body of water or other submerged lands and any portion of the Premises now or formerly subject to the ebb and flow of tidal waters or any claims of riparian rights in and to, and held by owners of the land adjacent to, the waters of any creeks, streams, forks and/or rivers running through the Premises;

8. a. All outstanding easements, servitudes, rights-of-way, flowage rights and other rights in third parties of record or acquired through prescription or adverse possession except for any such matters as would materially interfere with or prohibit the use of the Premises for forestry management and the harvesting of timber from the Premises;

b. The following Contracts, licenses or leases whether or not filed of record that do not materially interfere with or prohibit the use of the Premises for commercial forestry management and harvesting from the Premises:

PAY-AS-CUT CONTRACTS

A. Timber Cutting Agreement dated September 19, 2003 between Ataya Hardwoods, LLC and Virgil, Jr.; as amended as follows (expires December 31, 2007):

1) First Amendment dated November 30, 2003 to Timber Cutting Agreement dated September 19, 2003 between Ataya Hardwoods, LLC and Virgil Wilder, Jr.

2) Second Amendment dated January 31, 2004 to Timber Cutting Agreement dated September 19, 2003 between Ataya Hardwoods, LLC and Virgil Wilder, Jr.

3) Third Amendment dated July 7, 2006 to Timber Cutting Agreement dated September 19, 2003 between Ataya Hardwoods, LLC and Virgil Wilder, Jr.

4) Fourth Amendment dated December 31, 2006 to Timber Cutting Agreement between Ataya Hardwoods, LLC and Virgil Wilder, Jr.

B. Timber Cutting Agreement dated September 12, 2006 between Ataya Hardwoods, LLC and Forest Products, Inc.; as amended as follows (expires December 31, 2007):

   1) First Amendment dated December 31, 2006 to Timber Cutting Agreement dated September 12, 2006 between Ataya Hardwoods, LLC and Forest Products, Inc.

   2) Second Amendment dated September 27, 2007 to Timber Cutting Agreement dated September 12, 2006 between Ataya Hardwoods, LLC and Forest Products, Inc.

C. Timber Cutting Agreement dated June 28, 2006 between Ataya Hardwoods, LLC and Tommy Adkins d/b/a Tommy Adkins Logging; as amended as follows (expires December 31, 2007):

   1) First Amendment dated December 28, 2006 to Timber Cutting Agreement dated June 28, 2006 between Ataya Hardwoods, LLC and Tommy Adkins d/b/a Tommy Adkins Logging.

   2) Second Amendment dated June ___, 2007 to Timber Cutting Agreement dated June 28, 2006 between Ataya Hardwoods, LLC and Tommy Adkins Logging.

MISCELLANEOUS AGREEMENTS

A. General Service Contract dated July 27, 2007 between Ataya Hardwoods, LLC and Chadwell Enterprises, LLC (expires May 31, 2008)

B. Lease Agreement dated June 14, 2004 between Ataya Hardwoods, LLC and Noel Goins, David Laws and Willis Houndshell (Lease Agreement automatically renews on June 31 each year for an additional one year period unless either party gives 30 days written notice of its intent to terminate)

C. General Service Contract dated August 15, 2006 between Ataya Hardwoods, LLC and Beaver Creek Engineering & Environmental Services, PLLC (December 31, 2007)

D. Permanent Waterline and Roadway Easement dated July 1, 2003 between Ataya Hardwoods, LLC and Pineville Utility Commission (perpetual)

E. Access Agreement dated October 25, 2004 between Ataya Hardwoods, LLC and WPP LLC (perpetual)

430

F. Mutual Easement Agreements dated July 1, 2003 between Ataya Hardwoods, LLC and BLC Properties Inc. over Claiborne and Campbell County, Tennessee and Bell, Leslie and Knox County, Kentucky (perpetual)

G. Memorandum of Understanding for Development of a Wildlife Management Area of Certain Properties in Bell, Leslie and Knox Counties, Kentucky dated June 10, 2005 (expires March 31, 2008)

c. Other restrictions, reservations, covenants and other agreements that do not materially interfere with or prohibit the use of the Premises for commercial forestry management and harvesting from the Premises;

d. Any and all restrictions on use of the Premises due to environmental protection laws, including, without limitation, wetlands protection laws, rules, regulations and orders which are of general application;

9. Lack of legal access to the Premises unless to Grantor's Actual Knowledge, Grantor has been refused access or has been notified by an adjoining landowner that Grantor will be denied permission for continued access for commercial forestry purposes to the tract lacking access;

10. The following other matters disclosed on the Title Commitment:

A. Electric Line Easement Agreement from J.M. Huber Corporation to Kentucky Utilities Company, dated November 21, 1997, recorded in Deed Book 291, Page 176, in the Office of the Clerk of Bell County, Kentucky. This document contains a provision for the rights granted therein to revert to the Grantor after one year of non-use by the Grantee.

B. Gas Storage Lease dated June 18, 1990, from J.M. Huber Corporation to Lonnie D. Ferrin, for a term of ten (10) years and as long thereafter as land is used for gas storage purposes, which said lease is recorded in Lease Book 39, Page 637, in the Office of the Clerk of Bell County, Kentucky.

C. Amendment to Gas Storage Lease from J.M. Huber Corporation to Lonnie D. Ferrin, dated December 4, 1990, recorded in Lease Book 39, Page 643, in the Office aforesaid.

D. Amendment to Gas Storage Lease from J.M. Huber Corporation to Lonnie D. Ferrin, dated June 8, 1995, recorded in Lease Book 40, Page 751, in the Office aforesaid.

E. Electric Line Easement Agreement between J.M. Huber Corporation and Kentucky Utilities Company, dated November 30, 1993, recorded in Deed Book 275, Page 568, in the Office aforesaid. This document contains a provision for the rights granted therein to revert to the Grantor after one year of non-use by the Grantee.

831

F. Right of Way Easement and Agreement from J.M. Huber Corporation to Delta Natural Gas Company, Inc., dated August 19, 1992, recorded in Deed Book 269, Page 608, in the Office aforesaid. This document contains a provision for the rights granted therein to revert to the Grantor after one year of non- use by the Grantee.

G. Electric Substation Easement Agreement from J.M. Huber Corporation to Kentucky Utilities Company, dated December 1, 1986, recorded in Miscellaneous Instrument Book 12, Page 453, in the Office aforesaid. This document contains a provision for the right granted therein to revert to the Grantor after one year of non-use by the Grantee.

H. Agreement of Easement between J.M. Huber Corporation and South Central Bell Telephone Company, dated December 8, 1987, recorded in Miscellaneous Instrument Book 13, Page 166, in the Office aforesaid. This document contains a provision for the rights granted therein to revert to the Grantor after ninety (90) days of non-use by the Grantee.

I. Transmission Line Easement Agreement between J.M. Huber Corporation and Kentucky Utilities Company, dated June 23, 1988, recorded in Miscellaneous Instrument Book 13, Page 587, in the Office aforesaid. This document contains a provision for the rights granted therein to revert to the Grantor after one year of non-use by the Grantee.

J. Electric Line Easement Agreement between J. M. Huber Corporation and Kentucky Utilities Company, dated March 14, 1990, recorded in Miscellaneous Instrument Book 15, Page 256, in the Office aforesaid. This document contains a provision for the rights granted therein to revert to the Grantor after one year of non-use by the Grantee.

K. Right of Way Easement from J.M. Huber Corporation to Kentucky Central Water Service Company, dated April 4, 1990, recorded in Miscellaneous Instrument Book 15, Page 274, in the Office aforesaid. This document contains a provision for the rights granted therein to revert to the Grantor after one year of non-use by the Grantee.

L. Agreement of Easement between J.M. Huber Corporation and South Central Bell Telephone Company, dated August 12, 1983, recorded in Miscellaneous Instrument Book 9, Page 416, in the Office aforesaid. This document contains a provision for the rights granted therein to revert to the Grantor after ninety (90) days of non-use by the Grantee.

M. General Permit between J. M. Huber Corporation and Southern Bell Telephone and Telegraph Company, dated August 30, 1963, recorded in Deed Book 181, Page 98, in the Office aforesaid.

N. Right of Way Deed between J.M Huber Corporation and County of Bell, Kentucky,

437

dated June 22, 1966, recorded in Deed Book 189, Page 281, in the Office aforesaid.

O. Right of Way Agreement between J.M. Huber Corporation and Columbia Natural Resources, dated June 17, 1999, recorded in Deed Book 298, Page 109, in the Office aforesaid.

P. Right of Way Agreement between J.M. Huber Corporation and Columbia Natural Resources, dated June 17, 1999, recorded in Deed Book 298, Page 103, in the Office aforesaid.

Q. Boundary Line Agreement Conveyance between J.M. Huber Corporation and Will Junior Thacker and Cynthia Thacker, along with ingress and egress easements, dated November 23, 1987, recorded in Miscellaneous Instrument Book 13, Page 105, in the Office aforesaid.

R. Memorandum of Conveyance of Real and Personal Property between J.M. Huber Corporation and American Association Limited, dated January 22, 1980, recorded in Deed Book 228, Page 690, in the Office aforesaid.

S. Electric Line Easement Agreement dated October 19, 2000, from J.M. Huber Corporation to Kentucky Utilities Company recorded in Deed Book 304, Page 308, in the Office of the Clerk of Bell County. This document contains a provision for the rights granted therein to revert to the Grantor after one year of non-use by the Grantee.

T. Agreement Fixing Location of Common Boundary Line dated May 20, 1996, between Hugh Delk, et al, and Leamon Hinkle, et al, and J.M. Huber Corporation, recorded in Miscellaneous Book 17, Page 608, in the Office of the Clerk of Bell County, Kentucky.

U. Order and Judgment in Civil Action Number 76-642 in the United States District Court, Eastern District of Kentucky (London), captioned J.M. Huber Corporation vs. Robert "Bob" Centers, et al., dated September 11, 1984, regarding a property line, recorded in Miscellaneous Instrument Book 10, Page 437, in the Office of the Clerk of Bell County, Kentucky.

V. Transmission Line Agreement from H.C. Williams, Assignee of Louisville Property Company to Kentucky Utilities Company, dated July 29, 1939, recorded in Lease Book 12, Page 142, in the Office aforesaid.

W. Transmission Line Agreement from H.C. Williams, Assignee of Louisville Property Company to Kentucky Utilities Company, dated October 31, 1939, recorded in Lease Book 12, Page 251, in the Office aforesaid.

X. Reciprocal Easement dated October 4, 1967, between American Association Limited and Fern Lake Company recorded in Miscellaneous Instrument Book 6, Page 515, in

the Office aforesaid.

Y. Right of Way Agreement dated December 4, 1939, from American Association Incorporated to Kentucky Utilities Company recorded in Lease Book 12, Page 254, in the Office aforesaid. This document contains a provision for the rights granted therein to revert to the Grantor after one year of non-use by the Grantee.

Z. An Easement or Right of Way Deed dated July 7, 1949, from American Association Incorporated and Clear Fork Coal Company to Southern Railway Company recorded in Deed Book 146, Page 423, in the Office aforesaid. This document contains a provision for the rights granted therein to revert to the Grantor after abandonment of use, removal of rails, material and fixtures by Grantee.

AA. Right of Way Deed dated July 6, 1966, from American Association Limited to Bell County, Kentucky, recorded in Deed Book 190, Page 591, in the Office aforesaid.

BB. Right of Way Agreement dated April 15, 1969, between American Association Limited to Cumberland Valley Pipeline Company, recorded in Deed Book 199, Page 087, in the Office aforesaid.

CC. Right of Way Deed dated May 30, 1974, from American Association Ltd., to County of Bell, Kentucky, recorded in Deed Book 212, Page 642, in the Office aforesaid.

DD. Right of Way Agreement dated December 8, 1971, from American Association Limited to City of Pineville, Kentucky, recorded in Deed Book 206, Page 029, in the Office aforesaid. This document contains a provision for the rights granted therein to continue until completely abandoned and surrendered by Grantee.

EE. Pole Line Agreement recorded August 10, 1971, from American Association Limited to Kentucky Utilities Company recorded in Deed Book 204, Page 433, in the Office aforesaid.

FF. Right of Way Agreement dated May 20, 1971, from American Association Ltd., to Cumberland Valley Pipeline Company recorded in Deed Book 203, Page 646, in the Office aforesaid.

GG. Easement Agreement dated September 11, 1943, between H.C. Williams, Assignee of Louisville Property Company and Kentucky Utilities Company recorded in Lease Book 13, Page 381, in the Office aforesaid.

HH. Easement Agreement dated September 11, 1943, between H.C. Williams, Assignee of Louisville Property Company and Kentucky Utilities Company recorded in Lease Book 13, Page 383, in the Office aforesaid.

II. A Pole Line Agreement dated February 16, 1943, from W.F. Ely, Better Coal Co., Lessee, and H.C. Williams, Assignee of Louisville Property Company to Kentucky Utilities Company recorded in Lease Book 13, Page 385, in the Office aforesaid.

JJ. A Pole Line Agreement dated December 18, 1951, from H.C. Williams, Assignee of Louisville Property Company to Kentucky Utilities Company recorded in Lease Book 15, Page 491, in the Office aforesaid.

KK. A Pole Line and Substation Lot Agreement dated May 23, 1950, between H.C. Williams, Successor Assignee of Louisville Property Company to Kentucky Utilities recorded in Lease Book 15, Page 500, in the Office aforesaid.

LL. Grant of Transmission Line Easement dated November 13, 1943, from K.C. Land Company to United States of America recorded in Lease Book 13, Page 391, in the Office aforesaid. This document contains a provision for the forfeiture of rights granted therein upon abandonment by Grantee.

MM. Riparian rights in and to, and held by owners of the land adjacent to, the waters of any creeks, streams, forks and/or rivers running though the property.

NN. Title to that portion of the property which is or may be filled-in land, or which is under water, or which lies below the mean high-water mark of any river or tidal body or water set forth in the legal descriptions hereof running through or lying adjacent to the property.

OO. Title to that portion of the property which is or may be within the bounds of any public roads, paths, right-of ways, streets and/or highways set forth in the legal descriptions hereof or running through the property.

PP. Deed of Easement from J.M. Huber Corporation to Southern Bell Telephone and Telegraph Company dated August 2, 1963, and recorded in Deed Book 180, Page 654, in the Office aforesaid

QQ. Quitclaim Deed and Easement from J.M. Huber Corporation to Bell County Coal Corporation dated September 1, 1998, and recorded in Deed Book 294, Page 886, in the Office aforesaid.

RR. Permanent Waterline and Roadway Easement dated February 4, 2004, executed form Ataya Hardwoods, LLC to Pineville Utility Commission recorded in Deed Book 320, Page 19, in the Office of the Clerk of Bell County, Kentucky.

SS. Permanent Waterline and Roadway Easement dated May 4, 2004, executed from Ataya Hardwoods, LLC to Pineville Utility Commission recorded in Deed Book 321, Page 221, in the Office aforesaid.



THE PURPOSE OF THIS CORRECTION DEED IS TO CLEAR TITLE ONLY

CORRECTION DEED

Witnesseth this correction deed ("Correction Deed") by and between **Ataya Hardwoods, LLC, a Delaware limited liability company** and **Corrigan TLP LLC,** a **Delaware limited liability company**:

RECITALS

1. **Ataya Hardwoods, LLC** ("Grantor") is a Delaware limited liability company, with a mailing address at c/o RMK Timberland Group, 260 Peachtree Street, Suite 1800, Atlanta, Georgia 30303.

2. **Corrigan TLP LLC** ("Grantee") is a Delaware limited liability company with a mailing address at c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202.

3. By Special Warranty Deed ("Original Deed") dated December 17, 2007, and recorded in Deed Book 339, Page 533 in the Bell County, Kentucky Court Clerk's Office, Grantor conveyed to Grantee, the surface of certain lands and the timber thereon located in Bell County, Kentucky (the "Property").

4. The description of the Property in the Original Deed contained a scrivener's error in that it did not refer to Grantor's source of title.

5. Grantor and Grantee now desire to execute and deliver this Correction Deed in order to clarify the description, thereby eliminating confusion in the title to and ownership of the Property.

6. All recording references in this Correction Deed are to the records appearing in the Bell County, Kentucky Court Clerk's Office.

20.0

CORRECTION AMENDMENT

Now therefore, know all by these presents that for and in consideration of the premises, Grantor and Grantee hereby adopt and incorporate the recitals set forth above and do further agree as follows:

1. Grantor and Grantee hereby amend, reform and correct the description of the Property in the Original Deed by adding the Grantor's source of title at the end of the legal description as follows:

513

BEING A PART OF THE SAME property acquired by Ataya Hardwoods, LLC, a Delaware limited liability company, by Special Warranty Deed dated July 1, 2003, of record in Deed Book 316, Page 217 and Deed of Correction of record in Deed Book 318, Page 520, both in the records of the Bell County, Kentucky Court Clerk's Office.

2. No other provisions in the Original Deed shall be affected by this Correction Deed.

3. **CONSIDERATION CERTIFICATE:** We, the undersigned, do hereby certify, pursuant to KRS Chapter 382, that this Correction Deed is executed solely for the purpose of correcting a scrivener's error made in the Original Deed and without monetary consideration. We further certify the consideration as stated in the Original Deed is the true, correct and full consideration paid for the Property and we understand that falsification of the stated consideration is a Class D felony, subject to one to five years imprisonment and fines up to $10,000.00.

As amended, reformed and corrected, the Original Deed remains in full force and effect.

[Signature Pages Follow]

IN WITNESS WHEREOF, the undersigned have caused their names to be duly executed to this Correction Deed by their duly authorized representatives on this the 13 day of February, 2008.

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

BY: Regions Bank, its Manager

By: _____
Print Name: Michael T. Shearer
Its: Senior Vice President

STATE OF Georgia

COUNTY OF Fulton

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Michael Shearer, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his/her oath, acknowledged herself/himself to be the SVP of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, and that she/he, on behalf of such Manager, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as SVP of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 13th day of February, 2008.

_____
NOTARY PUBLIC, STATE OF Georgia

My Commission Expires:
FREDELL A BLAKENEY
Notary Public
Douglas County, Georgia
My Commission Expires September 25, 2010

(SEAL)

[Additional Signature Page Follows]

SLS

GRANTEE:

CORRIGAN TLP LLC
A Delaware limited liability company

Bob Lyle

By: BOB LYLE
Its: AUTHORIZED SIGNATORY

STATE OF MISSISSIPPI

COUNTY OF ~~FORREST~~ HINDS

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared BOB LYLE, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his/her oath, acknowledged herself/himself to be the AUTHORIZED SIGNATORY of Corrigan TLP LLC, a Delaware limited liability company, the within named Grantee, and that she/he, on behalf of said Grantee, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Corrigan TLP LLC, a Delaware limited liability company, by himself/herself as her/his free act and deed.

Witness my hand and seal at office this the 13th day of FEBRUARY, 2008.

Laura A. Hall

NOTARY PUBLIC, STATE OF MISSISSIPPI

My Commission Expires:

MISSISSIPPI STATEWIDE NOTARY PUBLIC
MY COMMISSION EXPIRES MAY 27, 2009
BONDED THRU STEGALL NOTARY SERVICE

(SEAL)

LAURA A. HALL NOTARY PUBLIC RANKIN COUNTY, MS

INSTRUMENT PREPARED BY:
Candace D. Johnson
Adams and Reese LLP
11 North Water Street, Suite 23200
Mobile, Alabama 36602
(251) 433-3234

By: Candace D. Johnson

State of Kentucky
County of Bell -ss-

I, Becky Blevins, Clerk within and for the State and county aforesaid, do hereby certify that the foregoing Correction Deed was this day lodged for record, whereupon the same has been duly recorded in Deed Book No. 340 at page No. 513 record of my said office.

Given under my hand this the 25th day of Feb. 2008

Becky Blevins, Clerk

By Beth Hurst Deputy

After recording, return to:
William C. Stambaugh, Esq.
Commonwealth Land Title
500 W Jefferson St, Ste. 500
Louisville, KY 40202

SLE

020

Deed Transfer Tax Collected
$ 9,668.50
Date 12-26-07 By NS D.C.

DEC26'07 AM 9:23

SPECIAL WARRANTY DEED

(Leslie County, Kentucky)

THIS SPECIAL WARRANTY DEED, made as of the 17th day of December, 2007 by and between ATAYA HARDWOODS, LLC, a Delaware limited liability company, having an address of c/o RMK Timberland Group, 260 Peachtree Street, Suite 1800, Atlanta, Georgia 30303, Grantor, and CORRIGAN TLP LLC, a Delaware limited liability company, having an address of c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202, Grantee.

WITNESSETH: That for and in consideration of the sum of $9,668,240.592, ALL FULLY PAID, the receipt and sufficiency of which are hereby acknowledged, Grantor has bargained and sold and does hereby grant, sell and convey unto Grantee, its successors and assigns, forever, the surface lands and timber situated in Leslie County, Kentucky, and more particularly described on Exhibit "A" attached hereto and made a part hereof.

TOGETHER WITH those matters shown or described on Exhibit "B" attached hereto and made a part hereof.

SUBJECT TO (i) the mineral reservation contained in that certain Special Warranty Deed dated July 1, 2003 from BLC Properties, LLC to Ataya Hardwoods, LLC recorded in Book 159, Page 383 in the County Clerk's Office of Leslie County, Kentucky (the "Mineral Reservation"); (ii) that certain Surface Damage and Royalty Agreement dated July 1, 2003 (the "SDRA") by and between BLC Properties, LLC and Ataya Hardwoods, LLC recorded in Lease

Book 63, Page 185 in the County Clerk's Office of Leslie County, Kentucky; and (iii) the Permitted Encumbrances shown or described on Exhibit "C" attached hereto and made a part hereof.

TO HAVE AND TO HOLD the same, in fee simple, together with all the appurtenances thereunto belonging unto Grantee, its successors and assigns, forever, Grantor hereby specially warrants that Grantor will forever warrant the title against all persons claiming under Grantor, and defend the Real Property so granted to Grantee, its successors and assigns, against every person lawfully claiming the same or any part thereof under Grantor but not otherwise, excepting the above described Mineral Reservation and SDRA and all matters shown as Permitted Encumbrances on Exhibit "C" attached hereto and incorporated herein.

IN TESTIMONY WHEREOF, Grantor has hereunto executed this Special Warranty Deed as of the day and year first above written.

[Grantor's signature appears on following page]

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: Gregory S. Williams
Name: Gregory S. Williams
Title: SVP

STATE OF Georgia,

COUNTY OF Cobb:

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Gregory S. Williams, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon her oath, acknowledged himself/herself to be the Sr. Vice Pres. of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, and that he/she, on behalf of such Manager, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as Sr. Vice Pres. of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 17th day of December, 2007.

Annique J. Cooke
NOTARY PUBLIC, STATE OF Georgia

My Commission expires:
August 16, 2010

(SEAL)

ANNIQUE J. COOKE NOTARY PUBLIC COBB COUNTY EXPIRES GEORGIA AUG. 16, 2010

CONSIDERATION CERTIFICATE: Being first duly sworn, the undersigned Grantor and Grantee state that the consideration set forth in the foregoing instrument is true and correct, and is the full consideration paid for the property conveyed by the foregoing instrument.

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: _____
Name: Gregory S. Williams
Title: SVP

024

GRANTEE:

CORRIGAN TLP LLC,
a Delaware limited liability company

By: Terrell Winstead
Name: Terrell Winstead
Title: Authorized Signatory

STATE OF Georgia,

COUNTY OF Cobb:

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Gregory S. Williams, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon her oath, acknowledged himself/herself to be the Sr. Vice Pres. of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, and that he/she, on behalf of such Manager, being authorized so to do, executed the foregoing certification for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as Sr. Vice Pres of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 17th day of December, 2007.

Annique J. Cooke
NOTARY PUBLIC, STATE OF Georgia

My Commission expires:
August 16, 2010

(SEAL)

ANNIQUE J. COOKE NOTARY PUBLIC COBB COUNTY EXPIRES GEORGIA AUG. 16, 2010

026

STATE OF Mississippi

COUNTY OF Forest:

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his oath, acknowledged herself/himself to be the Authorized Signatory of Corrigan TLP LLC, a Delaware limited liability company, the within named Grantee, and that she/he, on behalf of said Grantee, being authorized so to do, executed the foregoing certification for the purposes therein contained by signing the name of Corrigan TLP LLC, a Delaware limited liability company, by himself as her/his free act and deed.


Witness my hand and seal at office this 17th day of December, 2007.

Stacey C. Baucom

NOTARY PUBLIC, STATE OF Mississippi

My Commission Expires:

03-01-11 (SEAL)



This instrument was prepared by:

Richard J. Carter, Jr., Esq.
Powell Goldstein LLP
1201 West. Peachtree Street
14th Floor
Atlanta, Georgia 30309

This instrument was prepared from information furnished by the parties involved and the preparer makes no representation as to the status of the title or the accuracy of information.

Preparer: _____

EXHIBIT "A"

Legal Description

[To Be Attached]

DEED EXHIBIT "A"

Legal Description

All of the lands situated in Leslie County, Kentucky which were conveyed to BLC Properties LLC from J.M. Huber Corporation by Special Warranty Deed dated July 5, 2001 and of record in Deeds Book 151, at Page 655 et seq., in the Office of the County Clerk of Leslie County, Kentucky, to which reference is made for a more particular description thereof, including, without limitation, the property described in the legal descriptions set forth below and the other exhibits annexed hereto.

Notwithstanding the legal descriptions set forth below and the other Exhibits annexed hereto, this Deed does not convey, nor purport or intend to convey, any land or interest in land that was not conveyed in the deed to BLC Properties LLC set forth above.

EXHIBIT "A"

Being the same property conveyed by J.M. Huber Corporation to BLC Properties, LLC by Deed dated July 5, 2001, and recorded in Deed Book 151, Page 655, Leslie County Court Clerk's Office.

Tract 36-12

All that certain tract or parcel lying and being in Leslie County, Kentucky, more particularly described as follows:

Located on Rockhouse Creek and Greasy Creek in Leslie County, Kentucky.

Beginning at a set stone set by the Harlan processoners in 1906, 44.2 feet west of Rockhouse Creek;

Thence S 65-40 W 365.0 feet to a set stone on hillside with a 20" black oak and 8" dogwood marked for pointers;

Thence S 70-20 W 345.2 feet to a stake in fence line;

Thence S 54-10 W 232.7 feet to a stake in fence line;

Thence S 55-15 W 185.3 feet to a stake in fence line;

Thence S 59-45 W 135.5 feet to a stake in fence line;

Thence S 63-40 W 237.3 feet to a set stone in fence line;

Thence S 29-40 E crossing county road at 295.2 feet, crossing Greasy Creek at 390.0 feet, in all 400.8 feet to a stake on south bank of said creek;

Thence S 28-35 E 141.2 feet to a steel rail with a 22" beech marked for pointer;

Thence N 17-15 E 95.4 feet to a steel rail in fence line with a 18" walnut marked for pointer;

Thence N 88-10 E 265.8 feet to a stake in fence line;

Thence N 83-45 E 196.0 feet to a stake in fence line;

Thence N 79-00 E 164.4 feet to a 24" beech marked with 3 timber scribes, on south bank of Greasy Creek;

Thence S 82-45 E 269.0 feet to a cross on root of sycamore tree on south bank of Greasy Creek with a 16" sycamore and 20" pine marked for pointers;

Thence S 44-30 W 2,287.6 feet to a set stone on top of ridge with a 10" and 12" hickory marked for pointers;

Thence N 9-00 E 767.6 feet to a set stone with a 20" beech marked for pointer;

Thence N 37-30 W crossing Greasy Creek at 605.0 feet, in all 610.5 feet to a stake on north bank of Greasy Creek;

Thence N 53-45 E 549.8 feet to a steel rail on north bank of Greasy Creek with a 22" black gum marked with three (3) old hacks;

Thence N 24-12 W crossing ridge at 1690.6 feet, in all 1963.5 feet to a set stone with 18" and 20" chestnut oaks marked for pointers;

Thence N 61-20 E crossing high knob at 324.2 feet, crossing deep hollow at 1,347.9 feet, crossing ridge at 2,038.1 feet, in all 2,755.5 feet to a set stone in line of Pat. No. 6292, with 14" and 8" hickories marked for pointers;

Thence with the 18th line of Pat. No. 6292, N 18-30 E 179.2 feet to a stake;

Thence N 15-00 E 210.3 feet to a stake in said line;

Thence N 16-30 E 287.9 feet to a stake in said line;

Thence N 15-50 E 58.1 feet to a stake in said line;

Thence N 16-50 E 296.6 feet to a stake in said line;

Thence N 15-30 E 219.6 feet to a stake in said line;

Thence N 18-15 E 119.8 feet to a stake in said line;

Thence N 15-45 E 282.1 feet to a stake in said line;

Thence N 16-00 E 281.9 feet to a stake on top of ridge in said line;

Thence N 19-45 E 39.7 feet to a stake in said line;

Thence N 15-15 E 243.2 feet to a stake in said line;

Thence N 17-50 E 259.6 feet to a stake in said line;

Thence N 18-10 E 228.2 feet to a stake in said line;

Thence N 17-30 E 147.7 feet to a stake in said line;

Thence N 16-40 E 137.2 feet to a stake in said line;

Thence N 17-30 E 131.9 feet to a stake in said line;

Thence N 16-40 E 96.0 feet to a stake in said line;

Thence N 16-10 E 279.0 feet to a set stone in said line (18th) of said patent (6292);

Thence S 76-00 E 577.5 feet to a set stone in the 5th line of Pat. No. 6292, with a 22" beech marked for pointer.

Thence S 16-10 W 419.1 feet to a stake in Rockhouse Creek, in the 4th line of Pat. No. 6292;

Thence S 17-20 W 299.9 feet to a stake in said line;

Thence S 14-30 W 134.2 feet to a stake in said line;

Thence S 17-10 W crossing drain at 195.0 feet, in all 270.5 feet to a steel rail in said line;

Thence S 15-20 W 147.5 feet to a stake in said line;

Thence S 16-30 W 315.1 feet to a steel rail in said line with a 28" beech marked for corner;

Thence S 16-45 W 221.3 feet to a stake in said line;

Thence S 18-50 W 299.8 feet to a stake in said line;

Thence S 16-10 W 181.3 feet to a stake in said line;

Thence S 17-50 W 213.5 feet to a stake in said line;

Thence S 22-30 W 123.7 feet to a stake in the 3rd line of Pat.No. 6292;

Thence S 21-00 W 204.6 feet to a stake in said line;

Thence S 23-10 W 115.9 feet to a set stone with a cross (+) and two (2) marks, set by the Harland County processioners in 1906, with a 5" white oak and 28" beech marked for pointers, the 3rd corner of Pat. No. 6292;

Thence N 58-45 E 2,052.2 feet to a point on rock, on top of ridge between Segn Branch and Rockhouse Branch;

Thence with said ridge S 14-00 W 565.0 feet to a set stone;

Thence with said ridge S 26-00 W 599.1 feet to a stake;

Thence with said ridge S 34-00 W 123.8 feet to a stake;

Thence with said ridge S 35-20 W 258.0 feet to a stake;

Thence still with said ridge S 29-40 W 386.1 feet to a stake;

Thence with said ridge S 15-00 W 125.0 feet to a stake;

Thence with said ridge S 19-00 W 149.1 feet to a stake;

Thence with said ridge S 9-20 W 65.2 feet to a stake;

Thence with said ridge S 26-20 W 177.8 feet to a stake;

Thence with said ridge S 29-30 W 155.4 feet to a stake;

Thence with said ridge S 48-30 W 160.3 feet to a stake;

Thence with said ridge S 49-20 W 117.3 feet to a stake;

Thence with said ridge S 38-30 W 241.6 feet to a stake;

Thence with said ridge S 41-40 W 113.3 feet to a stake;

Thence with said ridge S 55-40 W 141.5 feet to a stake;

Thence with said ridge S 46-40 W 135.1 feet to a point on top end of high cliff;

Thence with said ridge S 46-10 W 107.4 feet to a point on pile of stones;

Thence with said ridge S 33-10 W 144.7 feet to a stake;

Thence with said ridge S 39-00 W 110.0 feet to a stake;

Thence with said ridge S 21-15 W 113.8 feet to a stake;

Thence with said ridge S 33-20 W 55.7 feet to a stake;

Thence with said ridge S 13-20 W 96.9 feet to a stake;

Thence with said ridge S 44-45 W 76.1 feet to a stake;

Thence with said ridge S 13-40 W 142.6 feet to a stake;

Thence with said ridge S 0-15 W 82.9 feet to a stake;

Thence with said ridge S15-00 W 251.2 feet to a steel rail on south edge of county road;

Thence N 56-00 W 143.4 feet to a steel rail on south edge of county road;

Thence crossing county road N 25-45 W 78.7 feet to a point in Rockhouse Creek;

Thence with Rockhouse Creek N 10-20 W 382.8 feet to a steel rail on west bank of Rockhouse Creek;

Thence N S 65-40 W 44.2 feet to the Beginning.

Surveyed May, 1973 by James Evans, Kentucky Reg. No. 971.

TRACT 36-23A

Beginning at a set stone, the beginning corner of Patent 28671;

thence with the first line of said patent N 13° 00'W 495.0 feet to the second cornet;

Thence N 36° 15' W 398.0 feet to the third corner;

Thence N 25° 00 E 297.0 feet to the fourth corner;

Thence S 67° 00' E 600.2 feet to a stake in the eighteenth line of patent 6292;

Thence reversing eighteenth line N 16° 10' E 1438.4 feet to the eighteenth corner of said patent;

Thence reversing the seventeenth line N 47° 45'E 2305.2 feet to the seventeenth corner of patent 6292;

Thence reversing the sixteenth line N 57° 28' E 236.9 feet to a stake in the sixteenth line of patent 28671;

Thence with said line N 32° 00' E 99.0 feet to the seventeenth corner of patent 28671;

Thence N 16° 00' W 330.0 feet to the eighteenth corner of said patent;

Thence S 69° 00' W 258.9 feet to the nineteenth corner of said patent;

Thence N 31° 00' W 825.5 feet to the twentieth corner of said patent;

Thence N 64° 00' W 878.0 feet to the twenty-first corner of said patent;

Thence N 61° 00' E 3272.5 feet to the twenty-second corner of said patent;

Thence S 1° 00' W 651.3 feet to a stake in the fifteenth line of patent 6292;

Thence reversing the fifteenth line of patent 6292 S 47° 45' E 314.3 feet to fifteenth corner of patent 6292;

Thence reversing the fourteenth line of Patent 6292, S 6° 35' E 1645.7 feet to the fourteenth corner of Patent 6292;

5

Thence reversing the thirteenth line of Patent 6292 N 85° 20' E 502.4 feet to the thirteenth corner of Patent 6292;

Thence reversing of the twelfth line of Patent 6292 S 56° 15 'W 1219.9 feet to a stake on the twenty-second line of patent 28671;

Thence with the twenty-second line of patent 28671 S 1° 00' W 889.2 feet to an iron pipe on the top of the ridge S W of Cow Gap;

Thence S 34° 15'W 207.3 feet to a stake on top of ridge;

Thence S 27° 10' W 202.4 feet to a stake on top of ridge;

Thence S 32° 15' W 103.2 feet to a stake on top of ridge;

Thence S 44° 10' W 191.9 feet to a stake on top of ridge;

Thence S 56° 20' W 144.0 feet to a stake on top of ridge;

Thence S 1° 00' W 76.9 feet to a stake on top of ridge;

Thence S 34° 10' E 109.1 feet to a stake on top of ridge;

Thence S 401 40' E 155.5 feet to a stake on top of ridge;

Thence S 24° 15' E 217.7 feet to a stake on top of ridge;

Thence S 29° 35' E 161.1 feet to a stake on top of ridge;

Thence S 29° 00' E 107.3 feet to a stake on top of ridge;

Thence S 30° 00' E 135.3 feet to a stake on top of ridge;

Thence S 25° 30' E 141.1 feet to a stake on top of ridge;

Thence S 1° 00 E 60.0 feet to a stake on top of ridge, the twenty-third' corner of patent 28671;

Thence S 52° 00' W 2393.7 feet to the twenty-fourth corner of Patent 28671;

Thence N 76° 00' W crossing the fifth line of patent 6292 at 990.0 feet crossing the eighteenth line of patent 6292 at 1567.5 feet, in all 1675.0 feet to the beginning. Containing 215.5 acres.

TRACT 36-21

Lying and being on the waters of Lewis Creek of Greasy Fork of the Middle Fork of the Kentucky River and described as follows:

FIRST TRACT:

Beginning at the mouth of Henry Hollow; thence running up the hollow with Rebecca Turners line to a line of Survey made in the name of Henry M. Lewis; thence running eastwardly with the line of same to F. G. Lewis line; thence with F. G. Lewis line to a 100 acre survey made in the name of Henry M. Lewis; thence with same line to a marked beach tree; thence with same line to a marked hickory tree; thence with same line to Rebecca Turner's line; thence with her line to the beginning at the mouth of Henry Hollow.

Being the same land conveyed to the grantor by Elizabeth Hendrix on January 22, 1917 and of record in Deed Book No. 35, page 513, records of the Leslie County Court Clerk's Office.

SECOND TRACT:

Beginning on a beech tree near Henry Hollow of Lewis Creek on line of Henry M. Lewis patent; thence with line of same to a beech, corner of same survey; thence with the same line to near Hoy Hollow; thence with line of same crossing Lewis Creek to a beech corner; thence down the creek with line of same Survey to the lower end of same; thence up the mountain to a 500 acre survey made in the name of Henry M. Lewis; thence with the line of the

500 acre survey to near the beginning; thence a straight line to Elizabeth Joseph's line; thence with said Joseph line to the beginning, containing all the lands in a Henry M. Lewis survey of 100 acres, also all the lands in James Hendrix survey up to the Elizabeth Joseph line.

Being the same land conveyed to the grantor herein on June 7, 1930 by Henry Turner and of record in Deed Book No. 36, page 209, records of the Leslie County Court Clerk's Office.

THIRD TRACT:

Beginning on a small whiteoak on the left side of the creek as you go down; thence a straight line up the hill to a beech stump and stone; thence a straight line to a hickory; thence a straight line up the hill to a black jack or oak; thence a straight line up the hill to a large rock; thence a straight line up the hill to a small dogwood in line of 500 acre survey made in the name of Henry M. Lewis; thence with the marked line of same to the fourth corner of same survey on a whiteoak on top of the mountain between Lewis Creek and Rockhouse Creek; thence with the line of same reversed to the third corner of same; thence with the line of same to the second corner of same; thence with the lines of same to the beginning corner of same survey made in the name of Lewis & Pace; thence with line of Lewis & Pace to a poplar; thence with line of same to a beech tree; thence a straight line to the beginning corner of 100 acre survey made in the name of Henry M. Lewis to a beech and sugar tree; thence with line of same to a

sugar tree; thence with line of same to a beech tree; thence with line of same to a hickory tree; thence a straight line to opposite a small hickory; thence to a hickory near the fence; thence down the hill a straight line to a stone in the field; thence a straight line down the hill to the beginning on the aforesaid whiteoak the beginning corner.

TRACT 36-1(i)

Beginning on a set stone on top of the mountain, between Upper Bent Branch and Horse Fork of Robins Branch.

Thence N86-15W 648.7 feet to a set stone,

Thence S75-30W crossing the right hand fork of Upper Bent Branch 99.0 feet in all 362.8 to a stake.

Thence S74-50W 92.4 feet to a stake,

Thence S77-30W 235.1 feet to a stake,

Thence S76-00W 42.3 feet to a chestnut oak on the edge of a flat.

Thence S74-50W 80.0 feet to a stake,

Thence S78-10W 206.3 feet to a stake,

Thence S74-45W 188.4 feet to a stake,

Thence S66-20W 99.2 feet to a stake,

Thence S84-20W crossing ridge at 50.0 feet in all 94.4 to a stake.

Thence S81-00W 229.1 feet to a stake,

Thence S78-10W 184.6 feet to a stake,

Thence S70-50W 122.7 feet to a stake,

Thence S77-00W crossing a drain of 30.0 feet in all 176.6 feet to a stake.

Thence S79-20W 152.8 feet to a stake,

Thence S82-15W 94.1 feet to a stake,

Thence S78-00W 227.0 feet to a stake, on top of a ridge.

Thence S79-10W 156.0 feet to a stake,

Thence S80-40W 131.3 feet to a stake,

Thence S75-00W 148.4 feet to a stake,

Thence S80-20W crossing a drain at 63.0 feet in all 188,5' to a stake.

Thence S78-20W 280.1 feet to a stake,

Thence S77-30W 243.6 feet to a stake, with a 14 inch beech marked for corner.

Thence N49-45W crossing Upper Bent Branch 171.0 feet in all 445.5 to a U.S. Government metal marker.

Thence N55-15W crossing a spur at 144.9 feet crossing drain at 377.9 feet, crossin spur at 715.5 feet, crossing drain at 1036.9 in all 1147.7 to a stake.

Thence N56-15W 304.7 feet to a stake,

Thence N54-10W 283.5 feet to a stake,

Thence N55-15W 217.9 feet to a U.S. Government metal marker for a corner.

Thence S50-00W 363.6 feet to a stake,

Thence S49-45W 267.3 feet to a stake,

Thence S50-00W 284.0 feet to a stake,

Thence S49-45W 409.3 feet to a U.S. Government metal marker for a corner.

Thence N40-00W 184.8 feet to a stake,

Thence N40-15W 216.3 feet to a stake on top spur,

Thence N40-20W 79.9 feet to a U.S. Government metal marker for a corner.

Thence N49-45E 1201.1 feet to a U.S. Government metal marker, with a 24 inch black oak marked with 4 hacks and an 8 inch hickory for corner, on top of ridge between Upper Bent and Lower Bent Branch.

Thence N55-15W 291.0 feet to a U.S. Government metal marker 890.0 feet to a hollow, crossing spur at 1041.4 feet 1192.8 to another U.S. Government metal marker crossing road at1631.1 feet, crossing Greasy

Creek at 1778.4 feet in all 1897.8 feet to a U.S. Government metal marker for corner.

Thence S49-40W 261.0 feet to a stake on north bank of Greasy Creek.

Thence S54-45W 75.0 feet to edge of Greasy Creek, then up center of creek 724.5 feet to edge of Greasy Creek, in all 849.5 feet to a stake on north side of Greasy Creek.

Thence S57-15W 233.8 feet to a U.S. Government metal marker for corner with 2 beech trees for pointers, marked B.T. 60. 10297.

Thence N16-00W crossing ridge at 316.6 feet in all 534.0 feet to a stake.

Thence N21-15W 74.9 feet to a stake on top of a cliff,

Thence N16-15W crossing Greasy Creek at 233.6 feet in all 383.6 feet to a U.S. Government metal marker on south edge of creek.

Thence N55-40E 69.0 feet to a U.S. Government metal marker.

Thence N57-10E crossing county road at 123.0 feet in all 437.0 feet to a stake.

Thence N55-40E 575.6 feet to a U.S. Government metal marker, in all 1672.1 feet to a U.S. Government metal marker for corner.

Thence S51-10E crossing county road at 320.0 feet 586.6 feet to a stake on northeast bank of Greasy Creek 935.0 feet to the southeast bank of Greasy Creek, 1137.0 feet to top of bank on south side of county road, 1206.0 feet to top of cliff, crossing Lower Bent Branch at 1836.7 feet in all 2592.2 feet to U.S. Government metal marker for corner, with a 24 inch marked beech pointer.

Thence N50-00E 906.6 feet to a U.S. Government metal marker for corner.

Thence S40-00E 501.2 feet to U.S. Government metal marker for corner.

Thence S50-10W crossing spur at 735.0 feet in all 794.7 feet to a U.S. Government metal marker for corner.

Thence S51-10E crossing top of mountain at 750.1 feet in all 1341.2 feet to a U.S.Government metal marker for corner.

Thence N72-30E 117.9 feet to a stake,

Thence N74-40E crossing drain at 81.5 feet in all 206.4 feet to a stake,

Thence N71-45E 294.4 feet to a stake on top of spur.

Thence N71-40E 230.1 feet to a stake,

Thence N74-10E, crossing a drain at 123.0 feet, in all 661.0 feet to a stake on top of a ridge.

Thence N71-20E 311.8 feet to a stake.

Thence N72-50E crossing branch at 18.0 feet, in all 383.7 feet to a set stone,

Thence N26-15W 390.5 feet to a set stone,

Thence N22-45W crossing branch at 40.0 feet, crossing top of ridge between Upper Bent Branch and Lower Bent Branch at 496.4 feet, crossing right fork of Lower Bent Branch at 1092.7 feet, crossing left fork of Lower Bent Branch at 1227.7 feet, crossing top of ridge between Lower Bent Branch and Upper Bad Creek at 2400.0 feet, crossing a drain at 2922.0 feet, in all 3293.4 feet to a U.S.Government metal marker for corner.

Thence N85-15W crossing spur at 250.0 feet, crossing spur at 625.6 feet in all 1857.0 feet to a set stone with 18 inch beech marked B.T. 19C, 12677 for pointer tree.

Thence S1-55W 1018.1 feet to a set stone with an old oak stump as a pointer.

Thence N85-15W crossing top of ridge between Upper Bad Creek and Lower Bent Branch at 932.5 feet, in all 1169.4 feet to a set stone corner.

Thence N1-45E crossing Upper Bad Creek and Lower Bent Branch at 387.8 feet, in all 571.4 feet to a set stone with 2 hickories, marked with 4 hacks for pointers.

Thence N3-00E 825.0 feet to a stake with a 16 inch beech with B.T. 16C. for pointer.

Thence N85-00W crossing spur 491.2, in all 974.7 to a stake beside a marked beech.

Thence N84-20W crossing branch 160.0 feet 224.9 feet to a stake with three small poplars marked for corner.

Thence N 0-20E passing a marked beech at 279.7, 819.7 feet in all to a 24 inch beech stump in lower edge of road. Beech been cut but had patent No. 12677, marked B.T. 14C, 12677.

Thence N43-40W 182.3 feet to a stake,

Thence N47-00W 93.7 feet to a stake,

Thence N48-40W 292.9 feet to a stake,

Thence N49-40W 300.0 feet to a stake,

Thence N49-00W 210.2 feet to a stake,

Thence N48-40W 365.6 feet to a stake,

Thence N51-00W 366.4 feet to a stake on top of cliff,

Thence N51-30W 257.0 feet to a stake on the south bank of Bad Creek.

Thence N47-45W crossing Bad Creek 417.8 feet to a stake on south edge of road.

Thence N50-15W crossing said road 805.0 feet to a stakecorner with 7 inch maple, 8 inch pine and 5 inch beech as pointers.

Thence N43-00E 690.0 feet to a stake corner 4 feet from end of cliff and 15.0 feet from a 36 inch oak.

Thence S47-50E crossing spur at 528.8 feet crossing branch at 645.0 feet, in all 732.8 feet to a stake on spur.

Thence S50-00E crossing spur at 80.0 feet 369.8 feet to a stake.

Thence S49-00E crossing branch at 248.3 feet, crossing spur at 412.2 feet, crossing spur at 660.0 feet, in all 699.0 feet to a stake.

Thence S51-45E 278.0 feet to a stake.

Thence S48-30E crossing branch 60.0 feet in all 300.0 feet to a stake.

Thence S45-40E 106.4 feet to a stake,

Thence S53-15E 183.6 feet to a stake,

Thence S47-00E 240.0 feet to a stake,

Thence S48-00E 400.6 feet to a stake,

Thence S54-30E 406.9 feet to center of road, 626.9 feet to center of Bad Creek, 739.9 feet to a stake.

Thence S45-50E 107.8 feet to a stake, Thence S45-20E 125.0 feet to a sta on north side of the road.

Thence S45-50E crossing Bad Creek at 40.0 feet in all 214.4 feet to a stake on Spur.

Thence S52-40E 185.6 feet to a stake,

Thence S48-00E 214.5 feet to a stake in Bad Creek.

Thence N84-50E 86.0 feet to top of cliff in all 213.0 feet to a stake corner between two marked oak trees.

Thence S84-10E 65.7 feet to a stake.

Thence N77-50E 72.3 feet to a stake,

Thence S85-50E 139.6 feet to a stake on spur.

Thence S88-40E 131.3 feet to a stake,

Thence N84-00E 154.6 feet to a stake,

Thence N82-30E 120.4 feet to a stake,

Thence N89-20E crossing branch 188.0 feet 452.6 feet in all to a stake,

Thence N81-10E 199.3 feet to a stake.

Thence N87-50E 168.3 feet to center of Bad Creek 232.7 feet to a stake in old road.

Thence N88-30E 125.5 feet to a stake,

Thence N-83-00E crossing creek at 175.2 feet 925.7 feet in all to a stake corner with 24 inch beech marked BT,7C,12677. Beech bearing S1-00E 13.0 f

Thence S84-50E 317.7 feet to a stake,

Thence S84-00E crossing creek at 30.0 feet in all 132.8 feet to a stake.

Thence S85-15E 45.0 feet to center of Bad Creek in all 333.6 feet to a stake.

Thence S61-00E 88.0 feet to center of Bad Creek 123.5 feet to a stake,

Thence S6-30W 275.6 feet to a stake corner with a 14 inch beech marked B.T., 5C, 12677, in bearing N25-30E 29.0 feet, and an 18 inch beech marke B.T., 5C, 12677 in bearing S62-30W 26.0 feet.

Thence N83-00W 169.5 to a stake on top of spur,

Thence N88-15W 83.6 feet to a stake,

Thence N89-45W 91.7 feet to a stake,

Thence S67-45W 83.3 feet to a stake,

Thence S66-00W 129.2 feet to a stake,

Thence S63-10W crossing branch at 76.0 feet 96.9 feet to a stake.

Thence S68-45W 143.2 feet to a stake corner on edge of old road.

Thence S32-50E 77.3 feet to a stake.

Thence S34-50E 166.6 feet to a stake,

Thence S32-45E crossing branch at 196.0 feet 224.5 feet to a stake,

Thence S31-50E crossing branch at 198.0 feet 278.4 feet to a stake,

Thence S33-50E 187.7 feet to a stake,

Thence S31-50E 504.6 feet to a set stone in a low gap of mountain,

Thence S31-40E 839.3 feet to a 30 inch beech original corner of west bank of branch near the head of Lower Bent Branch.

Thence S21-20E crossing top of mountain at 952.0 feet in all 1060.0 feet to a set stone.

Thence N2-15W 74.2 feet to a stake,

Thence N-0-40W crossing top of mountain at 62.0 feet in all 171.3 feet to a stake.

Thence N 0-10W 281.2 feet to a stake,

Thence N 0-30E 157.6 feet to a stake,

Thence N 0-50E 294.4 feet to a stake.

Thence N 1-00E passing thru a low gap at 76.0 feet in all 471.8 feet to a stake, Thence N0-30W 62.0 feet to a stake,

Thence N 1-30E 79.5 feet to stake,

Thence N9-20E 96.8 feet to a stake,

Thence N1-15W 219.8 feet to a stake,

Thence N1-20W 136.5 feet to a stake,

Thence N 0-50E 158.0 feet to a stake,

Thence N3-50E 220.4 feet to a stake,

Thence N 0-10E 163.9 feet to a stake,

Thence N1-00E 196.8 feet to a stake

Thence N0-40E 173.1 feet to a stake,

Thence N0-15E 136.0 feet to a stake,

Thence N1-00E crossing Bad Creek at 37.0 feet, in all 165.4 feet to a set stone.

Thence N-71-45E crossing spur at 294.8 feet , crossing a branch at 481.0 feet, in all 672.2 feet to a set stone with a 12 inch black pine marked for corner and a 16 inch black pine stump.

Thence N28-30W 113.0 feet to a stake in drain,

Thence S74-30W crossing over cliff at 326.9 feet in all 489.8feet to a set stone with a 20 inch white oak marked for corner.

Thence N48-30W 80.0 feet to a stake,

Thence N50-50W 334.1 feet to a stake,

Thence N50-00W 154.1 feet to a stake,

Thence N50-50W 193.6 feet to a stake on top of spur,

Thence N53-00W 284.9 feet to a stake,

Thence N55-00W crossing drain of 140.0 feet in all 173.4 feet to a stake,

Thence N50-00W 30.0 feet to a stake,

Thence N-48-00W 70.6 feet to a stake,

Thence N51-40W 87.2 feet to a stake,

Thence N49-50W 197.1 feet to a stake,

Thence N55-00W 344.8 feet to a stake,

Thence N73-00E 174.2 feet to a stake,

Thence N75-10E 98.2 feet to a stake,

Thence N72-30E 32.2 feet to a stake,

Thence N72-45E 186.4 feet to a stake,

Thence N76-50E 210.3 feet to a stake,

Thence N73-00E crossing drain at 113.0 feet, in all 199.6 feet to a stake,

Thence N76-00E 75.0 feet to a stake,

Thence N75-10E 296.9 feet to a stake,

Thence N74-00E crossing drain at 120.0 feet in all 172.8 feet to a stake corner with a hickory and black gum for pointers,

Thence N21-10W 226.8 feet to a stake,

Thence N20-00W 93.5 feet to a stake,

Thence N24-40W 142.0 feet to a stake,

Thence N21-40W crossing branch at 117.0 feet, in all 152.3 feet to a stake,

Thence N20-10W 244.6 feet to a stake,

Thence N25-00W crossing over cliff at 395.0 feet in all 607.4 feet to a stake,

Thence N8-40E 68.6 feet to a stake on top of mountain with a hickory for corner,

Thence N77-30E 131.9 feet to a chestnut oak corner on top of mountain,

Thence N84-30E 181.3 feet to a stake on top of mountain,

Thence S55-00E leaving top of mountain running on south side of mountain 1287.8 feet to top of ridge between Juder Branch and Rock House Branch both waters of Upper Bad Creek,

Thence S26-00W with top of ridge 232.0 feet to a stake,

Thence S9-30E 240.0 feet to a stake,

Thence S24-30E 221.0 feet to a stake,

Thence S64-00E 272.0 feet to top of spur, in all 396.0 feet to a stake on top of spur.

Thence with spur S74-00E 148.5 feet to a stake on top of spur,

Thence N51-00W 643.7 feet to a stake with a hickory and black gum marked for corner.

Thence N23-00E 323.5 feet to a stake,

Thence S55-00E 307.3 feet to a stake,

Thence N38-45E crossing top of Spur at 371.3 feet, in all 668.0 feet to a stake,

Thence N34-00W 503.2 feet to a stake,

Thence N29-30E 57.7 feet to a stake on top of mountain.

Thence N84-00E with top of mountain 246.0 feet to a stake on top of mountain in Roundhole Gap, with an oak stump pointer,

Thence N43-00E 456.0 feet to a stake on top of mountain.

Thence N21-00E leaving top of mountain, then on top of mountain at 434.6 feet, then leave mountain at 547.2 feet, in all 2011.2 feet to a stake,

Thence S87-30E 570.1 feet to a stake,

Thence S84-10E 217.3 feet to a stake,

Thence S87-30E 141.4 feet to a stake,

Thence S85-50E 296.0 feet to a stake,

Thence S85-30E 261.5 feet to a setstone for corner, with 2 beech trees marked as pointers.

Thence S2-30W 141.1 feet to a stake,

Thence S3-45W 166.4 feet to a stake,

Thence S2-00W 172.5 feet to a stake,

050

Thence S3-30W crossing top of spur at 461.6 feet, crossing branch at 1018.8 feet, in all 1[illegible].2 feet to a stake,

Thence S8-30W crossing top of ridge at 257.0 feet, crossing top of spur at 973.1 feet, crossing Bad Creek at 2054.0 feet, in all 2156.9 feet to a stake.

Thence S84-15W 133.8 feet to a stake,

Thence S86-20W 113.4 feet to a stake,

Thence N84-30W, crossing Bad Creek at 47.0 feet in all 118.0 feet to a stake,

Thence S35-00W crossing Bad Creek at 49.0 feet, in all 90.6 feet to a stake,

Thence S41-10W 83.2 feet to a stake,

Thence S38-45W 172.9 feet to a stake,

Thence S37-20W 135.3 feet to a stake,

Thence S40-30W 99.2 feet to a stake,

Thence S36-40W 95.1 feet to a stake,

Thence S37-30W 110.1 feet to a stake on top of Spur.

Thence S33-07E 785.7 feet to a stake,

Thence N38-15E 89.0 feet to a stake,

Thence N40-50E 148.8 feet to a stake,

Thence N38-10E 64.1 feet to a stake,

Thence S54-40E 272.2 feet to a stake,

Thence S57-30E crossing drain at 85.0 feet, in all 140.4 feet to a stake,

Thence S57-50E 192.0 feet to a stake on top of spur.

Thence S61-50E 248.9 feet to a stake,

Tract 36-1(ii)

Beginning on a government metal marker 45.0 feet west of a gap on top of a ridge between the right and left forks of Robin Branch, and at the he: of Cow Fork of Bad Creek;

1 Thence S34-50E crossing Robin Branch at 945.0 feet, in all 967.0 feet to a government metal marker on the south side of Robin Branch;

2 Thence N52-50E crossing Robin Branch at 100.0 ft., in all 1692.3 ft. to a stake on top of a cliff;

3 Thence N53-40E 61.2 ft. to a stake on top of mountain;

4 Thence N52-50E 187.5 feet to a government metal marker;

5 Thence S34-45E crossing a high knob at 181.4 ft., in all 500.9 ft. to a stake;

6 Thence S34-20E 148.6 ft. to a government metal marker with a 14" poplar and a forked poplar marked for pointers;

7 Thence S0-45W 96.8 ft. to a stake;

8 Thence S0-45E 62.4 ft. to a stake;

9 Thence S0-50E 413.8 ft. to a stake;

10 Thence S1-15E 110.5 ft. to a stake;

11 Thence S0-45E 587.8 ft. to a stake;

12 Thence S0-50E crossing branch of Templeton Fork of Bad Creek at 100.0 ft., in all 133.6 ft. to a cross on a rock with a 14" Beech and 30" beech for pointers;

13 Thence S54-40W 875.0 ft. to a stake on top of the mountain;

14 Thence S54-45W 581.6 ft. to a stake;

15 Thence S58-40W 67.6 ft. to a government metal marker with (3) three chestnut oaks for pointers;

16 Thence S75-10E crossing top of mountain at 591.7 ft., crossing a spur at 1144.3 ft., in all 1302.5 ft. to a government metal marker;

17 Thence S15-30W crossing top of mountain of 1750.0 ft., crossing spur at 2465.5 ft., in all 3100.4 ft. to a stake;

18 Thence S15-45W 213.5 ft. to a set stone on top of the mountain;

&24

19 Thence leaving government line S51-45W 2050.8 ft.to a stake near the forks of Britton Branch;

20 Thence S66-45E 422.2 ft. to a 30" beech, an original corner;

21 Thence S15-45E crossing Britton Branch at 953.0 ft., in all 990.0 ft. to a set stone in an old field;

22 Thence S26-45E 627.6 to a set stone in the government line;

23 Thence with the government line S16-20W 70.8 ft. to a government metal marker;

24 Thence S51-50E 176.3 ft. to a set stone on top of mountain;

25 Thence leaving government line and with the top of the mountain S56-30W 164.2 ft. to a set stone with 24" chestnut oak pointer;

26 Thence S78-30W 247.1 ft. to a set stone on top of the mountain;

27 Thence N67-00W 181.5 ft. to a set stone on top of the mountain;

28 Thence S31-20W 165.4 ft. to a set stone on top of the mountain;

29 Thence S23-10W 215.0 ft. to a set stone on top of the mountain;

30 Thence S35-40W 137.2 ft. to a set stone on top of the mountain;

31 Thence S43-40W 272.3 ft. to a set stone on top of the mountain;

32 Thence S43-30W 89.9 ft. to a set stone on top of the mountain;

33 Thence S34-20 W 116.3 ft. to a set stone on top of the mountain;

34 Thence S31-30W 67.6 ft. to a point on top of a large rock on top of the mountain;

35 Thence S9-30W 150.5 ft. to a point on top of the mountain;

36 Thence S28-30W 79.5 ft. to a set stone on top of the mountain;

37 Thence S17-40W 163.8 ft. to a set stone on top of the mountain;

38 Thence S15-10W 82.4 ft. to a set stone on top of the mountain;

39 Thence S49-20W 227.7 ft. to a set stone on top of the mountain;

40 Thence S43-20W 146.4 ft. to a set stone on top of the mountain;

41 Thence S50-40W 225.4 ft. to a set stone on top of a high knob with a 14" hickory pointer;

42 Thence N82-40W 211.3 ft. to a set stone on top of the mountain;

43 Thence N83-20W 123.7 ft. to a set stone on top of the mountain;

44 Thence S69-10W 168.6 ft. to a set stone on top of the mountain;

45 Thence S68-35W 80.4 ft. to a set stone on top of the mountain with a 12" hickory pointer;

46 Thence S79-50W 182.8 ft. to a set stone on a high knob;

47 Thence S0-20E 180.3 ft. to a set stone on top of the mountain;

48 Thence S4-15E 146.3 ft. to a set stone on top of the mountain;

49 Thence S10-45E 132.5 ft. to a set stone on top of the mountain;

50 Thence S1-00E 254.7 ft. to a set stone on top of the mountain with a 22" maple stub pointer;

51 Thence S16-15W 120.4 ft. to a set stone in Ferlow Gap;

52 Thence S20-20W 126.4 ft. to a stake on top of the mountain;

53 Thence S18-45W 176.8 ft. to a stake on top of mountain with a 6" dogwood pointer;

54 Thence S20-00W 126.7 ft. to a stake on top of mountain;

55 Thence S47-10W 96.2 ft. to a stake on top of mountain;

56 Thence S61-00W 96.8 ft. to a stake on top of mountain;

57 Thence S67-40W 166.8 ft. to a stake on top of mountain;

58 Thence S74-20W 124.2 ft. to a stake on top of mountain;

59 Thence S44-45W 164.5 ft. to a stake on top of mountain;

60 Thence S83-45W 17.3 ft. to a point on a large rock on a high point;

61 Thence S84-40W 348.6 ft. to a stake on top of ridge;

62 Thence S83-30W 92.6 ft. to a stake on top of ridge;

63 Thence N82-10W 86.6 ft. to a stake on top of ridge;

64 Thence N81-30W 17.3 ft. to a set stone on a high point;

65 Thence S50-40W 86.3 ft. to a stake on top of ridge;

66 Thence S43-00W 150.6 ft. to a stake on top of ridge;

67 Thence S23-35W 124.8 ft. to a stake on top of ridge;

68 Thence S32-10W 189.4 ft. to a stake on top of ridge;

69 Thence S12-50W 170.7 ft. to a stake on top of ridge;

70 Thence S0-10W 115.8 ft. to a stake on top of cliff;

71 Thence S1-30W 88.1 ft. to a stake on top of ridge;

72 Thence S21-40W 76.7 ft. to a point on top of a high rock on top of ridge;

73 Thence S27-10W 243.8 ft. to a stake on top of ridge;

74 Thence S16-30W 143.5 ft. to a stake on top of ridge;

75 Thence S15-30W 88.4 ft. to a set stone on high point with a 30" chestnut oak pointer;

76 Thence S48-10W 96.6 ft. to a stake on top of ridge with a 16" hickory pointer;

77 Thence S37-50W 160.7 ft. to a stake on ridge;

78 Thence S15-45W 145.1 ft. to a stake on ridge;

79 Thence S0-10E 131.0 ft. to a stake on ridge;

80 Thence S8-30E 122.7 ft. to a stake on ridge;

81 Thence S8-35W 139.0 ft. to a stake on ridge;

82 Thence S4-50E 93.9 ft. to a stake on ridge;

83 Thence S11-30W 73.8 ft. to a point on rock on a high point;

84 Thence S12-45E 74.4 ft. to a stake on ridge;

85 Thence S0-50W 141.6 ft. to a stake on ridge;

86 Thence S2-50E 118.1 ft. to a point on south end of a large rock on ridge;

87 Thence S20-25E 94.3 ft. to a stake on ridge;

88 Thence S10-20E 135.7 ft. to a point on top large high rock on ridge;

89 Thence S3-00E 113.8 ft. to a stake on ridge;

90 Thence S9-05E 194.1 ft. to a stake on high point;

91 Thence S20-20W 96.1 ft. to a stake on ridge;

Thence S2-15W 94.6 ft. to a stake on ridge;

Thence S0-20W 105.6 ft. to a stake on ridge;

Thence S18-30W 204.0 ft. to a stake on ridge;

Thence S31-20W 135.0 ft. to a stake on ridge;

Thence S49-15W 207.9 ft. to a stake on ridge;

Thence S28-30W 240.5 ft. to a stake on ridge;

Thence S21-30W 262.7 ft. to a stake on ridge;

Thence S8-10W 85.8 ft. to a stake on ridge;

Thence S0-15E 106.7 ft. to a stake on ridge;

Thence S0-40E 39.7 ft. to a stake on ridge;

Thence leaving ridge S59-00E 135.5 ft. to a stake;

Thence S62-30E 54.5 ft. to a stake;

Thence S68-00E 143.4 ft. to a stake;

Thence S53-00E 154.8 ft. to a stake;

Thence S45-00E 127.4 ft. to a stake;

Thence S31-00E 198.0 ft. to a stake;

Thence S50-00E 274.4 ft. to a stake on top of cliff;

Thence S43-00E crossing county road at 60.0 ft., in all 79.3 ft. to a high rock on the south side of Greasy Creek about 165.0 ft. below the mouth of Laurel Creek;

Thence N64-20E 118.7 ft. to a fallen hickory opposite the mouth of Laurel Creek;

Thence N28-30E crossing road at 386.0 ft., 623.7 ft.and again at 1,066.3 ft. in all 1,245.7 ft. to a set stone;

Thence N33-30E crossing road at 62.6 ft., crossing Greasy Creek at 356.5 ft., crossing creek again at 621.9., in all 671.8 ft. to a 7" maple and a 7" pine marker for corner;

Thence N89-00E 281.7 to where a beech stood opposite the mouth of White Oak Hollow:

Thence S68-30E 404.2 ft. to a stake in Greasy Creek;

115 Thence with Greasy Creek S76-30E 141.9 ft. to a stake;

116 Thence still with same S66-30E 161.7 ft. to a stake;

117 Thence still with same S39-00E 161.7 ft. to a stake;

118 Thence still with same S37-00E 252.9 ft. to a set stone, at the mouth of Wildcat Hollow;

119 Thence S54-15E 176.1 ft. to a set stone;

120 Thence N59-45E 1,097.2 ft. to a set stone;

121 Thence N58-20E 146.9 ft. to a set stone;

122 Thence N57-40E 131.9 ft. to a set stone;

123 Thence N53-15E 583.3 ft. to a maple in hollow, marked for corner;

124 Thence up a spur S72-20E 50.1 ft. to a set stone;

125 Thence still with same S74-20E 191.8 ft. to a set stone;

126 Thence still with same S65-10E 86.6 ft. to a set stone;

127 Thence still with same S60-40E 198.0 ft. to a set stone;

128 Thence still with same S40-40E 88.2 ft. to a set stone;

129 Thence still with same S25-30E 143.6 ft. to a set stone;

130 Thence still with same S26-30E 59.6 ft. to a set stone;

131 Thence still with same S24-00E 127.6 ft. to a set stone;

132 Thence still with same S17-10E 174.6 ft. to a set stone;

133 Thence still with same S21-20E 230.4 ft. to a set stone;

134 Thence still with same S8-00E 126.3 ft. to a set stone;

135 Thence still with same S19-40E 167.5 ft. to a set stone;

136 Thence still with same S4-30E 190.7 ft. to a set stone;

137 Thence still with same S11-10E 200.2 ft. to a Chestnut oak marked for corner on top of spur;

138 Thence leaving top of spur S8-20E 707.3 ft. to a 24" chestnut oak marked for corner on top of ridge;

Thence leaving top of ridge with red painted line S21-15E crossing spur at 1,819.9 ft. and at 2,473.9 ft., in all 3,242.2 ft. to a set stone;

Thence N87-40W 21.5 ft. to a 7" chestnut oak marked for corner;

Thence still with red painted line S28-45W 524.2 ft. to a 18" black oak marked for corner;

Thence still with red painted line N62-15W 482.0 ft. to a set stone;

Thence still with red painted line N64-45W 73.9 ft. to a set stone;

Thence still with red painted line N60-40W 157.0 ft. to a set stone;

Thence still with red painted line N62-15W crossing spur at 506.4 ft., crossing branch at 922.7 ft. and at 1,541.1., in all 2,820.1 ft. to a set stone on top of ridge;

Thence S1-15W 119.7 ft. to a set stone on top of ridge;

Thence S0-10W 191.4 ft. to a set stone with a 16" water oak for pointers;

Thence with top of ridge S53-00W 351.8 ft. to a set stone;

Thence still with same S28-00W 927.8 ft. to a spruce pine, being a corner to John Caldwell;

Thence with John Caldwell line N44-10W 465.7 ft. to a set stone;

Thence still with John Caldwell line N48-30W 211.2 ft. to a set stone;

Thence still with John Caldwell line N36-15W 132.0 ft. to a set stone;

Thence still with John Caldwell line N30-45W 110.8 ft. to a set stone;

Thence still with John Caldwell line N20-15W 425.7 ft. to a set stone;

Thence still with John Caldwell line N16-00W 201.5 ft. to a 16" white oak and 7" beech marked for corner in branch;

Thence still with John Caldwell line N27-15W 198.0 ft. to a 16" white oak marked for corner;

Thence still with John Caldwell line N21-45W 363.0 ft. to an 8" black gum marked for corner;

Thence still with John Caldwell line N32-15W 330.0 ft. to a set stone;

Thence still with John Caldwell line N13-15W 565.4 ft. to a set stone;

058

Thence still with John Caldwell Line N69-30W 178.3 ft. to a set stone;

Thence still with John Caldwell line N35-00W 498.3 ft. to a set stone;

Thence still with John Caldwell line N49-00W 264.0 ft. to a set stone;

Thence still with John Caldwell line N37-30W 99.0 ft. to a set stone;

Thence still with John Caldwell line N5-30E 66.0 ft. to a set stone;

Thence still with John Caldwell line N13-15E 587.4 ft. to a set stone;

Thence still with John Caldwell line N76-45W 145.4 ft. to a set stone;

Thence still with John Caldwell line S25-30W 693.0 ft. to a set stone;

Thence still with John Caldwell line S7-00W 437.1 ft. to a set stone;

Thence still with John Caldwell line S13-45W 38.9 ft. to a set stone;

Thence still with John Caldwell line S16-30W 76.3 ft. to a set stone;

Thence still with John Caldwell line S0-30W 163.1 ft. to a set stone;

Thence still with John Caldwell line S5-45W 108.6 ft. to a set stone;

Thence still with John Caldwell line S7-00W 178.3 ft. to a set stone;

Thence still with John Caldwell line S63-00E 222.9 ft. to a set stone;

Thence still with John Caldwell line S6-45E 245.9 ft. to a set stone;

Thence still with John Caldwell line S5-45E 620.4 ft. to a set stone;

Thence still with John Caldwell line S28-00W 125.4 ft. to a set stone;

Thence still with John Caldwell line S30-15E 280.5 ft. to a set stone;

Thence still with John Caldwell line S30-45E 942.0 ft. to a set stone;

Thence still with John Caldwell line N86-40E 679.4 ft. to a set stone;

Thence still with John Caldwell line N77-50E 187.5 ft. to a set stone;

Thence still with John Caldwell line S40-00E 437.7 ft. to a set stone;

Thence still with John Caldwell line S88-30E 544.5 ft. to a spruce pine, the beginning corner of the John Caldwell tract;

Thence leaving John Caldwell line S61-15W, crossing Laurel Creek at 97.3 ft in all 194.7 ft. to a poplar marked for corner;

185 Thence N79-30W 345.1 ft. to a set stone;

186 Thence N45-12W 262.5 ft. to a set stone;

187 Thence S50-10W 178.2 ft. to a set stone;

188 Thence S43-20W 168.6 ft. to a set stone;

189 Thence S43-30W 220.4 ft. to a set stone;

190 Thence S44-50W 175.6 ft. to a set stone;

191 Thence S54-20W 162.9 ft. to a set stone;

192 Thence S58-10W 167.7 ft. to a set stone;

193 Thence S61-20W 262.6 ft. to a set stone;

194 Thence S67-20W 133.5 ft. to a set stone;

195 Thence S64-00W 114.9 ft. to a set stone;

196 Thence S54-30W 105.7 ft. to a set stone;

197 Thence S62-30W 138.4 ft. to a set stone;

198 Thence S73-10W 136.3 ft. to a set stone;

199 Thence S77-45W 36.8 ft. to a set stone on top of high knob;

200 Thence S76-10W 145.4 ft. to a set stone on top of ridge;

201 Thence S72-05W 176.3 ft. to a government metal marker, 5" black oak and a 10" maple for pointer;

202 Thence S63-00W 195.3 ft. to a set stone on top of ridge with a 38" chestnut oak;on top of ridge;

203 Thence S74-50W 249.5 ft. to a set stone on top of ridge;

204 Thence S67-10W 249.2 ft. to a set stone on top of ridge;

205 Thence S68-15W 160.2 ft. to a set stone on top of ridge;

206 Thence S44-30W 148.4 ft. to a set stone on top of ridge;

207 Thence S52-40W 172.5 ft. to a set stone on top of ridge;

208 Thence N64-15W 131.1 ft. to a set stone on top of ridge;

Thence N48-15W 265.6 ft. to a government metal marker on top of high knob with a 24" and 18" chestnut oak for pointers;

208

210 Thence S54-50W 105.1 ft. to a set stone on top of ridge;

211 Thence S54-10W 94.6 ft. to a set stone on top of ridge;

212 Thence S47-10W 104.9 ft. to a set stone on top of ridge;

213 Thence S80-00W 97.3 ft. to a set stone on top of ridge;

214 Thence S84-20W 252.0 ft. to a set stone on top of ridge;

215 Thence N64-20W 116.8 ft. to a set stone on top of ridge;

216 Thence N22-20W 44.4 ft. to a set stone on top of ridge;

217 Thence N42-50W 45.7 ft. to a set stone on top of ridge;

218 Thence N50-00W 191.0 ft. to a set stone on top of ridge;

219 Thence N31-10W 169.7 ft. to a hole on rock on top of ridge;

220 Thence N53-15W crossing mountain road at 59.0 ft., in all 147.5 ft. to a set stone on top of ridge;

221 Thence N60-45W 154.1 ft. to a set stone on top of ridge;

222 Thence N78-05W 234.4 ft. to a set stone on top of ridge;

23 Thence S71-45W 247.7 ft. to a set stone on top of ridge;

224 Thence S64-35W 171.7 ft. to a set stone on top of ridge;

225 Thence S55-45W 57.2 ft. to a set stone on top of ridge;

26 Thence N88-15W 127.0 ft. to a set stone on top of ridge;

27 Thence N73-55W 352.6 ft. to a set stone on top of ridge;

28 Thence S64-50W 241.1 ft. to a set stone on top of ridge;

29 Thence S63-40W 136.0 ft. to a set stone on top of ridge;

30 Thence N88-10W 158.3 ft. to a set stone on top of ridge;

31 Thence N72-30W 219.6 ft. to a set stone on top of ridge;

32 Thence N62-30W 164.4 ft. to a set stone on top of ridge;

33 Thence N69-40W 181.2 ft. to a government metal marker with a 22" chestnut oak for pointer on top of ridge;

Thence N10-50W 346.7 ft. to a set stone;

Thence N0-15W 180.1 ft. to a set stone on top of ridge;

Thence N25-45W 141.9 ft. to a set stone on top of ridge;

Thence N16-20W 157.9 ft. to a set stone on top of ridge;

Thence N11-35W 167.6 ft. to a set stone on top of ridge;

Thence N16-50W 124.3 ft. to a set stone on top of ridge;

Thence N1-10E 165.6 ft. to a set stone on top of ridge;

Thence N16-45W 187.6 ft. to a set stone on top of ridge;

Thence N35-10E 61.3 ft. to a set stone on top of ridge;

Thence N37-10E 300.0 ft. to a set stone on top of ridge;

Thence N7-45W 173.4 ft. to a government metal marker with an 8" black oak and a 18" chestnut oak for pointers, on top of ridge;

Thence N35-10E 121.5 ft. to a set stone on top of ridge;

Thence N35-45E 221.8 ft. to a set stone on top of ridge;

Thence N35-20E 748.6 ft. to a government metal marker with a 20" black oak and an 18" hickory for pointers on top of ridge;

Thence N68-15E 199.0 ft. to a set stone on top of ridge;

Thence N72-50E 135.1 ft. to a set stone on top of ridge;

Thence S79-30E 172.6 ft. to a government metal marker on top of ridge;

Thence N5-50E 149.4 ft. to a set stone on top of ridge;

Thence N11-40E 154.3 ft. to a set stone on top of ridge;

Thence N14-05W 84.4 ft. to a set stone on top of ridge;

Thence N0-10E 157.5 ft. to a set stone on top of ridge;

Thence N16-00E 79.7 ft. to a set stone on top of ridge;

Thence N11-45E 68.8 ft. to a set stone on top of ridge;

Thence N26-30W 150.3 ft. to a set stone on top of ridge;

Thence N32-30W 252.0 ft. to a set stone on top of ridge;

062

Thence N46-30W 160.7 ft. to a set stone on top of ridge;

Thence N34-50W 176.8 ft. to a set stone in Gabes Gap;

Thence N58-50W 210.3 ft. to a set stone on top of ridge;

Thence N45-15W 130.3 ft. to a set stone on top of ridge;

Thence N29-10W 202.3 ft. to a set stone on top of ridge;

Thence N18-50W 283.3 ft. to a set stone on top of ridge;

Thence N0-45W 182.0 ft. to a set stone on top of ridge;

Thence N8-30E 256.7 ft. to a government metal marker on top of ridge;

Thence leaving top of mountain S79-20E 79.6 ft. to a set stone;

Thence S79-50E 65.9 ft. to a set stone;

Thence S81-30E 194.2 ft. to a set stone;

Thence S81-10E 219.8 ft. to a set stone;

Thence S79-15E 148.5 ft. to a set stone;

Thence S81-45E 278.2 ft. to a set stone;

Thence S79-30E 86.5 ft. to a set stone;

Thence S81-45E 189.1 ft. to a set stone;

Thence S79-45E 206.4 ft. to a set stone;

Thence S86-20E 106.5 ft. to a set stone;

Thence S67-40E 37.7 ft. to a set stone;

Thence S78-10E 103.0 ft. to a set stone;

Thence S84-40E 99.8 ft. to a government metal marker with a black walnut marked for corner on the west bank of Greasy Creek;

Thence N2-15W 212.2 ft. to a set stone;

Thence N1-40W 176.6 ft. to a set stone;

Thence N2-15W 219.4 ft. to a set stone;

Thence N1-45W 529.8 ft. to a set stone;

Thence N8-20W 50.2 ft. to a set stone;

Thence N2-50W 77.7 ft. to a set stone on top of spur;

Thence leaving spur N0-45W 125.5 ft. to a government metal marker;

Thence S82-40W crossing spur at 285.9 ft., in all 301.4 ft. to a governmer metal marker with a 20" beech for pointers;

Thence S41-40W 271.3 ft. to a set stone,

Thence S41-30W 161.3 ft. to a government metal marker;

Thence N73-40W 164.7 ft. to a set stone;

Thence N74-05W 203.2 ft. to a set stone;

Thence N73-50W 348.6 ft. to a government metal marker with a 14" lynn, 20" ash and an 8" maple for pointers;

Thence N29-40W 201.5 ft. to a set stone;

Thence N33-30W 166.4 ft. to a set stone;

Thence N28-10W 83.3 ft. to a set stone;

Thence N31-20W 151.5 ft. to a government metal marker with a 24" maple for pointer;

Thence S75-13W 132.8 ft. to a set stone;

Thence S75-30W 139.3 ft. to a set stone;

Thence S75-10W 65.7 ft. to a set stone;

Thence S75-25W 127.7 ft. to a set stone;

Thence S74-35W 33.2 ft. to a set stone on top of spur;

Thence S75-00W 264.9 ft. to a set stone;

Thence S74-50W 241.3 ft. to a set stone;

Thence S76-30W 110.7 ft. to a set stone;

Thence S74-40W 144.1 ft. to a set stone;

Thence S74-00W crossing spur at 20.0 ft., in all 70.1 ft. to a set stone;

Thence S77-40W 147.3 ft. to a set stone;

Thence S69-50W 61.6 ft. to a set stone;

Thence S74-50W 184.8 ft. to a set stone;

~~Thence S74-50W 184.8 ft. to a set stone;~~

Thence S77-10W 31.6 ft. to a set stone on top of mountain, between Greasy Creek and Elk Creek;

Thence with top of mountain N11-30E 187.0 ft. to a set stone;

Thence with same N21-45E 208.6 ft. to a set stone on high knob;

Thence with same N28-15W 194.5 ft. to a set stone, a Black Gum marked for corner, the black gum being N54-40E 29.0 ft. from the set stone;

Thence still with same N34-10W 189.1 ft. to a set stone;

Thence still with same N36-00W 136.5 ft. to a set stone;

Thence with same N32-40 W 159.0 ft. to a set stone;

Thence with same N22-45W 187.2 ft. to a set stone;

Thence with same N24-05W 164.6 ft. to a set stone;

Thence with same N27-40W 140.8 ft. to a set stone;

Thence with same N13-15W 123.0 ft. to a set stone;

Thence still with same N1-15W 209.8 ft. to a set stone;

Thence with same N9-20W 215.0 ft. to a set stone;

Thence with same N1-10W 179.4 ft. to a set stone;

Thence with same N0-45E 127.4 ft. to a set stone;

Thence with same N22-10E 259.5 ft. to a set stone;

Thence with same N38-00E 71.9 ft. to a set stone;

Thence with same N23-25E 192.4 ft. to a set stone on top of high knob;

Thence still with same N2-10E 92.4 ft. to a set stone;

Thence with same N2-40E 143.1 ft. to a set stone;

Thence with same N25-45E 64.8 ft. to a set stone;

Thence with same N24-30E 171.5 ft. to a set stone;

Thence with same N31-00E 95.6 ft. to a set stone;

Thence with same N0-30E 242.5 ft. to a set stone;

334 Thence with same N0-50E 216.1 ft. to a set stone;

335 Thence with same N32-40E 341.4 ft. to a set stone;

336 Thence with same N2-00E 144.2 ft. to a set stone;

337 Thence leaving top of mountain N71-30E crossing spur at 145.0 ft., 167.4 ft. in all to a set stone;

338 Thence N22-15E 1,716.0 ft. to top of mountain, this line was computed by a drafting machine;

339 Thence with top of ridge N86-15E 280.5 ft. to a set stone. This line was computed by a drafting machine, which is the northeast corner, formerly, of the C. A. Dixon Tract;

340 Thence still with top of ridge N75-40E 110.7 ft. to a set stone;

341 Thence leaving top of ridge S46-00E crossing Greasy Creek at 827.3 ft. and county road at 1,104.3 ft., in all 1,697.2 ft. to a set stone with a 20" white oak, 20" hickory and 14" white oak for pointers on top of ridge;

342 Thence N58-50E 159.1 ft. to a set stone on top of ridge;

343 Thence N49-50E 97.9 ft. to a set stone on top of ridge;

344 Thence N52-45E 108.0 ft. to a set stone with a 20" hickory for pointer, on top of ridge;

345 Thence N43-00E 298.3 ft. to a set stone on top of ridge;

346 Thence N54-40E 191.3 ft. to a set stone on top of ridge;

347 Thence N31-30E 173.7 ft. to a set stone on top of ridge;

348 Thence N51-10E 69.3 ft. to a set stone on top of ridge;

349 Thence N58-10E 101.2 ft. to a set stone on top of ridge;

350 Thence N27-20E 180.6 ft. to a set stone on top of ridge;

351 Thence N41-50E 217.9 ft. to a set stone on top of ridge;

352 Thence N48-45E 117.9 ft. to a point on a high rock on top of ridge;

353 Thence N49-05E 123.2 ft. to a set stone on top of ridge;

354 Thence N34-20E 70.5 ft. to a set stone on top of ridge;

Thence N33-45E 126.6 ft. to an X on large rock on top of ridge;

Thence N19-30W 73.0 ft. to a set stone on top of ridge;

Thence N12-50W 176.0 ft. to a set stone on top of ridge;

Thence N24-00W 134.1 ft. to a set stone on high knob;

Thence N28-45E 165.0 ft. to a set stone on top of ridge;

Thence N24-25E 206.8 ft. to a set stone on top of ridge;

Thence N31-20E 282.4 ft. to a set stone on top of ridge;

Thence N24-50E 130.0 ft. to a set stone on top of ridge;

Thence N22-15E 167.0 ft. to a set stone on top of ridge;

Thence N58-55E 180.6 ft. to a set stone on top of ridge;

Thence N49-00E 235.8 ft. to a set stone on top of ridge;

Thence N49-30E 216.8 ft. to a set stone on top of ridge;

Thence N54-10E 123.0 ft. to a set stone on top of ridge;

Thence N76-15E 89.4 ft. to a set stone on top of high knob;

Thence N55-00E 208.9 ft. to a set stone on top of ridge;

Thence N50-05E 239.5 ft. to a set stone on top of ridge;

Thence N54-20E 132.3 ft. to a set stone on top of ridge;

Thence N42-00E 217.5 ft. to a set stone on top of ridge;

Thence N30-45E 129.6 ft. to an X on rock on top of ridge;

Thence N8-40E 60.4 ft. to a set stone on top of ridge;

Thence N17-00E 45.0 ft. to a set stone on top of ridge;

Thence N17-50E 171.1 ft. to a set stone on top of ridge;

Thence N23-40E 210.0 ft. to a set stone on top of ridge;

Thence N16-00E 87.6 ft. to a set stone on top of ridge;

Thence N19-35E 83.5 ft. to a set stone on top of ridge;

Thence N38-00E 49.6 ft. to a set stone on top of ridge;

06/25/2003 03:10 5062422922 BLC PROPERTIES,LLC PAGE 15/19

Thence N51-50E 156.0 ft. to a set stone on top of ridge;

Thence N66-45E 95.1 ft. to a set stone on top of ridge;

Thence N 37-40E 139.8 ft. to a set stone on top of ridge;

Thence N32-30E 127.6 ft. to a set stone on top of ridge;

Thence N48-20E 139.8 ft. to a set stone on top of ridge;

Thence N21-00E 194.9 ft. to a set stone on top of ridge;

Thence N20-45E 143.9 ft. to a set stone on top of mountain between Britton Branch and Robin Branch;

Thence leaving top of mountain N33-24W crossing Robin Branch at 1,467.1 ft., in all 1,482.1 ft. to a set stone;

Thence N35-00W 972.7 ft. to a set stone, with a 24" spruce pine for pointer;

Thence N54-00E 298.5 ft. to a set stone and chestnut stump;

Thence N18-00W 545.2 ft. to a set stone and chestnut stump;

Thence N41-00E 396.7 ft. to a set stone on top of ridge between upper Bent Branch and Robin Branch;

Thence N80-10W 71.4 ft. to a set stone on top of ridge;

Thence N64-00W 82.8 ft. to a set stone on top of ridge;

Thence N80-15W 125.3 ft. to a set stone on top of ridge;

Thence N74-10W 145.6 ft. to a set stone on top of ridge;

Thence N33-45W 288.3 ft. to a set stone on top of ridge;

Thence N0-30W 162.5 ft. to a set stone on top of ridge;

Thence N7-50E 64.4 ft. to a set stone on top of ridge;

Thence N40-30E 259.6 ft. to a set stone on top of ridge;

Thence N22-20E 273.6 ft. to a set stone, being the Southwest corner of formerly Inter-Mountain Coal and Lumber Company;

Thence N68-28E crossing Robin Branch at 1,914.0 ft., on a ridge at 2,739.0 ft., in all 4,570.5 ft., to the beginning, being the Southeast corner of formerly the Inter-Mountain Coal & Lumber Co.

068

Thence S59-00E 325.1 feet to a stake,

Thence S22-20E 233.3 feet to a stake,

Thence S15-00E 172.8 feet to a stake,

Thence S21-30E 379.7 feet to a stake,

Thence S20-00E 153.4 feet to a stake,

Thence S21-30E 443.9 feet to a set stone in a pile of rocks.

Thence S12-50W 212.3 feet to a stake,

Thence S13-30W 161.0 feet to a stake,

Thence S16-45W 285.6 feet to a stake,

Thence S12-20W 563.4 feet to a stake,

Thence S20-10W 271.1 feet to a stake,

Thence S12-00W 204.4 feet to a set stone, 30.0 feet west of gap,

Thence the closing line was computed by drafting machine S63-13W 3333.0 feet to the beginning containing 1400.00 acres, more or less.

Tract 36-1(iv)

BEGINNING on a government metal marker on the north side of a spur between Upper and Lower Bent Branch.

Thence down spur S77-40W 101.1 feet to a stake .
Thence S74-30W 156.7 feet to a stake.
Thence S74-20W 1022.0 feet to a high knob, in all 1094.3 feet to a stake.
Thence S74-00W 350.6 feet to a stake .
Thence S75-00w 118.5 feet to a stake.
Thence S74-20W crossing county road at 233.8 feet, crossing Greasy Creek at 308.8 feet, in all 897.4 feet to a government metal marker.
Thence S1-00E 48.6 feet to a government metal marker.
Thence N86-15W 120.0 feet to a government metal marker.
Thence S16-20E crossing Grassy Branch at 480.0 feet, in all 547.0 feet to a government metal marker with a spruce pine marked for corner.
Thence S53-15W 1004.5 feet to a stake.
Thence S53-45W 193.0 feet to a stake.
Thence S53-15W 265.5 feet to a government metal marker.
Thence N81-45W 213.5 feet to a stake
Thence N82-00W 125.2 feet to a stake.
Thence N81-45W 508.6 feet to a government metal marker, with a 30 inch poplar for pointer.
Thence S12-40W 117.4 feet to a 24 inch beech marked BT. 9C 43436
Thence S13-15 E 142.8 feet to a stake .
Thence S13-30E 228.5 feet to a stake.
Thence S14-00E 225.6 feet to a stake.
Thence S2-00E 58.4 feet to a government metal marker, with a 28 inch beech marked B.T. 8C 43431.
Thence N61-45W crossing Grassy Branch at 675.0, in all 2082.9 feet to a stake on top of mountain.
Thence N56-10W 53.9 feet to a government metal marker.
Thence N8-45W 834.2 feet to a point on a cliff.
Thence 24-18E 914.6 feet to two chestnut oaks marked for original corner.
Thence N48-48W 171.1 feet to a set stone, with a 10 inch hickory pointer.
Thence N12-00E 198.0 feet to a set stone on top of mountain.
Thence S68-30E 280.1 feet to a set stone on top of ridge, leading off to Greasy Creek.
Thence N46-00E 198.0 feet to a set stone on top of ridge.
Thence N31-00E 363.0 feet to a set stone between two (2) chestnut oak stumps, on top of ridge.
Thence N57-15E 348.5 feet to a set stone on a high knob.
Thence S52-00E 282.2 feet to a set stone on top of ridge.
Thence S43-00E 219.5 feet to a set stone on top of ridge.
Thence S71-15E 184.5 feet to a set stone on top of ridge.
Thence N66-40E 136.0 feet to a set stone on top of ridge.
Thence S85-00E 82.5 feet to a set stone on top of ridge.
Thence N83-00E 165.0 feet to a stake on top of ridge.
Thence (east) 297.0 feet to a chestnut stump on top of ridge, original corner.
Thence S52-30E 373.0 feet to a set stone on top of ridge.

Thence leaving ridge N32-00E 688.6 feet to a set stone.
Thence N10-30E 528.0 feet to a set stone on the west side of small ridge.
Thence N30-20E 76.2 feet to a government metal marker on top of ridge.
Thence S42-35E 874.3 feet to a government metal marker.
Thence S0-50E crossing top of ridge at 342.4 feet, in all 725.1 feet to a government metal marker.
Thence N72-00E 189.8 feet to a stake.
Thence N74-15E 195.7 feet to a stake.
Thence N75-45E crossing Greasy Creek at 105.0 feet, in all 180.5 feet to a stake.
Thence N72-00E 103.1 feet to a stake.
Thence N74-30E crossing county road at 25.0 feet, in all 1210.6 feet to a set stone.
Thence N77-40E 110.2 feet to a government metal marker.
Thence with J.M. Huber Corporation line of tract #1-5-4 S55-15E 901.8 feet to the BEGINNING.

TRACT 36-22

Beginning at a stake in the closing line of the Henry H. Lewis Tract N 4-15 E 191.0 feet from a 30 inch Poplar being the beginning corner of said Lewis tract.
Thence N 74-45 E crossing Honey Branch at 300.0 feet 920.0 feet in all to a stake.
Thence N 73-15 E 131.0 feet to a stake.
Thence N 76-00 E 154.8 feet to a stake.
Thence N 77-00 E 184.3 feet to a stake.
Thence N 75-30 E 420.5 feet to a stake.
Thence N 73-00 E 130.0 feet to a stake on top of a spur.
Thence N 71-00 E 80.0 feet to a stake.
Thence N 75-30 E 132.5 feet to a stake.
Thence N 72-00 E 106.7 feet to a stake on top of spur.
Thence N 78-30 E 121.4 feet to a stake.
Thence N 73-45 E 300.0 feet to a stake in an old field.
Thence S 9-30 E crossing spur at 150.0 feet 264.0 feet in all to a stake
Thence S 59-30 W 154.0 feet to a 16 inch Maple marked with four (4) hacks as a corner.
Thence S 20-30 W 506.9 feet to a stake corner with a Pine as a bearing tree.
Thence S 21-30 E crossing Honey Branch at 150.0 feet 530.1 feet in all to a stake.
Thence S 20-00 E 144.0 feet to a stake.
Thence S 21-30 E 171.4 feet to top of mountain 309.1 feet in all to a stake.
Thence S 19-45 E 129.2 feet to a stake.
Thence S 21-30 E 478.4 feet to a stake.
Thence S 17-45 E 203.5 feet to a stake.
Thence S 28-00 E 136.9 feet to a stake.
Thence S 21-30 E 363.7 feet to a stake.
Thence S 58-30 E crossing spur at 577.5 feet 833.0 feet in all to a stake.
Thence S 54-10 W 1020.0 feet to a stake.
Thence S 62-00 E down East side of ridge 660.0 feet to a stake in a field.
Thence S 65-00 W 841.0 feet to a stake.
Thence S 36-00 W 660.0 feet to a stake.
Thence S 18-00 W 495.0 feet to a stake.
Thence S 56-00 W 412.5 feet to a stake.
Thence S 26-00 W 165.0 feet to a stake.
Thence S 26-00 E crossing branch at 90.0 feet 561.0 feet in all to a stake in a field.
Thence S 1-00 W 462.0 feet to a Beech marked as a corner being a corner to the Jr. Lewis property.
Thence with the Lewis line S 35-30 W 874.5 feet to a stake with a 5 inch Poplar bearing tree being a corner of Lewis property.
Thence S 71-45 E 420.8 feet to a 24 inch Pine on a rock on the North bank of Elk Creek also being a corner of the Lewis property.

Thence down the meanders of Elk Creek N 81-40 W 174.4 feet to a stake in Elk Creek.
Thence N 30-30 E 209.0 feet to a stake in Elk Creek.
Thence N 48-00 E 204.0 feet to a stake in Elk Creek.
Thence N 24-00 E 179.0 feet to a stake in Elk Creek.
Thence N 14-30 E leaving creek at 60.0 feet 153.5 feet to a stake on the East bank of creek.
Thence N 35-00 E 85.0 feet to a marked beech being a corner to Lewis property.
Thence S 83-15 E 206.2 feet to a stake.
Thence S 84-20 E 45.6 feet to a stake.
Thence N 89-00 E 161.3 feet to a stake.
Thence S 84-20 E 91.1 feet to a stake on spur.
Thence N 6-00 E 306.6 feet to a stake.
Thence N 7-30 E 83.0 feet to a stake.
Thence N 5-00 E 234.3 feet to a stake.
Thence N 14-45 W 241.7 feet to a stake.
Thence N 6-00 E 402.4 feet to a stake.
Thence N. 5-20 E 286.1 feet to a stake.
Thence N 6-00 E 897.6 feet to a stake above a fence.
Thence S 62-00 E 1328.0 feet to a stake.
Thence S 15-00 E 367.2 feet to a stake on top of a spur between Elk Creek and Greasy Creek.
Thence S 75-30 W 176.0 feet to a stake on spur.
Thence S 73-45 W 92.0 feet to a stake on spur.
Thence leaving spur on the Southeast side S 18-30 W 41.7 feet to a stake.
Thence S 22-30 W 1049.2 feet to a stake.
Thence S 17-45 W 41.0 feet to a stake.
Thence S 24-30 W 109.0 feet to a stake.
Thence S 19-45 W 323.3 feet to a stake.
Thence S 22-15 W 151.4 feet to a stake.
Thence S 71-30 W crossing spur at 145.0 feet 167.4 feet in all to a stake.
Thence S 73-15 W 172.3 feet to a stake.
Thence S 75-00 W 267.9 feet to a stake.
Thence S 72-20 W 201.8 feet to a stake.
Thence S 74-30 W 221.4 feet to a stake.
Thence S 75-10 W 258.4 feet to a stake.
Thence S 74-45 W 72.7 feet to a stake.
Thence S 71-00 W 77.9 feet to a stake.
Thence S 79-00 W 141.1 feet to a stake with a marked Beech pointer.
Thence S 73-00 W crossing Elk Creek at 610.5 feet 742.5 feet in all to a stake.
Thence S 75-00 W 1405.8 feet to a 12 inch Beech on the West bank of a drain.
Thence N 75-00 W 92.6 feet to a stake.
Thence N 84-30 W 479.4 feet to a stake with a 10 inch Hickory, 14 inch Oak, and an 18 inch Oak marked for a corner.
Thence S 27-40W 340.0 feet to a stake with a 12 inch Oak marked with three (3) hacks and a blaze at the upper end of an old field and near the upper side of field.
Thence S 76-00 W 141.0 feet to a stake.

Thence S 78-15 W crossing Mill Seat Branch at 100.0 feet 243.3 feet in all to a stake.
Thence S 73-00 W 165.1 feet to a stake.
Thence S 69-30 W 207.0 feet to a stake.
Thence S 73-20 W 157.4 feet to a stake in the John D. Coldiron line.
Thence with the Coldiron line N 4-30 E 515.0 feet to a stake 25.0 feet on the North bank of Mill Seat Branch.
Thence N 63-00 W crossing a small drain 40.0 feet from Mill Seat Branch 373.0 feet in all to a stake.
Thence S 65-00 W with the Coldiron line 577.5 to a stake.
Thence S 81-00 W crossing small drain at 145.0 feet 825.0 feet to a stake in an old field.
Thence N 44-00 W 264.0 feet to a stake 3.0 feet below a fence.
Thence N 89-00 W 148.5 feet to a stake 21.0 feet below a fence.
Thence N 18-00 E 893.5 feet to a stake on top of ridge between Beech Fork and Elk Creek.
Thence with the meanders of ridge N 55-00 E 152.0 feet to a stake on center of ridge.
Thence N 13-20 E 146.1 feet to a stake on center of ridge.
Thence N 16-00 E 87.5 feet to a stake on center of ridge.
Thence N 21-30 E 200.5 feet to a stake on center of ridge.
Thence N 23-00 E 268.0 feet to a stake on center of ridge.
Thence N 19-15 E 159.7 feet to a stake on center of ridge.
Thence N 7-15 E 140.3 feet to a stake on center of ridge.
Thence N 0-40 W 209.0 feet to a stake on center of ridge.
Thence N 8-00 W 250.0 feet to a stake on center of ridge.
Thence N 7-30 E 116.0 feet to a stake on center of ridge.
Thence N 5-50 E 300.0 feet to a stake on center of ridge.
Thence N 1-45 E 300.0 feet to a stake on center of ridge.
Thence N 14-00 E 174.0 feet to a stake on center of ridge.
Thence N 36-30 E 311.5 feet to a stake on center of ridge.
Thence N 65-00 E 89.5 feet to a stake on center of ridge.
Thence N 87-15 E 225.5 feet to a stake on center of ridge.
Thence N 43-20 E 140.5 feet to a stake on center of ridge.
Thence N 14-15 E 239.0 feet to a stake on center of ridge.
Thence N 2-45 W 108.5 feet to a stake on center of ridge.
Thence N 44-30 W 227.5 feet to a stake on center of ridge.
Thence N 75-45 W 199.3 feet to a stake on center of ridge.
Thence S 89-30 W 147.0 feet to a stake on center of ridge.
Thence N 78-40 W 71.2 feet to a stake on center of ridge.
Thence N 69-00 W 125.2 feet to a stake on center of ridge.
Thence N 28-00 W 143.0 feet to a stake on center of ridge.
Thence N 5-45 W 214.0 feet to a stake on center of ridge.
Thence N 45-30 W 160.3 feet to a stake on center of ridge.
Thence N 85-00 W 207.0 feet to a stake on center of ridge.
Thence N 88-45 W 126.0 feet to a stake on center of ridge.
Thence N 46-00 W 187.2 feet to a stake on center of ridge.
Thence N 20-15 W 183.1 feet to a stake on center of ridge.

Thence N [illegible] [illegible] feet to a stake on center of ridge.
Thence N 19-00 E 285.5 feet to a stake on center of ridge.
Thence N [illegible] E 86.3 feet to a stake on center of ridge.
Thence N 21-10 E 298.8 feet to a stake on center of ridge.
Thence N 18-00 E 284.0 feet to a stake on center of ridge.
Thence N 28-30 E 110.5 feet to a stake on the center of ridge and in the Henry M. Lewis line.
Thence leaving top of ridge and leaving C.A. Dixon line and running the Henry M. Lewis Tract S 87-00 W 207.5 feet to a stake.
Thence S 82-00 W 143.7 feet to a stake.
Thence S 89-30 W 279.7 feet to a stake on top of ridge.
Thence N 89-15 W 47.8 feet to a stake.
Thence N 76-30 W 68.3 feet to a stake.
Thence N 88-20 W 100.4 feet to a stake.
Thence N 89-30 W 302.8 feet to a stake.
Thence N 18-12 W 1605.5 feet to a stake on a spur near the top of a ridge.
Thence N 56-30 W 476.9 feet to a stake.
Thence N 54-30 W 556.0 feet to a stake on the Northwest bank of a drain.
Thence N 33-00 E 793.9 feet to a stake on top of ridge 1616.4 in all to a stake in an old field with a 7 inch Hickory pointer.
Thence S 57-00 E 824.0 feet to a stake on top of ridge 1388,3 feet in all to a stake.
Thence S 19-30 E crossing Grassy Branch at 355.0 feet 1185.0 feet in all to a stake.
Thence S 83-00 E 330.0 feet to a stake on top of ridge between Grassy Branch and Right fork of Honey Branch.
Thence S 80-30 E 406.3 feet to a stake.
Thence N 75-15 E 297.0 feet to a 30 inch White Oak marked for a corner.
Thence S 83-00 E 396.0 feet to a stake.
Thence S 81-00 E 604.1 feet to a stake.
Thence N 79-00 E 583.0 feet to a 30 inch Poplar, the beginning corner of the Henry M. Lewis 200 Acre Tract № 35778.
Thence with the closing line of said Lewis Tract S 4-15 W 191.0 feet to the beginning corner of the C.A. Dixon Tract.

Tract 36-22A

Beginning at a marked black oak in the 12th line of John D. Coldiron on top of spur opposite the mouth of Robin Branch, thence N 78-00E 56.8 feet to a set stone;

Thence leaving top of spur N 40-30 W 529.9 feet to a set stone on east side of a steep bank in hollow;

Thence N 1-00 W 58.4 feet to a set stone on ease side of hollow;

Thence N 31-00 E crossing branch at 15.0 feet, in all 196.8 feet to a point in Greasy Creek;

Thence with Greasy Creek N 24-00 W 531.1 feet to a set stone with two 12" water birches for pointers;

Thence leaving Greasy Creek S 68-00 W 75.2 feet to a set stone;

Thence N 16-00 W 240.0 feet to a set stone;

Thence N 9 -30 W 300.0 feet to a set stone;

Thence N 8-30 W 40.0 feet to a set stone;

Thence N 13-30 E 490.0 feet to a set stone with an 8" poplar and 5" dogwood for pointers;

Thence S 79-35 E 100.0 feet to a set stone on west bank of Greasy Creek with a 10" and 16" sycamore on same stump for pointers;

Thence N 22-30 E 607.9 feet to a set stone at forks of Greasy Creek above Honey Branch;

Thence S 65-00 W 263.4 feet to a set stone on top of ridge, with a 14" hickory marked for corner;

Thence S 53-35 W with top of ridge 95.4 feet to a set stone;

Thence S 56-00 W with top of ridge 111.3 feet to a set stone;

Thence S 42-20 W crossing top of high cliff at 87.0 feet, in all 185.0 feet to a set stone;

Thence S 65-00 W crossing top of ridge at 99.1 feet, in all 175.6 feet to a set stone;

44

Thence S 35-00 W 250.0 feet to a set stone;

Thence S 61-30 W 171.0 feet to a set stone in the line of J. M. Huber Corporation property, formerly the C. A. Dixon property, with a beech and sourwood for pointers;

Thence S 20-00 E 144.0 feet to a stake;

Thence S 21-30 E 171.4 feet to top of mountain, 309.1 feet in all to a stak

Thence S 19-45 E 122.2 feet to a stake;

Thence S 21-30 E 474.4 feet to a stake;

Thence S 17-45 E 203.5 feet to a stake;

Thence S 28-00 E 126.9 feet to a stake;

Thence S 21-30 E 363.7 feet to a stake;

Thence S 58-30 E 577.5 feet to the Beginning.

Containing 22.5 acres, more or less.

TRACT 36-22B

Beginning on a cross (+) on large rock on the east bank of Greasy Creek with a 20" beech marked for pointer;

Thence N 73-45 E crossing rocky spur at 935.1 feet, in all 1403.3 feet to a set stone on top of spur between Upper Bent Branch and Greasy Creek;

Thence S 14-00 W 216.8 feet to a set stone on said spur;

Thence S 45-45 E 401.6 feet to a set stone on said spur;

Thence S 48-20 E 202.1 feet to a stake on said spur;

Thence S 62-40 E 194.2 feet to a set stone on said spur;

Thence S 36-15 E 246.0 feet to a stake on said spur;

Thence S 38-40 E 223.5 feet to a stake on said spur;

Thence S 35-30 E 205.2 feet to a stake on said spur;

Thence S 39-45 E 106.3 feet to a set stone on top of mountain between Upper Bent Branch and Robin Branch;

Thence with top of said mountain N 57-50 E 240.2 feet to a stake;

Thence still with said mountain N 48-55 E 174.0 feet to a stake;

Thence with said mountain N 61-30 E 148.9 feet to a stake;

Thence with said mountain N 40-15 E 183.3 feet to a stake;

Thence with said mountain N 53-00 E 175.7 feet to a stake;

Thence with said mountain N 47-40 E 299.4 feet to a stake;

Thence with said mountain N 47-10 E 43.4 feet to a 20" black gum marked for corner;

Thence with said mountain N 12-20 E 125.1 feet to an 18" black gum;

Thence with said mountain N 16-00 W 122.0 feet to a stake;

Thence with said mountain N 13-25 W 140.1 feet to a stake;

Thence with said mountain N 6-15 E 144.6 feet to a stake;

Thence with said mountain N 0-10 E 122.5 feet to a cross on rock

Thence with said mountain N 0-50 W 76.1 feet to a stake;

Thence with said mountain N 4-20 W 70.9 feet to a cross on rock;

Thence with said mountain N 18-00 E 105.3 feet to a cross on rock;

Thence with said mountain N 24-10 E 124.1 feet to a stake;

Thence with said mountain N 27-45 E 106.1 feet to a stake;

Thence with said mountain N 29-00 E 52.0 feet to a stake;

Thence with said mountain N 40-50 E 28.1 feet to a cross on rock for corner;

Thence leaving top of mountain N 73-45 E 403.3 feet to a set stone;

Thence S 38-00 W 738.5 feet to a stake;

Thence S 24-10 W 269.3 feet to a set stone beside a 24" chestnut oak stub on east side of mountain, between Upper Bent Branch and Robin Branch;

Thence N 67-00 E 156.7 feet to a stake;

Thence N 68-20 E 187.9 feet to a stake;

Thence N 77-10 E 44.1 feet to a stake;

Thence N 68-10 E 98.3 feet to a stake;

Thence N 67-30 E 210.2 feet to a stake;

Thence N 67-40 E crossing Sulphur Springs Branch, 290.1 feet to a stake;

Thence N 68-35 E 164.0 feet to a stake;

Thence N 66-45 E 129.0 feet to a set stone with an 18" and 22" oak marked for pointers;

Thence S 38-20 W 116.3 feet to a stake;

Thence S 38-00 W 256.3 feet to a stake;

Thence S 37-30 W crossing Sulphur Springs Branch, 145.7 feet to a stake;

Thence S 38-45 W 282.2 feet to a stake;

Thence S 38-40 W 231.4 feet to a stake;

Thence S 40-00 W 174.1 feet to a stake;

Thence S 39-45 W 238.9 feet to a stake;

Thence S 30-45 W 68.2 feet to a stake on top of ridge;

Thence S 38-50 W 39.8 feet to a stake;

Thence S 39-15 W 60.6 feet to a stake;

Thence S 37-20 W 281.0 feet to a stake;

Thence S 39-25 W 227.9 feet to a stake;

Thence S 36-10 W 294.0 feet to a stake;

Thence S 39-10 W 707.6 feet to a stake;

Thence S 41-40 W 234.3 feet to a stake;

Thence S 39-10 W 131.6 feet to a stake;

Thence S 39-00 W 201.6 feet to a stake;

Thence S 35-00 W 57.5 feet to a stake;

Thence S 41-15 W 53.4 feet to a stake;

Thence S 40-10 W 41.9 feet to a stake;

Thence S 38-20 W 163.4 feet to a stake;

Thence S 39-10 W 248.7 feet to a stake;

Thence S 38-10 W 91.2 feet to a stake;

Thence S 38-05 W 84.4 feet to a stake;

Thence S 37-15 W 121.3 feet to an 18" beech, a corner between Ora Nantz Property and Theo Witt, Jr. Property;

Thence S 40-00 W 138.4 feet to a steel rail with a 7" poplar marked for pointer, a corner to Theo Witt property;

Thence N 50-00 W 250.0 feet to a steel rail with a 20" beech, 24" pine and a 5" ash marked for pointers;

Thence S 40-00 W 200.0 feet to a set stone on bank of Greasy Creek with a 24" beech and 26" pine marked for pointers;

Thence S 50-00 E 251.6 feet to a steel rail beside of guy wire on power pole;

Thence S 40-00 W 177.4 feet to a point in mouth of Robin Branch at Greasy Creek with a 5" and 8" sycamore marked for pointers;

Thence N 1-00 E 70.6 feet to a point in Greasy Creek with 4" and 6" sycamores marked for pointers;

Thence crossing Greasy Creek N 60-00 W 126.0 feet to a set stone with a 26" sycamore marked for pointer in fence line;

Thence N 16-30 W 88.0 feet to a point in fence line;

Thence N 82-40 W 159.0 feet to a set stone with a 12" walnut marked for pointer;

Thence N 60-00 W crossing Greasy Creek at 331.0 feet, crossing county road at 473.6 feet, in all 628.3 feet to a steel rail with a 16" white oak marked for pointer;

Thence N 24-00 W 626.6 feet to a steel rail, with an 8" white oak marked for pointer;

Thence N 1-30 E 99.0 feet to a stake in Jr. Lewis line in hollow, and a corner between J. M. Huber Corporation and Lonnie Witt;

Thence up hollow N 77-10 E 118.6 feet to a stake in Jr. Lewis line;

Thence still with hollow N 66-10 E 60.0 feet to a set stone in hollow, a corner between J. M. Huber Corporation and Jr. Lewis;

Thence still with Jr. Lewis line N 1-30 E 1071.0 feet to a steel rail in hollow, a corner between J. M. Huber Corporation and Jr. Lewis;

Thence with said line S 81-10 W 139.3 feet to a steel rail in said line;

Thence leaving said line N 20-00 E 203.9 feet to a stake on upper side of county road;

Thence crossing county road N 19-00 W 429.0 feet to a 14" beech;

Thence N 42-40 W 235.8 feet to a stake on bank of Greasy Creek;

Thence N 51-40 W 178.2 feet to the Beginning.

Surveyed by James Evans, Kentucky Reg. No. 971

Containing 158.9 acres, more or less.

TRACTS 36-7, 36-11, and 36-21

~~Tract No. 36-7, 36-11 and 36-21 These Tracts are Each Part of a Certain Tract of Land~~ (1)
~~and Are Located on Lewis Creek in Lesue County Kentucky.~~

Beginning on A Steel Rail in The Mouth of Estep Branch With a 26" Sycamore AN. And A" Pin Mar Red. For Corner.

Thence S38-30W Leaving Estep Branch at 700 Feet in All 1682 Feet to a Stake in Left Fork of Lewis C

Thence With Left Fork of Lewis Creek S50-20W 137.7 Feet to a Stake.

Thence S46-10W 204.6 Feet to a Stake in Left Fork of Lewis Creek

Thence S32-05W 225.0 Feet to a Stake in Left Fork of Lewis Creek

Thence S47-30W 245.0 Feet to a Stake in Left Fork of Lewis Creek.

Thence S87-30W 198.6 Feet to a Stake in Left Fork of Lewis Creek.

Thence S10-50E 328.6 Feet to a Stake in Left Fork of Lewis Creek.

Thence S62-20W 165.3 Feet to a Stake in Left Fork of Lewis Creek.

Thence S44-45W 186.6 Feet to a Stake in Left Fork of Lewis Creek.

Thence S10-20E 112.6 Feet to a Stake in Left Fork of Lewis Creek.

Thence S36-20W 285.9 Feet to a Stake in Forks of Lewis Creek.

Thence N87-30W 107.8 Feet to a Stake in Lewis Creek.

Thence S51-10W 250.2 Feet to a Stake in Lewis Creek.

Thence S77-05W 235.4 Feet to a Stake in Lewis Creek.

Thence S83-20W 124.6 Feet to a Stake in Lewis Creek.

Thence S53-20W 76.7 Feet to a Cross on Rock in Lewis Creek

Thence N26-38E Crossing Road at 323.1 Feet in All 576.8 Feet to a Marked Beech Corner.

Thence N26-00E Crossing Spur at 634.9 Feet, Crossing Spur at 1865 Feet, Crossing Hollow at 1375.9 Feet, Crossing a Point on Top of Cliff at 1728.0 Feet, Crossing Spur at 2002.4 Feet in All 2566.6 Feet to a Set Stone where a White Oak Stood The Beginning Corner of The Wilson Lewis 700 U.S. Pat No 8157.

Thence N 60-45W 363.4 feet to a set stone, The 2nd Corner of said Pat. No 8157.

Thence N 52-00W 330.0 feet to a set stone, The 3rd Corner of said Pat No 8157.

Thence N 54-00W 660.5 feet to a set stone with a 11" Beech and 16" Cucumber Marked for pointers, The 4th Corner of said pat No 8157.

Thence N 1-30W 371.2 feet to a set stone in a maple stump with a 20" Black Gum Marked for pointers, The 5th Corner of Pat. No 8157.

Thence S 71-00E Crossing Branch at 98.7 feet in All 1615.0 feet to a Beech Stump About 25.0 feet From Center line of East Fork of Lewis Creek, The 6th Corner of Wilson Lewis 300 Acre Pat No 8157.

Thence N 31-30E 1,095.0 feet following Along said Creek About 350 feet To a set stone with a 22" Beech, Marked for Corner, The 7th Corner of said Pat.

Thence N 33-15W Crossing Stone at 631.5 feet in All 988.0 feet to a set stone in old Field, The 8th Corner of said Pat No 8157

Thence S 84-45E Crossing Branch at 64.7 feet, Crossing East Fork of Lewis Creek at 988.0 feet in All 999.0 to a steel Rail on East Bank of Lewis Creek, The 9th Corner of said Pat No 8157

Thence N 59-30E Crossing said Creek At 130.0 feet in All 732.0 feet to a set stone on North Bank of said Creek, with a 8" Maple Marked for Corner, About 12.0 feet from said Creek, The 10th Corner.

Thence N 11-45W 612.0 feet to a set stone with a 14" White Oak Marked for Corner, The 11th Corner of said pat. No 8157

Thence N 27-00E 923.0 feet To a Government Metal Marker for Corner, At the inter-

Section of the eleventh (11) Course of the David Turner 200 Acre Grant No 663

Thence with Government Line N.52-15E. 1660 Feet to a Government Metal Marked Corner.

Thence with said Line N.86-30E Crossing Drain at 2612 Feet in All 2985.0 Feet To a Government metal Marker Corner, to the intersection of the Sixteenth Course of the aforesaid Grant No 8157.

Thence with said line and said Course S.30-30E leaving Government Line at 1998.5 Feet, Crossing Left Fork of Lewis Creek at 12375 Feet in All 13701 Feet to a set Stone, The 14th Corner of Wilson Lewis 200 Acre patent 8157, with a 16" Beech marked for Corner.

Thence Along the Sixteenth Course S66-00E 1505.0 Feet to a set Stone on the Crest of the Divide between the Right and Left Fork of Lewis Creek with a 26" Chestnut oak Marked for Corner, A Corner of a 118 acre Tract of Land Conveyed by J. I Shell To J.C. Chapell, Grant Hale Ashe

Thence with the Sixteenth line S.63-55E 7035.0 Feet to a set Stone, The 17th Corner of Pat No 8157, with a 16" Hickory, 6" White oak, and a 16" 18" Yellow oak Marked for Pointers.

Thence S.15-00E Crossing Stone or Log Hollow at 1127.0 Feet in All 2.084.0 Feet to a steel Rail in Stump, The 18th Corner of Pat No 8157.

Thence N.85-50E Crossing Right Fork of Lewis Creek, at 860.0 Feet in All 919.0 Feet to a Steel Rail on Bank of said Creek, The 19th Corner of said Lewis 200 Acre Pat No 8157.

Thence N.82-15E Crossing Right Fork of Lewis Creek at 356.4 Feet in All 522.0 Feet to a Steel Rail set for Corner, with a 14" Maple Marked for Corner, The

8th Corner of Henry M. Lewis 100 Acre Pat. No. 6179.

Thence S 34-30 E 296.0 feet to a Steel Rail Set for Corner, with a 10" White oak Marked for pointer, The 7th Corner of said Pat. No. 6179.

Thence S 44-00 E 758.0 feet to a Steel Rail Set for Corner, With a 14" White oak Marked for pointer, The 6th Corner of said Pat No. 6179, Corner being about 70.0 feet from The Right Fork of Lewis Creek.

Thence N 57-35 E 769.0 feet to a Steel Rail Set for Corner, with a 18" White oak And a 12" Poplar Marked for pointers, The 5th Corner of said Pat No. 6179

Thence N 72-55 E 720.0 feet to a Steel Rail Set for Corner, With a 12" & 10" Hickory And 12" Hickory Marked for pointers, The 4th Corner of said Pat No. 6179.

Thence S 49-45 E Crossing Hollow At 50.0 feet in All 344.0 feet to a 26" Beech Dead Standing Marked Corner, The 3rd Corner of said Pat No. 6179.

Thence N 65-10 E 665.0 feet to a Steel Rail on Steep Hill About 20 Feet Below Edge of Flat The 2nd Corner of said Pat No. 6179.

Thence N 15-20 E 496.0 feet to a set Stone with a 9" Hickory Marked for pointers, The Beginning Corner of said Henry M. Lewis 100 Acres Pat. No. 6179.

Thence S 84-30 E with Marked And Painted (Old Walls) Line, Crossing The Left Fork of The Right Fork of Lewis Creek At 319.9 feet, Crossing Same At 771.4 feet in All 1548.0 feet to a Set Stone, with a 10" Maple and a 12" Hickory Marked for pointers.

Thence with said Line S 53-15 W Crossing Left Fork of Lewis Creek At 614.9 feet and 704.9 feet in all 1454.0 feet to an Iron Rail on East Bank of The Right Fork of Lewis Creek.

nce S 75-15E 176.1 feet to a Stake, in marked and painted line

nce S 81-30E 154.8 feet to a Stake, in Marked and painted line

ence S 84-15E 73.0 feet to a Set Stone in Edge of Small Drain with a 24" Beech Marked Bar Corner, (Corner to Wells and J.M. Hubert)

hence S 45-35E 203.9 feet to a Set Stone

ence S 89-00E 171.2 feet to a Stake, in Marked and painted line

ence S 81-45E 87.6 feet to a Stake, in Marked and painted line

Thence S 86-15E 309.9 feet to a Stake in Marked and painted line

ence S 82-30E Crossing Right hand Hollow of Lewis Creek at 60.0 feet in All 104.9 feet to a set stone, Corner to Huber, Hoskins, and Wells

Thence S 84-15E 561.0 feet to a Set Stake

Thence N 4-00E 276.9 feet to a Stake

Thence N 2-45E 186.0 feet to a Stake on a Spur

Thence N 4-00E 848.4 feet to a Set Stone on a Spur

Thence S 78-00E 365.5 to a Set stone on Top of Spur; Corner to Joseph Property (now Hub

Thence with Joseph line S 61-45E 141.6 feet to a Set Stone, on Top of Spur

Thence S 1-00W 529.8 feet to a set Stone, with a 10" Spanish oak Marked Bar Painter, on Top of Mountain

Thence S 73-00W 445.5 feet to a Set Stone, with a 20" Chestnut oak Marked Bar painter, on Top of Mountain

Thence S 8-00W 929.8 feet to a Set Stone, with a 20" Black Gum Marked Bar Corner, on Top of Mountain between Rockhouse Creek and Lewis Creek

Thence N 78-00W Crossing Saw Gap Rd 414.1 feet in All 760.3 feet to a Set Stone About 80.0 feet Below Top of Ridge, with a 16" Water oak And 12" Black oak Marked Bar Painters

Thence N 2-00 E Crossing Ridge at 88.0 feet in All 340.5 feet to a set Stone with a 6" Dogwood, 8" Sassafras And 5" Buckeye marked for pointers.

Thence N 56-00 W 886.2 feet to a set Stone with a 8" Poplar, 4" Bunch And a 4" Poplar.

Thence S 56-30 W Crossing Ridge At 563.3, Crossing Ridge Again At 2,176.6 feet in All 2,590.6 feet to a set Stone on The West Side of Spur.

Thence N 67-25 E 1634.2 feet to a set Stone by a Rock, with an 18" Hickory And 12" Hickory for pointers, on Top of Ridge, between Right Fork of Lewis Creek, And Rockhouse Creek.

Thence S 43-30 W 116.5 feet to a Stake on Top of Ridge.

Thence S 36-30 W 216 feet to a Stake on Top of Ridge.

Thence S 41-50 W 82.0 feet to a Stake on Top of Ridge.

Thence S 49-00 W 183.7 feet to a set Stone with a 20" White Oak Marked for Corner, on Top of Ridge.

Thence S 16-00 W 117.4 feet to a Stake on Top of Ridge.

Thence S 20-00 W Crossing Through Low Gap at 150.0 feet in All 300.0 feet to a Stake on Top of Ridge.

Thence S 22-10 W 142.9 feet to a Stake on Top of Ridge.

Thence S 31-10 W 162.7 feet to a Stake on Top of Ridge.

Thence S 31-20 W 154.6 feet to a Stake on Top of Ridge.

Thence S 20-10 W 244.8 feet to a set Stone, with a 24" Chestnut Oak Marked for pointers, on Top of High Knob.

Thence S 37-10 E 141 feet to a Stake on Top of Ridge.

Thence S 57-30 E Crossing Through Low Gap at 65.4 feet in All 196.4 feet to a Stake, on Top of Ridge.

Thence S 59-45 E 162.1 feet to a Stake on Top of Ridge.

Thence S 48-30 E 124.1 feet to a Stake on Top of High Knob.

Thence S 50-30 E 93.7 feet to a Stake on Top of Ridge.

Thence S 41-00 E 124.2 feet to a Stake on Top of Ridge.

Thence S 56-00 E 169.0 feet to a Stake on Top of Ridge.

Thence S 69-40 E Crossing Low Gap at 65.2 feet in All 115.2 feet to a Stake on Top of Ridge.

Thence S 50-00 E 162.2 feet to a Stake on Top of High Knob.

Thence S 19-30 E 49.8 feet to a Stake on Top of Ridge.

Thence S 16-15 E 226.2 feet to a Stake on Top of Ridge.

Thence S 26-50 E 224.5 feet to a Stake on Top of Ridge.

Thence S 8-10 E 132.0 feet to a Set Stone with a 12" Chestnut oak and 21" Chestnut oak Marked for Pointers, on Top of Ridge.

Thence Leaving Top of Ridge S 71-00 W Crossing Hollow at 95.0 feet. Crossing High Fork of Alex Branch at 1198.1 feet, Crossing Hollow at 2242.5 feet in All 2996.1 feet to a Set Stone on Top of Ridge with a 22" Chestnut oak Marked for Corner, being a Corner to Wells Tract No 3.

Thence with Top of Mountain between Alex Branch and Right Fork of Lewis

Creek N 14-45E 1290 Feet to a Stake, in Marked an Painted Line.

Thence N 8-20E 235.0 Feet to a Stake on Top of Ridge, in Said Line.

Thence N 11-00E 152.7 Feet to a Stake on Top of Ridge, in Said Line.

Thence N 29-45E 98.0 Feet to a Stake on Top of Ridge, in Said Line.

Thence N 42-00E 164.2 Feet to a Stake on Top of Ridge, in Said Line.

Thence N 46-00E 206.6 Feet to a Stake on Top of Ridge, in Said Line.

Thence N 0-10W 98.5 Feet to a Stake on Top of Ridge, in Said line.

Thence N 6-20W 212.9 Feet to a Set Stone on Top of Ridge, with a 30" Chestnut oak Marked for Pointers.

Thence N 59-30W 57.9 Feet to a Stake on Top of Ridge, in Marked and Painted Li

Thence N 48-15W 171.7 Feet to a Stake on Top of Ridge, in Said Line.

Thence N 49-50W 124.6 Feet to a Stake on Top of Ridge, in Said Line.

Thence N 50-40W Crossing Gap at 42.5 Feet in All 149.5 Feet to a Stake on Top of Ridge, in Said Line.

Thence N 58-00W 152.3 Feet to a Stake on Top of Ridge, in Said line.

Thence N 73-45W 106.8 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 88-10W 149.8 Feet to a Stake on Top of Ridge, in Said Line.

Thence N 82-10W 79.7 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 65-50W 78.3 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 39-45W 40.8 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 59-15W 192.4 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 69-15W 105.0 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 79-30W 117.3 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 82-00W 164.5 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 88-00W 166.3 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 76-40W 24.2 Feet to a Stake on Top of Ridge, in Said Line.

Thence S 82-00W 55.4 feet to a stake on Top of Ridge in said line

Thence S 84-50W 258.2 feet to a stake on Top of Ridge in said line

Thence S 72-10W 214 feet to a Sal Stone The Beginning Corner of Old Walls Tract No 3 in All 614 feet to a stake on Top of Ridge

Thence S 81-00W 263.4 feet to a Stake on Top of Ridge in Maryland Pinkard

Thence N 85-10W 117.3 feet to a stake on Top of Ridge in said line

Thence S 72-45W 167.0 feet to a stake on Top of Ridge in said line

Thence S 56-30W 82.9 feet to a Sal Stone on Top of Ridge Between Alecs Branch and Right Fork of Lewis Creek with 6 16" & 14" Hickorys Marked for Point

Thence Leaving Top of Ridge N 25-00W 75.8 feet to a Stake in Marked and Painted Line

Thence N 20-30W 182.9 feet to a stake in said line

Thence N 44-10W 140.9 feet to a stake in said line

Thence N 30-15W 232.8 feet to a stake in said line

Thence N 29-00W 171.7 feet to a stake in said line

Thence N 33-50W 182.4 feet to a stake in said line

Thence N 29-00W 230.1 feet to a stake in said line

Thence N 28-45W 56.3 feet to a stake in said line

Thence N 26-50W Crossing Hollow at 115.0 feet in All 146.5 feet to a Stake in said marked and painted line

Thence N 31-25W 120.4 feet to a stake in said line

Thence N 33-45W 98.4 feet to a Small Rock in Lewis Creek

Thence N 26-50W 61.1 feet to a stake in said marked line

Thence N 31-10W 146.9 feet to a stake in said line

Thence N 36-10W 185.1 feet to a stake in said line

Thence N 30-20W 281.0 feet to a stake in said line.

Thence N 32-10W 153.8 feet to a stake in said line.

Thence N 26-20W 158.6 feet to a stake in said line.

Thence N 38-30W 182.2 feet to a stake in said line.

Thence N 32-00W 209.4 feet to a stake in said line.

Thence N 87-45W 95.1 feet to a set stake on top of mountain between
East Branch and the Right Fork of Lewis Creek.

Thence with top of mountain N 81-15E 182.7 feet to a stake in marked and
painted line.

Thence N 87-10E 94.7 feet to a stake, in said marked line, on top of mountain.

Thence N 54-45E 98.6 feet to a stake in said marked line, on Top of mountain.

Thence N 54-00E 95.7 feet to a stake in said marked line, on Top of mountain.

Thence N 45-40E 120.5 feet to a stake in said marked line, on top of Mountain.

Thence N 10-00E 157.2 feet to a stake in said marked line, on Top of Mountain.

Thence N 9-30E 167.7 feet to a stake in Bow Gap in said line.

Thence N 16-20E 221.8 feet to a stake in said marked line, on Top of Mountain.

Thence N 8-20E 150.7 feet to a stake in said marked line, on Top of mountain.

Thence N 22-15W 100.5 feet to a stake in said marked line, on Top of Mountain.

Thence N 0-10W 126.2 feet to a stake in said marked line, on Top of Mountain.

Thence N 1-50E 114.7 feet to a stake in said marked line, on Top of mountain.

Thence North 96.7 feet to a stake in said marked line, on Top of Mountain.

Thence N 34-50W 113.3 feet to a stake in said marked line, on Top of Mountain.

Thence N 0-10W 85.6 feet to a set stone in Gap with a 14" oak marked Bs Pointer.

Thence S 41-10W 75.8 feet to a stake in marked and painted line.

Thence S 62-25W 115.7 feet to a stake in said line.

Thence S43-10W 179.5 feet to a stake in said line

Thence S53-20W 152.8 feet to a stake in said line

Thence S50-30W 222.6 feet to a stake in said line

Thence S65-20W 163.7 feet to a stake in said line

Thence S59-30W 264.6 feet to a stake in Estep Branch, and in said line

Thence with Estep Branch S83-15W 264.7 feet to a stake in said line

Thence S32-15W 292.4 feet to a stake in said Branch and line

Thence S53-50W 296.7 feet to a stake in said Branch and line

Thence S87-50W 155.1 feet to a stake in said Branch and line

Thence S66-60W 138.5 feet to a stake in said Branch and line

Thence S60-10W 104.2 feet to a stake in said Branch and line

Thence S29-10W 91.3 feet to a stake in said Branch and line

Thence S87-10W 170.1 feet to a stake in said Branch and line

Thence S57-10W 90.5 feet to a stake in said Branch and line

Thence S77-00W 99.0 feet to a stake in said Branch and line

Thence S29-00W 100.3 feet to a stake in said Branch and line

Thence S61-10W 185.6 feet to a stake in said Branch and line

Thence N91-40W 115.8 feet to a stake in said Branch and line

Thence N87-00W 195.7 feet to a stake in said Branch and line

Thence S62-30W 297.0 feet to a stake in said Branch and line

Thence S67-00W 291.1 feet to a stake in said Branch and line

Thence S70-00W 87.4 feet to a stake in said Branch and line

Thence S63-45W 439.5 feet to a stake in said Branch and line

Thence N81-40W 158.9 feet to a stake in said Branch and line

Thence S85-00W 93.5 feet to a stake in said Branch and line

Thence S84-00W 300.8 feet to a stake in said Branch and line

Thence N77-50W 165.7 feet to a stake in said Branch and line

Thence N79-45W 166.6 feet To The Beginning

Containing 8.95.7 Acres, More or Less

092

TRACT 36-6(i)

Beginning at a stone corner with a Hickory and Mulberry pointers at the Intersection of 3rd Line 27541 with the 10th Line of Charles Pace, 350 Acre Patent 8177

Thence with the 3rd Line of said patent N 16-45 W 1155.0 feet to a stone corner with Chestnut Oak pointers-4th corner.
Thence N 17-15 E crossing top of spur at 950.0 feet 345.5 feet to a stone corner, with Chestnut Oak pointer-5th corner.
Thence S 37-45 E crossing top of spur at 140.0 feet, crossing small branch at 1785.0 feet, 1806.0 feet to a stone corner with two(2) Beech pointers, the beginning corner of said patent.
Thence with the first line of said patent S 26-15 W crossing small branch at 1550.0 feet, crossing small branch at 1630 feet, 2518.0 feet to the 2nd corner of said patent, crossing Lewis Creek at 2650.0 feet, crossing Lewis Creek at 3175.0 feet, Intersection with the 10th line of Charles Pace 350 Acre Patent 8177 at 3184.5 feet.
Thence with the 10th line of patent 8177 S 73-30 W crossing Lewis Creek at 130.0 feet 412.5 feet to the point of beginning.

TRACT 36-1(iii)

Located on Lower Double, Upper Double branch waters of Laurel Fork and Elk Creek, waters of Greasy Creek, waters of the Kentucky River, in Leslie County, Kentucky

Beginning at a set stone being S25-45W 0.43 ft from center line of Cowhorn Gap and Mountain Road;

1 Thence N25-45E; 271.8 ft. to a stake on ridge;

2 Thence N31-20E 298.1 ft. to a stake on ridge;

3 Thence N28-40E 275.1 ft. to a set stone on top of ridge with 8" black oak with 4 old hacks;

Thence running reverse with 7 Course of Frederick Nantz 500 acre Grant No. 21286, S34-20E 194.8 ft. to a stake on the lower edge of road;

Thence S34-40E 99.0 ft. to a stake in said line;

Thence S34-45E 249.9 ft. to a stake in said line;

7 Thence S42-00E 43.6 ft. to a set stone in said line with a 7" persimmon and a 7" poplar for pointers;

8 Thence N85-10E 93.3 ft. to a stake;

Thence N81-25E 107.8 ft. to a stake in Coon Hollow Branch;

Thence N75-00E 187.3 ft. to a 12" pine marked for corner;

Thence N10-40W 90.8 ft. to a stake;

Thence N40-40W 158.5 ft. to a 14" pine and a 6" sourwood marked for corner, this being the 20th corner of Patent No. 51946;

Thence N2-10W 137.4 ft. to a stake on the north side of road;

14 Thence N2-15W 266.1 ft. to a stake;

Thence N2-00W 49.9 ft. to a government metal marker;

Thence N1-20E 107.3 ft. to a stake on top of spur;

Thence N1-15E 300.6 ft. to a stake;

Thence N1-00E 269.3 ft. to a stake;

Thence N4-45E 215.4 ft. to a stake on lower edge of road;

21 Thence N0-40W 115.2 ft. to a stake on top of mountain;

Thence N2-20E 89.9 ft. to a stake;

Thence N1-00E 189.2 ft. to a stake;

Thence N1-20E 167.0 ft. to a stake;

Thence N1-10E 377.4 ft. to a government metal marker with a 20" birch, 12" lynn for pointers, same being the 21st corner of Grant No. 51946;

Thence with the 21st line of Patent No. 51946, reverse S50-40E 158.6 ft. to a stake;

Thence S51-20E 204.6 ft. to a stake in said line;

Thence S51-00E 291.5 ft. to a stake in said line;

Thence S54-15E 212.2 ft. to a stake in said line;

Thence S48-30E crossing mountain road at 30 ft., in all 155.6 ft. to a stake on top of mountain;

Thence S49-35E 109.6 ft. to a stake;

Thence S52-10E 142.7 ft. to a stake;

Thence S51-45E 226.5 ft. to a stake;

Thence S50-30E 278.9 ft. to a set stone in said line;

THENCE N 28° 21' E 101.93 feet to a set stone,

THENCE N 36° 39'W crossing Government Marker at 79.6 feet, in all 143.52 feet to a stake,

THENCE with Government Line N 36° 42'W 206.22 feet to a stake,

THENCE with Government Line N 36° 58'W 222.83 feet to a Government Metal Marker on top of ridge,

THENCE with top of ridge and Government Line N 81° 05'E 113.80 feet to a stake,

THENCE still with ridge and Government Line N 73° 05'E 174.17 feet to a stake,

THENCE still with Government Line N 67° 57'E 204.90 feet to a set stone,

Thence N15-50W 221.6 ft. to a stake;

Thence N20-40W 54.3 ft. to a stake;

Thence N48-30W 286.9 Ft. to a stake;

Thence N51-30W 177.4 ft. to a stake;

Thence N47-30W 186.3 ft. to a stake;

Thence N39-20W 110.7 ft. to a stake;

Thence N31-15W 42.7 ft. to a stake;

Thence N33-10W 164.0 ft. to a stake;

Thence N35-30W 299.2 ft. to a stake;

Thence N36-00W 179.2 ft. to a set stone with an 8" black walnut, 10" poplar and 6" black walnut for pointers;

Thence N35-50E 211.6 ft. to a stake;

Thence N33-55E 111.8 ft. to a point in government line with a 4" sourwood and a 20" black gum for pointers;

Thence N84-20W 175.4 ft. to a stake;

Thence N83-30W 106.0 ft. to a stake;

Thence N82-50W 87.4 ft. to a government metal marker on top of mountain with an 8" chestnut oak and a 12" black oak and a 10" chestnut oak for pointers;

Thence with top of ridge N13-15E 218.2 ft. to a stake;

Thence N0-30E 45.6 ft. to a stake;

Thence N48-40E 93.0 ft. to a stake;

Thence N65-00E 177.4 ft. to a government metal marker on top of ridge with a 10" hickory and two 12" hickory pointers;

Thence leaving top of ridge with 7th line of Patent No. 21259 N1-45E 1129.0 ft. to a stake with a 10" chestnut oak, 12" black oak and a 14" chestnut oak for pointers;

Thence N85-00W with the closing line of Patent No. 36192 104.7 ft. to a stake;

Thence N85-14W 170.9 ft. to a cross on a rock with 8" and 9" black pine

Thence with the 3rd line of Patent No. 44166 S32-00W 123.9 to a stake;

Thence still with said line S35-15W 548.7 ft. to a stake;

Thence still with said line S36-30W 170.8 ft. to a stake;

Thence still with said line S35-00W 204.0 ft. to a stake;

Thence still with said line S36-00W 15.9 ft. to a government metal marker with a 8" sourwood and a 14" buckeye for pointers;

Thence still with said line S71-50W 133.0 ft. to a stake;

Thence still with said line S78-25W 141.0 ft. to a stake;

Thence still with said line S74-30W 212.7 ft. to a stake on top of ridge;

Thence still with said line S75-45W 141.8 ft. to a stake;

Thence still with said line S74-30W 77.8 ft. to a stake;

Thence still with said line S75-20W 186.2 ft. to a government metal marker, 6" hickory, 12" black oak, 8" chestnut oak for pointers;

Thence with the 17th course of Grant No. 9077 N1-30E 9.0 ft. to a government metal marker with 12" white oak for pointer, being the 17th corner of Patent No. 9077;

Thence with the 16th line of Patent No. 9077 N84-15W 264.2 ft. to a stake;

Thence still with said line N85-30W 173.4 ft. to a government metal marker;

Thence with the second line of Patent No. 44166 N2-15E 79.9 ft. to a stake;

Thence still with said line N1-15E 399.2 ft. to a stake;

Thence still with said line N1-25E 194.1 ft. to a stake on top of spur;

Thence still with said line N1-15E 278.9 ft. to a stake;

Thence still with said line N1-00E 266.8 ft. to a stake;

Thence still with said line N1-15E 115.2 ft. to a stake in Holly Bush Branch;

Thence still with said line N1-45E 148.5 ft. to a government metal marker with a 30" spruce pine with old marks for pointers, being the second corner of Patent No. 44166 and the 4th corner of Patent No. 44160.

Thence with the 3rd line of Patent No. 44160 S43-15 W crossing Holly Branch at 117.0 ft., in all 147.6 ft. to a stake;

Thence still with said line S36-15W 179.1 ft. to a stake;

Thence still with said line S39-15W 120.7 ft. to a government metal marker with a 6" dogwood, 7" maple for pointers, the original corner;

Thence with the 15th line of Patent No. 9077 N1-25E 175.3 ft. to a stake;

Thence still with said line N2-00E 276.6 ft. to a stake;

Thence still with said line N2-15E 314.5 ft. to a stake;

Thence still with said line N1-50E 112.3 ft. to a stake;

Thence still with said line N1-00E 106.6 ft. to a stake on top of spur;

Thence still with said line N1-40E 107.7 ft. to a stake;

Thence still with said line N12-45E 54.1 ft. to a stake;

Thence still with said line N1-15E 265.2 ft. to a stake;

Thence still with said line N1-10E 66.0 ft. to a stake;

Thence still with said line N5-45E 210.3 ft. to a stake in hollow;

Thence still with said line N2-25E 106.7 ft. to a stake;

Thence still with said line N1-20E 179.4 ft. to a stake;

Thence still with said line N2-00E 205.4 ft. to a stake;

Thence still with said line N1-50E 222.0 ft. to a stake;

Thence still with said line N3-20E 44.3 ft. to a stake on high knob;

Thence still with said line N7-45E 25.8 ft. to a stake;

Thence still with said line N1-45E 256.2 ft. to a stake;

Thence still with said line N2-30 E 253.9 ft. to a stake;

Thence still with said line N1-20E 143.0 ft. to a government metal marker with a 6" birch and 16" lynn for pointers, being the 15th corner of Patent No. 9077

To station 145

Thence N36-30W 85.9 ft. to a stake still with the 14th line of Patent No. ----

Thence N41-10W 67.7 ft. to a stake still with said line;

Thence N39-45W 241.8 ft. to a stake still with said line;

Thence N33-45W 82.1 ft. to a stake still with said line;

Thence N40-00W 155.6 ft. to a stake still with said line;

Thence N37-10W crossing branch at 70.0 ft., in all 135.6 ft. to a stake;

Thence N38-45W 280.6 ft. to a stake;

Thence N38-15W 105.0 ft. to a government metal marker with a 18" black oak and a 10" white oak for pointers being the 14th corner of Patent No. 9

Thence still with the 13th line of Patent No. 9077, [illegible] 274.9 ft. to a stake;

Thence still with said line N84-15W crossing Elk Creek at 192.2,, in all 426.7 ft. to a stake;

Thence still with said line N88-30W 179.1 ft. to a stake;

Thence still with said line N86-15W 90.7 ft. to a stake;

Thence still with said line N84-10W 175.9 ft. to a set stone in old road;

Thence still with said line S39-20E 347.4 ft. to a stake;

Thence still with said line S37-40E 153.3 ft. to a stake on top of ridge

Thence still with said line leaving ridge S39-30E 209.0 ft. to a stake;

Thence still with said line S36-30E 51.1 ft. to a stake on top of ridge;

Thence still with said line leaving ridge S38-40E 293.5 ft. to a government metal marker with a 12" and 14" poplar and a 16" walnut being the 12th corner of Patent No. 9077;

Thence with the 12th line of Patent No. 9077 S1-10E 108.0 ft. to a stak

Thence with said line S2-45E crossing Elk Creek at 100.0 ft., in all 125. to a stake;

Thence with said line S0-15W crossing Elk Creek at 118.0 ft., in all 186. ft. to a stake;

Thence with said line S0-15E 170.3 ft. to a stake;

Thence with said line S1-00E 300.0 ft. to a stake;

Thence with said line S0-10E 248.3 ft. to a set stone with a Beech shag with Patent No. 9077, being the 11th corner of Patent No. 9077;

Thence with the 11th line of said patent S0-10E 68.00 ft. to a stake;

Thence with the 11th line of said patent S1-45E, crossing branch at 50.0 ft., in all 478.8 ft. to a stake;

Thence with said line S5-15W 140.7 ft. to a stake;

Thence with said line S2-00W 149.2 ft. to a government metal marker with 3 10" maples for pointers, being the 10th corner of patent No. 9077 and in the line of John A. Chappell Patent No. 51925;

Thence with the 10th line of Patent No. 9077, S3-20W 112.2 ft. to a stake;

Thence with said line S3-15W 201.1 ft. to a stake;

Thence with said line S3-10W 125.5 ft. to a stake;

Thence with said line S5-15W 73.0 ft. to a government metal marker being the 9th corner of Patent No. 9077;

Thence with the 9th line of said patent, S3-45E 248.8 ft. to a stake;

Thence with said line S9-10E 107.7 ft. to a stake;

Thence with said line S2-50E 119.9 ft. to a stake;

Thence with said line S2-10E 154.8 ft. to a stake;

Thence with said line S5-15E 124.1 ft. to a government metal marker with a 10" and 14" hickory for pointers, being the 8th corner of Patent No. 9077

Thence with the 8th line of said Patent, S12-00W 794.6 ft. to a government metal marker in the center line of an old log road, with a 14" and 12" white oak and a 14" poplar for pointers, being the 7th corner of Patent No. 9077;

Thence with the 7th line of Patent No. 9077 S25-45E, crossing branch at 130.0 ft., in all 212.5 ft. to a stake;

Thence S29-10E 326.5 ft. to a stake;

Thence S26-35E 84.8 ft. to a government metal marker with a 7" lynn and a 12" hickory for pointers, being the 6th corner of Patent No. 9077;

Thence with the 6th line of Patent No. 9077 S2-00W 86.9 ft. to a stake;

Thence S1-10W 309.0 ft. to a stake;

Thence S0-45W 222.0 ft. to a stake;

Thence S12-15W 46.1 ft. to a stake on top of ridge;

Thence leaving top of ridge S1-50W 90.4 ft. to a stake;

Thence S1-15W 283.3 ft. to a stake;

Thence S1-30W 110.9 ft. to a stake;

Thence S1-15W 69.8 ft. to a government metal marker with 20" white oak and a 14" hickory for pointers;

Thence S1-30W 260.8 ft. to a stake;

Thence S2-10W 110.3 ft. to a stake;

Thence S0-15W 31.3 ft. to a government metal marker with a 24" beech, 6" sugar tree and a 12" poplar for pointers;

Thence S35-05W 181.8 ft. to a stake;

Thence S33-50W 94.5 ft. to a government metal marker with a 24" beech B. T. No. 4690, being the original corner;

Thence S0-30W 183.5 ft. to a stake;

Thence S0-20W 238.4 ft. to a government metal marker with a 22" hickory for a pointer;

Thence with said line of Patent No. 9077 N86-15W 381.1 ft. to a stake on the top of ridge;

Thence leaving top of ridge N82-15W 25.3 ft. to a stake;

Thence N86-20W 375.1 ft. to a government metal marker with a 12" lynn and a 10" maple for pointers;

Thence N39-40W crossing branch at 120.0 ft., in all 145.9 ft. to a stake;

Thence N41-40W 216.7 ft. to a stake;

Thence WEST 154.0 ft. to a stake;

Thence S88-30W 144.6 ft. to a stake;

Thence S88-10W 175.2 ft. to a set stone in Hollow;

Thence S42-50E 231.1 ft. to a stake on top of ridge;

Thence S41-30E leaving top of ridge 135.4 ft. to a stake;

Thence S40-00E 152.5 ft. to a stake;

Thence S46-30E 129.0 ft. to a stake;

Thence S45-00E 112.9 ft. to a stake;

Thence S52-45E 97.2 ft. to a stake;

Thence S1-00W 174.3 ft. to a stake on top of mountain;

Thence leaving top of mountain S0-50W 104.1 ft. to a stake;

Thence S1-00W 239.0 ft. to a stake;

Thence S1-15W 213.1 ft. to a set stone on top of mountain, in mountain ro: with a 14" black gum for pointer;

Thence still with said line S20-00E 208.2 ft. to a stake on top of mountain;

Thence S39-15E 169.2 ft. to a set stone on top of mountain with a 14" chestnut oak for pointers;

Thence S47-20E 264.7 ft. to a stake on top of mountain;

Thence S43-45E 178.2 ft. to a stake on top of mountain;

Thence S31-15E 97.9 ft. to a stake on top of mountain;

Thence S52-45E 162.4 ft. to a set stone on top of high knob with a 12" maple, 24" locust and 3" dogwood for pointers;

Thence S7-40W 214.6 ft. to a stake on top of mountain;

Thence S1-00W 161.0 ft. to a government metal marker on top of high knob between Cawood Branch, Upper Double and Elk Creek, with a 5" and 20" black oak and a 12" hickory for pointers;

Thence S51-00E 188.8 ft. to a stake on top of mountain with government line;

Thence S57-10E 164.9 ft. to a stake on top of mountain, still with said line;

Thence S61-10E 205.8 ft. to a stake on top of mountain, still with said line;

Thence S53-10E 177.4 ft. to a stake on top of mountain still with said li

Thence S42-15E 171.4 ft. to a stake on top of mountain still with said li

Thence S47-10E 130.1 ft. to a stake on top of mountain still with said li

Thence S41-30E 129.8 ft. to a stake on top of mountain still with said l

Thence S24-15E 118.5 ft. to a government metal marker with a 5" and 10" black oak and 6" maple for pointers;

Thence leaving government line N71-10E 526.7 ft. to a stake;

Thence N67-00E 289.9 ft. to a stake;

Thence N68-50E 290.2 ft. to the beginning.

Containing 597.90 acres, more or less, as
Surveyed April 1970
by James Evans, Reg. No. 971

~~HUBER/BLC~~
~~1.A.2.1a~~

TRACT 36-25AS
TRACT 36-25B
~~RESURVEY OF TRACT 36-25AS AND 32-25B~~

~~Resurvey of the C. H. Dixon property situated~~ on the waters of Bull Hollow, ~~waters of~~ Granny's Branch, waters of Greasy Creek, waters of ~~the Kentucky River in Leslie County, Kentucky~~

Beginning on a government metal marker in a large rock on the west bank of Greasy Creek in the mouth of Bull Hollow, with a 20" sycamore for pointer;

Thence with the meanders of Greasy Creek, S 52-45E 200.0 feet to a stake;

Thence with same N 86-50 E 184.0 feet to a stake;

Thence still with same S 83-00E 145.8 feet to a stake;

Thence still with same S 67-20 E 258.3 feet to a stake;

Thence still with same S 49-30 E 299.6 feet to a stake;

Thence still with same S 38-45 E 592.1 feet to a stake;

Thence still with same S 18-20 E 524.0 feet to a steel rail in the mouth of Granny's Branch;

Thence up the ridge on the left side of Granny's Branch (with old marked and painted line) S 38-30 W 112.2 feet to a stake;

Thence S 25-10 W 134.5 feet to a stake on top of ridge;

Thence S 24-10 W 131.8 feet to a stake on top of ridge;

Thence S 26-10 W 216.6 feet to a stake on top of ridge;

Thence S 48-45 W 177.6 feet to a stake on top of ridge;

Thence S 51-10 W 132.1 feet to a stake on top of ridge;

Thence S 24-30 W 168.9 feet to a stake on top of ridge;

Thence S 0-40 W 157.7 feet to a stake on top of ridge;

Thence S 1-00 E 144.5 feet to a stake on top of ridge;

Thence S 7-40 E 249.7 feet to a stake on top of ridge;

Thence S 12-00 E 165.6 feet to a stake on top of ridge;

Thence S 15-50 E 84.3 feet to a stake on top of ridge;

Thence S 9-10 E 195.5 feet to a stake on top of ridge;

Thence S 25-40 E 59.4 feet to a stake on top of ridge;

Thence S 5-15 E 151.0 feet to a stake on top of ridge;

Thence S 16-20 E 135.6 feet to a stake on top of ridge;

Thence S 17-30 W 156.8 feet to a set stone, where ridge intersects top of mountain, with a 7 inch Spanish oak for pointer;

Thence N 79-15 W 214.6 feet to a stake on top of mountain;

Thence S 89-00 W 142.5 feet to a stake on top of mountain;

Thence S 76-50 W crossing low gap at 70.0 feet, in all 156.0 feet to a stake on top of mountain;

Thence N 80-50 W 120.5 feet to a stake on top of mountain;

Thence N 71-00 W 116.6 feet to a stake on top of mountain;

Thence N 84-15 W 118.0 feet to a stake on top of mountain;

Thence S 69-50 W 78.0 feet to a stake on top of mountain;

Thence S 38-15 W 113.6 feet to a stake on top of mountain;

Thence S 80-15 W 231.1 feet to a stake on top of mountain;

Thence S 85-00 W 144.5 feet to a stake on top of mountain;

Thence S 81-15 W 155.1 feet to a stake on top of mountain;

Thence N 18-00 W 127.5 feet to a stake on top of mountain;

Thence N 13-30 W 92.9 feet to a stake on top of mountain;

Thence N 0-20 E 276.9 feet to a stake on top of mountain;

Thence N 2-00 W 176.9 feet to a stake on top of mountain;

Thence N 6-30 W 218.0 feet to a stake on top of mountain;

Thence N 0-45 W 152.9 feet to a stake on top of mountain;

Thence N 12-10 W 148.3 feet to a stake on top of mountain;

Thence N 24-45 W 162.8 feet to a stake on top of mountain;

Thence N 44-15 W 137.8 feet to a stake on top of mountain;

Thence N 43-20 W 58.3 feet to a stake on top of high knob;

Thence N 73-15 W 70.9 feet to a stake on top of mountain;

Thence N 77-50 W 139.1 feet to a stake on top of mountain;

Thence N 78-30 W 106.1 feet to a stake on top of mountain;

Thence S 75-30 W 348.3 feet to a stake on top of mountain;

Thence S 82-45 W 154.1 feet to a stake on top of mountain;

Thence N 84-00 W 166.2 feet to a government metal marker on a high knob at the head of Bull Hollow;

Thence with government line (an old marked and painted line) down said hollow N 35-30 E 177.3 feet to a stake in said hollow;

Thence N 36-00 E 290.4 feet to a stake in said hollow;

Thence N 31-15 E 275.7 feet to a stake in said hollow;

Thence N 19-10 E 239.3 feet to a stake in said hollow;

Thence N 15-10 E 183.3 feet to a stake in said hollow;

Thence N 15-15 E 198.1 feet to a stake in said hollow;

Thence N 2-10 W 108.3 feet to a stake in said hollow;

Thence N 8-45 E 97.4 feet to a stake in said hollow;

Thence N 27-10 E 171.6 feet to a stake in said hollow;

Thence N 50-20 E 179.4 feet to a stake in said hollow;

Thence N 3-45 E 52.8 feet to a stake in said hollow;

Thence N 31-40 E 49.1 feet to a stake in said hollow;

Thence N 59-10 E 68.0 feet to a stake in said hollow;

Thence S 89-15 E 68.3 feet to a stake in said hollow;

Thence N 64-40 E 131.5 feet to a stake in said hollow;

Thence N 68-30 E 189.9 feet to a stake in said hollow;

Thence N 33-45 E 73.5 feet to a stake in said hollow;

75

Thence N 55-45 E 97.3 feet to a stake in said hollow;

Thence N 51-45 E 106.4 feet to a stake in said hollow;

Thence N 57-00 E 163.6 feet to a stake in said hollow;

Thence N 47-30 E 172.4 feet to a stake in said hollow;

Thence N 33-45 E 88.3 feet to the beginning.

Containing 164.9 acres, more or less.

Beginning at a poplar, marked for corner, standing on the south bank of the right hand fork of Cutshin Creek;

Thence S 76-00 E crossing Cutshin Creek at 10.0 feet, crossing road at 30.0 feet, in all 367.5 feet to a set stone;

Thence S 59-30 E 151.5 feet to a stake;

Thence S 61-50 E 174.7 feet to a piece of steel rail in a 36" white oak stump, at the lower side of a garden;

Thence S 79-30 E crossing road at 30.0 feet, in all 90.7 feet to a piece of steel rail beside a fence;

Thence S 12-40 W crossing road at 80.0 feet, crossing Cutshin Creek at 135.0 feet, in all 835.3 feet to a set stone on a spur;

Thence S 25-30 E 106.3 feet to a stake on spur;

Thence S 23-15 E 236.0 feet to a stake on spur;

Thence S 38-00 E 257.5 feet to a stake on spur;

Thence S 23-20 E 180.0 feet to a stake on spur;

Thence S 18-30 E 115.8 feet to a set stone on top of ridge;

Thence with top of ridge S 58-30 W 210.0 feet to a stake on ridge;

Thence S 51-26 W 237.0 feet to a stake on ridge;

Thence S 69-30 W 349.9 feet to a stake on ridge;

Thence S 61-20 W 125.0 feet to a stake on ridge;

Thence S 56-15 W 155.6 feet to a stake on ridge;

Thence S 83-00 W 202.8 feet to a stake on ridge;

Thence N 71-00 W 198.0 feet to a stake on ridge;

Thence N 29-15 W 760.0 feet to a stake on ridge;

Thence N 24-00 W 266.4 feet to a stake on ridge;

Thence N 82-20 W 143.0 feet to a stake on ridge;

Thence N 83-10 W 178.5 feet to a stake on ridge;

Thence N 82-50 W 114.0 feet to a stake on ridge;

Thence N 87-30 W 77.5 feet to a set stone on top of Ridge Rock House anc Cushin, also being a corner of another Huber tract;

Thence leaving top of ridge and down a spur N 56-20 E 93.6 feet to a stake on spur;

Thence N 48-30 E 177.1 feet to a stake on spur;

Thence N 41-15 E 167.9 feet to a stake on spur;

Thence N 30-20 E 142.0 feet to a stake on spur;

Thence N 38-40 E 101.9 feet to a stake on spur;

Thence N 47-45 E 52.5 feet to a stake on spur;

Thence N 45-00 E 217.0 feet to a stake on spur;

Thence N 48-15 E 111.0 feet to a stake on spur;

Thence N 49-15 E 177.0 feet to a stake on spur;

Thence N 44-00 E 286.1 feet to a stake on spur;

Thence N 42-30 E 424.9 feet to the Beginning.

Containing 70.22 acres, more or less.

Beginning on a steel rail in Cutshin Creek;

Thence S 68-45 E 1326.0 feet to a set stone on top of ridge;

Thence S 31-10 E 333.3 feet to a set stone on high knob;

Thence S 76-10 E 156.0 feet to a stake on top of ridge;

Thence S 71-10 E 194.9 feet to a stake on top of ridge;
Thence S 81-50 E 140.2 feet to a stake on top of ridge;
Thence S 37-10 E 138.0 feet to a stake on top of ridge;

Thence S 39-50 E 159.6 feet to a stake on top of ridge;

Thence S 57-30 E 121.7 feet to a stake on top of ridge;

Thence S 55-15 E 190.7 feet to a stake on top of ridge;

Thence S 63-45 E 154.0 feet to a stake on top of ridge;

Thence S 44-00 E 152.5 feet to a stake on top of ridge;

Thence S 37-10 E 201.7 feet to a stake on top of ridge;

Thence S 21-00 E 108.3 feet to a stake on top of ridge;

Thence S 15-15 E 172.2 feet to a stake on top of ridge;

Thence S 32-10 E 167.3 feet to a stake on top of ridge;

Thence S 16-45 E 94.2 feet to a stake on top of ridge;

Thence S 24-20 E 112.9 feet to a stake on top of ridge;

Thence S 37-10 E 118.0 feet to a stake on top of ridge;

Thence S 31-15 E 198.4 feet to a stake on top of ridge;

Thence S 43-50 E 100.0 feet to a low gap, in all 300.8 feet to a stake on top of ridge;

Thence S 38-40 E 188.2 feet to a stake on top of ridge;

Thence S 27-30 E 98.2 feet to a stake on top of ridge;

Thence S 12-30 E 139.4 feet to a set stone on a high knob at the junction of three (3) ridges;

Thence S 84-30 W 185.5 feet to a stake on top of ridge;

Thence S 76-30 W 200.1 feet to a stake on top of ridge;

Thence N 87-15 W 154.0 feet to a stake;

Thence S 84-30 W crossing ridge at 1,019.5 feet, in all 1400.4 feet to a set stone;

Thence N 37-10 W 748.1 feet to a set stone on top of cliff, with a 26" chestnut oak marked for corner;

Thence N 8-45 W 792.6 feet to a stake in Short Fork;

Thence with said fork S 49-45 W 62.2 feet to a stake;

Thence S 86-50 W 185.4 feet to a stake in said fork;

Thence N 74-10 W 130.4 feet to a stake in said fork;

Thence N 66-15 W 217.2 feet to a stake in said fork;

Thence N 61-40 W 171.7 feet to a stake in said fork;

Thence N 39-20 W 135.0 feet to a stake in said fork;

Thence N 62-45 W 110.8 feet to a stake in said fork;

Thence S 82-20 W 76.8 feet to a stake in said fork;

Thence N 67-15 W 69.2 feet to a stake in said fork;

Thence N 22-10 W 140.3 feet to a stake in said fork;

Thence N 80-00 W 65.2 feet to a stake in said fork;

Thence N 45-50 W 151.8 feet to a stake in said fork;

Thence N 0-15 E 150.9 feet to a stake in said fork;

Thence leaving Short Fork N 15-45 W 83.0 feet to a stake in Cutshin Creek;

Thence with Cutshin Creek N 31-50 W 233.0 feet to a stake in said creek

Thence N 38-00 E 238.7 feet to a stake in said creek;

Thence N 22-15 E 197.0 feet to a stake in said creek;

Thence N 28-00 E 256.0 feet to a stake in said creek;

Thence N 8-30 E 300.0 feet to the Beginning.

Containing 139.5 acres, more or less.

TRACT 36-19

Beginning at a 22 inch Oak on top of a point between Laurel Branch and Apple Orchard Branch.
Thence N 87-15 W crossing a ridge at 1037.0 feet, crossing a ridge at 2058.0 feet, and crossing a ridge at 3058.0 feet, 3329.9 feet to a stake with a 10 inch Oak bearing tree.
Thence N 2-45 E crossing top of ridge at 314.0 feet, crossing road at 1097.0 feet, crossing branch at 1152.0 feet, crossing top of spur at 1646.0 feet, 2152.0 feet to a stake being third corner with a 20 inch Beech for a bearing tree marked 3.C.B.T. 43,426 bearing N 41-15 E 31.3 feet.
Thence S 87-15 E crossing ridge at 900.0 feet, crossing drain at 1245.0 feet, crossing ridge at 1365.0 feet, crossing drain at 1550.0 feet, crossing top of mountain at 2572.0 feet, 3329.0 feet to a stake.
Thence S 3-45 W 1380.8 feet to a stake on top of mountain between two large boulders, 1576.0 feet to a stake on top of mountain.
Thence with the top of mountain S 2-45 W 599.0 feet to the beginning containing 100 acres(more or less).

TRACT 36-18

Beginning on a set stone the 6th corner of Phillip Marcum and R. G. Potter 200 acre patent No. 45584, with a 22" hickory marked for pointer that bears S 14-50 W 16 feet, and a 16" maple marked for pointer that bears N 27-15 W 8.0 feet;

Thence with 5th line reverse (marked and painted red) of said Patent S 50-00 W 258.9 feet to a stake;

Thence with same S 49-20 W 164.2 feet to a stake;

Thence with same S 49-50 W 125.2 feet to a stake;

Thence with same S 55-20 W 89.2 feet to a stake on top of mountain between Spruce Pine Creek and Middle Fork River;

Thence with same and leaving said mountain S 50-30 W 189.6 feet to a stake;

Thence with same S 50-45 W 305.1 feet to a stake;

Thence with same S 52-15 W 51.7 feet to a set stone, with an 8" maple marked for pointer (4th corner of E. Y. Begley 30 A.S. Pat.No. 66749.

Thence leaving said Marcum and Potter line and with said Begley line (marked and pointed) S 5-15 E 298.8 feet to a stake;

Thence S 5-20- E passing 6th corner of R. J. Lewis 100 A.S. Pat. No. 59805 at 52.0 feet (corner tree has been cut, white oak stump bears S 85-00 E 31.0 feet and poplar stump bears N 88-30 E 26.0 feet) in all 237.2 feet to a stake;

Thence still with said Begley line S 2-45 E 93.4 feet to a stake;

Thence with same S 8-15 E 104.8 feet to a stake;

Thence with same S 1-15 E 212.8 feet to a set stone with a 36" chestnut oak marked and painted for corner (5th corner to said Begley 30 A.S.);

Thence with 5th line of said Begley 30 A.S. S 58-50 E crossing top of mountain at 220.8 feet, in all 287.2 feet to a stake, in marked and painted line;

Thence S 62-30 E 115.4 feet to a stake in marked and painted line;

Thence still with marked and painted line S 65-10 E 317.2 feet to a stake on out edge of strip pit;

Thence with same S 60-30 E 466.1 feet to a stake;

Thence with same S 64-50 E 127.0 feet to a stake;

Thence with same S 59-10 E 91.8 feet to a stake;

Thence with same S 59-30 E 128.5 feet to a stake;

Thence with same S 61-15 E 177.4 feet to a stake;

Thence with same S 67-00 E 148.3 feet to a set stone with a 24" hickory marked for corner, 6th corner of E. Y. Begley 30 A.S. Pat. No. 66749, and the 3rd corner of William G. Howard 200 A.S. Pat. No. 43464;

Thence with 2nd line of said Howard survey in reverse (old marked and painted line) S 32-45 E 79.3 feet to a stake;

Thence with same S 34-00 E 155.2 feet to a stake;

Thence with same S 31-15 E 291.6 feet to a stake;

Thence with same S 32-00 E 107.9 feet to a stake;

Thence with same S 31-15 E 298.6 feet to a stake;

Thence with same S 32-20 E 159.3 feet to a stake;

Thence with same S 33-00 E crossing long or right fork of Spruce Pine Creek at 40.0 feet, in all 175.2 feet to a stake;

Thence with same S 27-50 E 136.5 feet to a stake;

Thence with same S 30-50 E 166.0 feet to a stake;

Thence with same S 34-10 E 158.8 feet to a stake;

Thence with same S 28-00 E 70.3 feet to a stake;

Thence with same S 30-50 E 150.4 feet to a stake;

Thence with same S 33-45 E 159.1 feet to a stake;

Thence with same S 32-50 E 151.3 feet to a stake;

Thence with same S 29-45 E 74.7 feet to a stake;

Thence with same S 38-50 E 9.7 feet to a set stone between two cliffs in the 16th line of Felix J. Gilbert 150 A.S. Pat. No. 32320 (marked and painted);

Thence leaving said Howard patent and running with said Gilbert 16th line S 78-30 W 206.5 feet to a stake;

Thence with same S 78-00 W 170.2 feet to a stake in hollow;

Thence with same S 77-50 W 232.1 feet to a stake;

Thence with same S 77-00 W 120.8 feet to a stake;

Thence with same S 77-40 W 248.3 feet to a stake;

Thence with same S 78-10 W 205.6 feet to a stake;

Thence with same S 78-45 W 187.0 feet to a stake;

Thence with same S 76-45 W crossing hollow at 25.0 feet, in all 187.4 feet to a stake;

Thence with same S 88-45 W 218.0 feet to a stake;

Thence with same S 77-40 W 67.7 feet to a stake;

Thence with same S 79-30 W 224.2 feet to a stake;

Thence with same S 76-55 W 166.5 feet to a stake;

Thence with same S 76-15 W crossing hollow at 105.0 feet, in all 160.8 feet to a stake in old log road;

Thence with same S 86-20 W 174.9 feet to a stake in old log road;

Thence with same S 86-15 W 149.4 feet to a stake;

Thence with same S 74-20 W 114.5 feet to a stake;

Thence with same S 67-05 W 169.3 feet to a stake;

Thence with same S 79-30 W crossing long fork at 229.0 feet, in all 248.8 feet to a stake;

Thence with same S 78-30 W 225.8 feet to a stake on strip road;

Thence with same S 76-25 W crossing strip pit at 190.0 feet, in all 214.7 feet to a stake;

Thence with same S 74-15 W 33.7 feet to a stake;

Thence with same S76-30 W 231.6 feet to a set stone, the beginning corner of said Gilbert 150 A.S.;

Thence with 1st line of said Gilbert survey S 9-30 E 495.0 feet to a set stone below strip road, 2nd corner of said survey;

Thence with 2nd line of said Gilbert 150 A.S. S 73-30 E 268.4 feet to a stake in old marked and painted line (red);

Thence with same S 70-20 E 217.1 feet to a set stone with a 4" dogwood and 10" maple marked for corner, 3rd corner of said Gilbert 150 A. S.;

Thence with 3rd line of said patent S 18-15 E 836.5 feet to a set stone on edge of strip road in gap of mountain between left fork of Peter Branch of Straight Creek and Right Fork or Long Fork of Spruce Pine Creek, 4th corner of said patent;

Thence with 4th line of said patent (with old marked and painted line) N 71-30 E 366.0 feet to a stake in said line;

Thence with same N 80-00 E 94.0 feet to a stake;

Thence with same N 74-00 E 147.8 feet to a stake;

Thence with same N 75-15 E crossing hollow at 15.0 feet, in all 217.2 feet to a set stone with a 4" maple marked for corner, 5th corner of said patent;

Thence with 5th line of said patent (with old marked and painted line) N 3-45 E 99.1 feet to a stake in said line;

Thence with same N 4-10 E 116.7 feet to a stake;

Thence with same N 4-00 E 186.1 feet to a stake;

Thence with same N 2-15 E 248.4 feet to a stake in old log road;

Thence with same N 3-30 E crossing strip pit at 98.0 feet, in all 396.5 feet to a stake on spoil pile;

Thence with same N 6-45 E 95.1 feet to a stake;

Thence with same N 1-25 E 173.5 feet to a set stone with an 8" dogwood and 6" maple marked for corner, 6th corner of said patent;

Thence with 6th line (with old marked and painted line) N 80-15 E 73.5 feet to a stake in said line;

Thence with same N 85-30 E 85.0 feet to a stake in lower edge of strip road;

Thence with same N 80-30 E 242.9 feet to a stake in lower edge of strip road;

Thence with same EAST 77.8 feet to a stake;

Thence with same S 88-20 E 186.0 feet to a stake in old log road;

Thence with same N 79-40 E 77.9 feet to a stake in fence line;

Thence with same and fence line. N 81-30 E 93.4 feet to a set stone in hollow with a 10" poplar marked for pointer, 7th corner of said patent;

Thence with 7th line of said Gilbert 150 A.S. Patent No. 32320 S 1-20 E 70.5 feet to a stake in fence line;

Thence with same S 1-15 W 123.1 feet to a stake in fence line;

Thence with same S 1-15 E 95.1 feet to a stake in fence line;

Thence with same S 2-20 W 166.4 feet to a stake in fence line;

Thence with same S 0-50 W 102.1 feet to a stake in fence line;

Thence with same S 3-45 W 76.2 feet to a stake on lower edge of strip pit;

Thence with same S 0-30 E crossing strip pit, 207.8 feet to a stake on hi-wall;

Thence with same S 2-15 W 175.1 feet to a stake;

Thence with same S 9-00 W 200.4 feet to a set stone on top of mountain in between Spruce Pine Creek and Right Fork or Long Fork of Peter Branch of Straight Creek, with a 12" maple, 6" hickory and 10" sourwood marked for corner, in the 8th line of said patent;

Thence leaving said 8th line and running with top of mountain N 77-05 E 114.9 feet to a stake;

Thence with same S 66-00 E 178.6 feet to a stake;

Thence with same S 66-30 E 129.2 feet to a stake;

Thence with same S 85-45 E crossing log road through gap of mountain from Right Fork of Peter Branch of Straight Creek to Long Fork of Spruce Pine Creek at 210.0 feet, in all 266.5 feet to a stake;

Thence with same N 73-00 E 154.8 feet to a set stone in the 9th line of Felix J. Gilbert 150 A.S. Pat.No. 32320, with a 6" and 8" sourwood marked for corner;

Thence with said line and leaving top of said mountain N 3-30 E 331.7 feet to a stake in marked and painted line;

Thence with same (8th line of said Gilbert 150 A.S. marked and painted) N 1-30 E 89.3 feet to a stake;

Thence with same N 3-05 E 253.1 feet to a stake on ridge;

Thence with same N 2-15 E 98.7 feet to a stake;

Thence with same N 3-10 E 208.1 feet to a stake;

Thence with same N 19-30 E 33.8 feet to a set stone on hi-wall with a 4" maple marked for corner, 10th corner to same 150 A.S.;

Thence with 10th line of said 150 A.S. S 77-00 E crossing strip pit at 205.0 feet, crossing hollow at 235.0 feet, crossing strip pit again at 685.0 feet, in all 969.0 feet to a stake on hi-wall in said line;

Thence with same S 77-50 E 201.9 feet to a stake;

Thence with same S 77-05 E 83.6 feet to a set stone (11th corner to said 150 A. S.) with a 30" beech marked for corner;

Thence with 11th line of same S 1-15 W 165.4 feet to a stake;

Thence with same S 1-00 W 38.7 feet to a set stone on top of mountain between the Right Fork of Peter Branch of Straight Creek and Long Fork of Spruce Pine, with an 8" and 12" white oak marked for corner;

Thence leaving said 11th line and running with top of said mountain N 63-20 E 203.4 feet to a stake;

Thence with same N 51-30 E 135.9 feet to a stake;

Thence with same N 80-45 E 141.1 feet to a stake in low gap;

Thence with same N 81-45 E 98.0 feet to a stake with a 14" hickory marked for corner;

Thence with same N 81-40 E 164.3 feet to a stake on high knob;

Thence with same S 14-30 E 108.6 feet to a stake;

Thence with same S 19-25 E 88.7 feet to a stake;

Thence with same S 60-10 E 54.6 feet to a stake;

Thence with same S 12-10 E 185.4 feet to a stake in low gap;

Thence with same S 21-00 W 197.3 feet to a stake;

Thence with same S 54-05 W 132.6 feet to a stake;

Thence with same S 29-25 W 151.5 feet to a stake;

Thence with same S 3-25 W 137.4 feet to a stake;

Thence with same S 11-00 W 167.5 feet to a stake;

Thence with same S 4-18 E 107.0 feet to a set stone with a 12" black gum marked for corner, in the 12th line of F. J. Gilbert 150 A.S. Pat. No. 32320;

Thence leaving top of said ridge and running with said line N 79-15 E 51.2 feet to a stake;

Thence with same N 75-55 E 79.1 feet to a set stone in the 2nd line of Slusher and Wilson 200 A.S. Pat. No. 25744, with a 38" chestnut oak marked for corner;

Thence leaving said F. J. Gilbert line and running with said Slusher and Wilson 200 A.S. N 22-25 E 33.3 feet to a set stone with a 28" black gum marked for corner, 3rd corner to same;

Thence with 3rd line of same (old marked and painted line "red") N 24 - 25 E 192.4 feet to a stake;

Thence with same N 23-15 E 187.9 feet to a stake;

Thence with same N 24-35 E 174.5 feet to a stake;

Thence with same N 26-45 E 127.6 feet to a stake;

Thence with same N 23-10 E 206.7 feet to a stake;

Thence with same N 24-00 E crossing hollow at 75.0 feet, in all 95.4 feet to a stake;

Thence with same N 28-20 E 68.4 feet to a stake;

Thence with same N 24-35 E 66.7 feet to a stake;

Thence with same N 28-25 E 183.5 feet to a stake on ridge;

Thence with same N 20-50 E 73.8 feet to a stake;

Thence with same N 28-00 E 237.6 feet to a set stone on top of hi-wall with a 4" maple marked for corner, 4th corner of said patent 25744;

Thence with 4th line of said patent (old marked and painted line) N 58-45 E crossing strip pit at 145.0 feet, crossing hollow at 358.2, in all 482.7 feet to a set stone with a 4" and 6" maple marked for corner, 50.0 feet from hollow, in the 15th line of F. J. Gilbert 150 A.S. Pat. No. 32320;

Thence leaving said Slusher and Wilson line and running with said F. J. Gilbert line N 3-30 E crossing strip pit at 445.3 feet, crossing ridge at 672.3 feet, crossing hollow at 841.6 feet, in all 1,007.0 feet to a set stone, 16th corner to said 150 A.S., with a 4" sourwood and 4" chestnut oak marked for corner;

Thence with the closing line of said Gilbert 150 A.S. S 76-30 W 363.0 feet to a set stone in said line and in the 1st line of William G. Howard 200 A.S. Pat. No. 43464, with a 14" black gum and 28" chestnut oak marked for corner;

Thence leaving said Gilbert 150 A. S. and running with 1st line in reverse of said Howard 200 A. S. N 2-45 E crossing strip pit at 215.4 feet, crossing hollow at 1223.2, in all 1281.2 feet to a set stone in said line and in the 6th line of Slusher and Wilson 200 a.s. Pat. No. 25744, with a 4" maple and 6" lynn marked for corner;

Thence leaving said Howard line and running with said 6th line N 38-15 W 176.4 feet to a set stone, 7th corner of same, with a 36" beech marked for corner;

Thence with 7th line of same N 25-45 E crossing truck road up Spruce Pine Creek at 222.4 feet, in all 316.8 feet to a double cross (xx) on large rock with 1C43464 cut in it, being 1st corner of W. G. Howard 200 A.S. Pat. No. 43464, also 7th corner of W. Slusher and I. Wilson 200 A. S. Pat. No. 25744, with an 8" beech and 8" lynn marked for pointers

Thence with said Howard 5th or closing line in reverse N 36-45 E 100.0 feet to a stake in Spruce Pine Creek;

Thence leaving said Howard's line and running with meanders of Spruce Pine Creek N 59-25 W 279.3 feet to a stake;

Thence with same N 21-00 W 155.3 feet to a stake;

Thence with same N 32-40 W 222.4 feet to a stake;

Thence with same N 20-55 W 188.6 feet to a stake;

Thence with same N 18-43 W 306.6 feet to a stake;

Thence with same N 1-35 W 101.8 feet to a stake;

Thence leaving said creek N 86-30 W crossing truck road at 173.3, in all 301.6 feet to a set stone, the 14th corner of Felix G. Gilbert 250 A.S. Pat. No. 32333, with a 12" maple, 16" lynn and 6" poplar marked for pointers;

Thence with 14th line of same (old marked and painted line "red") N 21-30 W 474.3 feet to a stake;

Thence with same N 10-00 W 47.2 feet to a stake;

Thence with same N 17-43 W 138.8 feet to a stake;

Thence with same N 21-30 W 189.2 feet to a stake;

Thence with same N 19-30 W 126.2 feet to a stake;

Thence with same N 13-35 W 131.0 feet to a stake, in lower edge of truck road;

Thence with same N 20-05 W 200.4 feet to a stake;

Thence with same N 21-30 W 56.0 feet to a stake;

Thence with same N 20-30 W 207.1 feet to a stake in truck road;

Thence with same N 15-15 W crossing Spruce Pine Creek at 96.9 feet, in all 171.4 feet to a stake;

Thence with same N 19-30 W 217.6 feet to a stake;

Thence with same N 19-45 W 180.4 feet to a stake;

Thence with same N 19-05 W 104.7 feet to a stake;

Thence with same N 18-20 W 187.7 feet to a set stone, a corner to said Gilbert 250 A. S. with a 4" sourwood and 26" chestnut oak marked for corner;

Thence with marked and painted line (the 15th line of said Gilbert A.S.) N 84-15 W 180.3 feet to a stake;

Thence with same N 83-35 W 257.5 feet to a stake;

Thence with same N 82-30 W 126.8 feet to a stake;

Thence with same N 86-30 W 137.3 feet to a stake;

Thence with same N 84-06 W 162.3 feet to a set stone with a 20" birch marked for corner, the 16th corner of said Gilbert;

Thence with the 16th line of said Gilbert, N 53-40 W crossing Ezekie Branch at 76.7 feet, in all 510.0 feet to a set stone with a 12" chestnut oak marked for pointer, in the line of Ezekiel Hoskins 50 A. S. Pat. No. 25983;

Thence leaving said Gilbert line and running with said Hoskins line in reverse S 84-50 E 288.0 feet to a set stone on bank of Ezekie Branch, a corner to said Hoskins, with a 12" beech marked for pointers;

Thence with another line of said Hoskins in reverse N 23-00 W crossing top of ridge at 645.2 feet, in all 1375.0 feet to a set stone with a 10" hickory and a 7" white oak marked for pointers in the18th line of Felix G. Gilbert 250 A.S. Pat.No. 32333;

Thence leaving said Hoskins line and running with said Gilbert line N 14-30 E 435.0 feet to a set stone, 10 feet below large rock;

Thence leaving said line and running with conditional line made between James Helton and Birdine Saylor (marked and painted red) N 83-40 W 48.9 feet to a stake;

Thence with same N 78-30 W 123.7 feet to a stake;

Thence with same N 78-25 W 165.2 feet to a set stone in line of Ezekiel Hoskins 50 A.S. Pat.No. 25983, with a 30" and 26" beech marked for bearing tree with 4 C and three timber scribe on them;

Thence with said Hoskins line N 25-00 W 147.8 feet to a stake;

Thence with same N 25-30 W 78.2 feet to a stake in fence line;

Thence leaving said Hoskins line and with old fence line N 38-50 W 198.9 feet to a stake;

Thence with same N 34-15 W crossing Spruce Pine Creek at 39.0 feet, in all 46.9 feet to a point on large rock;

Thence with same N 5-00 W 89.8 feet to a stake;

Thence with same N 24-40 W 95.9 feet to a stake;

Thence with same N 9-40 E 36.1 feet to a stake;

Thence with same N 24-35 W 114.1 feet to a stake, 3rd corner of Ezekiel Hoskins bears S 38-55 E 77.1 feet (Pat.No. 25983 3rd c Ezekiel Hoskins scribe on a 38" beech);

Thence still with said fence line, N 17-00 W 173.8 feet to a stake;

Thence with same N 11-10 W 108.2 feet to a stake;

Thence with same N 5-48 W 89.0 feet to a stake;

Thence with same N 19-30 E 230.4 feet to a stake;

Thence with same N 11-50 E 122.4 feet to a stake;

Thence with same N 0-15 W 141.8 feet to a set stone in fence line with a 4" hickory and 12" poplar marked for pointers, corner between Caldwell and Huber;

Thence with fence between Huber and Caldwell N 60-50 W 53.7 feet to a stake;

Thence with same N 48-20 W 102.5 feet to a stake, 5 feet below truck road;

Thence with same N 42-15 W 162.6 feet to a stake;

Thence with same N 45-45 W 51.6 feet to a stake;

Thence with same N 59-35 W 66.1 feet to a stake;

Thence with same N 80-30 W 79.5 feet to a stake;

Thence with same N 61-15 W 77.9 feet to a stake;

Thence with same N 79-52 W 81.2 feet to a stake;

Thence with same N 68-30 W 93.8 feet to a set stone between Huber and Caldwell, in fence line, with a 28" and 26" beech marked for pointers, stone being in a line of Ezekiel Hoskins 50 A.S. Pat. No. 25983;

Thence with said Hoskins line in reverse (marked and painted red) SOUTH 121.7 feet to a stake;

Thence with same S 0-48 E 72.6 feet to a stake in truck road;

Thence with same S 0-30 E 520.7 feet to a stake;

Thence with same S 0-20 E 164.6 feet to a stake;

Thence with same S 0-30 E 215.2 feet to a stake;

Thence with same South crossing top of ridge between Spruce Pine Creek and Middle Fork River at 120.0 feet, in all 175.6 feet to a set stone on top of ridge, a corner to said Hoskins with a 36" chestnut oak marked for pointer;

Thence with another line of said Hoskins in reverse S 22-30 E 202.1 fee to a stake;

Thence with same S 23-15 E crossing old log road at 148.4 feet, crossing truck road at 352.6 feet, in all 523.3 feet to a set stone in old field with a 10" poplar and 4" beech marked for pointers;

Thence leaving said Hoskins line and running with the 1st line in reverse of the John H. Cheever Grant for 206.800 acres, Pat. No. 46701, surveyed May 4, 1872, S 57-00 W crossing truck road at 150.0 feet, in all 274.9 feet to a stake;

Thence with same S 63-05 W 259.3 feet to a stake;

Thence with same S 61-10 W 145.6 feet to a stake, above old log road;

Thence with same S 59-30 W 127.0 feet to a stake on top of ridge between Spruce Pine Creek and Middle Fork River;

Thence with same S 61-45 W 129.8 feet to a stake;

Thence with same S 61-15 W 86.7 feet to a set stone in the last line of Nancy Helton 100 A.S. Pat.No. 59806, with a 12" chestnutoak and 5" sourwood marked for pointers;

Thence leaving said Cheever line and running with said Helton line (old marked and painted line red) S 1-00 W 194.5 feet to a stake;

Thence with same S 3-40 W 120.5 feet to a stake;

Thence with same S 1-40 W 282.7 feet to a stake;

Thence with same S 1-45 W crossing old log road at 55.8 feet, in all 119.8 feet to a stake;

Thence with same S 4-45 W 394.3 feet to a cross on large rock on top of mountain between Spruce Pine Creek and Middle Fork River, the beginning corner of said Helton;

Thence with another line of same S 74-20 W 269.4 feet to a set stone in the 6th line of Phillip Marcum and R. G. Potter 200 A.S. Pat.No. 45584 surveyed August 1870;

Thence with said line reverse (marked and painted red) S 40-10 E 121.8 feet to a stake;

Thence with same S 39-20 E 175.8 feet to a stake;

Thence with same S 40-30 E 247.6 feet to a stake on top of mountain;

Thence with same S 39-40 E 140.6 feet to a stake;

Thence with same S 39-10 E 207.9 feet to a stake;

Thence with same S 41-30 E 141.3 feet to a stake;

Thence with same S 39-50 E 225.7 feet to a stake;

Thence with same S 39-30 E 274.5 feet to a stake;

Thence with same S 39-20 E 278.2 feet to the beginning.

Containing 677.60 acres, more or less

TRACT 36-8

Beginning at a set stone in the 9th. Line of Chadwell Marsee 300A.S. Patent, No. 6337 with a 12" and 10" Black Gum marked for pointers.

THENCE with 9th. Line of said 300 A.S. N23-30 E 327.9 feet to a set stone with a 6" and 4" dogwood marked for corner, at the intersection of the 29th. line of Wilson Lewis 700 A.S. Patent No. 8157.

THENCE Leaving said Marsee line and running with said Lewis 700 A.S., 29th. line reversed N87-00E crossing haul road to strip at 285.0 feet, crossing Hazard No. 9 coal seam at 535.0 feet, crossing Hazard No. 10 coal seam at 994.7 feet, crossing top of mountain between Dollar Branch and Left Fork of Miniard Branch at 1293.0 feet, in all 1805.2 feet to a set stone in Rock Bar, the 29th. corner to said Lewis Patent.

THENCE with 28th. line of same reversed N16-00E crossing top of mountain at 88.6 feet, in all 855.1 feet to a set stone, with 3rd. corner to James Dixon 50 acre Patent bearing N 42-15W 43.4 feet.

THENCE leaving said 28th. line S42-15E crossing spur at 330.3 feet, in all 1046.4 feet to a set stone on top of ridge between Dollar Branch and Lick Branch.

THENCE with said ridge N 65-20E 48.3 feet to a stake on ridge.

THENCE with same N52-40E 174.6 feet to a stake on Ridge.

THENCE with same N43-45E 225.1 feet to a stake on Ridge.

THENCE with same N59-00E 216.5 feet to a stake on Ridge.

97

THENCE with same N 76-45E 172.7 feet to a stake on Ridge.

THENCE with same N71-10E 107.2 feet to a stake on Ridge.

THENCE with same N70-00E 62.9 feet to a set stone on Ridge.

THENCE with same N6-40E 80.7 feet to a set stone on High Knob in the 4th line of James Dixon 50 acre Patent No. 4661.

THENCE leaving said ridge and running with 4th line of said Dixon S29-30E 446.7 feet to a set stone in said line and also the 26th line of Wilson Lewis 700 acre Patent No. 8157.

THENCE with said 26th line reversed N3-30E 412.8 feet to a set stone in 5th line of James Dixon 400 acre Patent No. 8083.

THENCE leaving said 26th line and running with said 5th line S82-30E 654.0 feet to a set stone in 25th line of Wilson Lewis 700 acre Patent No. 8157, with a 8" hickory and a 4" Lynn marked for pointers.

THENCE with said 25th line reversed S32-00E 1133.8 feet to a cross on rock on ridge below cliff, in the 25th line of said Lewis 700 acre Patent No. 8157.

THENCE S47-30W crossing top of ridge at 503.3 feet, crossing left Fork of Lick Branch at 1472.2 feet, in all 1555.6 feet to a set stone in Log Road, 3rd corner to James Dixon 400 acre Patent No. 8083.

THENCE with 3rd line of same (old Marks and Painted) N 85-30W crossing top of mountain at 2,160.7 feet, crossing left Fork of John Miniard Branch at 2,761.9 feet, in all 3,418.8 feet to a set stone with a 14" hickory marked for pointer, the 4th corner of same Dixon Patent.

THENCE with the 5th line of same N41-00W crossing top of mountain between Dollar Branch and Left Fork of John Miniard Branch, formerly a corner to J. M. Huber property at 525.6 feet, crossing haul road to strip at 837.0 feet in all 1015.3 feet to the beginning

Containing 164.60 Acres

TRACT 36-24S

Lying and being on Mill Seat Branch of Elk Creek, and on the Mountain between Elk Creek and Beech Fork and described as follows:

Beginning on a set stone 25.0 feet on the north bank of Mill Seat Branch; the beginning corner of said Patent No. 35769;

Thence S 4-30 W 515.0 feet to a set stone a corner to Kentucky River property;

Thence S 1 - 30 W 86.0 feet to a stake;

Thence S 8 -45 W 73.7 feet to a stake;

Thence S 1-00 W 184.2 feet to a stake;

Thence S 1-50 W 169.4 feet to a stake;

Thence S 0-10 W 56.9 feet to a stake on top of ridge;

Thence S 2-15 W. 101.9 feet to a set stone a corner to J. M. Huber and Kentucky River;

Thence S 88-00 W 172.3 feet to a stake;

Thence N 88-00 W 165.3 feet to a stake;

Thence S 88-00 W 1,199.7 feet to a set stone with a 20" lynn marked for pointer, a corner between J. M. Huber and Kentucky River;

Thence N 74-00 W 709.8 feet to a set stone on top of mountain between Dug Fork of Peters Branch of Beech Fork and Elk Creek, with a 12" hickory for pointer, a corner between Huber, Kentucky River and Carl Hoskins;

Thence with top of said mountain N 42-50 W 144.6 feet to a stake;

Thence with said mountain N 55-15 W 89.9 feet to a stake;

Thence with said mountain N 76-20 W 164.5 feet to a stake;

Thence with said mountain N 79-20 W 102.3 feet to a stake;

Thence with said mountain N 88-45 W 100.4 feet to a stake;

Thence with said mountain N 85-45 W 223.9 feet to a stake;

Thence with said mountain West 95.9 feet to a stake;

Thence with said mountain N 85-35 W 112.2 feet to a stake on top of high knob;

Thence with said mountain N 15-00 E 155.1 feet to a stake;

Thence with said mountain N 12-50 E 137.9 feet to a stake;

Thence with said mountain N 19-10 E 91.7 feet to a stake;

Thence with said mountain N 18-35E 57.1 feet to a stake;

Thence with said mountain N 16-40 E 124.0 feet to a stake;

Thence with said mountain N 9-40 E 180.4 feet to a stake;

thence with said mountainN 13-10 E 110. 3 feet to a stake;

Thence with said mountain N 41-45 E 198.5 feet to a stake in low gap;

Thence with said mountain N 45-30 E 207.4 feet to a stake;

Thence with said mountain N 48-40 E 252.4 feet to a stake;

Thence with said mountain N 62-00 E 206.0 feet to a stake;

Thence with said mountain N 54-50 E 85.3 feet to a stake;

Thence with said mountain N 56-00 E 193.9 feet to a stake;

Thence with said mountain N 68-15 E 128.9 feet to a stake;

Thence with said mountain S 84-50 E 143.1 feet to a stake;

Thence with said mountain N 82-30 E 249.0 feet to a set stone;

Thence leaving mountain S 18-00 W 893.5 feet to a stake 21.0 feet below a fence;

Thence S 89-00 E 148.5 feet to a stake 3.0 feet below fence;

Thence S 44-00 E crossing small drain at 121.0 feet,in all 264.0 feet to a stake in an old field;

Thence N 81-00 E 825.0 feet to a stake;

Thence N 65-00 E crossing small drain at 343.0 feet in all 577.5 feet to a stake

Thence S 63-00 E 373.0 feet to the Beginning, containing 93.32 acres more or less.

Beginning on steel rail between Alex Branch and Truck Road thence N 41-00 W 926.1' to a set stone with 12" water oak; thence S 47-30 W 144.3' to a set stone; thence N 4-15 E 1400.0' to a set stone; thence N 32-48W 594.8' to a set stone; thence N 71-30 E 980.0' to a set stone; thence S 62-30 E 1885.7' to a set stone with 24" beech; thence S 2-30 W 1611.7' to a set stone with 20" ch. oak with two hacks; thence S 77-30 W 1549.4' to the point of beginning.

Containing 119.8 acres as surveyed by James Evans, November 1971

TRACT 36-17A

BEGINNING at a stake by a fallen beech tree and pine tree on the cliff above the coal bank about forty-five (45) feet west of the Middle Fork River; thence N 18 E 165 feet to a stake (now) in the Middle F ork River; thence N 5 E 132 feet to a stake (now) in the Middle Fork River; thence N 15 W 308 feet to a stake where once stood a water oak tree; thence N 7 E 246 feet to a stake where once stood a beech tree at the lower end of an island; thence N 65 W 100 feet to a stake with two pine pointers in the second line of the F. G. Gilbert Patent No. 21816; thence with same and Bringardner Lumber Company lines, S 2 1/2 W 610 feet to a stake; thence S 404 feet to the line of Inter-Mountain Coal and Lumber Comapny; thence N 81 E 74 feet to the BEGINNING, containing 2.2 acres.

TRACT 36-25AS

"BEGINNING at the mouth of Bull Hollow on Greasy Fork of the Kentucky River; thence up the river to a spruce pine at the mouth of Granny's Branch, which is a conditional line between Edmond Napier and Israel Morgan; thence up the ridge on the left side of Granny's Branch to the top of the mountain to the land of Wilson Morgan; thence running down the ridge with the divisional line between Carlo Hoskins and Jimmie Napier's farm, as the river runs, to a stake near the center of Bull Hollow; thence down the Bull Hollow to a stake in the edge of Greasy Fork; thence to the BEGINNING.

105

TRACT 36-26

BEGINNING at the mouth of White Oak Creek of Greasy Creek at a common line with the J. M. Huber Corporation; thence leaving the property line of said J. M. Huber Corporation and up White Oak Creek as it meanders the following courses and distances: N 47 deg. 52 min. E 107.97 feet; thence N 55 deg. 51 min. W 150.26 feet; thence N 43 deg. 53 min. W 172.85 feet; thence N 23 deg. 39 min. W 273.90 feet; thence N 07 deg. 32 min. E 229.98 feet; thence N 00 deg. 45 min. E 187.57 feet; thence N 24 deg. 49 min. W 137.61 feet; thence N 27 deg. 41 min. W 310.56 feet; thence N 31 deg. 30 min. E 415.17 feet; thence N 32 deg. 25 min. E 393.38 feet; thence N 36 deg. 39 min. E 345.52 feet; thence N 32 deg. 13 min. E 381.67 feet; thence N 48 deg. 47 min. E 194.67 feet; thence N 55 deg. 35 min. E 630.40 feet; thence N 50 deg. 17 min. E 583.37 feet; thence N 60 deg. 47 min. E 243.81 feet; thence N 47 deg. 10 min. E 584.25 feet; thence N 36 deg. 00 min. E 608.61 feet; thence N 32 deg. 25 min. E 545.37 feet; thence N 38 deg. 54 min. E 30.44 feet; thence N 75 deg. 24 min. E 227.41 feet; thence N 69 deg. 02 min. E 552.41 feet; thence N 50 deg. 28 min. E 107.80 feet; thence N 09 deg. 29 min. W 63.76 feet; thence N 30 deg. 24 min. E 440.14 feet; thence N 66 deg. 18 min. E 199.93 feet to a common corner with the U. S. Forest Service, and being located S 46 deg. 59 min. W 552.76 feet from an existing U. S. Forest Service aluminum pipe and cap corner stamped No. 39; thence leaving the meanders of White Oak Creek and with an existing marked and painted line of said U. S. Forest Service N 45 deg. 32 min. W 496.77 feet to an existing aluminum pipe and cap, a U. S. Forest Service monument stamped No. 40; thence continuing with said U. S. Forest Service line N 53 deg. 57 min. W 1484.79 feet to the top of a ridge between White Oak Creek and Britton Branch at the property line of the J. M. Huber Corporation and being located S 53 deg. 57 min. E 198.95 feet from an existing U. S. Forest Service aluminum pipe and cap monument stamped No. 41; thence leaving the property line of the U. S. Forest Service and with the top of the ridge between White Oak Creek and Britton Branch along a marked and painted line of the J. M. Huber Corporation the following courses and distances: S 68 deg. 10 min. W 406.02 feet to an existing set stone; thence N 68 deg. 52 min. W 181.50 feet; thence S 29 deg. 28 min. W 165.40 feet; thence S 21 deg. 18 min. W 215.00 feet; thence S 33 deg. 48 min. W 137.20 feet; thence S 41 deg. 48 min. W 272.30 feet; thence S 41 deg. 38 min. W 89.90 feet; thence S 32 deg. 28 min. W 116.30 feet; thence S 29 deg. 38 min. W 67.60 feet; thence S 07 deg. 38 min. W 150.50 feet; thence S 26 deg. 38 min. W

79.50 feet; thence S 15 deg. 48 min. W 163.80 feet; thence S 13 deg. 18 min. W 82.40 feet; thence S 47 deg. 28 min. W 227.70 feet; thence S 41 deg. 28 min. W 146.40 feet; thence S 48 deg. 48 min. W 225.40 feet; thence N 84 deg. 32 min. W 211.30 feet; thence N 85 deg. 12 min. W 123.70 feet; thence S 67 deg. 18 min. W 168.60 feet; thence S 66 deg. 43 min. W 80.40 feet; thence S 77 deg. 58 min. W. 182.80 feet; thence S 02 deg. 12 min. E 180.30 feet; thence S 06 deg. 07 min. E 146.30 feet; thence S 12 deg. 37 min. E 132.50 feet; thence S 02 deg. 52 min. E 254.70 feet; thence S 14 deg. 23 min. W 120.40 feet; thence S 18 deg. 28 min. W 126.40 feet; thence S 16 deg. 53 min. W 176.80 feet; thence S 18 deg. 08 min. W 126.70 feet; thence S 45 deg. 18 min. W 96.20 feet; thence S 59 deg. 08 min. W 96.80 feet; thence S 65 deg. 48 min. W 166.80 feet; thence S 72 deg. 28 min. W 124.20 feet; thence S 42 deg. 53 min. W 164.50 feet; thence S 81 deg. 53 min. W 17.30 feet; thence S 82 deg. 48 min. W 348.60 feet; thence S 81 deg. 38 min. W 92.60 feet; thence N 84 deg. 02 min. W 86.60 feet; thence N 83 deg. 22 min. W 17.30 feet; thence S 48 deg. 48 min. W 86.30 feet; thence S 41 deg. 08 min. W 150.60 feet; thence S 21 deg. 43 min. W 124.80 feet; thence S 30 deg. 18 min. W 189.40 feet; thence S 10 deg. 58 min. W 170.70 feet; thence 01 deg. 42 min. E 115.80 feet; thence S 00 deg. 22 min. E 88.10 feet; thence S 19 deg. 48 min. W 76.70 feet; thence S 25 deg. 18 min. W 243.80 feet; thence S 14 deg. 38 min. W 143.50 feet; thence S 13 deg. 38 min. W 88.40 feet; thence S 46 deg. 18 min. W 96.60 feet; thence S 35 deg. 58 min. W 160.70 feet; thence S 13 deg. 53 min. W 145.10 feet; thence S 02 deg. 02 min. E 131.00 feet; thence S 10 deg. 22 min. E 122.70 feet; thence S 06 deg. 43 min. W 139.00 feet; thence S 06 deg. 42 min. E 93.90 feet; thence S 09 deg. 38 min. W 73.80 feet; thence S 14 deg. 37 min. E 74.40 feet; thence S 01 deg. 02 min. E 141.60 feet; thence S 04 deg. 42 min. E 118.10 feet; thence S 22 deg. 17 min. E 94.30 feet; thence S 12 deg. 12 min. E 135.70 feet; thence S 04 deg. 52 min. E 113.80 feet; thence S 10 deg. 57 min. E 194.10 feet; thence S 18 deg. 28 min. W 96.10 feet; thence S 00 deg. 23 min. W 94.60 feet; thence S 01 deg. 32 min. E 105.60 feet; thence S 16 deg. 38 min. W 204.00 feet; thence S 29 deg. 28 min. W 135.00 feet; thence S 47 deg. 23 min. W 207.90 feet; thence S 26 deg. 38 min. W 240.50 feet; thence S 19 deg. 38 min. W 262.70 feet; thence S 06 deg. 18 min. W 85.80 feet; thence S 02 deg. 07 min. E 106.70 feet; thence S 02 deg. 32 min. E 39.70 feet; thence leaving the top of said ridge and continuing with the property line of the J. M. Huber Corporation the following courses and distances:

S 60 deg. 52 min. E 135.50 feet; thence S 64 deg. 22 min. E 54.50 feet; thence S 69 deg. 52 min. E 143.40 feet; thence S 54 deg. 52 min. E 154.80 feet; thence S 46 deg. 52 min. E 127.40 feet; thence S 32 deg. 52 min. E 198.00 feet; thence S 51 deg. 52 min. E 274.40 feet; thence S 44 deg. 52 min. E 79.30 feet crossing the Greasy Creek Road to an existing 1'x5'x5' rock on the North bank of Greasy Creek and being located S 76 deg. 05 min. W 164 feet from the mouth of Laurel Fork Creek; thence continuing the property line of the J. M. Huber Corporation N 62 deg. 28 min. E 118.70 feet to a fallen hickory (gone); thence N 26 deg. 38 min. E crossing the Greasy Creek Road three times 1245.70 feet to a set stone (not found); thence N 31 deg. 38 min. E crossing said Greasy Creek road one time and crossing and recrossing Greasy Creek 671.80 feet; thence N 87 deg. 08 min. E 281.70 feet to the BEGINNING

Containing 366.02 acres more or less.

Tract 36-4

BEGINNING at a buckeye on the west side of Laurel Fork in the mouth of a hollow below where A. H. Shell lived. Thence with the meanders thereof S 63-45 W 93.7 feet to a stake; thence S 73-30 W 36.0 feet to edge of road, 90.7 feet to a stake; thence S 81-30 W 95.8 feet to a stake; thence S 65-45 W 66.0 feet to a stake; thence S 76-45 W 83.0 feet to a stake; thence S 60-45 W 104.9 feet to a stake; thence S 77-15 W 125.4 feet to a stake; thence N 85-15 W 219.8 feet to a stake; thence S 67-45 W 331.1 feet to a stake; thence S 34-30 E 594.0 feet to a stake; thence S 69-30 E 244.2 feet to a stake; thence S 0-15 W 229.7 feet to a stake; thence S 61-30 E 354.7 feet to a stake; thence N 36-30 E 335.3 feet to a stake; thence N 71-00 E 153.1 feet to a stake; thence N 29-15 E 77.9 feet to a stake; thence S 10-45 E 153.1 feet to a stake; thence S 21-15 E 77.2 feet to a stake; thence S 3-15 W 70.0 feet to a stake; thence S 17-15 W 165.0 feet to a stake; thence S 26-00 W 181.5 feet to a stake; thence S 43-00 W 645.0 feet to a stake; thence N 49-30 W 293.0 feet to a stake; thence N 40-45 W 161.2 feet to a stake; thence N 19-45 W 69.8 feet to a stake; thence N 27-30 W 141.9 feet to a stake; thence N 69-30 W 165.0 feet to a stake; thence N 84-30 W 64.0 feet to a stake; thence N 77-30 W 189.7 feet to a stake; thence N 79-00 W 169.6 feet to a stake on top of ridge; thence with ridge N 43-30 W 235.3 feet to a stake; thence N 55-45 W 161.7 feet to a stake; thence N 36-30 W 176.2 feet to a stake; thence N 31-00 W 130.0 feet to a marked chestnut oak-four (4) hacks; thence N 54-00 W 160.4 feet to a marked chestnut oak-three (3) hacks; thence N 54-45 W 330.0 feet to a stake; thence N 5-45 W 99.5 feet to a stake; thence N 1-45 W 166.0 feet to a stake; thence N 9-45 E 66.0 feet to a stake; thence leaving ridge N 80-15 E 938.3 feet to a 20-inch sugar tree stub marked with three (3) hacks; thence N 81-15 E 728.0 feet to east side of county road; thence N 47-15 E 550.0 feet to west side of Laurel Fork Creek; 598.6 feet to a stake at the end of a large rock on the east bank of Laurel Fork Creek; thence S 35-15 E 445.5 feet along side of creek to a stake near a large rock; thence S 43-00 W 108.9 feet crossing said creek to the beginning, containing 57 acres (more or less), as surveyed January, 1967 by James M. Evans.

Tract 36-5

BEGINNING on a beech, mulberry, and a large rock on the east bank of Laurel Fork; thence S 31-30 E 1173.0 feet to a beech; thence S 56-30 E 964.0 feet to a stake; thence S 83-45 E 1024.0 feet to a beech and ash; thence S 4-45 E 214.5 feet to a black oak stump on the bank of Lovely Branch; thence S 61-00 W crossing Lovely Branch at 212.6 feet and 258.0 feet to a Lynn corner; thence N 78-00 W 206.2 feet to a stake; thence N 77-45 W intersecting Lovely Branch at 284.0 feet and 383.5 feet to a stake on the north bank of Lovely Branch; thence S 81-00 W crossing Lovely Branch at 20.0 feet 399.0 feet to a stake with an elm and soft maple as pointers; thence S 72-15 W 186.8 feet to a stake; thence S 12-45 W 165.0 feet to a stake with an oak pointer; thence S 26-30 W 431.0 feet to a stake in Laurel Fork opposite the mouth of Slick Rock Hollow; thence up same with the meanders thereof S 46-15 E 110.0 feet to a stake; thence S 42-15 E 93.7 feet to a stake; thence S 65-15 E 184.8 feet to a stake; thence S 61-15 E 165.0 feet at the forks of said branch; thence up spur between said forks S 48-45 E 91.7 feet to a stake; thence S 59-15 E 188.7 feet to a stake; thence S 46-00 E 258.00 feet to a stake; thence N 80-00 E 786.00 feet to a dogwood and poplar; thence S 58-00 E 266.9 feet to a stake in a draw; thence S 41-00 E 418.0 feet to a stake; thence N 1-45 E 356.0 feet to top of ridge 1464.0 feet to center of Lovely Branch 1520.0 feet to truck road, 1881.0 feet to corner with two marked hickories; thence West 27.9 feet to a marked hickory; thence N 38-00 E running between two marked oaks at 990.0 feet 1903.0 feet to top of mountain to a hickory and oak for pointers; thence with the crest of ridge S 68-45 W 376.0 feet to two marked oaks; thence S 89-15 W 272.3 feet to a stake; thence N 89-30 W 90.7 to a stake; thence S 70-45 W 283.8 feet to a stake; thence S 88-30 W 158.0 feet to a marked oak; thence N 85-00 W 219.8 feet to a stake; thence N 72-15 W 226.0 feet to a stake; thence N 65-00 W 132.0 feet to a stake; thence S 84-30 W 153.1 feet to a stake; thence N 76-45 W 186.1 feet to two marked chestnut oaks; thence N 85-30 W 270.6 feet to a stake; thence N 81-45 W 242.2 feet to a stake; thence N 73-30 W 171.6 feet to a stake; thence N 69-00 W 146.5 feet to a stake; thence N 62-00 W 161.7 feet to a stake; thence N 60-00 W 158.4 feet to a marked hickory; thence leaving ridge N 84-15 W 514.0 feet to a stake; thence S 83-45 W 284.6 feet to a stake; thence S 76-30 W 222.7 feet to the beginning corner, containing 143 acres (more or less) as surveyed December, 1966 by James M. Evans.

TRACT 3-6-27

Beginning at a point 70.00 feet left of KY 2009 centerline Station 7+75.05; thence south 86 degrees 35'00" west, 111.18 feet to a point 131.00 feet left of KY 2009 Station 8+68.00; thence south 74 degrees 18'48" west, 74.25 feet to a point 184.00 feet left of KY 2009 Station 9+20.00; thence south 83 degrees 49'53" west, 27.20 feet to a point 200.00 feet left of KY 2009 Station 9+42.00; thence 123.33 feet along an arc to the right, having a radius of 137.50 feet, the chord of which is north 71 degrees 15'45" west, 119.24 feet to a point 223.00 feet left of KY 2009 Station 10+59.00; thence north 38 degrees 17'02" west, 190.71 feet to a point 152.00 feet left of KY 2009 Station 12+36.00; thence north 61 degrees 27'59" east, 61.06 feet to a point 100.00 feet left of KY 2009 Station 12+04.00; thence south 38 degrees 09'21" east, 173.63 feet to a point 165.00 feet left of KY 2009 Station 10+43.00; thence south 82 degrees 20'41" seconds east, 52.92 feet to a point 145.00 feet left of KY 2009 station 9+94.00; thence north 87 degrees 02'05" east, 138.36 feet to a point 70.00 feet left of KY 2009 Station 8+77.73; thence south 60 degrees 08'28" east, 102.68 feet to the point of beginning, containing .646 acres or 28,134 square feet.

112

TRACT 36-13

BEGINNING at a poplar marked for corner, standing on the south bank of the right hand fork of Cutshin Creek.
Thence N30-00W 155.7 feet to a point at the north end of a bridge, in all 430.0 feet to a stake,
Thence N64-15W 347.0 feet to a stake on the edge of a road,
Thence S34-30W 291.0 feet to a stake in the road,
Thence S59-15W 322.0 feet to a stake in road,
Thence S69-30W 166.0 feet to a stake in road,
Thence N33-00E 183.0 feet to a stake in road,
Thence N17-00E 202.0 feet to a stake on top of mountain.
Thence with top of mountain N25-25E 213.0 feet to a stake,
Thence N10-30E 208.0 feet to a stake,
Thence N6-15W 182.0 feet to a stake,
Thence leaving mountain S79-30E, crossing Cutshin Creek at 785.6 feet, in all 825.0 feet to a stake on the east bank of county road for corner, with 18 inch black walnut and a 7 inch beech for pointers.
Thence S0-40E 836.9 feet to the BEGINNING, containing 13.8 acres, more or less.

BEGINNING on a set stone on the South bank of Greasy Creek across from Eastridge store where once stood a Poplar.

THENCE S 50° 00'W 312.0 feet to a fence 835.0 feet to a fence 900.0 feet to edge of creek, then with creek, leaving creek at 1217.0 feet 1788.0 feet in all to a stake,

THENCE S 41° 00'E 580.0 feet to top of ridge 784.0 feet to a dead sourwood,

THENCE N 4° 00'E 142.3 feet to a rock on top of ridge,

THENCE N 51° 20'E 543.00 feet to a stake,

THENCE S 86° 00'E 206.0 feet to a stake,

THENCE S 4° 00 'W 336.0 feet to a stake,

THENCE S 65° 00'E 804.0 feet to a stake on top of a cliff,

THENCE S 3° 30'W 82.5 feet to top of spur,

THENCE S 4° 00'W 1355.0 feet to a stake on top of ridge with a Chestnut Oak pointer,

THENCE S 43° 30'E 214.5 feet to a stake,

THENCE S 30° 30'E 330.0 feet to a stake,

THENCE S 25° 30'E 211.0 feet to a stake,

THENCE S 25° 00'E 530.0 feet to a stake,

THENCE S 35° 00'E 175.6 feet to a stake,

THENCE S 76° 30'E 1455.0 feet to top of ridge, 1565.0 feet in all to a stake,

THENCE N 3° 30'E 121.0 feet to top of ridge and with ridge 331.0 feet in all to a stake on ridge with 30 inch chestnut oak pointer,

THENCE N 16° 00'W with ridge 95.0 feet to a stake,
N 4° 45' E with ridge 157.2 feet to a stake,

THENCE N 9° 30'E 175.0 feet to a stake on ridge,

THENCE N 1° 00' E 230.0 feet to a stake on ridge,

THENCE N 9° 30'W 158.0 feet to a stake on ridge,

THENCE N 5° 30'E 72.0 feet to a stake on ridge,

THENCE N 4° 45'W 88.5 feet to a stake on the point of ridge,

THENCE leaving ridge N 29° 30'E 544.15 feet to a stake with a 30 inch White Oak pointer,

THENCE S 43° 30'E 174.0 feet to a conditional line,

THENCE with conditioned line N 48° 00'E 628.0 feet to a stake and a 14 inch Pine marked with three (3) timber strikes for corner,

THENCE N 52° 00'W 668.0 feet to a marked Beech on the North bank of Greasy Creek,

THENCE N 2° 05'W 310.8 feet to a stake on North bank of road with a 24 inch Yellow Oak marked for corner,

THENCE N 67° 30'W 706.8 feet to a stake on the North side of road,

THENCE N 7° 30'W 495.0 feet to a 20 inch Beech marked as a corner,

THENCE N 26° 00'E crossing branch at 797.0 feet, crossing top of spur at 1697.0 feet, and crossing brnach at 3272 feet, 3400 feet to a stake in the tenth line of the Charles Pace Patent No. 8157,

THENCE with the tenth line of said Pace Patent S 73° 30'W 763.0 feet to the third line of Wilson Lewis 100 Acre Patent No. 27541,

THENCE S 73° 30'W 920.0 feet to stake being the tenth corner of said patent,

THENCE N 38° 00'W 423.0 feet to a stake on top of ridge,

THENCE N 38° 15'W crossing top of ridge at 816.0 feet, crossing branch at 1115.0 feet, crossing Tantrought Branch at 1460.0 feet, in all to a stake corner witnessed by a Chestnut Oak,

THENCE S 72° 00'W crossing spur at 38.3 feet, crossing Burnt Colt Branch at 660.0 feet, 2117.0 feet to a stake on top of mountain,

THENCE S 73° 02' 54 seconds W 339.8 feet to a stake in the Government Line,

THENCE with Government Line S 6° 43' 54 seconds W 807.67 feet to a Government metal marker on top of ridge under end of Cliff,

THENCE still with Government Line N 35° 26' 59 seconds W. 771.16 feet to a set stone,

THENCE leaving Government Line S 34° 00' W crossing spur at 430.0 feet, in all 975.00 feet to a stake,

THENCE S 3° 00'W 490.0 feet to a stake,

THENCE N 66° 45'E crossing top of mountain at 676.0 feet, crossing spur at 1175.0 feet, 2663.0 feet in all to an 8 inch Ash and a 12 inch Maple marked for a corner,

THENCE S 4° 00' W 1520.0 feet to a stake being the Northwest corner of the Eastridge property,

THENCE S 86° 45'E 530.0 feet to a stake being the Northeast corner of the Eastridge property,

THENCE S 29° 15'W 200.0 feet to an iron pin on the North bank of Greasy Creek and on the South bank of the county road,

THENCE S 1° 15'E 127.4 feet to the BEGINNING.

TRACT 36-3

Beginning on a set stone, the 5th corner of the Adron Napper 200 A.S. Pat. No. 43433, with a 6" and 8" beech marked B.T.5C43433;

Thence with the 5th line of said patent (old marked line) S 89 - 10 E 56.6 feet to a stake;

Thence with same S 88 - 40 E 91.9 feet to a stake at edge of strip slide;

Thence with same S 85 - 50 E 200.1 feet to a stake;

Thence with same S 86 - 30 E 98.9 feet to a stake;

Thence with same S 82 - 30 E 171.9 feet to a stake;

Thence with same S 84 - 20 E crossing hollow at 95.0 feet, in all 131.3 feet to a stake;

Thence with same S 85 - 40 E 154.5 feet to a stake;

Thence with same S 88 - 45 E 78.3 feet to a stake;

Thence with same S 85 - 15 E 162.3 feet to a stake;

Thence with same S 84 - 30 E crossing hollow at 111.0 feet, in all 149.5 feet to a stake;

Thence with same S 88 - 40 E 145.8 feet to a stake between some large rocks;

Thence with same S 82 - 35 E 156.4 feet to a stake;

Thence with same S 87 - 40 E 122.0 feet to a stake;

Thence with same S 86 - 00 E 409.9 feet to a stake in old log road;

Thence with same S 83 - 50 E crossing silk dam at 100 feet, in all 229.8 feet to a stake in left fork of Peter Branch;

Thence with same S 86 - 30 E 123.6 feet to a stake on south bank of Peter Branch;

Thence with same S 80 - 00 E 171.9 feet to an iron pin, U.S.F.S. corner in said line;

Thence with same and U.S.F.S. line S 85 - 15 E 261.0 feet to a stake;

Thence with same S 85 - 00 E 214.9 feet to a stake;

Thence with same S 84 - 10 E 156.2 feet to a stake;

Thence with same S 85 - 15 E 89.1 feet to a stake;

Thence with same S 84 - 10 E 138.6 feet to an iron pin U.S.F.S. corner, also the 6th corner of said Adron Napper 200 A.S. Pat. No. 43433, with a 26" lynn marked for corner;

Thence with the 6th line of said patent and U.S.F.S. line South 231.9 feet to a stake;

Thence with same S 0 - 15 W 557.2 feet to a stake;

Thence with same S 0 - 05 E 299.8 feet to a stake;

Thence with same S 0 - 10 W 437.6 feet to a stake on top of ridge;

Thence with same S 0 - 15 W 297.1 feet to a stake on top of small cliff;

Thence with same S 0 - 15 E 153.0 feet to a stake;

Thence with same S 0 - 15 W 384.7 feet to a stake;

Thence with same South crossing hollow at 42.5 feet, in all 237.5 feet to a stake;

Thence with same S 0 - 35 E 121.6 feet to a stake;

Thence with same S 0 - 45 W 157.2 feet to an iron pin U.S.F.S. corner, also the 1st corner of Adron Napper 100 A.S. Pat. No. 43434, with a 12" and 8" black oak marked for pointers;

Thence with the 5th line in reverse of said 100 A.S. Pat. No. 43434 and running with U.S.F.S. line S 30 - 00 E 30.4 feet to a stake in old log road;

Thence with same S 35 - 40 E 110.2 feet to a stake on north bank of Peters Branch;

Thence with same S 25 - 45 E 46.9 feet to a stake;

Thence with same S 37 - 50 E 35.9 feet to a stake;

Thence with same S 55 - 00 E 95.2 feet to a stake;

Thence with same S 30 - 45 E 77.2 feet to a stake;

Thence with same S 26 - 15 E 179.7 feet to a stake;

Thence with same S 31 - 10 E 88.1 feet to a stake with a buckeye with red and yellow paint;

Thence with same S 35 - 40 E 86.9 feet to a stake in lower edge of spoil pile;

Thence with same S 30 - 22 E 597.0 feet to a stake on bottom of spoil pile;

Thence with same S 28 - 20 E crossing left fork of Peters Branch at 80.7 feet, in all 202.7 feet to a stake;

Thence with same S 33 - 05 E 180.0 feet to a stake;

Thence with same S 32 - 15 E 208.4 feet to a stake in north side of road;

Thence with same S 31 - 15 E 145.8 feet to a stake;

Thence with same S 32 - 30 E 146.3 feet to a stake;

Thence with same S 30 - 45 E 76.0 feet to a stake on north side of road on ridge between Elk Creek and Peters Branch;

Thence with same S 31 - 40 E 95.7 feet to a stake on south side of road on top of ridge between Elk Creek and Peters Branch;

Thence with same S 33 - 30 E 90.2 feet to a stake;

Thence with same S 31 - 20 E 206.3 feet to a stake;

Thence with same S 32 - 00 E 101.5 feet to a government metal marker and a 10" black walnut, 5th corner of Adron Napper 100 A.S. Pat. No. 43434;

Thence running with 47th line of said patent reversed S 37 - 40 W 110.9 feet to a stake;

Thence with same S 38 - 40 W 117.2 feet to a stake;

Thence with same S 39 - 30 W 40.2 feet to a stake on north side of road to Sims Branch;

Thence with same S 39 - 45 W 170.8 feet to a stake;

Thence with same S 34 - 30 W 40.0 feet to a stake in south edge of road 50 feet south of high knob;

Thence with same S 38 - 15 W crossing ridge at 30 feet, in all 448.3 feet to a stake;

Thence with same S 38 - 45 W 149.2 feet to a stake;

Thence with same S 37 - 50 W 120.5 feet to a stake;

Thence with same S 38 - 15 W 247.9 feet to a stake;

Thence with same S 37 - 00 W 182.4 feet to a stake;

Thence with same S 37 - 10 W 223.6 feet to a stake;

Thence with same S 35 - 15 W 55.9 feet to a set stone painted yellow with an 18" chestnut oak on the east side of ridge between left fork and right fork of Peters Branch, marked for pointers;

Thence with old marked and yellow painted line N 2 - 45 E 333.2 feet to a set stone on top of said ridge with a 20" chestnut oak marked for pointer;

Thence with same N 8 - 30 E 141.9 feet to a set stone on said ridge with a 12" black oak marked for pointer;

Thence with same N 21 - 00 E 146.5 feet to a stake with a 6" black oak marked for pointer;

Thence with same N 32 - 00 E 104.9 feet to set stone with 4" and 6" maples on east side of ridge marked for pointers;

Thence with same N 14 - 00 E 228.4 feet to a stake on center line of ridge;

Thence with same N 16 - 28 W 165.8 feet to a stake on east side of ridge;

Thence with same N 53 - 45 W 130.3 feet to a stake on center line of ridge;

Thence with same N 57 - 15 W 132.9 feet to a stake on west side of ridge;

Thence with same N 55 - 20 W 202.8 feet to a set stone on west side of ridge;

Thence with same N 83 - 25 W 217.5 feet to a stake on west side of ridge;

Thence with same N 48 - 32 W 172.6 feet to a stake on west side of ridge;

Thence with same N 54 - 28 W 284.8 feet to a stake in low gap on center line of ridge;

Thence with same N 54 - 27 W 192.9 feet to a stake on center line of ridge with 30" and 4" chestnut oaks marked for pointers;

Thence with same N 83 - 37 W 101.1 feet to a stake on south side of ridge;

Thence with same N 82 - 30 W 167.9 feet to a stake on south side of ridge, on south of high knob with a 12" chestnut oak and a 12" pine marked for pointers;

Thence with same N 70 - 50 W 172.8 feet to a stake on center line of ridge;

Thence with same N 75 - 00 W 235.5 feet to a stake on center line of ridge;

Thence with same N 71 - 25 W 206.7 feet to a yellow set stone close to an old log road with a 9" black oak marked for pointer;

Thence with same N 40 - 58 W 137.9 feet to a stake on east side of ridge;

Thence with same N 39 - 05 W 222.6 feet to a set stone on northeast side of ridge between right and left fork of Peters Branch;

Thence with same N 54 - 57 W 96.2 feet to an iron pin, the government corner, the second corner to both tracts, Patent No. 43433 and Patent No. 43434, on top of ridge, between the right fork and the left fork of Peters Branch;

Thence with same N 0 - 10 E 258.2 feet to a stake;

Thence with same N 0 - 30 W 194.7 feet to a stake;

Thence with same N 0 - 50 E 116.7 feet to a stake on spur;

Thence with same N 0 - 10 W 220.6 feet to a stake;

Thence with same N 0 - 35 E 132.9 feet to a stake;

Thence with same N 0 - 50 W 89.2 feet to a stake;

Thence with same N 0 - 10 E 242.4 feet to a stake on top of ridge;

Thence with same N 0 - 20 E 240.1 feet to a stake;

Thence with same N 0 - 30 W 179.0 feet to a stake;

Thence with same North 284.5 feet to a stake in strip road;

Thence with same N 0 - 15 E 207.1 feet to a stake;

Thence with same N 0 - 45 W 79.9 feet to a stake;

Thence with same N 0 - 45 E 31.9 feet to an iron pin for a government corner;

Thence N 32 - 30 W 36.5 feet to the old original patent corner of Adron Napper 200 acre, Patent No. 43433 (3rd corner);

Thence with third line of said Adron Napper N 85 - 49 W passing strip road at 384.4 feet, in all 1864.6 feet to a government iron pin with a 12" locust marked for pointer, the original 4th corner of same, with an old chestnut marked B.T. 4C Pat. 43433;

Thence running with government line N 8 - 10 E 75.0 feet to a stake;

Thence with same N 3 - 45 E 206.8 feet to a stake;

Thence with same N 5 - 08 E 180.3 feet to a stake;

Thence with same N 4 - 50 E 218.3 feet to a stake;

Thence with same N 4 - 00 E 159.6 feet to a stake;

Thence with same N 2 - 15 E 66.5 feet to a stake on top of ridge between right fork and left fork of Peters Branch;

Thence with same N 3 - 15 E passing government corner at 35.3 feet, in all 265.1 feet to a stake on north edge of strip road;

Thence with same N 3 - 23 E 161.0 feet to a stake;

Thence with same N 1 - 22 E 213.4 feet to a stake;

Thence with same N 2 - 55 E 236.9 feet to a stake;

Thence with same N 0 - 50 W 44.0 feet to a stake;

Thence with same N 0 - 35 E 132.7 feet to a stake in a slide in Peters Branch;

Thence with same N 2 - 30 E 108.7 feet to a stake;

Thence with same N 1 - 40 E 192.7 feet to the beginning.

Containing 359.0 acres, more or less
Surveyed / September 1977
by John Gent

125

TRACT 36-17, 36-17A, and 36-17S

Beginning on a steel rail with a 22" beech marked for pointer, a corner between Huber, Caldwell, and Bringardner;

Thence S 87 - 00 W 50.8 feet to a stake in county road;

Thence with said road N 13-45 W 122.4 feet to a stake;

Thence with same N 21-10 W 240.4 feet to a stake;

Thence with same N 2-00 W 150.0 feet to a stake;

Thence with same N 1-00 E 134.5 feet to a stake;

Thence with same N 2-50 E 300.0 feet to a stake;

Thence leaving said road S 85-00 W crossing Middle Fork at 200.0 feet, in all 235.9 feet to a wahoo bush marked for corner;

Thence S 35-30 W 242.4 feet to a stake in Middle Fork, being N 72-00 E 16.0 feet from a cross (+) on large rock;

Thence S 18-20 E 728.6 feet to a stake in Middle Fork, being N 53-00 E 53.0 feet from a cross (+) on large rock with a dogwood and birch marked for pointers, corner between Huber and Caldwell;

Thence leaving Middle Fork River N 86-30 W 488.4 feet to a set stone;

Thence with marked and painted line N 15-12 E crossing hollow at 220.8 feet, in all 576.7 feet to a set stone with a 26" beech marked B.T.7C21826 for pointer;

Thence running with marked and painted line (red) N 0-10 W 247.7 feet to a stake;

Thence with same N 1-15 W 110.5 feet to a stake;

Thence with same N 0-20 W 276.1 feet to a stake;

Thence with same N 0-50 W 265.9 feet to a stake;

Thence with same N 0-20 W 228.9 feet to a stake;

Thence with same N 1-10 W 127.0 feet to a stake;

Thence with same N 3-48 W crossing Turkey Branch at 231.2 feet, in all 298.3 feet to a steel rail, with a 10" sycamore marked for pointer;

Thence with same N 4-12 E 1552.7 feet to a stake;

Thence with same N 1-50 E 103.1 feet to a stake;

Thence with same N 5-20 E 207.3 feet to a stake;

Thence with same N 3-00 E 143.4 feet to a stake;

Thence with same N 4-12 E 685.2 feet to a set stone;

Thence still with same marked and painted line (red) N 84-25 W 378.5 feet to a stake;

Thence with same N 85-20 W 141.7 feet to a stake;

Thence with same N 84-25 W 543.3 feet to a set stone, with a sugar tree and beech marked for pointers;

Thence still with marked and painted line (red) N 18-30 W 125.7 feet to a stake;

Thence with same N 13-50 W 171.3 feet to a stake;

Thence with same N 12-20 W 196.9 feet to a stake;

Thence with same N 14-30 W 260.7 feet to a stake;

Thence with same N 12-45 W 40.8 feet to a stake;

Thence with same N 11- 00 W 58.8 feet to a stake;

Thence with same N 11-20 W 192.5 feet to a stake;

Thence with same N 15-45 W 274.7 feet to a set stone with a 24" sugar tree stub and a 10" beech marked for pointers, and a 22" beech that bears S 47-30 W 32.0 feet with B.T. 3 corner 44222D marked on it;

Thence still with marked and painted line (red) S 87-10 E 47.2 feet to a stake;

Thence with same S 85-40 E 234.4 feet to a stake;

Thence with same S 87-40 E 244.6 feet to a stake;

Thence with same S 82-50 E crossing top of ridge at 38.0 feet, in all 64.6 feet to a stake;

Thence with same S 87-50 E 67.4 feet to a set stone with 2 chestnut oaks and maple marked for pointers;

Thence still with marked and painted line N 5-45 E 1604.8 feet to a set stone approximately 50.0 feet from Marrowbone Creek;

Thence S 73-52 W crossing Marrowbone Creek at 277.1 feet, and again at 417.1 feet, crossing same again at 1031.2 feet, crossing Right Fork of same at 1406.0 feet, in all 4,072.1 feet to a set stone;

Thence S 15-45 E 148.5 feet to top of ridge between right fork of Marrowbone and the Bear Branch of the left fork of Marrowbone;

Thence with top of ridge S 81-20 W 287.4 feet to a stake;

Thence with said ridge N 82-15 W 117.0 feet to a stake;

Thence with same N 68-45 W 208.2 feet to a stake;

Thence with same S 86-40 W 251.1 feet to a stake;

Thence with same S 54-20 W 193.9 feet to a stake;

Thence with same S 47-00 W 223.6 feet to a stake;

Thence with same S 52-00 W 275.0 feet to a stake;

Thence with same S 53-30 W 247.6 feet to a stake;

Thence with same S 52-10 W 228.9 feet to a stake with two 20" chestnut oaks near two rocks, one on top of another;

Thence with same S 69-45 W 541.7 feet to a stake;

Thence with same S 80-40 W 205.1 feet to a stake;

Thence with same S 84-50 W 57.4 feet to a set stone on top of high knob;

Thence with same S 7-15 W 545.5 feet to a set stone, with an 8" hickory marked for pointer;

Thence still with said ridge S 36-45 W 199.0 feet to a stake;

Thence with same S 37-00 W 211.4 feet to a set stone;

Thence leaving said ridge N 2-45 E crossing spur at 605.0 feet, in all 1557.1 feet to a set stone with a 10" soft maple and a 4" dogwood marked for pointers;

Thence N 56-30 E crossing hollow at 1027.0 feet, in all 1670.6 feet to a set stone with a 20" beech and a 4" dogwood marked for pointers;

Thence N 2-37 E crossing right fork of Marrowbone at 695.3, crossing road at 839.1 feet, crossing hollow at 1,097.0 feet, crossing top of ridge at 1530.8 feet, crossing Isaacs Fork at 3,584.5 feet, in all 3,614.5 feet to a steel rail with a 7" white oak and 14" white oak marked for pointers;

Thence S 84-39 E crossing Big Branch at 15.0 feet, in all 1239.0 feet to a set stone, with a 16" and 20" hickory and a 10" sourwood marked for corner;

Thence N 26-00 E 257.9 feet to a set stone;

Thence S 77-40 E 252.3 feet to a stake;

Thence S 78-10 E 21.7 feet to a set stone on top of mountain between Isaacs Fork and Whitehead Branch;

Thence with Hettie Roark's line S 39-45 E 136.0 feet to a set stone;

Thence with said line S 52-15 E 342.5 feet to a set stone;

Thence with same S 72-15 E 79.9 feet to a set stone;

Thence with same S 46-30 E 122.8 feet to a set stone;

Thence with same S 39-30 E 140.6 feet to a set stone;

Thence with same S 28-00 E 120.8 feet to a set stone;

Thence with same S 18-45 E 189.4 feet to a set stone;

Thence with same S 52-45 E 125.4 feet to a set stone;

Thence with same N 69-00 E 144.5 feet to a set stone;

Thence with same N 67-00 E 117.4 feet to a set stone;

Thence with same N 53-00 E 87.8 feet to a set stone;

Thence with same N 73-45 E 151.8 feet to a set stone;

Thence with same N 69-30 E 106.9 feet to a set stone;

Thence with same N 38-15 E 151.8 feet to a set stone;

Thence with same N 40-15 E 99.6 feet to a set stone on top of ridge, the beginning corner to said Roark tract, and in the 2nd line of A. W. Chastain Pat. No. 43383;

Thence leaving said tract and running with said Chastain line in reverse S 75-00 E 192.5 feet to a stake;

Thence with same S 75-30 E 208.0 feet to a stake on top of ridge;

Thence with same S 75-15 E 86.4 feet to the 2nd corner of John W. Slusher Pat. No. 48405 and A. W. Chastain Pat. No. 43383;

Thence with 2nd line in reverse of said Chastain S 75-15 E 88.5 feet to a stake;

Thence with same S 72-30 E 118.8 feet to a stake;

Thence with same S 70-00 E 110.6 feet to a stake;

Thence with same S 73-45 E 222.8 feet to a stake;

Thence with same S 72-30 E 298.8 feet to a stake;

Thence with same S 72-45 E 227.8 feet to a stake;

Thence with same S 72-10 E 166.3 feet to a stake;

Thence with same S 73-50 E 191.5 feet to a stake;

Thence with same S 72-40 E 137.2 feet to a stake;

Thence with same S 74-45 E 207.7 feet to a stake;

Thence with same S 72-40 E crossing Shop Hollow at 180.0 feet, in all 216.4 feet to a rock on top of a black walnut stump at the mouth of Shop Hollow, the beginning corner to said Chastain Pat.;

Thence with the fifth (5th) line of Chastain and Farmer 100 A. S. Pat. No. 43390 N 79-15 E 154.6 feet to a stake, the 6th corner of said pat. with a 24" beech marked for corner;

Thence with the 6th line of same N 81-50 E 95.8 feet to a stake;

Thence with same N 78-00 E 136.3 feet to a stake;

Thence with same N 83-00 E 160.9 feet to a stake;

Thence with same N 81-45 E 200.6 feet to a stake;

Thence with same N 81-05 E 56.9 feet to a stake;

Thence with same N 80-20 E 129.4 feet to a stake;

Thence with same N 82-20 E 155.2 feet to a stake;

Thence with same N 79-00 E 172.9 feet to a stake;

Thence with same N 83-00 E 75.7 feet to a set stone, on top of ridge between Buck Hollow and Roark Branch, with two (2) 11" hickorys marked for corner, the 7th corner of said Chastain and Farmer Patent No. 43390;

Thence leaving said patent, and running with top of said ridge S 52-00 E 207.5 feet to a stake;

Thence with said ridge S 68-50 E 161.8 feet to a stake;

Thence with same S 72-45 E 134.7 feet to a stake;

Thence with same N 84-40 E 160.6 feet to a stake;

Thence with same S 57-10 E 114.9 feet to a stake;

Thence with same S 71-40 E 88.1 feet to a stake;

Thence with aame S 76-15 E 177.3 feet to a stake;

Thence with same S 61-20 E 246.5 feet to a stake;

Thence with same S 68-10 E 139.7 feet to a stake;

Thence with same S 67-20 E 170.6 feet to a stake;

Thence with same S 73-50 E 182.4 feet to a stake;

Thence with same S 88-30 E 268.5 feet to a stake;

Thence with same S 49-40 E 120.0 feet to a stake;

Thence with same S 37-45 E 102.0 feet to a stake;

Thence with same S 26-15 E 181.2 feet to a stake;

Thence with same S 31-20 E 168.0 feet to a stake;

Thence with same N 87-40 E 152.6 feet to a stake;

Thence with same N 45-10 E 93.0 feet to a stake;

Thence with same N 20-00 E 137.2 feet to a stake;

Thence with same N 67-00 E 161.7 feet to a stake;

Thence with same S 68-30 E 105.2 feet to a stake;

Thence with same S 67-40 E 158.1 feet to a stake;

Thence with same S 67-30 E 127.1 feet to a stake;

Thence with same N 88-30 E 176.9 feet to a set stone in line of Elijah Collins 50 A. S. Pat. No. 15888, with a 20" Spanish oak marked for corner

Thence leaving said ridge and with said Collins line N 28-45 E 1054.8 feet to a set stone;

Thence leaving said Collins line and with the 9th line of Chastain and Farmer 100 A. S. Pat. No. 43390 reverse, S 2-45 W crossing ridge at 171.4 feet, crossing ridge again at 1030.0 feet, crossing left fork of Roark Branch at 1596.2 feet, crossing ridge at 2112.3 feet, crossing right fork of Roark Branch at 2852.7 feet, in all 3851.9 feet to a set stone, 9th corner of said 100 A. S. Patent No. 43390;

Thence S 32-45 W 893.4 feet to a set stone on top of high knob, with a 14" chestnut oak and an 8" and 5" sourwood on same stump, a corner to same 100 A. S. patent;

Thence with top of mountain between Beech Fork and Middle Fork at the head of Big Branch S 42-20 E 164.4 feet to a stake;

Thence S 42-30 E 124.7 feet to a stake;

Thence S 43-10 E 178.3 feet to a stake;

Thence S 42-20 E 139.4 feet to a stake;

Thence S 44-50 E 163.2 feet to a stake;

Thence S 60-10 E 162.2 feet to a stake;

Thence S 30-15 E 236.4 feet to a stake;

Thence S 17-00 E 296.0 feet to a stake;

Thence S 17-45 E 177.3 feet to a stake;

Thence S 20-50 E 661.1 feet to a stake;

Thence S 11-45 W 108.3 feet to a stake;

Thence S 39-15 W 185.2 feet to a stake;

Thence with the last line of same S 28-15 W 155.5 feet to a set stone on top of mountain, in the 8th line of Andrew Simpson 100 A. S.;

Thence with the reverse of said line S 3-15 W crossing hollow at 1230.3 feet, in all 1463.9 feet to a set stone with a 10" pine marked for corner, approximately 10.0 feet above county road, the 8th corner to said 100 A. S.;

Thence with the reverse of the 7th line of Simpson N 86-45 W 964.4 feet to a set stone, the 7th corner to same;

Thence with the reverse of the 6th line of said patent S 3-15 W crossing ridge at 695.8 feet, crossing hollow at 1149.6 feet, crossing county road at 1337.3 feet, in all 1854.9 feet to a set stone on the north bank of Dry Fork of Spruce Pine Creek, 6th corner to same, with a 22" beech marked for corner;

Thence N 86-45 W crossing county road at 403.7 feet, in all 1309.4 feet to a set stone, the 5th corner to same, with a 20" chestnut oak marked for pointer;

Thence N 3-15 E 825.0 feet to a set stone with a 30" chestnut oak marked for pointer;

Thence N 19-20 W crossing hollow at 300.0 feet, in all 841.0 feet to a set stone approximately 75.0 feet from top of ridge with a 24" black gum marked for pointer;

Thence N 29-00 E crossing top of ridge at 84.0 feet, in all 1304.7 feet to a set stone;

Thence N 85-15 W crossing hollow at 315.5 feet, crossing ridge at 495.2 feet, in all 1795.4 feet to a set stone;

Thence S 2-45 W 564.7 feet to a stake on top of ridge;

Thence S 4-10 W 41.8 feet to a stake;

Thence S 3-15 W 154.9 feet to a set stone, with a 22" black oak marked for corner;

Thence S 12-15 W 218.2 feet to a stake;

Thence S 7-15 W 95.1 feet to a stake;

Thence S 16-00 W crossing hollow at 27.4 feet, in all 287.4 feet to a stake;

Thence S 14-45 W 117.4 feet to a stake;

Thence S 11-45 W 295.1 feet to a stake;

Thence S 12-15 W 222.9 feet to a stake;

Thence S 13-15 W crossing hollow at 23.7 feet, in all 83.7 feet to a stake;

Thence S 12-45 W 204.2 feet to a stake on top of ridge;

Thence S 15-45 W 372.2 feet to a stake;

Thence S 8-15 W 280.8 feet to a stake;

Thence S 13-50 W 150.2 feet to a stake;

Thence S 11-30 W 200.3 feet to the beginning.

Containing 1391.27 acres, more or less Surveyed December 1974 by James Evans, Kentucky Reg. No. 971.

Beginning on a steel rail on the south side of Mayes Branch with a 26" beec marked for pointers, also being the beginning corner of William Spurlock Pat. No. 32383;

Thence with the first line of same S 70°-15' E 200.6 feet to two black gums, the second corner to same; also the beginning corner of Elihu Caldwell 50 acre survey Pat. No. 60281;

Thence with the reserve of 60281, N 2°-00' E 287.1 feet to a stake in said line;

Thence with same N 2°-45' E 230.5 feet to a stake;

Thence with same N 1°-20' E 127.9 feet to a stake;

Thence with same N 1°-10' E 73.5 feet to a stake;

Thence with same N 2°-40' E 129.0 feet to a stake on spur;

Thence with same N 2°-00' E 173.0 feet to a stake;

Thence with same N 2°-40' E 72.3 feet to set stone with a 22" maple marked for pointer, also being the 8th corner to said Caldwell;

Thence with the 7th line of said Caldwell S 45°-45' E 110.5 feet to a stake;

Thence with same S 46°-10' E 157.3 feet to a stake;

Thence with same S 46°-20' E 86.1 feet to a stake;

Thence with same S 51°-45' E 96.3 feet to a stake;

Thence with same S 47°-10' E 65.6 feet to a set stone with an 18" beech and 8" buckeye marked for pointers, also being the 7th corner of said Caldwell;

Thence with the reverse of 6th line S 9°-10' W 114.1 feet to a stake;

Thence with same S 1°-30' W 128.3 feet to a stake;

Thence with same S 0°-30' W 93.0 feet to a stake;

Thence with same S 1°-15' W 240.7 feet to a stake;

Thence with same S 1°-00' W crossing Mayes Branch at 57.0 feet, in all 98.1 feet to a stake;

Thence with same S 0°-30' W 100.3 feet to a stake;

Thence with same S 2°-30' W 84.4 feet to a set stone in the last line of Felix G. Farmer 50 A. S. Pat. No. 40281, with a 20" beech marked for corner

Thence with said line reverse S 58°-30' W 143.7 feet to a stake;

Thence with same S 56°-50' W 153.2 feet to a set stone, the 12th corner of said Pat. No. 40281;

Thence with the reverse of 11th line S 34°-45' E 402.4 feet to a set stone in the 6th line of Elihu Caldwell Pat. No. 60281, with a 16" buckeye and a 5" maple marked for corner;

Thence with the reverse of same S 1°-20' W 311.6 feet to a stake;

Thence with same S 0-30' E 73.3 feet to a stake;

Thence with same S 1°-50' W 78.2 feet to a stake;

Thence with same S 0°-40' W 297.3 feet to a stake;

Thence with same S 0°-45' W 290.6 feet to a stake;

Thence with same S 1°-40' W 109.7 feet to a stake;

Thence with same S 0°-40' W 204.1 feet to a set stone in said line;

Thence with marked and red painted line N 73°-00' W 194.6 feet to a stake;

Thence N 72°-10' W 125.1 feet to a stake in said line;

Thence N 73°-00' W 179.3 feet to a stake in said line;

Thence N 70°-30' W 111.3 feet to a stake in said line;

MISSING PAGE

Thence N 74°-10' W 171.8 feet to a stake in said line;

Thence N 68°-30' W 108.4 feet to a stake in said line;

Thence N 72°-50' W 65.2 feet to a stake in said line;

Thence N 74°-50' W 74.9 feet to a set stone;

Thence S 74°-50' W 22.6 feet to a stake in marked and painted line;

Thence S 30°-00' W 594.2 feet to a stake on top of ridge in said line;

Thence S 32°-00' W 303.3 feet to a set stone, 5th corner to Elihu Caldwell Pat. No. 60281, also the 6 th corner to William Spurlock Pat. No. 32383, with a 7" maple marked with 3 timber scribes;

Thence N 75°-30' W 993.7 feet to a set stone with an 18" beech marked for corner, on south side of hollow, being the 7th corner to said Spurlock survey (Pat. No. 32383);

Thence N 14°-20' E 1180.6 feet to a set stone in the 6th line of William Spurlock 85 acre survey No. 32380 with a 28" cucumber marked for corner;

Thence with the reverse of said survey N 40°-20' W 1308.6 feet to a stake in said line (6th line);

Thence N 42°-10' W 196.0 feet to a stake in said line;

Thence N 41°-10' W 106.0 feet to a stake in said line;

Thence N 40°-30' W 178.7 feet to a stake in said line;

Thence N 41°-50' W 246.6 feet to a stake in said line;

Thence N 43°-00' W 110.7 feet to a stake in said line;

Thence N 41°-10' W 100.9 feet to a stake in said line;

Thence N 41°-45' W 95.9 feet to a stake in said line;

Thence N 32°-50' W 102.0 feet to a stake in said line;

Thence N 46°-50' W 61.0 feet to a steel rail, the 6th corner to said Spurlock 85 A. survey Pat. No. 32380, with an 8" sourwood and an 8" oak marked for corner;

Thence with the reverse of the 5th line of same N 7°-15' E 34.1 feet to a stake in said line;

Thence N 5°-50' E 163.1 feet to a stake in said line;

Thence N 1°-45' E 206.2 feet to a stake in said line;

Thence N 7°-10' E 152.8 feet to a stake in said line;

Thence N 3°-45' E 97.2 feet to a stake in said line;

Thence N 1°-30' E 79.3 feet to a set stone in said line;

Thence N 2°-50' E 135.8 feet to a set stone in said line and in the 2nd line of Solomon Brock 200 A. survey Pat. No. 45928, with an 8" hickory marked for corner;

Thence with the reverse of said 2nd line N 7°-30' W 264.7 feet to a set stone in said line, on center of spur, with a 4" oak, and a 36" chestnut stump for pointers;

Thence with the 4th line of William Spurlock 85 A. Survey Pat. No. 32380 reverse, S 38°-20' E 1488.3 feet to a steel rail, 4th corner of said Spurlock 85 A. survey;

Thence with 3rd line reversed of said Spurlock S 35°-45' E 290.0 feet to a steel rail, 3rd corner of same;

Thence with 2nd line reverse of said Spurlock S 46°-50' E 742.5 feet to a steel rail, 2nd corner of same;

Thence with 1st line reversed of said Spurlock N 89°-20' E 257.4 feet to a steel rail in 7th line of William Spurlock Pat. No. 32383;

Thence with same N 12°-00' E 161.9 feet to a stake in 7th line of said Spurlock 32383;

Thence with same N 11°-00' E 70.0 feet to a stake in 7th line of said Spurlock;

Thence with same N 11°-15' E 131.1 feet to a set stone, with a 21" Spanish oak and an 8" sourwood marked for corner, 8th corner of Spurlock 32383;

Thence with closing line of said Spurlock S 72°-15' E 110.3 feet to a stake in said line;

Thence with said line S 73°-40' E 212.4 feet to a stake in said line;

Thence with said line S 74°-45' E 192.7 feet to a stake in said line;

Thence with said line S 73°-50' E 109.3 feet to a stake in said line;

Thence with said line S 73°-45' E 378.5 feet to a stake in said line;

Thence with said line S 74°-00' E 297.7 feet to the beginning.

Containing 159.30 acres, more or less

TRACT 36-17

Beginning on top of ridge at the head of Mayes Branch, Honey Branch and Turkey Branch, on a set stone with a 12" and 8" maple marked for pointers;

Thence with top of ridge between Turkey Branch and Middle Fork, S 84°-15' E 187.3 feet to a stake;

Thence with same N 59°-45' E 310.6 feet to a stake;

Thence with same N 73°-15' E 434.9 feet to a stake;

Thence with same N 52°-43' E 515.3 feet to a stake;

Thence with same S 88°-30' E 398.9 feet to a stake;

Thence with same S 88°-00' E 153.8 feet to a stake;

Thence with same S 82°-45' E 191.2 feet to a stake;

Thence with same N 63°-30' E 233.9 feet to a stake;

Thence with same N 38°-10' E 172.0 feet to a stake;

Thence with same N 63°-00' E 233.5 feet to a stake;

Thence with same N 39°-50' E 171.6 feet to a stake;

Thence with same N 21°-45' E 390.5 feet to a stake;

Thence with same S 63°-50' E 115.5 feet to a stake;

Thence with same S 86°-45' E 246.3 feet to a stake;

Thence with same N 79°-10' E 265.4 feet to a stake;

Thence with same N 74°-45' E 269.0 feet to a stake;

Thence with same N 71°-10' E 38.9 feet to a stake;

Thence with same N 21°-50' E 72.2 feet to a stake;

Thence with same N 15°-20' E 154.5 feet to a stake;

Thence with same N 1°-15' E 138.7 feet to a set stone, with an 18", 24" and 26" chestnut oak marked for pointers in the 6th line of Solomon Brock Pat. No. 45928;

Thence leaving top of said ridge, and running with said 6th line reversed S 57°-50' E 96.8 feet to a stake in said line;

Thence with same S 57°-00' E 126.7 feet to a stake;

Thence with same S 55°-10' E 751.1 feet to a set stone, in a line of Felix G. Gilbert 250 A.S.Pat. No. 32333; with a 20" maple marked for pointers;

Thence with said line S 1-40' W 84.5 feet to a stake in said line;

Thence with same S 1°-15' W 79.8 feet to a stake;

Thence with same S 14°-50' W crossing hollow at 20.0 feet, in all 102.8 feet to a stake;

Thence with same S 0°-15' W 105.4 feet to a stake;

Thence with same S 1°-20' E 50.1 feet to a stake;

Thence with same S 13°-20' W 172.4 feet to a stake;

Thence with same S 16°-50' W 150.1 feet to a set stone in the 5th line of Solomon Brock Pat. No. 45928, with an 11" hickory marked for pointer;

Thence with 5th line reversed of said Brock S 65°-45' W 201.3 feet to a stake in said line;

Thence with same S 70°-40' W 154.1 feet to a stake;

Thence with same S 65°-45' W 114.0 feet to a stake;

Thence with same S 70°-45' W 61.5 feet to a stake on spur;

Thence with same S 68°-10' W 147.6 feet to a stake;

142

Thence with same S 70°-20' W 164.9 feet to a stake;

Thence with same S 61°-20' W crossing Watt Cabin Hollow at 26.0 feet, in all 288.3 feet to a stake;

Thence with same S 71°-00' W 160.7 feet to a stake;

Thence with same S 68°-20' W 170.3 feet to a stake;

Thence with same S 68°-40' W crossing spur at 279.0 feet, in all 374.3 feet to a stake;

Thence with same S 69°-30' W 67.3 feet to a stake;

Thence with same S 67°-50' W 107.1 feet to a stake;

Thence with same S 68°-10' W 232.1 feet to a stake;

Thence with same S 70°-20' W crossing right fork of Buzzard Branch at 50.0 feet, in all 161.5 feet to a stake;

Thence with same S 71°-10' W 93.6 feet to a stake;

Thence with same S 76°-30' W 239.0 feet to a stake;

Thence with same S 71°-40' W 141.8 feet to a stake;

Thence with same S 70°-40' W 177.8 feet to a stake;

Thence with same S 65°-45' W crossing left fork of Buzzard Branch at 237.9 feet, in all 252.9 feet to a stake;

Thence with same S 70°-10' W 262.5 feet to a stake;

Thence with same S 67°-10' W 145.4 feet to a stake;

Thence with same S 69°-10' W 202.5 feet to a stake;

Thence with same S 69°-00' W 213.1 feet to a stake;

Thence with same S 68°-50' W 169.9 feet to a set stone on top of ridge 30.0 feet south of low gap;

Thence leaving 5th line of Solomon Brock Pat. No. 45928, running with top of ridge between Mayes Branch and Buzzard Branch N 24°-00' W 1,140.4 feet to the beginning.

Containing 118.87 acres, more or less

Being the same property conveyed by J.M. Huber corporation to BLC Properties, LLC by Deed dated July 5, 2001 and recorded in Deed Book 151, Page 655 in the Office of the Leslie County Clerk of Court.

LESS AND EXCEPT FROM THE REAL PROPERTY DESCRIBED IN EXHIBIT "A" THE FOLLOWING:

All those tracts or parcels of land lying and being in Leslie County, Kentucky and being a portion of the same tract of land conveyed to J. M. Huber, Corporation by Inter-Mountain Coal and Lumber Company, by deed bearing date of the 10th day of September 1960, which is duly recorded in Deed Book No. 62 at page 605, of record in the office of the County Court Clerk of Leslie County, Kentucky, said parcel being described as follows:

PARCEL NO. 1

Beginning at a point in the existing right of way line and the East property line 27.88 feet left (south) of Relocated KY 2009 station 6+81.98, thence S 11° 00' 00" W, 85.86 feet with the West property line to a point 113.04 feet left (south) of Relocated KY 2009 station 6+72.15, thence S 84° 43' 06" W, 17.22 feet to a point 120.00 feet left (south) of Relocated KY 2009 station 6+85.00, thence N 34° 09' 36" W, 93.37 feet to a point 70.00 feet left (southwest) of Relocated KY 2009 station 7+50.00, thence N 60° 50' 09" W, 27.58 feet to a point in the existing right of way line 70.00 feet left (southwest) of Relocated KY 2009 station 7+75.05, thence with the existing right of way line N 85° 44' 38" E, 36.47 feet to a point 50.00 feet left (southwest) of Relocated KY 2009 station 7+47.00, thence S 84° 09' 29" E, 74.06 feet to the point of beginning. Containing 0.119 acres or (5,174 sq.ft.).

PARCEL NO. 1a

Beginning at a point in the existing right of way line and the east property line 20.47 feet right (north) of Relocated KY 2009 station 6+89.06, thence along an arc 116.56 feet to the left, having a radius of 358.10

feet, the chord of which is N 83° 42' 11" W, 116.05 feet with the existing right of way line and crossing the centerline of the proposed relocated KY 2009 to a point 19.54 feet left (southwest) of Relocated KY 2009 station 7+99.38, thence S 87° 04' 39" W, 93.20 feet with the existing right of way line to a point 70.00 feet left (southwest) of Relocated KY 2009 station 8+77.73, thence N 60° 08' 28" W, 322.27 feet to a point in the existing right of way line 70.00 feet left (southwest) of Relocated KY 2009 station 12+00.00, thence N 62° 52' 58" E, 190.83 feet with the existing right of way line and crossing the centerline of Relocated KY 2009 to a point 90.00 feet right (northeast) of Relocated KY 2009 station 10+96.00, thence S 50° 54' 20" E, 249.23 feet to a point 50.00 feet right (northeast) of Relocated KY 2009 station 8+50.00, thence S 59° 54' 35" E, 143.05 feet to a point 45.00 feet right (north) of Relocated KY 2009 station 7+00.00, thence S 75° 42' 26" E, 5.91 feet to a point in the East property line 45.68 feet right (north) of Relocated KY 2009 station 6+93.45; thence S 11° 00' 00" W, 25.53 feet to the point of beginning. Containing 1.177 acres or (51,289 sq.ft.).

Being the same property conveyed by J.M. Huber Corporation to the Commonwealth of Kentucky by Deed of Conveyance dated October 4, 1989 and recorded in Deed Book 115, Page 290, Leslie County, Court Clerk's Office.

FURTHER LESS AND EXCEPT: The following described lands situated in the County of Leslie, State of Kentucky, to-wit:

Lying on the waters of the Middle Fork River, a short distance below the mouth of Spruce Pine Branch, and further described as follows:

BEGINNING in the upper edge of the county road in a line between Ardill Caldwell and J. M. Huber Corporation, and a distance of 47 feet from a corner between Ardill Caldwell, J. M. Huber Corporation and Bringardner Lumber Company, thence with the line of J. M. Huber Corporation

S 87 W 232 feet to a bunch of bolder rocks on the west side of Middle Fork (A beech and dogwood bears S. 53 W 23 feet, said witness trees are standing on a rock, marked with an "X"; thence down the Middle Fork

N 19 W 746 feet to a stake 16 feet from a cross ("X") on a rock sticking over the water; thence continuing down the Middle Fork

N 35 1/2 E 250 feet to a stake on the west side of Middle Fork, witnessed by a spruce pine and wahoo bush; thence leaving the creek

S 86 E 212 feet to a stake in the upper side of the county road; thence along the upper side of the county road

S 3 3/4 W 400 feet to a stake in the edge of the road; thence

S 11 E 200 feet to a stake in the edge of the road; thence

S 36 E 100 feet to a stake in the edge of the road; thence

S 11 E 250 feet to the BEGINNING, containing 5.2 acres.

Being a portion of that property conveyed by J.M. Huber Corporation to Ardill Caldwell by Deed dated August 24, 1964 and recorded in Deed Book 65, Page 616, Leslie County Court Clerk's Office.

FURTHER LESS AND EXCEPT:

All that certain tract or boundary of land situate, lying and being on the waters of Greasy Creek of the Middle Fork of the Kentucky River in Leslie County, Kentucky, and more particularly described and identified as follows, to-wit:

BEGINNING on a stake in the west edge of the county road, from which stake and "XE on a rock in the mouth of a drain bears N 76° 15' W 31 1/2 feet and said beginning corner being located approximately four hundred fifty (450) feet south of the mouth of Briton Branch; thence

S 13° W up the said road 732 feet to a poplar on the west side of said county road; thence

N 83° W 124 feet to a water birch on the east bank of Greasy Creek; thence

N 1° W 238 feet to a water birch on the east bank of Greasy Creek; thence

N 9° 45' E 270 feet to a stake on the east bank of Greasy Creek; thence

N 2° E 228 feet to a water birch on the east bank of Greasy Creek; thence

N 10° E 128 feet to a 4" elm on the east bank of Greasy Creek; thence

N 17° 30' E 151 feet to a 4" water birch on the east bank of Greasy Creek; thence

N 2° W 322 feet to a stake on the west bank of Greasy Creek; thence

N 52° 30' W 217 feet to a water birch on the east bank of Greasy Creek; thence

N 42° 30' W 85 feet to a sycamore; thence

N 2° E 151 feet to the west edge of the county road; thence

N 82° E. 240 feet to a stake on the edge of the county road; thence

S 82° 30' E 160 feet to a stake on the edge of the county road; thence

N 88° 30' E 265 feet to a stake on the edge of the county road; thence

S 53° 45' E 75 feet to a stake on the edge of the county road; thence

N 68° E 1023 feet to a stake on the edge of the Britton Branch road; thence

S 10° E 1318 feet to a stake with marked dogwood and beech as pointers; thence

S 87° 30' W 1500 feet to the BEGINNING corner on the west side of the county road.

Being a portion of that property conveyed by J.M. Huber to C.A. Dixon by Deed of Conveyance dated January 5, 1965 and recorded in Deed Book 66, Page 141, Leslie County Court Clerk's Office.

FURTHER LESS AND EXCEPT:

All that tract or parcel of land lying and being in Leslie County, Kentucky, more particularly described as follows:

Beginning at a poplar stump and spruce pine stump standing on the north side of the road leading up Spruce Pine, same being the beginning corner to the Ezekiel Hoskins 50 acre Patent No. 25983, thence with lines of same reversed; N 86° 30'W 330' to a stake in the Middle Fork at the Mouth of Spruce Pine the seventh corner to said Patent; thence, with the sixth line of same reversed S 4° 30'E 358.3' to a stake in said line; thence, around the hill with an old fence S 44°E 81.5' to a marked beech S 58° 15' E 181.5' to a stake above a large beech, S 81° 30' E 182.6' to a stake above a large rock, S 39° 5' E 150.5' to a stake by a maple S 44° E 162' to a stake by a dogwood, S 68° 15' E 79.4' to a stake with a poplar and hornbeam pointers at a cross-fence; thence, N 73° E 15' to a stake on the second line of said Hoskins Patent No. 25983; thence, with lines of same reversed N 4° 30' W 755' to the second corner thereof; thence, N 86° 30'/W 330' to the beginning, containing 8.24 acres, more or less.

Being a portion of that property conveyed by J.M. Huber Corporation to Ardill Caldwell by Quitclaim Deed dated November 13, 1961, recorded in Deed Book 63, Page 494, Leslie County Court Clerk's office.

FURTHER LESS AND EXCEPT:

That certain tract or parcel of land lying and being in Leslie County, Kentucky, and more particularly bounded and described as follows:

A certain tract or parcel of land lying on the waters of Greasy Creek, a Tributary of the Kentucky River in the Community of Lewis Creek, Leslie County, Kentucky and being a portion of the same land conveyed to the J.M. Huber Corporation by deed recorded in Deed Book 62, at Page 605, records of the Leslie County Court Clerk's Office and more particularly described as follows:

Beginning on a set iron pin and cap in the eastern edge of Ky Hwy 2009 (Greasy Cr. Road) (20' from approximate centerline), said pin being located approximately 1.5 miles northeast of the intersection of Ky Hwy 2009 and Ky Hwy 2008, said pin also being located S 03-21-30 W 132.13 feet from a found 1" iron pin on the western edge of Ky

Hwy 2009 (a corner of the parent tract), thence with the eastern edge of Ky Hwy 2009 (running 20' from and parallel to appx centerline) N 20-46-17 E 177.02 feet to a point, thence N 12-40-03 E 118.72 feet to a point, thence N 00-36-02 E 64.97 feet to a point, thence N 08-01-41 W 157.99 feet to a point, thence N 05-05-01 W 121.30 feet to a point, thence N 02-07-49 W 162.66 feet to a set iron pin and cap, thence leaving said road and with new division lines severing the parent tract N 79-54-32 E 42.52 feet to a set iron pin and cap on the western bank of Greasy Creek, thence with the western bank of Greasy Creek the following calls: S42-02-34 E 217.32 feet to a set iron pin and cap; Thence S 48-47-11 E 107.26 feet to a point, thence S 31-12-28 E 186.15 feet to a point, thence S 21-02-42 E 243.87 feet to a point, thence S 05-56-42 W 38.88 feet to a point, thence S 15-01-37 W 113.03 feet to a point, thence S 44-53-08 W 100.75 feet to a point, thence S 80-11-11 W 61.05 feet to a point, thence N 84-09-48 W 69.40 feet to a set iron pin and cap, thence N 84-42-47 W 68.46 feet to a point, thence N 67-34-57 W 67.45 feet to a point, thence S 86-07-34 W 98.68 feet to a set iron pin an cap, thence leaving west bank of said creek N 60-42-50 W 46.02 feet to the point of beginning containing 5.96 acres by survey conducted on September 13, 1999, by Gregory W. Havens, PLS #3311 with H & R Surveying, Route 1 Box 240, Gray, Kentucky 40734.

Being a portion of that property conveyed by J.M. Huber to Bledsoe Coal Leasing Company by Special Warranty Deed dated October 22, 1999 and recorded in Deed Book 145, Page 580, Leslie County Court Clerk's Office.

FURTHER LESS AND EXCEPT:

All those tracts or parcels of land lying and being in Leslie County, Kentucky, more particularly described as follows:

Tract No. XII

Beginning in the 7th line of the Chastain and Farmer Pat. No. 43390 on top of ridge between Buck Hollow of Middles Fork River and Trace Branch of Beech Fork on a set stone with a 16" pine marked for pointer; thence with said 7th line (old marked and painted line) N 80-15 E 120.5 feet to a stake; thence with said line N 78-20 E 76.3 feet to a stake; thence with said line N 79-30 E 219.2 feet to a stake; thence with said line N 80-15 E 160.3 feet to a set stone on lower edge of old road, with a 12" maple marked for pointer, in the 3rd line of Ilijah Collins 50 acre Pat. No. 15888; thence with said line reverse S 30-15 W 513.9 feet to a set stone 3rd corner of said Collins Patent, with a 14" cucumber marked for pointer; thence with 2nd line reverse S 67-15 W 139.6 feet to a set stone on top of ridge between Buck Hollow and Trace Branch, with an 18" black oak marked for pointer; thence leaving said Collins line, and with top of said ridge, N 32-20 W 86.2 feet to a stake; thence still with said ridge N 45-40 W 91.2 feet to a stake; thence still with said ridge N 17-50 W 153.5 feet to a stake; thence still with said ridge N 10-40 W 114.2 feet to the beginning. Containing 3.51 acres, more or less. Surveyed August 1975 by John Gent.

Tract No. XIII

Beginning on a set stone on top of mountain between left-hand fork of Big Laurel and Persimmon Fork of Cutshin Creek; thence leaving top of said mountain N 63-45 E 217.6 feet to a set stone; thence N 45-30 E 140.5 feet to a stake; thence N 31-00 E 190.0 feet to a stake in an old field; thence N 42-30 E 234.5 feet to a lynn marked for corner in hollow; thence N 56-00 E 171.9 feet to a stake in hollow; thence N 58-15 E 68.0 feet to a stake in hollow; thence N 53-45 E 260.4 feet to a stake in Cutshin Creek; thence N 38-00 E 807.5 feet to a set stone on top of ridge with a 26" chestnut oak marked for pointer; thence with top of ridge S 59-00 E 146.4 feet to a set stone; thence still with said ridge S 10-30 W 73.0 feet to a stake; thence leaving said ridge S 14-40 W 68.5 feet to a set stone with a forked chestnut oak marked for corner; thence S 14-30 W 122.6 feet to a stake; thence S 10-00 W 395.8 feet to a cross (+) on rock; thence S 14-50 W 145.0 feet to a stake; thence S 36-00 W crossing Cutshin Creek at 38.7 feet, in all 254.3

feet to a stake; thence S 20-00 W 362.3 feet to a stake; thence S 4-30 W 110.0 feet to a stake on spur; thence S 22-50 W 67.0 feet to a stake on spur; thence S 29-00 W 75.0 feet to a stake on spur; thence S 15-15 W 97.0 feet to a stake on spur; thence S 24-30 W 80.0 feet to a stake on spur; thence S 37-35 W 165.0 feet to a set stone on top of mountain between left-hand fork of Big Laurel and Persimmon Fork of Cutshin Creek, with a 30" chestnut oak marked for corner; thence with top of said mountain N 67-10 W 169.4 feet to a stake; thence still with said mountain N 69-30 W 177.7 feet to a stake; thence still with said mountain N 67-15 W 130.0 feet to a stake with a 30" chestnut oak marked for corner; thence still with said mountain S 60-20 W 170.2 feet to a stake with a 24" chestnut oak on top of high knob marked for corner; thence still with said mountain N 56-15 W 172.9 feet to a stake; thence still with said mountain N 46-30 W 120.0 feet to a stake; thence still with said mountain N 23-20 W 235.0 feet to the beginning. Containing 28.76 acres surveyed August 1973 by James Evans.

Being a portion of the property conveyed by J.M. Huber to N.G. Houston, III, Lloyd L. Shaw, and Steve Conner d/b/a TCB Limited Partnership by Quitclaim Deed dated December 17, 1997, recorded in Deed Book 139, Page 01, Leslie County Court Clerk's Office.

FURTHER LESS AND EXCEPT:

All that tract or parcel of land lying and being in Leslie County, Kentucky, more particularly described as follows:

Located on the waters of Britton Branch, waters of Greasy Creek in Leslie County, Kentucky.

BEGINNING on a Hub which bears N 74 degrees 11' 39" W from two Steel Rail 100.00 feet and 200.00 feet, Hub being on the West side of Greasy Creek Road, with a 14 inch Poplar marked for corner, formerly a corner between John Caldwell and J. M. Huber Corporation; thence leaving said road S 74 degrees 11' 39" E 529.30 feet to a set stone; thence S 76 degrees 02' 04" E 144.19 feet to a set stone; thence S 59 degrees 46' 05" E 198.57 feet to a stake on top of Cliff on Spur; thence with Spur S 34 degrees 28' 20" E 118.03 feet to a stake; thence with same S 41 degrees 11' 43" E 172.65 feet to a stake; thence with same S 45 degrees 51' 00" E 153.50 feet to a stake; thence with same S 25 degrees 02' 50" E 199.72 feet to a stake; thence with same S 60 degrees 20' 49" E 277.21 feet to a stake; thence with same N 84 degrees 59' 52" E 90.16 feet to a stake; thence

with same S 69 degrees 13' 20" E 506.36 feet to a set stone on Ridge between Britton Branch and White Oak Creek with an 18 inch Hickory marked for Pointer. Thence with top of Ridge N 47 degrees 34' 00" E 232.09 feet to a stake; thence with said Ridge N 21 degrees 16' 35" E 205.96 feet to a stake; thence with same N 28 degrees 04' 05" E 284.72 feet to a cross on top of large rock; thence with same N 23 degrees 31' 24" E 76.77 feet to a stake; thence with same N 8 degrees 54' 45" E 344.78 feet to a stake; thence with same N 30 degrees 17' 35" E 383.63 feet to a stake; thence with same N 51 degrees 38' 18" E 195.61 feet to a stake on High Knob; thence still with top of same Ridge S 89 degrees 44' 30" E 409.63 feet to Stake in Gap; thence with same N 86 degrees 14' 40" E 122.67 feet to a point on Large Rock on Knob; thence with same S 73 degrees 12' 50" E 17.11 feet to a point on Rock on Knob; thence with same N 48 degrees 00' 08" E 182.43 feet to a point on Large Rock; thence with same N 72 degrees 49' 34" E 318.48 feet to a stake; thence with same N 54 degrees 10' 25" E 148.42 feet to a Hub; thence with same N 23 degrees 27' 05" E crossing Fer-Low Gap at 442.76 feet in all 505.35 feet to a stake; thence with same N 0 degrees 26' 14" W 306.47 feet to a stake; thence with same N 6 degrees 01' 15" W 211.29 feet to a stake; thence with same N 1 degree 17' 22" E 243.39 feet to Point in Large Plastic White Cross on High Knob; thence with same N 82 degrees 14' 42" E 234.01 feet to a stake; thence with same N 67 degrees 32' 11" E 171.10 feet to a stake West of Gap; thence with same S 81 degrees 40' 46" E 289.56 feet to a stake; thence with same N 87 degrees 30' 34" E 103.11 feet to a stake on Low Knob; thence with same N 50 degrees 05' 30" E 562.78 feet to a stake on Low Knob; thence with same N 22 degrees 00' 25" E 374.67 feet to a stake; thence with same N 11 degrees 23' 29" E 103.56 feet to an old cross cut into a 8' x 11' Rock; thence with same N 38 degrees 21' 00" E 241.12 feet to a stake; thence with same N 45 degrees 03' 25" E 303.44 feet to Thomas Eng. point. Thence with same N 43 degrees 53' 20" E 113.94 feet to a stake; thence with same N 26 degrees 24' 15" E 252.32 feet to a stake; thence with same N 35 degrees 35' 27" E 127.88 feet to a stake; thence with same N 29 degrees 53' 10" E 24.85 feet to a YELLOW set stone, on Knob. Thence

with same S 63 degrees 50' 25" E 182.19 feet to a YELLOW set stone; thence with same N 81 degrees 23' 05" E 247.89 feet to a stake; thence with same N 58 degrees 54' 44" E 164.59 feet to a set Stone for corner; thence leaving top of said Mountain N 49 degrees 12' 24" W 197.85 feet to a Government Metal Marker set for Corner. Thence with Government Line N 19 degrees 03' 46" E 71.23 feet to a Government Metal Marker set for Corner. Thence leaving said Government line and running with old marked and painted line (YELLOW) N 23 degrees 18' 43" W 448.58 feet to a stake; thence with same said Line N 25 degrees 53' 30" W 180.10 feet to a Plastic Yellow Rod for Corner with a 22 inch Poplar marked for corner between Interstate Coal Co., Inc., (formerly Huber) and York property. Thence with same N 10 degrees 27' 09" W 245.39 feet to a stake; thence with same N 16 degrees 00' 30" W 181.78 feet to a stake; thence with same N 13 degrees 03' 15" W 240.75 feet to a stake; thence with same N 13 degrees 40' 45" W 317.75 feet to a Cross on Rock for corner with a 38 inch Beech marked for Corner being a corner between York property and Interstate (formerly Huber). Thence with same said line N 59 degrees 52' 59" W 120.98 feet to a set stone a corner between Yorks property, and formerly Huber and Bledsoe's 67.77 acre tract; thence with said line old marked and painted (YELLOW) N 67 degrees 50' W 151.67 feet; thence with same N 66 degrees 13' W 146.94 feet to a point in Britton Branch. Thence still with same N 51 degrees 00' 11" E 313.61 feet to a set stone in old Field corner to Bledsoe's 67.77 acre tract. Thence with old marked and painted line (YELLOW) N 53 degrees 37' 12" E 1730.73 feet to a set stone on top of Ridge between Robin Branch and Britton Branch with a 14 inch Red Oak and a Forked White Oak marked for Pointers; thence with top of Ridge between Robin Branch and Britton Branch S 75 degrees 07' 04" W 129.33 feet to a stake; thence with top of said Ridge S 72 degrees 56' 25" W 303.16 feet to a stake; thence with same S 70 degrees 59' 40" W 195.52 feet to a stake; thence with same S 82 degrees 15' 05" W 272.26 feet to a stake; thence with same S 79 degrees 41' 54" W 151.22 feet to a Hub; thence with same N 87 degrees 52' 25" W 246.30 feet to a stake on Knob; thence with same N 61 degrees 41' 55" W 221.50 feet to a stake; thence with same N 75 degrees 36' 50" W 355.41 feet to a stake on Small Cliff; thence with same N 47 degrees 38' 40" W 276.74 feet to a Plastic Rod;

thence with same N 63 degrees 25' 10" W 397.12 feet to a stake on High Knob; thence with same N 8 degrees 41' 10" W 212.61 feet to a stake; thence with same N 18 degrees 11' 00" W 355.55 feet to a stake; thence with same N 76 degrees 33' 51" W 234.18 feet to a stake in Low Gap; thence with same S 68 degrees 26' 50" W 190.05 feet to a stake; thence with same S 47 degrees 31' 32" W 101.04 feet to a stake on Knob; thence with same S 78 degrees 14' 57" W 193.74 feet to a stake; thence with same S 60 degrees 13' 31" W 256.94 feet to a stake; thence with same S 67 degrees 23' 54" W 186.51 feet to a stake; thence with same S 63 degrees 12' 43" W 141.12 feet to a point on High Rock; thence with same S 69 degrees 15' 10" W 141.55 feet to a stake; thence with same N 87 degrees 22' 05" W 229.13 feet to a stake; thence with same S 81 degrees 45' 46" W 229.88 feet to a stake; thence with same S 18 degrees 24' 00" W 407.55 feet to a set stone in old marked and painted line (YELLOW) a corner between Hensley Heirs and Interstate (formerly Huber); thence with same said Ridge and Line S 24 degrees 39' 50" W 333.60 feet to a stake; thence with same S 63 degrees 19' 24" W 46.79 feet to a stake; thence with same S 38 degrees 37' 40" W 365.81 feet to a stake on Knob; thence with same S 69 degrees 40' 20" W 96.30 feet to a stake on Knob; thence with same S 55 degrees 39' 00" W 161.45 feet to a Cross on Rock; thence with same S 24 degrees 39' 35" W 283.14 feet to a stake; thence with same S 30 degrees 16' 25" W 82.58 feet to a stake; thence with same S 21 degrees 17' 13" W 280.92 feet to a Cross on Large Rock;, thence with same S 10 degrees 06' 20" W 55.56 feet to Nail in Cross on Large Rock; thence with same S 32 degrees 57' 50" W 131.52 feet to a stake; thence with same S 44 degrees 17' 09" W 239.02 feet to a stake; thence with same S 55 degrees 17' 56" W 184.27 feet to a stake; thence with same S 56 degrees 45' 47" W 378.23 feet to a stake on Knob; thence with same S 77 degrees 32' 33" W 84.33 feet to a Large Cross on Rock; thence with same S 57 degrees 30' 25" W 120.38 feet to a stake; thence with same S 50 degrees 49' 28" W 409.72 feet to a stake; thence with same S 61 degrees 48' 10" W 228.21 feet to a Cross on top of Large Rock; thence with same S 23 degrees 53' 43" W 154.57 feet to a stake; thence with same S 29 degrees 03' 18" W 220.27 feet to a point in Low Gap; thence with same S 29 degrees 02' 09" W 308.29 feet to a stake; thence with same S 30 degrees 09' 25" W 266.90 feet to a stake on High Knob between Britton Branch, Robin Branch and Greasy Creek; thence with Ridge between Britton Branch and Greasy Creek S 1 degree 07' 45" E 14.95

feet to a stake; thence with said Ridge and same marked and painted line S 19 degrees 54' 10" E 184.74 feet to a point on Large Rock; thence with same S 10 degrees 49' 19" E 186.66 feet to a point on Cliff; thence with same S 34 degrees 29' 56" W 128.21 feet to a stake; thence with same S 40 degrees 47' 15" W 114.20 feet to a stake; thence with same S 65 degrees 40' 59" W 56.17 feet to a cross on Rock; thence with same S 49 degrees 41' 55" W 146.38 feet to a stake; thence with same S 45 degrees 09' 57" W 206.98 feet to a stake; thence with same S 29 degrees 45' 51" W 179.14 feet to a stake between two rocks; thence with same S 57 degrees 40' 25" W 158.64 feet to a set stone a corner between J. M. Huber Corporation and Interstate and top of Ridge between Britton Branch and Greasy Creek with a 20 inch Chestnut Oak marked for corner; thence leaving said ridge and running with a marked and painted line S 7 degrees 30' 35" E 195.93 feet to a set stone with an 8 inch White Oak marked for pointer; thence with said line S 27 degrees 07' 24" E 210.29 feet to a set stone with an 18 inch Hickory marked for pointer; thence with same S 25 degrees 36' 10" E 130.56 feet to a set stone with a 30 inch Beech marked for pointer; thence with same S 31 degrees 53' 30" E 329.38 feet to a stake corner on South side of Greasy Creek Road; thence with said Road N 68 degrees 23' 34" E 20.92 feet to a stake; thence with same N 87 degrees 40' 55" E 290.22 feet to a stake on North side of said road; thence with same S 72 degrees 23' 06" E 150.00 feet to a point in said road; thence with same N 86 degrees 53' 22" E 215.35 feet to a point in said road; thence with same S 38 degrees 18' 10" E 65.25 feet to a point in center of Bridge that cross Britton Branch; thence with same S 36 degrees 00' 00" E 66.83 feet to a Hub on North Side of said Road and on the East Side of Britton Branch Road formerly a corner between J. M. Huber and John Caldwell; thence leaving said Greasy Creek Road and with the East side of Britton Branch Road N 70 degrees 08' 30" E

1023.00 feet formerly a corner between J. M. Huber and John Caldwell; thence S 5 degrees 58' 01" E 1411.60 feet to a Dogwood formerly a corner between J. M. Huber and John Caldwell; thence N 83 degrees 20' 47" W 1544.91 feet to a Hub on West Side of Greasy Creek Road formerly a corner between J. M. Huber and John Caldwell; thence with West side of said Road S 18 degrees 24' 24" W 723.79 feet to the BEGINNING. Containing 743.11 acres more or less with a 67.77 Acres more or less exception conveyed to Blossom Coal Company by deed dated the 1st day of April, 19 85, and recorded in Deed Book 103, Page 237, office of the Leslie County Court Clerk.

The following is excepted from the above described property:

Exception No. ~~1~~: A certain tract or parcel of land (surface only) lying and being in Leslie County, Kentucky, on the waters of Britton Branch of Greasy Creek, conveyed by deed to Bledsoe Coal Leasing Company from J. M. Huber Corporation, duly recorded the 12th day of April, 1985, in Deed Book 103, Page 237, of the Leslie County Court Clerk's Office, Hyden, Kentucky and being 67.77 acres more or less (as stated by deed).

Exception No. 2: A certain tract or parcel of land (surface only) lying and being in Leslie County, Kentucky, on the waters of Brittaon Branch of Greasy Creek, conveyed by deed to Bledsoe Coal Copmany, Inc., from Jimmy Hamilton, duly recorded the 23rd day of March, 1978, in Deed Book 86, Page 597, of the Leslie County Court Clerk's Office, Hyden, Kentucky and being 37.84 acres more or less. (Calculated with an engineering planimeter).

Exception No. 3: A certain tract or parcel of land (surface only) lying and being in Leslie County, Kentucky, on the waters of Britton Branch of Greasy Creek, conveyed by deed to Barbara C. York from Jimmy Hamilton, Paul Hamilton and Edwin Hamilton, duly recorded the 21st day of September, 1977, in Deed Book 85, Page 659, of the Leslie County Court Clerk's Office, Hyden, Kentucky, and being 1.22 acres more or less. (Calculated with an engineering planimeter.)

Being a portion of the property conveyed by J.M. Huber Corporation to Interstate Coal Company by Special Warranty Deed dated March 21, 1988 and recorded in Deed Book 111, Page 216, Leslie County Court Clerk's Office.

FURTHER LESS AND EXCEPT:

All that certain tract or parcel lying and being in Leslie County, Kentucky, more particularly described as follows:

Tract 36-4

BEGINNING at a buckeye on the west side of Laurel Fork in the mouth of a hollow below where A. H. Shell lived. Thence with the meanders thereof S 63-45 W 93.7 feet to a stake; thence S 73-30 W 36.0 feet to edge of road, 90.7 feet to a stake; thence S 81-30 W 95.8 feet to a stake; thence S 65-45 W 66.0 feet to a stake; thence S 76-45 W 83.0 feet to a stake; thence S 60-45 W 104.9 feet to a stake; thence S 77-15 W 125.4 feet to a stake; thence N 85-15 W 219.8 feet to a stake; thence S 67-45 W 331.1 feet to a stake; thence S 34-30 E 594.0 feet to a stake; thence S 69-30 E 244.2 feet to a stake; thence S 0-15 W 229.7 feet to a stake; thence S 61-30 E 354.7 feet to a stake; thence N 36-30 E 335.3 feet to a stake; thence N 71-00 E 153.1 feet to a stake; thence N 29-15 E 77.9 feet to a stake; thence S 10-45 E 153.1 feet to a stake; thence S 21-15 E 77.2 feet to a stake; thence S 3-15 W 70.0 feet to a stake; thence S 17-15 W 165.0 feet to a stake; thence S 26-00 W 181.5 feet to a stake; thence S 43-00 W 645.0 feet to a stake; thence N 49-30 W 293.0 feet to a stake; thence N 40-45 W 161.2 feet to a stake; thence N 19-45 W 69.8 feet to a stake; thence N 27-30 W 141.9 feet to a stake; thence N 69-30 W 165.0 feet to a stake; thence N 84-30 W 64.0 feet to a stake; thence N 77-30 W 189.7 feet to a stake; thence N 79-00 W 169.6 feet to a stake on top of ridge; thence with ridge N 43-30 W 235.3 feet to a stake; thence N 55-45 W 161.7 feet to a stake; thence N 36-30 W 176.2 feet to a stake; thence N 31-00 W 130.0 feet to a marked chestnut oak-four (4) hacks; thence N 54-00 W 160.4 feet to a marked chestnut oak-three (3) hacks; thence N 54-45 W 330.0 feet to a stake; thence N 5-45 W 99.5 feet to a stake; thence N 1-45 W 166.0 feet to a stake; thence N 9-45 E 66.0 feet to a stake; thence leaving ridge N 80-15 E 938.3 feet to a 20-inch sugar tree stub marked with three (3) hacks; thence N 81-15 E 728.0 feet to east side of county road; thence N 47-15 E 550.0 feet to west side of Laurel Fork Creek; 598.6 feet to a stake at the end of a large rock on the east bank of Laurel Fork Creek; thence S 35-15 E 445.5 feet along side of creek to a stake near a large rock; thence S 43-00 W 108.9 feet crossing said creek to the beginning, containing 57 acres (more or less) as surveyed January, 1967 by James M. Evans.

Tract 36-5

BEGINNING on a beech, mulberry, and a large rock on the east bank of Laurel Fork; thence S 31-30 E 1173.0 feet to a beech; thence S 56-30 E 964.0 feet to a stake; thence S 83-45 E 1024.0 feet to a beech and ash; thence S 4-45 E 214.5 feet to a black oak stump on the bank of Lovely Branch; thence S 61-00 W crossing Lovely Branch at 212.6 feet and 258.0 feet to a Lynn corner; thence N 78-00 W 206.2 feet to a stake; thence N 77-45 W intersecting Lovely Branch at 284.0 feet and 383.5 feet to a stake on the north bank of Lovely Branch; thence S 81-00 W crossing Lovely Branch at 20.0 feet 399.0 feet to a stake with an elm and soft maple as pointers; thence S 72-15 W 186.8 feet to a stake; thence S 12-45 W 165.0 feet to a stake with an oak pointer; thence S 26-30 W 431.0 feet to a stake in Laurel Fork opposite the mouth of Slick Rock Hollow; thence up same with the meanders thereof S 46-15 E 110.0 feet to a stake; thence S 42-15 E 93.7 feet to a stake; thence S 65-15 E 184.8 feet to a stake; thence S 61-15 E 165.0 feet at the forks of said branch; thence up spur between said forks S 48-45 E 91.7 feet to a stake; thence S 59-15 E 188.7 feet to a stake; thence S 46-00 E 258.00 feet to a stake; thence N 80-00 E 786.00 feet to a dogwood and poplar; thence S 58-00 E 266.9 feet to a stake in a draw; thence S 41-00 E 418.0 feet to a stake; thence N 1-45 E 356.0 feet to top of ridge 1464.0 feet to center of Lovely Branch 1520.0 feet to truck road, 1881.0 feet to corner with two marked hickories; thence West 27.9 feet to a marked hickory; thence N 38-00 E running between two marked oaks at 990.0 feet 1903.0 feet to top of mountain to a hickory and oak for pointers; thence with the crest of ridge S 68-45 W 376.0 feet to two marked oaks; thence S 89-15 W 272.3 feet to a stake; thence N 89-30 W 90.7 to a stake; thence S 70-45 W 283.8 feet to a stake; thence S 88-30 W 158.0 feet to a marked oak; thence N 85-00 W 219.8 feet to a stake; thence N 72-15 W 226.0 feet to a stake; thence N 65-00 W 132.0 feet to a stake; thence S 84-30 W 153.1 feet to a stake; thence N 76-45 W 186.1 feet to two marked chestnut oaks; thence N 85-30 W 270.6 feet to a stake; thence N 81-45 W 242.2 feet to a stake; thence N 73-30 W 171.6 feet to a stake; thence N 69-00 W 146.5 feet to a stake; thence N 62-00 W 161.7 feet to a stake; thence N 60-00 W 158.4 feet to a marked hickory; thence leaving ridge N 84-15 W 514.0 feet to a stake; thence S 83-45 W 284.6 feet to a stake; thence S 76-30 W 222.7 feet to the beginning corner, containing 143 acres (more or less) as surveyed December, 1966 by James M. Evans.

Being a portion of the property conveyed by J.M. Huber Corporation to Southern Realty Resources, Inc. by Deed of Conveyance dated August 14, 1986 and recorded in Deed Book 107, Page 235, Leslie County Court Clerk's Office.

FURTHER LESS AND EXCEPT:

All that certain tract or parcel of land lying and being in Leslie County, Kentucky, and described as follows,

Lyfng and being West of Lewis' Creek of Greasy Creek of the Middle Fork of the Kentucky River and bounded and described as follows, to-wit:

Beginning on an 8" ash and a 12" maple, a corner to Tract 1-1-14, formerly Charles Pace 350 Acre Tract, Patent No. 8177; thence S 79 -35 E 736.0 feet to a steel rail the beginning corner of property traded to John Caldwell;

Thence N 55-45 E 117.5 feet to a steel rail with a forked white oak (each fork 10") marked for pointers;

Thence S 68-45 E 255.2 feet to a steel rail;

Thence N 73-30 E 95.4 feet to a stake;

Thence N 69-15 E 148.0 feet to a steel rail with a 20" oak marked for pointer;

Thence S 54-00 E crossing Tantrough Branch at 70.9 feet, crossing road at 85.9 feet, in all 130.9 feet to a stake.

Thence S 45-45 E 18.1 feet to a steel rail with a 8" black walnut marked for pointers

Thence S 21-30 W 86.5 feet to a steel rail.

Thence 32-10 E 1,080.0 feet to a steel rail with a 12" whiteoak marked for pointer.

Thence S 2-30 W 63.3 feet to a steel rail, approximately 8.0 feet from County Road.

Thence N 86-50 W 76.9 feet to a stake in ditchline of County Road;

Thence N 57-15 W 85.2 feet to a stake in ditchline of said Road.

Thence N 45-40 W 300.0 feet to a stake in ditchline of said Road.

Thence N 46-10 W 300.0 feet to a stake in ditchline of said Road.

Thence N 45-10 W 300.0 feet to a stake in ditchline of said Road.

Thence N 44-10 W crossing Tantrough Branch at 117.0 feet in all 208.7 feet to a stake in ditchline of said road.

Thence N 48-10 W 300.0 feet to a stake in ditchline of said Road;

Thence N 44-05 W 90.1 feet to the Beginning, contains 9.3 acres, more or less.

Being a portion of the property conveyed by J.M. Huber Corporation to John Caldwell by Deed of Conveyance dated June 28, 1973 and recorded in Deed Book 76, Page 222, Leslie County Court Clerk's Office.

FURTHER LESS AND EXCEPT:

All that certain tract or parcel of land (surface and timber only) situated lying and being on Greasy Fork of the Middle Fork of the Kentucky River and below the mouth of Britton Branch of the aforesaid creek and more definitely bounded and described as follows, to-wit:

Beginning on a steel rail with a 12" maple and an 8" and 12" maple on the same stump for pointers. Point being behind Warnie Joseph's house.

Thence S 80-20 E 152.9 feet to a stake

Thence Crossing county road N 86-44 E 180.7 feet to a stake on edge of county road with a 20" pine for pointer.

Thence up the eidge of said road N 53-11 E 146.0 feet to a stake, on edge of road.

Thence N 49-07 E 300.0 feet to a stake on edge of said road.

Thence N 51-27 E 300.0 feet to a stake on edge of said road.

Thence N 64-12 E 272.7 feet to a stake on edge of said road.

Thence N 74-51 E 166.0 feet to a stake on edge of said road, a corner to the John Caldwell property.

Thence leaving county road and with John Caldwell property S 2-00 W 148.6 feet to a stake on the bank of Greasy Creek another corner to said Caldwell property.

Thence S 42-30 E 85.0 feet to a stake in Greasy Creek, a corner to John Caldwell's property.

Thence S 52-30 E 217.0 feet to a point in Greasy Creek, a corner to John Caldwell's property.

Thence S 2-00 E 322.0 feet to a stake in Greasy Creek, a corner to John Caldwell's property (note the creek bed has been changed for the last three calls)

Thence S 17-30 W 18.2 feet to a stake in line of John Caldwell property.

Thence leaving John Caldwell property and crossing Greasy Creek N 82-14 W 106.8 feet to a stake on bank of Greasy Creek, with a 7" persimmon tree for pointer.

Thence down Greasy Creek N 30-22 W 176.0 feet to a stake on the west bank of Greasy Creek.

Thence N 88-39 W 70.8 feet to a stake by a fence.

Thence around a hill above a field S 65-07 W 299.8 feet to a stake.

Thence S 70-21 W 221.8 feet to a stake.

Thence S 69-05 W 244.8 feet to a stake, at the upper edge of field.

Thence S 54-45 W 139.6 feet to a stake.

Thence S 69-20 W 300.0 feet to a stake at the foot of a steep bank with a 14" buckeye and a 10" buckeye for pointers.

Thence N 78-24 W 142.9 feet to a stake beside of a 24" sycamore standing on the bank of Greasy Creek.

Thence crossing Greasy Creek and county road N 25-28 W 181.4 feet to a stake at the edge of a driveway on the bank of the county road.

Thence down beside of county road N 87-40 W 107.0 feet to a stake on edge of road.

Thence N 81-45 W 97.3 feet to a stake on edge of road.

Thence N 73-45 W 108.7 feet to a stake on edge of road.

Thence N 68-12 W 106.1 feet to a stake on edge of road.

Thence N 64-49 W 173.5 feet to a stake on edge of road.

Thence N 55-32 W 146.7 feet to a stake on edge of road.

Thence N 47-11 W 92.3 feet to a stake on edge of road.

Thence N 38-23 W 91.9 feet to a stake on edge of road.

Thence N 29-25 W 52.9 feet to a stake on edge of road.

Thence N 22-07 E 102.8 feet to a stake on edge of road.

Thence N 26-30 E 130.1 feet to a stake.

Thence leaving said road, and with fence S 49-09 E 50.8 feet to a stake

Thence S 34-26 E 86.2 feet to a stake.

Thence S 53-24 E 177.4 feet to a stake.

Thence S 59-26 E 121.9 feet to a stake.

Thence S 69-12 E 248.4 feet to a stake.

Thence S 75-39 E 200.8 feet to the Beginning, containing 20 acres more or less.

Being a portion of that property conveyed by J.M. Huber Corporation to Warnie Joseph and Lutisha Joseph by Indenture dated February 15, 1972 and recorded in Deed Book 74, Page 318, Leslie County Court Clerk's Office.

LESS AND EXCEPT:

All that certain tract or parcel of land lying and being in Leslie County, Kentucky, more particularly described as follows:

Lying and being on the waters of Greasy Creek of the Middle Fork of the Kentucky River and described as follows:

Beginning at the mouth of Lewis Creek at a point in the center of the present county road; thence up Greasy Creek with the centerline of the county road to the property line of Joe Miniard and Henry Miniard and containing a strip of right of way 30 feet in width on each side of the centerline of said county road.

Being a portion of that property conveyed by J.M. Huber Corporation to the Leslie County Fiscal Court by Deed for Highway Purposes dated March 14, 1967 and recorded in Deed Book 68, Page 19, Leslie County Court Clerk's Office.

FURTHER LESS AND EXCEPT:

All that tract or parcel of land lying and being in Leslie County, Kentucky, and described as follows:

Located in the head of Britton Branch in Leslie County, Kentucky on the waters of Greasy Creek, Waters of Middle Fork of the Kentucky River, ~~being a part of Huber Tract No. 36 1. a~~

BEGINNING on a piece of steel rail near the upper fork of Britton Branch, in Britton Branch; thence running up the hill with Huber line N 50° 22' E 310.45 feet to a piece of steel rail below road; thence N 67° 56' W 389.10 feet to a point in road; thence N 65° 44' W 295.27 feet to a point in road; thence N 44° 32' W 129.59 feet to a point in road; thence N 47° 01' W 206.63 feet to a point in road; thence S 83° 47' W 111.45 feet to a point in road; thence S 82° 53' W 151.89 feet to a point in road; thence S 68° 33' W 294.78 feet to a point in road; thence N 47° 01' W 443.99 feet to a stake; thence S 89° 58' W 497.17 feet to a stake; thence S 16° 48' W 326.00 feet to a stake; thence S 29° 09' W 185.25 feet to a stake; thence S 19° 09' W 254.92 feet to a stake; thence S 27° 35' W 266.67 feet to a stake; thence S 73° 30' W 625.65 feet to a stake; thence S 31° 28' E 520.73 feet to a stake; thence S 14° 38' E 127.90 feet to a stake; thence S 14° 15' E 102.85 feet to a stake; thence S 9° 07' 31" E 357.10 feet to a stake; thence S 53° 30' E 568.00 feet to a stake on the East bank of Britton Branch; thence N 65° 00' E 454.55 feet to a stake; thence N 1° 00' W crossing hollow at 134.00 feet, in all 667.56 feet to a stake; thence N 10° 10' W 90.17 feet to a stake; thence N 5° 04' E 252.42 feet to a stake; thence N 1° 37' E 155.65 feet to a stake; thence N 58° 15' E 183.77 feet to a stake; thence N 58° 30' E 179.58 feet to a stake; thence N 58° 10' E 196.73 feet to a stake; thence N 84° 20' E 545.85 feet to a stake; thence N 84° 47' E 153.12 feet to a stake; thence S 68° 20' E 606.41 feet to a stake; thence S 48° 16' E 145.69 feet to a stake; thence N 89° 54' E crossing Britton Branch at 40.00 feet, in all 155.45 feet to a stake; thence N 1° 12' E 110.51 feet to a stake in Huber line; thence with Huber line N 67° 58' W 151.67 feet to a stake; thence N 66° 13' W 146.49 feet to the BEGINNING. Containing 67.766 acres, more or less.

Being a portion of that property conveyed by J.M. Huber Corporation to Bledsoe Coal Leasing Company by Special Warranty Deed dated April 1, 1985 and recorded in Deed Book 103, Page 237, Leslie County Court Clerk's Office.

FURTHER LESS AND EXCEPT THE REAL PROPERTY DESCRIBED IN THE FOLLOWING:

Settlement in Leeco v. J.M. Huber Corporation, Civil Action No. 98-284, Eastern District of Leslie County, Kentucky.

Quitclaim Deed from J.M. Huber Corporation to N.G. Houston, III, Loyd L. Shaw, and Steve Conner, d/b/a/ TCB Land Partnership, dated December 17, 1997 and recorded in Deed Book 261, Page 193, Leslie County Court Clerk's Office.

Agreement among J.M. Huber Corporation and C. Bruce Hoskins and wife, Lois Hoskins; Walter S. Hoskins and wife, Norma Hoskins; Gary C. Hoskins and wife, Carline Hoskins; Constance D. Wells and husband Robert Wells, dated January 15, 1979 and recorded in Deed Book 91, Page 315, Leslie County Court Clerk's Office.

Boundary Line Agreement between J.M. Huber Corporation and Silas Nantz dated March 14, 1978 and recorded in Lease Book 22, Page 279 and Misc. Book 3, Page 200, Leslie County Court Clerk's Office.

Deeds, recorded in the Leslie County Court Clerk's Office, as follows:

Deed Book 27, Page 98
Deed Book 37, Page 597
Deed Book 52, Page 139

The following deeds pursuant to Judgments, all dated September 10, 1960 and recorded in Deed Book 62, Page 105, Leslie County Court Clerk's Office:

That certain Judgment recorded in Civil Order Book No. 15, Page 361
Inter-Mountain Coal and Lumber Company v. Hobert Miniard
Inter-Mountain Coal and Lumber Company v. Kentucky River Coal Corporation
W.F. Hunter v. Bringardner Lumber Company and Inter-Mountain Coal and Lumber Company
Black Star Coal Corporation v. Inter-Mountain Coal and Lumber Company
Inter-Mountain Coal and Lumber Company v. A.B. Shell
Inter-Mountain Coal and Lumber Company v. Besse S. Lewis

FURTHER LESS AND EXCEPT:

(From Tract 36-1(i)

Beginning on a beech, white oak and hickory, all marked with (4) four hacks facing stake as pointers, and standing near a drain of Zeke Hollow.

Thence N3-50E crossing branch at 154.0 feet, in all 967.6 feet to a stake on top of ridge, between Cow Fork and Zeke Hollow, both of Bad Creek.

Thence N9-20E 170.0 feet to a stake,

Thence N11-40E 142.0 feet to a stake,

Thence N71-10E 228.3 feet to a stake,

Thence N76-40E 297.5 feet to a stake,

Thence N75-50E 120.0 feet to a stake,

Thence N78-45E 68.0 feet to a stake,

Thence N82-30E 36.2 feet to a stake,

Thence S20-10E 157.1 feet to a stake,

Thence S12-24W crossing top of ridge at 450.0 feet, in all 901.5 feet to a stake,

Thence S9-30W 251.2 feet to a stake,

Thence S75-00W 211.1 feet to a stake,

Thence S75-15W 525.2 feet to the beginning, containing 22.0 acres, more or less.

Exhibit "A" continued

Less and Excepted the Following:

LESLIE COUNTY EXCLUDED AREAS

Located on the Middle Fork of the KY River
On Kentucky Highway 1780

This Excluded Area consists of two tracts located in **Leslie County, Kentucky** on KY 1780, approximately 1.8 miles south of Warbranch, Kentucky.

Tract 1 is located at the mouth of Marrowbone Creek, and is described as follows:

Beginning at a 1/2" rebar in the north bank of Marrowbone Creek at LAT: 36°56'45.4155" LON: 83°27'18.3443";

Thence N 07 deg 15 min E 264.4 feet to a 1/2" rebar above the highwall;

Thence N62 deg 31 min E 318.3 feet to a point above the highwall;

Thence N 87 deg 42 min E 834.6 feet to a point above the highwall;

Thence N 67 deg 21 min E 117.3 feet to a point above the highwall;

Thence N 21 deg 28 min E 233.2 feet to a 1/2" rebar above the highwall;

Thence N 80 deg 00 min E *521.7* feet to a 1/2" rebar on the west bank of the river;

Thence N 72 deg 38 min E crossing the river approximately 150.5 feet to the R/W of KY 1780;

Thence with the R/W of KY 1780 southeast and southwest approximately 523.9 feet to a point in the R/W of KY 1780;

Thence N 82 deg 08 min W crossing the river approximately 140.5 feet to a 10" sycamore on the west bank of the river;

Thence S 37 deg 01 min W 349.8 feet to a 1/2" rebar in the north bank of Marrowbone Creek and the west bank of the river;

Thence with the meanders of Marrowbone Creek in a westerly direction approximately 1545 feet to the point of beginning.

Containing approximately 19.5 ac +/-.

Tract 2 is located in mouth of Roark Branch on the east side of KY 1780 in Leslie County, Kentucky and is described as follows:

Beginning on a 1/2" rebar on the east side of KY 1780 in the right of way at LAT: 36°56'55.4453" LON: 83°26'54.8731";

Thence N 72 deg 05 min E 30.9 feet to a power pole;

Thence S 68 deg 21 min E 171.2 feet to a power pole;

Thence S 57 deg 58 min E 389.4 feet to a point in the north side of a road;

Thence N 83deg 03 min E 527.7 feet to a point above the highwall;

Thence N 72 deg 20 min E 162.9 feet to a point above the highwall;

Thence S 83 deg 32 min E 220.0 feet to a point above the disturbed area;

Thence S 73 deg 08 min E 499.2 feet to a point above the disturbed area;

Thence S 69 deg 16 min E 574.9 feet to a 1/2" rebar above the disturbed area;

Thence S 48 deg 38 min W crossing the hollow 302.6 feet to a 1/2' rebar;

Thence S 79 deg 21 min W 228.7 feet to a point;

Thence N 88 deg 36 mm W 228.6 feet to a point;

Thence S 83 deg 28 min W 324.8 feet to a point above the spillway of the pond;

Thence S 86 deg 50 min W 241.7 feet to a point above the spillway of the pond;

Thence S 89 deg 04 min W 202.9 feet to a point above the spillway of the pond;

Thence N 80 deg 54 min W 561.1 feet to a 1/2" rebar in the edge of the road in the hollow south of the spillway of the pond;

Thence N 47 deg 54 min W 266.6 feet to a point above the disturbed area;


Thence N 69 deg 04 min W 397.7 feet to a point in the R/W of KY 1780;

Thence in a northeast and northwest direction along the east side of KY 1780 in the right-of- way approximately 500.4 feet to the beginning. Containing 26.8 ac +/-.

The foregoing Excluded Areas are generally depicted on the boundary surveys attached hereto which are labeled:


"Excluded Area #7
Tract #1
Leslie County, KY"

"Excluded Area #7
Tract #2
Leslie County, KY"



LINE	BEARING	DISTANCE
L1	N 07°15' W	264.4000'
L2	N 62°31' E	318.3000'
L3	N 87°42' E	834.6000'
L4	N 67°21'E	117.3000'
L5	N 21°28'E	233.2000'
L6	N 80°00' E	521.7000'
L7	N 72°38'E	150.5000'
L8	KY 1780 ROW	523.90'
L9	S 82°08' W	140.5000'
L10	S 37°01' W	349.8000'
L11	WEST	1545.00'

BLC PROPERTIES LLC		
DRAWN DH	DATE 6/20/03	EXHIBIT "B-2" EXCLUDED AREA #7
APPROVED	DATE	TRACT #1 LESLIE COUNTY, KY
SCALE 1" = 500'	SHEET 1	PROJECT NO. 9



LINE	BEARING	DISTANCE
L1	N 72°05' E	30.9000'
L2	S 68°21' E	171.2000'
L3	S 57°58' E	389.4000'
L4	N 83°03' E	527.7000'
L5	N 72°20' E	162.9000'
L6	S 83°32' E	220.0000'
L7	S 73°08' E	499.2000'
L8	S 69°16' E	574.9000'
L9	S 48°38' W	302.6000'
L10	S 79°21' W	228.7000'
L11	N 88°36' W	228.6000'
L12	S 83°28' W	324.8000'
L13	S 86°50' W	241.7000'
L14	S 89°04' W	202.9000'
L15	S 80°54' W	561.1000'
L16	N 47°54' W	266.6000'
L17	N 69°04' W	397.7000'
L18	NORTH	ALONG ROAD

BLC PROPERTIES LLC		
DRAWN DH	DATE 6/20/03	EXHIBIT "B-2" EXCLUDED AREA #7
APPROVED	DATE	TRACT #2 LESLIE COUNTY, KY
SCALE 1" = 600'	SHEET 1	PROJECT NO. 9

THIS PAGE IS

INTENTIONALLY DELETED

EXHIBIT "B"

As to LESLIE COUNTY, KENTUCKY - TOGETHER WITH all the rights, title and interest, *to the extent that they affect surface rights,* in the following:

Quitclaim Deed and Boundary Line Agreement between J. M. Huber Corporation and Covey Lewis and Leslie Lewis, recorded June 28, 1991, in Deed Book 119, Page 510.

Agreement between Silas Nantz and Dorothy Nantz and J. M. Huber Corporation, dated January 31, 1978, recorded in Lease Book 22, Page 279, and in Miscellaneous Book 3, Page 200, which establishes a common boundary line and grants an easement for a roadway as detailed therein.

Title to that portion of the property limited to all surface rights described in Quitclaim Deed from the Commonwealth of Kentucky, to J. M Huber Corporation, dated December 29, 1992, recorded February 19, 1993, in Deed Book 124, Page 171.

Exhibit "C"

Permitted Exceptions

1. Encroachments, overlaps, boundary line disputes, public roads, railroads, paths, rights-of way, streets, highways, cemeteries, graveyards, easements and any other matters that would be disclosed by an accurate survey or inspection of the Premises;

2. Any "rollback" or additional taxes, penalties or interest imposed on the Premises under the provisions of any applicable state or local law of the jurisdiction where the Premises are located for any year and the current year's real property taxes, assessments and other charges of any kind or nature imposed upon or levied against or on account of the Premises by any Governmental Authority, which taxes, assessments and other charges are not yet due and payable but are liens on the Premises; provided, however, that any "rollback" or additional taxes, penalties or interest imposed on the Premises for any year prior to Closing caused by Grantor's use of the Premises shall not be a Permitted Exception;

3. Restrictions on Grantee's ability to build upon or use the Premises imposed by any current or future building or zoning ordinances or any other law or regulation (including environmental protection laws and regulations) of any Governmental Authority, except for any such restrictions which would prohibit the use of the Premises for forestry management and the harvesting of timber from the Premises;

4. Mineral Leases and all previous reservations, exceptions and conveyances of record of any oil, gas, associated hydrocarbons, minerals and mineral substances, and royalty and other minerals rights and interests, and water rights and water royalty rights, including, without limitation, the following:

OIL AND GAS LEASES

a. Lease dated August 2, 1988 between J. M. Huber Corporation and Equitable Resources Exploration, Inc.
Memorandum of Lease recorded in Leslie County Clerk's Office in Lease Book 42, at page 375 Lease Extension Agreement dated October 10, 1989
Consent to Pooling Agreements dated August 6, 1990 (2)
Consent to Pooling Agreement dated February 27, 1991
Consent to Pooling Agreement dated December 10, 1991
Letter dated February 21, 1992
Consent to Pooling Agreement dated May 19, 1993
Lease Extension Agreement dated July 12, 1993
Lease Extension Agreement dated July 11, 1994
Consent to Pooling Agreement dated September 15, 1994
Consent to Pooling Agreement dated May 4, 1995
Letter dated August 1, 1995
Partial Release of Lease dated December 31, 1995

Pipeline Right of Way dated December 1, 2001
Pipeline Right of Way Agreement dated December 21, 2001(w/ letter dated December 21, 2001 and October 2, 2001)

b. Lease dated July 1, 1998 between J. M. Huber Corporation and West Bay Exploration Company
Memorandum dated July 1, 1998
Memorandum dated July 15, 1998
Pipeline Easement Agreement dated September 29, 1999
Pipeline Easement Agreement dated November 17, 1999

c. Lease dated May 1, 1978 between J. M. Huber Corporation and The Wiser Oil Company
Letter dated August 29, 1979
Declaration of Intent to Communitize dated November 6, 1979
Letter dated July 1, 1986
Extension dated May 1, 1978
Second Amended Declaration of Intent to Communitize dated July 9, 1990
Confirmation Agreement dated October 25, 1990
Letter dated November 6, 1990
Declaration of Intent to Communitize dated December 4, 1990

d. Lease Agreement dated March 23, 2005 between WPP LLC and Daugherty Petroleum, Inc.

COAL LEASES

a. Lease dated August 1, 2000 between J.M. Huber Corporation and Appalachian Realty Company Memorandum of Lease dated August 1, 2000

b. Lease dated June 1, 2002 between J.M. Huber Corporation and Appalachian Realty Company Memorandum of Lease dated August 7, 2002

c. Lease dated January 1, 1993 between J.M. Huber Corporation and Leeco, Inc. (Bledsoe Coal Leasing)
Letter Agreement dated January 5, 1993
Letter Agreement dated November 1, 1993
Letter Agreement dated August 30, 1994
Letter Agreement dated January 9, 1995
Letter Agreement dated January 9, 1995
Agreement dated September 22, 1995
Agreement dated September 25, 1995
Amendment dated December 31, 1995
Second Amendment dated September 1, 1997
Letter Agreement dated September 15, 1998
Assignment and Assumption Agreement dated September 21, 1998

Letter Agreement dated November 30, 1998
Letter Agreement dated August 18, 1999
Sublease Agreement dated October 22, 1999
Third Amendment dated February 10, 2000
Letter dated May 31, 2000
Indemnification Agreement dated June 19, 2000
Partial Release and Surrender Agreement dated June 23, 2000
Letter Agreement dated August 16, 2001
Fourth Amendment dated October 1, 2001

d. Lease dated May 8, 1984 between J.M. Huber Corporation and Nally & Hamilton Enterprises, Inc.
Letter Agreement dated November 9, 1984
Sublease Agreement dated April 5, 1985
Letter Agreement dated October 28, 1987
Amendment dated December 20, 1989
Second Amendment dated July 1, 1991
Letter dated February 21, 1992
Letter Agreement dated May 2, 1994
Fifth Amendment dated January 1, 1995
Letter dated December 7, 1999

e. Lease dated August 1, 2000 between J.M. Huber Corporation and Appalachian Realty Company Memorandum of Lease dated August 1, 2000

f. Lease dated June 1, 2002 between J.M. Huber Corporation and Appalachian Realty Company Memorandum of Lease dated August 7, 2002

g. First Amendment dated June 6, 2007 to Deep Coal Mining Agreement dated June 1, 2002, between BLC Properties, LLC and Straight Creek Coal Resources.

5. Liens for 2008 State and County property taxes, and subsequent years; and

6. Title to that portion of the Premises which is or may be within the bounds of any public roads, paths, rights-of-way, streets and/or highways set forth in the legal descriptions of the Premises or running through the Premises.

7. All claims of Governmental Authorities in and to any portion of the Premises lying in the bed of any streams, creeks or waterways, filled-in land, or any portion of the Premises which lies below the mean high water mark of any river or tidal body of water or other submerged lands and any portion of the Premises now or formerly subject to the ebb and flow of tidal waters or any claims of riparian rights in and to, and held by owners of the land adjacent to, the waters of any creeks, streams, forks and/or rivers running through the Premises;

8. a. All outstanding easements, servitudes, rights-of-way, flowage rights and other rights in third parties of record or acquired through prescription or adverse possession

except for any such matters as would materially interfere with or prohibit the use of the Premises for forestry management and the harvesting of timber from the Premises;

b. The following Contracts, licenses or leases whether or not filed of record that do not materially interfere with or prohibit the use of the Premises for commercial forestry management and harvesting from the Premises:

MISCELLANEOUS AGREEMENTS

A. General Service Contract dated July 27, 2007 between Ataya Hardwoods, LLC and Chadwell Enterprises, LLC (expires May 31, 2008)

B. Construction Right-of-Way and Permanent Easement Agreement dated April 11, 2005 between Ataya Hardwoods, LLC and Nami Resources Company, LLC (perpetual)

C. General Service Contract dated August 15, 2006 between Ataya Hardwoods, LLC and Beaver Creek Engineering & Environmental Services, PLLC (December 31, 2007)

D. Access Agreement dated October 25, 2004 between Ataya Hardwoods, LLC and WPP LLC (perpetual)

E. Mutual Easement Agreements dated July 1, 2003 between Ataya Hardwoods, LLC and BLC Properties Inc. over Claiborne and Campbell County, Tennessee and Bell, Leslie and Knox County, Kentucky (perpetual)

F. Memorandum of Understanding for Development of a Wildlife Management Area of Certain Properties in Bell, Leslie and Knox Counties, Kentucky dated June 10, 2005 (expires March 31, 2008)

c. All other restrictions, reservations, covenants and other agreements that do not materially interfere with or prohibit the use of the Premises for commercial forestry management and harvesting from the Premises;

d. Any and all restrictions on use of the Premises due to environmental protection laws, including, without limitation, wetlands protection laws, rules, regulations and orders which are of general application;

9. Lack of legal access to the Premises unless to Grantor's Actual Knowledge, Grantor has been refused access or has been notified by an adjoining landowner that Grantor will be denied permission for continued access for commercial forestry purposes to the tract lacking access;

10. The following matters disclosed on the Title Commitment:

A. Reservation contained in Deed from A.L. Chappel, et al. to Mrs. Fannie Hensley, dated November 26, 1936, recorded in Deed Book 39, Page 463, in the Office of the Clerk of Leslie County, Kentucky, of a road right-of-way as detailed therein.

B. Reservation contained in Deed from Asher Coal Mining Co. of Pineville, Kentucky, to Ardill Coldwell, dated July 24, 1947, recorded July 31, 1948, in Deed Book 50, Page 50, in the Office aforesaid, for egress and ingress in favor of Bringardner Lumber Company to remove timber from the waters of Turkey Branch as detailed therein.

C. Easement granted to Kentucky and West Virginia Power Company, Incorporated, dated August 19, 1948, recorded November 1, 1948, in Deed Book 50, Page 254, in the Office aforesaid, to construct, operate and maintain a pole line and appurtenances thereto, for the purpose of the transmitting electric power, and for telegraph or telephone line(s) as detailed therein. This document contains a provision that if Grantee abandons all or any part of the easement so much of said easement abandoned by Grantee shall revert to the Grantor.

D. Easement granted to Kentucky and West Virginia Power Company, Incorporated, dated February 21, 1950, recorded June 23, 1950, in Deed Book 52, Page 18, in the Office aforesaid, to construct, operate and maintain a pole line and appurtenance thereto, for the transmitting electric power, and for telegraph or telephone line(s) as detailed therein. This document contains a provision that if Grantee, abandons all or any part of the easement so much of said easement abandoned by Grantee shall revert to the Grantor.

E. Easement granted to Kentucky and West Virginia Power Company, Incorporated, recorded June 9, 1950, in Deed Book 52, Page 15, in the Office aforesaid, to construct, operate and maintain a pole line and appurtenances thereto, for the transmitting of electric power, and for telegraph or telephone line(s) as detailed therein. This document contains a provision that if Grantee, abandons all or any part of the easement so much of said easement abandoned by Grantee shall revert to the Grantor.

F. Easement granted to Kentucky and West Virginia Power Company, Incorporated, dated February 18, 1952, recorded April 29, 1952, in Deed Book 53, Page 503, in the Office aforesaid, to construct, operate and maintain a pole line and appurtenances thereto, for the transmission and distribution of electricity as detailed therein.

G. Easement granted Kentucky and West Virginia Power Company, Incorporated, dated November 19, 1952, recorded December 5, 1952, in Deed Book 54, Page 166, in the Office aforesaid, to construct, operate and maintain a pole line and appurtenances thereto, for the transmitting electric power, and for telegraph or telephone line(s) as detailed therein. This document contains a provision that if Grantee, abandons all or any part of the easement so much of said easement

abandoned by Grantee shall revert to the Grantor.

H. Easement granted to the United States of America, recorded June 1, 1977, in Deed Book 85, Page 262, in the Office aforesaid, for a road as detailed therein. This document contains a provision for the rights granted therein to terminate if Grantee ceases to use or preserve for prospective future use of the road for a period of five (5) years.

I. Agreement between J.M. Huber Corporation and C. Bruce Hoskins et al, dated January 15, 1979, recorded in Deed Book 91, Page 315, in the Office aforesaid, establishing a common boundary line as detailed therein.

J. Easement granted to Kentucky Power Company, dated June 30, 1981, recorded August 2, 1982, in Deed Book 97, Page 319, in the Office aforesaid, for electric facilities, with appurtenances thereto, detailed therein. This document contains a provision for the rights granted therein to revert to the grantor whenever Grantee ceases to use the easement for service to customers for a period of ninety (90) days.

K. Easement granted to the United States of America, dated September 22, 1982, recorded October 4, 1982, in Deed Book 97, Page 582, in the Office aforesaid, over an existing road as detailed therein. This document contains a provision for the rights granted herein to revert to the grantor whenever Grantee ceases to use or preserve for prospective use, the road, for a period of five (5) years.

L. Quitclaim Deed and Boundary Line Agreement between J.M. Huber Corporation and Covey Lewis and Leslie Lewis, recorded June 28, 1991, in Deed Book 119, Page 510, in the Office aforesaid.

M. Agreement between Silas Nantz and Dorothy Nantz and J.M. Huber Corporation, dated January 31, 1978, recorded in Lease Book 22, page 279, in the Office aforesaid, establishes a common boundary line and grants mutual easements for roadways as detailed therein.

N. Unrecorded Easement granted to Cumberland Valley Rural Electric Cooperative, dated January 9, 1976.

O. Terms, duties, conditions, obligations and/or provisions created, imposed and/or assumed in leases and ancillary documents referenced below:
Lease Book 22, Page 650; Lease Book 45, Page 125; Lease Book 45, Page 57; Lease Book 42, Page 375; Lease Book 43, Page 388; Lease Book 44, Page 614; Lease Book 44, Page 618; Lease Book 45, Page 510; Lease Book 46, Page 568; Lease Book 49, Page 13; Lease Book 49, Page 17; Lease Book 50, Page 1; Lease Book 50, Page 450; Lease Book 51, Page 293; Lease Book 42, Page 381; Lease Book 42, Page 387; Lease Book 52, Page 577; Lease Book 58, Page 526; and Lease Book 58, Page 411, all in the Office aforesaid.

P. Pipeline Right-of-Way from BLC Properties L.L.C. to Equitable Production Company, dated December 21, 2001, effective as of August 1, 1995, recorded in Deed Book 153, Page 631, in the Office aforesaid, for the right to construct, maintain, operate and repair existing pipeline along with ingress and egress to and from such pipeline, as detailed therein.

Q. Deep Coal Mining Agreement as evidenced by Memorandum of Deep Coal Mining Agreement by and between BLC Properties LLC, Lessor, and Appalachian Realty Company, as Lessee, dated August 7, 2002, effective June 2, 2002, recorded in Book 62, Page 335, by which Lessee has been granted certain underground coal mining rights.

R. Agreed Order of settlement establishing common boundary line in a case styled Leeco, et al vs. J.M. Huber Corporation et al, in the Eastern District of Kentucky, Civil Action Number 98-284.

S. Riparian rights in and to, and held by owners of the land adjacent to, the waters of any creeks, streams, forks and/or rivers running through the property.

T. Title to that portion of the property which is or may be filled-in land, or which is under water, or which lies below the mean high-water mark of any river or tidal body of water set forth in the legal descriptions or running through or lying adjacent to the property.

U. Mutual Easement Agreement executed by BLC Properties, LLC, and Ataya Hardwoods, LLC, dated July 1, 2003, recorded on September 16, 2003, in Deed Book 159, Page 609, in the Office aforesaid.

V. Memorandum of Construction Right-of-way and Permanent Easement Agreement as granted from Ataya Hardwoods, LLC to Nami Resources Company, L.L.C., dated April 11, 2005, recorded April 21, 2005, in Deed Book 166, Page 561, in the Office aforesaid.

W. Surface Damage and Royalty Agreement executed by BLC Properties, LLC, and Ataya Hardwoods, LLC, dated July 1, 2003, recorded in Lease Book 63, Page 185, in the Office aforesaid.

STATE OF KENTUCKY
COUNTY OF LESLIE
I, JAMES LEWIS, CLERK OF THE COUNTY AND STATE AFORESAID, DO HEREBY CERTIFY THAT THE FOREGOING **DEED** WAS, ON THE **26** DAY OF **DECEMBER** 20**07**, LODGED IN MY OFFICE FOR RECORD, AND THAT IT, THE FOREGOING AND THIS CERTIFICATION HAVE BEEN DULY RECORDED IN MY SAID OFFICE IN **DEED** BOOK NO **177**, PAGE **20**
WITNESS MY HAND THIS **26** DAY OF **DECEMBER** 20**07**.

JAMES LEWIS CLERK

BY: Nancy Sizemore, D.C.

Deed Transfer Tax Collected
$ - 0 -
Date 2-22-08 By RW D.C.

FEB 22 08 AM 10:18

THE PURPOSE OF THIS CORRECTION DEED IS TO CLEAR TITLE ONLY.

AT – 020

CORRECTION DEED

Witnesseth this correction deed ("Correction Deed") by and between **Ataya Hardwoods, LLC, a Delaware limited liability company** and **Corrigan TLP LLC, a Delaware limited liability company**:

RECITALS

1. **Ataya Hardwoods, LLC** ("Grantor") is a Delaware limited liability company, with a mailing address at c/o RMK Timberland Group, 260 Peachtree Street, Suite 1800, Atlanta, Georgia 30303.

2. **Corrigan TLP LLC** ("Grantee") is a Delaware limited liability company with a mailing address at c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202.

3. By Special Warranty Deed ("Original Deed") dated December 17, 2007, and recorded in Deed Book 177, Page 20 in the Leslie County, Kentucky Court Clerk's Office, Grantor conveyed to Grantee, the surface of certain lands and the timber thereon located in Leslie County, Kentucky (the "Property").

4. The description of the Property in the Original Deed contained a scrivener's error in that it did not refer to Grantor's source of title.

5. Grantor and Grantee now desire to execute and deliver this Correction Deed in order to clarify the description, thereby eliminating confusion in the title to and ownership of the Property.

6. All recording references in this Correction Deed are to the records appearing in the Leslie County, Kentucky Court Clerk's Office.

CORRECTION AMENDMENT

Now therefore, know all by these presents that for and in consideration of the premises, Grantor and Grantee hereby adopt and incorporate the recitals set forth above and do further agree as follows:

1. Grantor and Grantee hereby amend, reform and correct the description of the Property in the Original Deed by adding the Grantor's source of title at the end of the legal description as follows:

BEING A PART OF THE SAME property acquired by Ataya Hardwoods, LLC, a Delaware limited liability company, by Special Warranty Deed dated July 1, 2003, of record in Deed Book 159, Page 383, in the records of the Leslie County, Kentucky Court Clerk's Office.

2. No other provisions in the Original Deed shall be affected by this Correction Deed.

3. **CONSIDERATION CERTIFICATE:** We, the undersigned, do hereby certify, pursuant to KRS Chapter 382, that this Correction Deed is executed solely for the purpose of correcting a scrivener's error made in the Original Deed and without monetary consideration. We further certify the consideration as stated in the Original Deed is the true, correct and full consideration paid for the Property and we understand that falsification of the stated consideration is a Class D felony, subject to one to five years imprisonment and fines up to $10,000.00.

As amended, reformed and corrected, the Original Deed remains in full force and effect.

[Signature Pages Follow]

IN WITNESS WHEREOF, the undersigned have caused their names to be duly executed to this Correction Deed by their duly authorized representatives on this the 13 day of February, 2008.

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: _____
Print Name: Michael T. Shearer
Its: Senior Vice President

STATE OF Georgia

COUNTY OF Fulton

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Michael Shearer, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his/her oath, acknowledged herself/himself to be the SVP of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, and that she/he, on behalf of such Manager, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as SVP of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 13th day of February, 2008.

_____
NOTARY PUBLIC, STATE OF Georgia

My Commission Expires:
FREDELL A BLAKENEY
Notary Public
Douglas County, Georgia
My Commission Expires September 25, 2010

(SEAL)

[Additional Signature Page Follows]

GRANTEE:

CORRIGAN TLP LLC
A Delaware limited liability company

Bob Lyle
By: BOB LYLE
Its: AUTHORIZED SIGNATORY

STATE OF MISSISSIPPI

COUNTY OF ~~FORREST~~ HINDS

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared BOB LYLE, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his/her oath, acknowledged herself/himself to be the AUTHORIZED SIGNATORY of Corrigan TLP LLC, a Delaware limited liability company, the within named Grantee, and that she/he, on behalf of said Grantee, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Corrigan TLP LLC, a Delaware limited liability company, by himself/herself as her/his free act and deed.

Witness my hand and seal at office this the 13th day of FEBRUARY, 2008.

Laura A. Hall
NOTARY PUBLIC, STATE OF MISSISSIPPI

My Commission Expires:

MISSISSIPPI STATEWIDE NOTARY PUBLIC
MY COMMISSION EXPIRES MAY 27, 2009
BONDED THRU STEGALL NOTARY SERVICE

(SEAL) LAURA A. HALL NOTARY PUBLIC RANKIN COUNTY, MS

INSTRUMENT PREPARED BY:
Candace D. Johnson
Adams and Reese LLP
11 North Water Street, Suite 23200
Mobile, Alabama 36602
(251) 433-3234
By: Candace D. Johnson

After recording, return to:
William C. Stambaugh, Esq.
Commonwealth Land Title
500 W Jefferson St, Ste. 500
Louisville, KY 40202

STATE OF KENTUCKY
COUNTY OF LESLIE

I, JAMES LEWIS, CLERK OF THE COUNTY AND STATE AFORESAID, DO HEREBY CERTIFY THAT THE FOREGOING DEED WAS, ON THE 22ND DAY OF FEBRUARY, 20 08, LODGED IN MY OFFICE FOR RECORD, AND THAT IT, THE FOREGOING AND THIS CERTIFICATION HAVE BEEN DULY RECORDED IN MY SAID OFFICE IN DEED BOOK NO 177, PAGE 520

WITNESS MY HAND THIS 22ND DAY OF FEBRUARY 20 08.

JAMES LEWIS CLERK

BY: Karen Williams, D.C.

AT – 021

SPECIAL WARRANTY DEED

(Knox County, Kentucky)

THIS SPECIAL WARRANTY DEED, made as of the 17th day of December, 2007 by and between ATAYA HARDWOODS, LLC, a Delaware limited liability company, having an address of c/o RMK Timberland Group, 260 Peachtree Street, Suite 1800, Atlanta, Georgia 30303, Grantor, and CORRIGAN TLP LLC, a Delaware limited liability company, having an address of c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202, Grantee.

WITNESSETH: That for and in consideration of the sum of $9,329,004.08, ALL FULLY PAID, the receipt and sufficiency of which are hereby acknowledged, Grantor has bargained and sold and does hereby grant, sell and convey unto Grantee, its successors and assigns, forever, the surface lands and timber situated in Knox County, Kentucky, and more particularly described on Exhibit "A" attached hereto and made a part hereof.

TOGETHER WITH those matters shown or described on Exhibit "B" attached hereto and made a part hereof.

SUBJECT TO (i) the mineral reservation contained in that certain Special Warranty Deed dated July 1, 2003 from BLC Properties, LLC to Ataya Hardwoods, LLC recorded in D334, Page 328 in the County Clerk's Office of Knox County, Kentucky (the "Mineral Reservation"); (ii) that certain Surface Damage and Royalty Agreement dated July 1, 2003 (the "SDRA") by and between BLC Properties, LLC and Ataya Hardwoods, LLC recorded in Book

Misc. 24, Pages 401-524 in the County Clerk's Office of Knox County, Kentucky; and (iii) the Permitted Encumbrances shown or described on Exhibit "C" attached hereto and made a part hereof.

TO HAVE AND TO HOLD the same, in fee simple, together with all the appurtenances thereunto belonging unto Grantee, its successors and assigns, forever, Grantor hereby specially warrants that Grantor will forever warrant the title against all persons claiming under Grantor, and defend the Real Property so granted to Grantee, its successors and assigns, against every person lawfully claiming the same or any part thereof under Grantor but not otherwise, excepting the above described Mineral Reservation and SDRA and all matters shown as Permitted Encumbrances on Exhibit "C" attached hereto and incorporated herein.

IN TESTIMONY WHEREOF, Grantor has hereunto executed this Special Warranty Deed as of the day and year first above written.

[Grantor's signature appears on following page]

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: Gregory S. Williams
Name: Gregory S. Williams
Title: SVP

STATE OF Georgia,

COUNTY OF Cobb:

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Gregory S. Williams, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon her oath, acknowledged himself/herself to be the Sr. Vice Pres. of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, and that he/she, on behalf of such Manager, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as Sr. Vice Pres. of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 17th day of December, 2007.

Annique J. Cooke
NOTARY PUBLIC, STATE OF Georgia

My Commission expires:
August 16, 2010

(SEAL)

ANNIQUE J. COOKE NOTARY PUBLIC EXPIRES GEORGIA AUG. 16, 2010 COBB COUNTY

CONSIDERATION CERTIFICATE: Being first duly sworn, the undersigned Grantor and Grantee state that the consideration set forth in the foregoing instrument is true and correct, and is the full consideration paid for the property conveyed by the foregoing instrument.

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: Gregory S. Williams
Name: Gregory S. Williams
Title: SVP

GRANTEE:

CORRIGAN TLP LLC,
a Delaware limited liability company

By: Terrell Winstead
Name: Terrell Winstead
Title: Authorized Signatory

STATE OF Georgia,

COUNTY OF Cobb:

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Gregory S. Williams, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon her oath, acknowledged himself/herself to be the Sr. Vice Pres. of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, and that he/she, on behalf of such Manager, being authorized so to do, executed the foregoing certification for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as Sr. Vice Pres. of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 17th day of December, 2007.

Annique J. Cooke
NOTARY PUBLIC, STATE OF Georgia

My Commission expires:
August 16, 2010

(SEAL)

ANNIQUE J. COOKE NOTARY PUBLIC COBB COUNTY EXPIRES GEORGIA AUG. 16, 2010

STATE OF Mississippi

COUNTY OF Forest:

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his oath, acknowledged herself/himself to be the Authorized Signatory of Corrigan TLP LLC, a Delaware limited liability company, the within named Grantee, and that she/he, on behalf of said Grantee, being authorized so to do, executed the foregoing certification for the purposes therein contained by signing the name of Corrigan TLP LLC, a Delaware limited liability company, by himself as her/his free act and deed.


Witness my hand and seal at office this 17th day of December, 2007.

Stacey C. Baucom

NOTARY PUBLIC, STATE OF Mississippi

My Commission Expires:

03-01-11 (SEAL)



This instrument was prepared by:

Richard J. Carter, Jr., Esq.
Powell Goldstein LLP
1201 West. Peachtree Street
14th Floor
Atlanta, Georgia 30309

Preparer: _____

This instrument was prepared from information furnished by the parties involved and the preparer makes no representation as to the status of the title or the accuracy of information.

EXHIBIT "A"

Legal Description

[To Be Attached]

DEED EXHIBIT "A"

Legal Description

All of the lands situated in Knox County, Kentucky which were conveyed to BLC Properties LLC from J.M. Huber Corporation by Special Warranty Deed dated July 5, 2001 and of record in Book D321, at Pages 373-450, in the Office of the County Clerk of Knox County, Kentucky, to which reference is made for a more particular description thereof, including, without limitation, the property described in the legal descriptions set forth below and the other exhibits annexed hereto.

Notwithstanding the legal descriptions set forth below and the other Exhibits annexed hereto, this Deed does not convey, nor purport or intend to convey, any land or interest in land that was not conveyed in the deed to BLC Properties LLC set forth above.

Exhibit "A"

TRACT 38-2

SITUATED ON GREASY CREEK OF BELL COUNTY, HARPS CREEK, GOLDENS CREEK OF BIG POPLAR CREEK, LITTLE POPLAR AND LITTLE BRUSH CREEK IN KNOX COUNTY

Beginning at a set stone on top of a high knob, head of left hand fork of Big Eb Hollow and head of Law Branch of Greasy Creek and left hand of fork Tallow Branch of Big Brush Creek;

Thence down and with ridge between Big Eb Branch and Law Branch S 87-16 E 137.8 feet to a stake;

Thence S 83-17 E 163.6 feet to a stake;

Thence N 82-47 E 239.2 feet to a stake;

Thence S 89-52 E 202.0 feet to a white oak original corner with a 36 inch chestnut oak pointer;

Thence N 71-25 E 167.8 feet to a stake;

Thence N 88-29 E 338.1 feet to a stake;

Thence S 89-16 E 340.0 feet to a stake;

Thence N 75-48 E 312.2 feet to a stake;

Thence S 79-10 E 434.1 feet to a stake;

Thence S 31-38 E 402.5 feet to a 24 inch chestnut oak on the center of ridge;

Thence S 50-53 E 244.9 feet to an oak stump;

Thence leaving ridge S 30-01 W 122.0 feet to a chestnut oak (oak had fallen);

Thence S 29-56 W 145.5 feet to a stake;

Thence S 25-56 W 190.5 feet to a stake;

Thence S 16-54 W 69.3 feet to a stake on top of high wall;

Thence S 14-07 W 46.4 feet to a stake in floor of strip pit, in all 169.4 feet to a stake in a hollow;

Thence S 39-31 W 111.3 feet to a stake in a hollow;

Thence S 34-14 W 247.7 feet to a stake in a hollow;

Thence S 23-24 W 153.6 feet to a stake in a hollow;

Thence S 55-02 W 125.3 feet to a stake in a hollow;

Thence S 33-50 W 142.9 feet to a 14 inch elm 20 feet below a falls;

Thence S 40-48 W 148.4 feet to an oak in hollow;

Thence S 28-02 W crossing branch at 135.0 feet, in all 145.5 feet to a stake in field;

Thence N 41-34 W 107.6 feet to a stake;

Thence S 78-35 W 73.8 feet to a stake;

Thence S 52-13 W 108.4 feet to a stake;

Thence S 79-50 W 124.0 feet to a stake;

Thence N 75-05 W 63.4 feet to a stake;

Thence N 77-55 W 77.8 feet to a stake;

Thence N 77-34 W 145.7 feet to a stake;

Thence N 82-43 W 195.1 feet to a stake;

Thence S 63-37 W 364.9 feet to a stake;

Thence S77-17W 316.7 feet to a stake;

Thence S 74-07W 139.3 feet to a stake;

Thence S 85-26 W 317.6 feet to a stake;

Thence N 76-48 W 50.5 feet to a stone on top of a high knob between two branches of Greasy Creek and being in the Bell and Knox County line;

Thence down and with the spur S 35-38 E 240.2 feet to a 24 inch crooked chestnut oak on ridge;

Thence S 47-47 E 375.4 feet to a 24 inch chestnut oak on ridge;

Thence S 58-18 E 398.0 feet to a 24 inch black oak and a chestnut stub on ridge;

Thence S 75-33 E 405.9 feet to a stake on ridge about 100.0 feet below a cliff;

Thence S 52-49 E 497.0 feet to a stake on ridge;

[illegible] E 216.0 feet to a stake on ridge;

Thence S 62-47 E 139.9 feet to a stake on ridge;

Thence S 79-13 E 238.9 feet to a stake on ridge;

Thence S 14-48 E 124.9 feet to a stake on north side of spur with a 6 inch hickory pointer;

Thence N 89-34 W 173.0 feet to a stake in head of a drain in middle of a sag with 6 inch hickory pointer;

Thence S 47-03 W 171.8 feet to a 12 inch hickory on a small spur;

Thence S 58-27 W 155.2 feet to a stake;

Thence S 30-25 W crossing hollow at 204.0 feet, in all 243.5 feet to a stake on a steep bank;

Thence S 45-30 W 213.0 feet to a stake;

Thence S 46-54 W 339.1 feet to a stake in Carroll Branch about 15.0 feet from a cliff, with a 10 inch poplar on said cliff for a pointer;

Thence S 77-34 W 96.0 feet to a stake;

Thence S 82-18 W 119.6 feet to a stake;

Thence N 78-43 W 194.6 feet to a stake;

Thence N 47-27 W 201.6 feet to a stake;

Thence N 64-36 W 323.3 feet to a stake in Carroll near a large boulder;

Thence leave hollow S 40-40 W 257.2 feet to a stake near the upper side of field;

Thence S 64-17 E 314.9 feet to a stake near left hand hollow of Carroll Branch;

Thence S 55-00 W 72.6 feet to a stake;

Thence S 57-45 W 297.8 feet to a stake in hollow;

Thence S 52-00 W 66.0 feet to a stake;

Thence S 44-45 W 135.1 feet to a stake in hollow;

Thence S 76-00 W 155.7 feet to a stake in hollow;

Thence S 55-00 W 116.8 feet to a stake in hollow;

Thence S 79-20 W 143.6 feet to a stake in hollow;

Thence N 62-00 W 152.5 feet to a stake in hollow;

Thence S88-15 W 144.3 feet to a stake in hollow;

Thence leaving hollow S 17-50 E 92.9 feet to a stake;

Thence S 18-50 E 136.8 feet to a stake;

Thence S 18-15 E 163.1 feet to a stake on top of ridge between Carroll Branch and Centers Branch of Greasy Creek;

Thence S 19-50 E 198.5 feet to a stake on south side of ridge;

Thence S 40-~~00~~ E 82.9 feet to a stake on south side of ridge;

Thence S 56-00E 104.0 feet to a stake on ridge;

Thence with top of ridge S 66-50 E 45.8 feet to a stake;

Thence S 80-00 E 131.5 feet to a stake on ridge;

Thence S 71-00 E 78.5 feet to a stake on ridge;

Thence leaving ridge S 44-38 W 1122.4 feet to a stake at the north end of bridge;

Thence up the road N 47-08 W 454.7 feet to a stake on north edge of road;

Thence N 45-55 W 271.0 feet to a white oak on a cliff about 50.0 feet on north bank of branch;

Thence N 62-33 W 271.0 feet to a rock with 3 marks on west side of said rock;

Thence N 73-39 W 207.3 feet to a stake on north bank of Centers Branch;

Thence up Centers Branch N 68-57 W 356.4 to a stake on north bank of said branch in mouth of a hollow;

Thence N 10-00 W 207.6 feet to a point on a flat rock between road and hollow;

Thence N 43-30 W 106.8 feet to a stake in the old road;

Thence N 69-34 W 83.1 feet to a stake in the new road;

4

Thence up and with road S 69-53 W 578.4 feet to a stake in the center of road;

Thence leaving road N 20-41 W 157.3 feet to a stake about 15.0 feet above the top of a steep bank above a spring;

Thence S 76-52 W 198.2 feet to a stake in center of a hollow;

Thence down hollow S 44-29 E 104.3 feet to a stake in center of hollow;

Thence S 3-06 E 114.3 feet to a stake in Centers Branch;

Thence up said branch S 64-38 W 188.9 feet to a stake on south bank of Centers Branch and on west bank of a hollow, a corner to Centers property;

Thence up Centers Branch and with Centers line N 53-15 W 53.8 feet to a point in branch;

Thence S 68-00 W 387.8 feet to a point in branch;

Thence S 39-00 W 107.3 feet to a piece of steel rail set in a chestnut stump which Bob Centers said was a corner;

Thence up a spur S 73-30 W 297.0 feet to a stake on the spur pointed by a 12 inch dogwood;

Thence S 87-00 W 125.4 feet to a stake in upper edge of a road;

Thence S 78-00 W 231.0 feet to a stake on spur;

Thence N 88-00 W crossing strip pit coal seam at 250.0 feet, in all 432.3 feet to a stake on spur;

Thence N 76-30 W 103.0 feet to a stake on spur;

Thence N 88-00 W 132.0 feet to a stake on spur;

Thence N 84-00 W 214.5 feet to a stake on spur;

Thence S 3-00 E crossing strip pit at 525.8 feet and 1449.7, in all 1584.00 feet to a 6 inch ash marked for corner;

Thence N 86-00 W 210.3 feet to a set stone;

Thence S 21-00 W 419.9 feet to a set stone on top of ridge;

Thence N 84-03 W 142.0 feet to a stake on top of ridge;

Thence S 84-09 W 520.0 feet to a stake;

Thence N 30-13 E 133.9 feet to a pile of stones on top of a knob on center of ridge, on the Bell and Knox County line;

Thence with ridge N 49-40 W 460.3 feet to 24 inch oak stump on top of ridge with a 12 inch hickory pointer;

Thence N 42-28 W 119.0 feet to a 16 inch maple on ridge;

Thence leaving top of ridge and county line and running on west side of knob S 22-14 E 663.0 feet to a set stone on top of ridge in the Bell and Knox County line;

Thence with ridge and county line S 37-19 W 276.6 feet to a set stone on center of ridge;

Thence S 25-58 W 203.4 feet to a stake on ridge;

Thence S 36-00 W 166.2 feet to a stake on ridge;

Thence S 31-03 W 241.9 feet to a stake on ridge;

Thence S 17-49 W 264.9 feet to a stake on ridge;

Thence S 37-16 W 344.0 feet to a stake on ridge;

Thence S 14-32 W 303.0 feet to a stake on ridge;

Thence S 8-52 E 210.3 feet to a stake on ridge;

Thence S 26-47 W 188.2 feet to a stake on a high knob;

Thence leaving ridge S 80-50 W 700.0 feet to a stake in strip pit, in all 1806.7 feet to a stake;

Thence N 82-59 W 91.5 feet to the S.E. corner of Murph Brown property;

Thence with Brown line N 24-00 E 358.1 feet to a 24 inch beech, a corner of Brown property;

Thence still with Borwn line north 66.0 feet to an 8 inch chestnut oak being the N.E. corner of Borwn property;

Thence with the north line of Brown property, West 120.0 feet to a set stone, being the N.W. corner of Brown property;

Thence with the west line of Brown property, S 25-00 W 168.0 feet in the line of Brown property;

Thence S 40-00 W 275.3 feet to a stake in Bee Camp Branch, the S.W. corner of Brown property;

Thence leaving Brown property, N 82-59 W 632.5 feet to a stake on bank behind a house;

Thence N 78-15 W 55.0 feet to a stake;

Thence N 76-10 W 210.8 feet to a stake in the center line of the Cumberland Railroad, where the Bee Camp Trestle once stood;

Thence N 7-30 W 98.4 feet to a point on top of railroad abutment;

Thence with center of railroad N 14-32 W 22.6 feet;

Thence N 20-39 W 158.0 feet to a point in center of railroad;

Thence N 34-06 W 165.0 feet to a point in center of railroad;

Thence N 45-10 W 452.9 feet to a point in center of railroad;

Thence N 42-05 W 296.2 feet to a point in center of railroad;

Thence N 30-14 W 296.8 feet to a point in center of railroad;

Thence N 20-35 W 236.4 feet to a stake in center of railroad;

Thence N 0-35 W 156.0 feet to a stake in center of railroad;

Thence N 2-30 E 81.6 feet to a stake in center of railroad;

Thence leaving railroad, S 85-20 W 98.9 feet to a stake on the west edge of road, crossing Brush Creek at 116.0 feet, in all 300.9 feet to a stake;

Thence S 60-12 W crossing spur at 215.0 feet, crossing over top of a large boulder of 1893.8 feet, crossing out edge of strip pit at 2068.8 feet, in all 2320.00 feet to a stake;

Thence S 57-54 E 61.5 feet to a stake;

Thence S 4-49 W 312.7 feet to a stake in an old field;

Thence N 83-22 E 428.0 feet to a stake;

Thence N 6-38 W 6.5 feet to a stake;

Thence N 86-06 E crossing strip pit 380.0 feet., in all 751.3 feet to a stake;

Thence S 38-30 E 407.4 feet to a stake;

Thence S 60-48 E 198.2 feet to a stake;

Thence S 42-49 W crossing strip pit at 400.0 feet, in all 645.6 feet to a stake;

Thence S 80-08 W 425.6 feet to a chestnut oak in fence on top of spur;

Thence S 54-16 E crossing strip pit at 610.0 feet, crossing hollow at 840.0 feet, crossing another hollow at 1006.0 feet, in all 1559.4 feet to a 30 inch water oak corner;

Thence S 85-37 E 47.8 feet to a stake;

Thence S 9-00 E 198.5 feet to a stake;

Thence S 13-05 W 61.7 feet to a stake;

Thence S 1-40 W 229.6 feet to a stake;

Thence S 0-30 W 147.6 feet to a 24 inch poplar on side of hollow;

Thence S 51-00 E 132.8 feet to a stake;

Thence S 66-10 E 201.5 feet to a stake;

Thence S 54-30 E 72.6 feet to a stake

Thence S 52-00 E 182.5 feet to a stake between Brush Creek and road;

Thence S 16-54 W 216.4 feet to a stake between creek and road;

Thence S 8-26 W 175.9 feet to a stake between creek and road;

Thence S 38-02 W 199.0 feet to a stake between 11 inche: and 7 inch black gum on west bank of Brush Creek on point of a spur;

Thence up spur N 57-03 W 610.0 feet to a stake on spur with 5 inch pine and 14 inch black oak pointers;

Thence N 34-44 W crossing top of a high knob at 547.0 feet, in all 593.5 feet to a 14 inch water oak on top of ridge;

Thence leaving ridge N 76-38 W 246.4 feet to a stake;

Thence N 68-31 W 377.5 feet to a stake;

Thence N 41-43 W 419.0 feet to a stake with a 22 inch black oak, 7 inch maple and an 8 inch black oak pointers;

Thence N 15-38 W 298.6 feet to a stake in head of hollow where once stood a 50 inch sycamore but gone;

Thence N 66-18 W 218.5 feet to a stake on top of a spur;

Thence N 37-36 W 178.3 feet to a stake below cliff;

Thence N 74-14 W 265.6 feet to a stake 6.0 feet below a cliff on a bench;

Thence N 83-09 W crossing hollow at 52.0 feet, in all 200.0 feet to a 24 inch chestnut oak on the edge of bank;

Thence S 63-30 W 181.5 feet to a stake on spur with chestnut oak marked for corner;

Thence N 70-30 W 146.0 feet to a stone (3 feet by 4 feet);

Thence S 38-50 W 640.7 feet to a stake on north bank of hollow with original beech corner;

Thence S 9-45 W a point in strip pit at 378.8 feet, in all 825.9 feet to a stake on top of spur with a 12 inch maple for pointer;

Thence down and with center of spur S 68-17 E 378.4 feet to a stake on spur;

Thence S 64-54 E 280.2 feet to a stake on top of spur;

Thence S 58-25 E crossing strip pit at 270.0 feet, in all 415.8 feet to a stake on spur;

Thence S 69-35 E 275.9 feet to a stake on spur with a hickory pointer standing on a cliff;

Thence S 61-50 E 123.7 feet to a stake on spur;

Thence S 54-25 E 211.0 feet to a stake on spur;

Thence S 61-40 E 150.3 feet to a stake on spur;

Thence S 68-20 E 155.8 feet to a stake on spur;

Thence S 71-10 E 158.4 feet to a stake on spur;

Thence S 63-00 E 282.0 feet to a stake on spur;

Thence S 62-40 E 155.2 feet to a stake on spur;

Thence S 63-45 E 91.7 feet to a 36" black oak corner;

Thence S 76-20 E 214.9 feet to a stake above a graveyard;

Thence S 73-32 E 11.0 feet to corner of graveyard fence, in all 181.0 feet to a stake;

Thence S 76-00 E 343.3 feet to a stake on north bank of road and Brush Creek;

Thence S 40-50 E crossing creek and road 626.9 feet to a stake in forks of a hollow with a mulberry and hornbeam pointers;

Thence S 63-43 W 236.7 feet to a 7 inch maple marked for corner on a spur;

Thence up and with spur S 51-29 E 121.0 feet to a white oak stump, tree had been cut, still there;

Thence S 40-47 E 368.9 feet to a stake on spur with a yellow oak pointer;

Thence S 27-39 E 189.8 feet to a stake on spur between a 10 inch hickory and an 18 inch yellow oak marked with 3 hacks;

Thence S 46-00 E 284.9 feet to a 24 inch chestnut oak on spur;

Thence S 81-47 E 358.9 feet to a 36 inch chestnut oak on top of mountain between Brush Creek and Greasy Creek, the original corner, also a corner to a tract of land claimed by a Mrs. Martin (widow) in Bell and Knox County line;

Thence with Martin line S 57-00 W 33.0 feet to a stake on top of mountain;

Thence S 29-00 W 214.0 feet to a stake on top of mountain;

Thence leaving top of mountain and still with Martin line S 57-30 E 190.9 feet to a stake in strip pit;

Thence with strip pit N 69-00 E 272.4 feet to a stake in strip pit;

Thence N 57-15 E 300.0 feet to a stake in strip pit;

Thence N 76-20 E 118.0 feet to a stake in strip pit;

Thence S 86-45 E 202.0 feet to a stake in strip pit;

Thence N 48-30 E 139.0 feet to a stake in strip pit;

Thence leaving strip pit S 75-44 E 665.3 feet to an 18 inch chestnut oak marked with 3 hacks for corner, on a spur;

Thence S 58-22 E 197.8 feet to a stake on spur;

Thence S 46-53 E 506.2 feet to a stake on spur;

Thence leaving spur S 18-22 E 190.7 feet to a stake in hollow;

Thence N 88-03 E 74.6 feet to a stake in hollow;

Thence a line with R. R. right of way S 57-55 W approximately 5350.0 feet to a stake in a hollow with a 22 inch poplar pointer;

Thence up said hollow N 25-16 W 482.7 feet to a set stone;

Thence S 67-09 W 500.2 feet to a set stone;

Thence N 7-15 W 400.6 feet to a set stone in a field with a 6 inch poplar and a 24 inch beech on a small cliff for pointers;

Thence N 70-42 W 400.3 feet to a buckeye stump in left fork of Eli Goin Branch;

Thence S 31-56 E 305.2 feet to a set stone;

Thence S 14-15 E 407.9 feet to a point on top of a rock on the end of a spur (the rock marked with three (3) perpendicular marks on the lower side);

Thence S 12-00 W 76.6 feet to a stake;

Thence N 63-35 W 321.5 feet to a set stone on center of a spur;

Thence up and with top of said spur N 70-30 W 207.0 feet to a stake with a 6inch hickory marked with three (3) hacks;

Thence West 153.4 feet to a stake on spur with a 14 inch black oak pointer;

Thence N 87-51 W 144.3 feet to a stake near a 30 inch oak stump;

Thence N 51-29 W 214.6 feet to a stake with an 18 inch black oak for pointer;

Thence N 35-24 W 102.3 feet to a stake on ridge;

Thence N 63-37 W 77.6 feet to a stake on spur with a 20 inch black oak marked for pointer;

Thence N 52-21 W 159.2 feet to a stake on ridge;

Thence leave top of ridge N 32-20 E 1,166.1 feet to a set stone on the west side of a spur with two (2) 10 inch marked oak pointers;

Thence N 4-30 W crossing the top of the ridge between Greasy Creek and Brush Creek and the line between Bell County and Knox County at 61.0 feet, in all 795.7 feet to a set stone;

Thence N 75-29 E 283.0 feet to a 30 inch beech market L. T.;

Thence S 85-52 E crossing the head of Big Brush Creek at 276.9 feet, in all 469.8 feet to a stake on a small spur with an 8 inch beech pointer;

Thence N 54-25 W crossing Brush Creek at 166.4 feet, in all 461.0 feet to a 50 inch marked beech, original corner;

Thence S 69-30 W 630.0 feet to a set stone with a forked poplar with three (3) hacks;

Thence S 56-15 W 336.0 feet to a set stone on top of ridge between Brush Creek and Greasy Creek in the Bell and Knox County line;

Thence N 15-20 W 1022.1 feet to a set stone on the east side of ridge with a 12 inch white oak pointer;

Thence N 44-47 W crossing top of ridge and county line at 281.4 feet, in all 1168.6 feet to a stake on top of ridge;

Thence N 63-40 W 85.8 feet to a set stone on top of needle eye rock between two (2) 24 inch chestnut oaks, marked for corner;

Thence leaving top of ridge, and county line, with the old mountain road on the Greasy Creek side of the mountain N 67-12 W 103.6 feet to a stake in road;

Thence N 89-22 W 120.0 feet to a stake in road;

Thence N 81-50 W 96.0 feet to a stake in road;

Thence N 74-06 W 200.0 feet to a stake in road;

Thence S 87-06 W 130.0 feet to a stake in road;

Thence leaving road S 3-26 W 1030.3 feet to a set stone in floor of strip pit;

Thence N 89-50 W 1838.2 feet to a set stone on top of the ridge between Harps Creek and Greasy Creek in the Knox and Bell County line;

Thence leaving top of ridge S 4-16 W 404.4 feet to a stake;

Thence S 35-30 W 49.1 feet to a stake;

Thence S 52-48 W 172.0 feet to a stake;

Thence S 72-02 W 258.0 feet to a point on top of a cliff, witnessed by a 22 inch chestnut oak standing on top of cliff;

Thence N 21-35 W 91.9 feet to a set stone between two (2) oak trees, the original bearing trees;

Thence leaving top of ridge N 50-00W 431.5 feet to a stake;

Thence N 52-00 W 260.7 feet to a stake on top of spur;

Thence with spur S 83-54 W 582.0 feet to a set stone on north side of a spur;

Thence N 28-14 W 1576.7 feet to a set stone with a 12 inch mulberry and a 12 inch water oak marked for corner;

Thence S 84-26 W crossing Harps Creek at 165.0 feet, in all 350.8 feet to a beech, the original corner;

Thence S 81-11 W 465.5 feet to a beech for corner;

Thence S 43-48 W 130.3 feet to a 30 inch beech original corner;

Thence S 56-57 W 228.2 feet to a stake;

Thence S 6-40 W 197.3 feet to a stake;

Thence S 8-40 W 175.7 feet to a set stone with four (4) dogwood bushes marked for corner;

Thence S 76-04 W 662.7 feet to a 30 inch chestnut oak marked for corner;

Thence S 55-10 W 175.4 feet to a set stone with 5 inch hickory marked for pointer;

Thence S 27-31 W 150.3 feet to a 24 inch poplar marked for corner;

Thence S 5-18 W 151.1 feet to a 20 inch water oak;

Thence S 23-50 W 362.3 feet to a 16 inch black oak corner;

Thence S 23-53 E 309.9 feet to a 20 inch cucumber corner;

Thence S 35-21 W 103.6 feet to a forked beech original corner;

Thence S 75-43 W 255.1 feet to a beech original corner;

Thence S 81-45 W 133.8 feet to a 14 inch hollow maple standing on the west side of a hollow;

Thence S 33-39 W 236.7 feet to a beech original corner;

Thence S 75-49 W 100.8 feet to a stake;

Thence S 79-48 W 136.3 feet to a stake;

Thence S 77-38 W 210.0 feet to a 20 inch black oak corner;

Thence N 68-30 W 113.5 feet to a set stone with a 5 inch black pine pointer;

Thence N 8-10 W 620.7 feet to a beech original corner;

Thence N 4-22 E 419.6 feet to a set stone;

Thence N 2-14 W 321.1 feet to a stake;

Thence N 13-45 W 167.7 feet to a stake;

Thence N 29-22 W 264.7 feet to a 14 inch elm on west side of a hollow;

Thence N 72-00 E crossing right fork of hollow at 25.0 feet, 398.4 feet to outeedgeoof strip pit; in all 614.9 feet to a set stone beside a 36inch oak marked for corner;

Thence N 50-45 W 124.7 feet to a stake;

Thence N 55-45 W 92.6 feet to a stake;

Thence N 70-50 W 73.5 feet to a stake;

Thence N 74-20 W 100.0 feet to a stake;

Thence N 52-10 W 97.8 feet to a stake;

Thence N 55-20 W 144.4 feet to a stake;

Thence N 59-45 W 41.9 feet to a stake;

Thence N 74-40 W 90.9 feet to a stake;

Thence S 81-40 W 167.8 feet to a stake;

Thence N 80-20 W 94.3 feet to a stake;

Thence S887-50 W 162.2 feet to a stake;

Thence S 53-40 W 122.3 feet to a stake;

Thence S 38-50 W 166.4 feet to a stake;

Thence S 33-40 W 136.8 feet to a stake;

Thence S 30-40 W 74.9 feet to a 22 inch poplar marked for corner;

Thence S 19-00 W 202.9 feet to a stake;

Thence S 25-45 W 176.4 feet to a stake;

Thence S 29-40 W 77.7 feet to a 12 inch black walnut marked for corner;

Thence S 25-40 W 205.3 feet to an 8 inch buckeye marked for corner;

Thence N 76-00 W 345.0 feet to a set stone;

Thence S 32-30 W 383.5 feet to a set stone;

Thence S 77-00 W 66.0 feet to an 8 inch maple corner;

Thence N 31-30 W 276.2 feet to a stake;

Thence N 33-15 W 171.5 feet to a set stone;

Thence S 5-00 W 1281.9 feet to a set stone;

Thence S 77-00 W 102.7 feet to a set stone;

Thence S 5-15 W 297.0 feet to a set stone;

Thence S 58-00 W 235.4 feet to a set stone;

Thence N 14-45 E 181.5 feet to a set stone;

Thence N 40-15 E 201.3 feet to a set stone;

Thence N 34-30 E 89.0 feet to a set stone;

Thence S 77-00 W 174.4 feet to a set stone;

Thence N 78-45 W 135.3 feet to a stake;

Thence N 70-15 W 187.5 feet to a set stone with a 14 inch chestnut oak pointer;

Thence S 38-45 W 234.0 feet to a set stone;

Thence S 74-30 W 198.0 feet to a set stone;

Thence N 60-00 W 85.8 feet to a set stone;

Thence N 19-15 W 166.1 feet to a set stone;

Thence N 56-00 W 130.3 feet to a hickory original corner;

Thence N 77-30 W 156.7 feet to a set stone;

Thence N 75-30 W 115.5 feet to a set stone;

Thence N 63-30 W 99.0 feet to a set stone;

Thence N 72-00 W 110.5 feet to a set stone;

Thence S 86-15 W 245.8 feet to a set stone;

Thence S 48-30 W 96.0 feet to a 28 inch black oak original corner;

Thence S 28-45 W 594.0 feet to a set stone;

Thence S 3-30 E 174.9 feet to a set stone;

Thence S 45-45 E 498.8 feet to a set stone;

Thence S 17-00 W 1323.3 feet to a stake;

Thence S 32-10 W 187.0 feet to a 10 inch maple corner;

Thence N 57-15 W 155.6 feet to a stake;

Thence N 59-30 W 434.7 feet to a stake;

Thence N 61-00 W 82.0 feet to a stake;

Thence N 56-30 W 150.3 feet to a stake;

Thence N 59-30 W 546.7 feet to a set stone;

Thence N 38-00 E 623.7 feet to a stake;

Thence N 20-15 E 145.8 feet to a 40 inch chestnut oak original corner;

Thence N 25-10 W 84.7 feet to a stake, called for locust gone;

Thence N 21-00 W 175.7 feet to a stake;

Thence N 3-45 W 102.3 feet to a set stone with a white oak and hickory for pointers;

Thence N 6-45 W 95.7 feet to a stake;

Thence N 45-45 W 66.4 feet to a hickory corner;

Thence S 86-00 W 145.1 feet to a stake;

Thence S 76-30 W 52.8 feet to a stake;

Thence S 33-45 W 74.2 feet to a point on rock;

Thence N 73-45 W 66.0 feet to a set stone with a maple and hickory marked for corner;

Thence S 81-15 W 89.1 feet to a set stone with two (2) black gums for corner;

Thence N 67- 50 W 135.3 feet to a stake;

Thence N 84-00 W 148.1 feet to a stake;

Thence N 85-15 W 36.5 feet to a stake;

Thence N 49-00 W 115.5 feet to a stake on edge road;

Thence S 80-45 W 75.9 feet to a stake;

Thence S 20-30 W 66.0 feet to a stake;

Thence S10-00 W 120.3 feet to a plug on top of a large rock;

Thence S 1-00 E 56.5 feet to a stake;

Thence S 1-30 E 137.5 feet to a chestnut oak in the crevice of a large rock;

Thence S 16-15 E 68.7 feet to a stake in center of road;

Thence S 15-00 E 66.0 feet to a stake;

Thence S 56-15 W 77.5 feet to a stake;

Thence N 51-30 W 40.5 feet to a stake in road;

Thence N 71-00 W 92.4 feet to a stake;

Thence N 79-15 W 62.7 feet to a set stone with a marked hickory pointe

Thence N 71-45 W 78.8 feet to a 14 inch locust marked for corner;

Thence S 83-15 W 85.8 feet to a stake;

Thence S 85-30 W 108.9 feet to a stake;

Thence N 59-30 W crossing spur at 440.3 feet; in all 1167.9 feet to a set stone;

Thence N 45-10 E 296.7 feet to a marked chestnut oak;

Thence N 56-00 E 240.5 feet to a stake;

Thence N 21-15 E 229.4 feet to a stake;

Thence N 23-00 E 273.4 feet to a set stone with two (2) hickorys and a white oak on a ridge;

Thence N 60-20 W 114.0 feet to a stake;

Thence S 78-30 W 210.5 feet to a set stone;

Thence S 72-30 W 77.5 feet to a set stone;

Thence S 64-40 W 125.4 feet to a set stone on top of ridge;

Thence with top of ridge N 52-20 W 115.5 feet to a stake on ridge;

Thence N 42-30 W 191.4 feet to a stake on ridge;

Thence N 44-15 W 217.8 feet to a stake on ridge;

Thence N 42-30 W 85.8 feet to a stake on ridge;

Thence N 31-45 W 110.5 feet to a stake on ridge;

Thence S 86-30 W 90.7 feet to a hickory corner;

Thence leaving top of ridge S 46-00 W 310.0 feet to a set stone in floor of strip pit;

Thence N 49-00 W 151.9 feet to a stake;

Thence N 67-00 W 1441.9 feet to a stone 42.0 feet from the forks of branch;

Thence up the branch N 1-00 E 594.0 feet to a set stone in branch;

Thence N 86-30 E 928.9 feet to a set stone on top of a high knob;

Thence S 37-50 E 126.2 feet to a stake;

Thence S 35-45 E 312.6 feet to a set stone;

Thence N 46-50 E 121.4 feet to a set stone on top of mountain;

Thence N 58-30 E 847.2 feet to a stake;

Thence N 46-00 E 177.9 feet to a set stone;

Thence N 43-00 W 945.0 feet to a set stone on top of a ridge;

Thence N 58-00 E 161.0 feet to a stake;

Thence N 49-00 E 217.0 feet to a stake;

Thence N 68-30 E 90.0 feet to a stake;

Thence S 80-30 E 104.0 feet to a stake;

Thence N 88-00 E 288.0 feet to a stake;

Thence N 77-00 E 59.0 feet to a stake;

Thence N 65-15 E 184.0 feet to a stake;

Thence N 41-30 E 454.0 feet to a stake;

Thence N 2-40 E 114.5 feet to a stake;

Thence N 25-20 E 153.8 feet to a stake;

Thence N 78-30 E 151.0 feet to a set stone on top of ridge;

Thence N 73-30 E 87.6 feet to a sourwood corner;

Thence N 67-20 E 212.0 feet to a set stone;

Thence N 65-30 E 310.0 feet to a stake;

Thence S 33-00 E 188.0 feet to a 30 inch hickory corner;

Thence S 15-15 E 223.0 feet to a 20 inch sassafras;

Thence S 46-30 E 375.0 feet to a 40 inch chestnut oak original corner;

Thence S 22-30 W 556.0 feet to a 30 inch beech original corner;

Thence S 33-30 W 499.0 feet to a 14 inch elm corner;

Thence S 16-30 E 176.0 feet to a stake;

Thence S 44-00 E 65.0 feet to a twin buckeye corner;

Thence S 27-30 E 137.7 feet to a stake;

Thence S 21-10 E 62.3 feet to a stake;

Thence S 64-00 E 126.0 feet to a stake;

Thence S 72-00 E 59.5 feet to a 24 inch poplar corner;

Thence S 10-30 W 186.0 feet to a set stone;

Thence S 81-00 W 426.0 feet to a set stone;

Thence S 8-30 W 148.5 feet to a stake;

Thence S 24-00 W 247.5 feet to a stake;

Thence S 11-30 W 143.5 feet to a stake;

Thence south 52.5 feet to a stake on top of hi-wall;

Thence S 2-30 W 128.8 feet to a set stone in edge of a hollow;

Thence N 77-00 E 93.0 feet to a stake;

Thence S 88-00 E 58.0 feet to a stake;

Thence N 64-30 E 80.0 feet to a stake;

Thence S 78-00 E 238.2 feet to a set stone about 20 feet below a large rock;

Thence S 80-30 E 76.0 feet to a set stone;

Thence N 77-00 E 120.0 feet to a stake;

Thence S 84-00 E 135.0 feet to a stake;

Thence N 83-30 E 42.0 feet to a double hickory;

Thence N 74-30 E 129.0 feet to a stake;

Thence N 67-10 E 200.2 feet to a set stone;

Thence S 51-45 E 559.0 feet to a set stone in a low gap;

Thence N 49-00 E 519.6 feet to a set stone 10 feet from a 22 inch water oak;

Thence N 45-30 E 93.9 feet to a 14 inch hickory on top of ridge;

Thence N 77-40 E 830.0 feet along top of ridge to a set stone between two hickories marked for corner;

Thence N 57-00 E 302.1 feet to a set stone on top of ridge;

Thence leaving ridge and down a spur N 5-30 W 99.0 feet to a stake;

Thence N 14-15 W 120.4 feet to a stake;

Thence N 12-00 W 94.0 feet to a stake;

Thence N 8-00 W 99.0 feet to a stake;

Thence N 8-45 W 99.0 feet to a stake;

Thence N 3-30 W 132.0 feet to a stake;

Thence N 3-15 E 145.8 feet to a stake;

Thence N 15-15 W 118.8 feet to a stake;

Thence N 12-15 W 272.2 feet to a set stone about 50 feet above hi-wall;

Thence N 73-45 E 80.0 feet to a set stone;

Thence S 62-00 E 155.0 feet to a 12 inch hickory corner;

Thence S 45-45 E 80.8 feet to a stake;

Thence S 42-15 E 166.5 feet to a stake;

Thence S 50-15 E 194.5 feet to a 14 inch mulberry and a double black walnut original corner;

Thence S 69-15 E 158.4 feet to a 16 inch mulberry;

Thence S 63-45 E 82.5 feet to a stake in drain;

Thence N 77-00 E 117.1 feet to a hickory and ash original corner;

Thence N 74-00 E 198.0 feet to a stake;

Thence N 77-15 E 84.7 feet to a stake;

Thence S 84-15 E 163.3 feet to a stake;

Thence S 74-45 E 348.0 feet to a set stone with a double buckeye marked for corner;

Thence N 85-30 E 211.0 feet to a 30 inch black walnut stump;

Thence N 57-15 E 293.7 feet to a 12 inch beech;

Thence N 35-15 E 240.9 feet to a large sugartree;

Thence N 60-00 E 87.5 feet to a 24 inch black walnut;

Thence S 74-00 E 85.8 feet to a 24 inch black walnut;

Thence S 69-45 E 204.7 feet to a stake in a branch;

Thence N 50-30 E 75.9 feet to a forked elm;

Thence N 64-00 E 311.8 feet to a 22 inch water oak;

Thence S 73-15 E 82.5 feet to a stake;

Thence S 58-15 E 148.0 feet to a forked buckeye;

Thence S 42-15 E 99.0 feet to a hickory stump;

Thence N 85-30 E 85.8 feet to a 14 inch hickory;

Thence S 85-40 E 132.0 feet to a marked 30 inch ash in a drain;

Thence N 72-45 E 96.9 feet to a stake on top spur;

Thence S 64-20 E 63.0 feet to a stake;

Thence S 56-10 E 154.3 feet to a stake;

Thence S 69-20 E 154.6 feet to a stake;

Thence N 25-20 E 131.3 feet to a stake;

Thence N 35-50 E 221.0 feet to a stake;

Thence N 14-00 E 138.4 feet to a stake;

Thence N 55-30 E 23.0 feet to a stake;

Thence S 49-30 E 129.3 feet to a 14 inch hickory above an old road;

Thence N 65-30 E 218.0 feet to a stake in lower edge of road;

Thence N 33-40 E 38.5 feet to a stake above road;

Thence N 0-20 W 161.2 feet to a stake;

Thence N 1-40 W 203.3 feet to a stake;

Thence N 32-20 W 107.1 feet to a stake;

Thence N 18-40 W 86.2 feet to a stake;

Thence N 1-30 W 177.5 feet to a set stone on top of hi-wall;

Thence N 55-04 E 608.3 feet to a set stone in strip pit near hi-wall about 60.0 feet west of a hollow;

Thence N 24-27 W 995.1 feet to a set stone with a 16 inch black gum and a 22 inch black gum original corner;

Thence N 75-10 E crossing ridge at 310.0 feet, in all 960.3 feet to a set stone on spoil pile;

Thence N 42-24 W 217.7 feet to a 16 inch beech original corner;

Thence N 45-07 W 417.0 feet to a set stone in hollow;

Thence N 12-25 W 169.7 feet to a set stone in hollow;

Thence N 29-03 W 203.5 feet to a 20 inch white oak;

Thence N 51-15 W 176.9 feet to a set stone;

Thence N 36-41 W 181.7 feet to a set stone;

Thence N 76-31 W 123.0 feet to a set stone;

Thence S 87-37 W 36.6 feet to a set stone on the west side of Goldens Creek, witnessed by a 36 inch sycamore in bearing N 89-00 W 34.5 feet;

Thence N 33-06 W crossing said creek at 15.0 feet, in all 488.2 feet to a set stone with a 10 inch maple and a 6 inch dogwood for pointers;

Thence N 27-57 E 572.1 feet to a set stone with a 24 inch black oak for pointer;

Thence N 32-18 W 739.5 feet to a set stone in spoil pile;

Thence N 24-55 E 223.0 feet to a set stone with a 30 inch beech pointer

Thence N 39-56 W 149.9 feet to a set stone above strip pit;

Thence N 58-04 E 522.3 feet to a set stone;

Thence N 79-41 E 458.8 feet to a set stone with two (2) 12 inch oak pointers;

Thence S 66-57 E 426.2 feet to a stake;

Thence N 51-26 E 298.3 feet to a set stone with a 10 inch hickory and a 14 inch poplar for pointers;

Thence N 81-19 E 208.1 feet to a stake;

Thence N 58-55 E 395.4 feet to a stake;

Thence N 67-37 E 403.1 feet to a stake;

Thence N 59-28 E 258.1 feet to a stake;

Thence N 70-37 E crossing left hand fork of Goldens Creek at 117.0 feet; in all 186.7 feet to a set stone in upper edge of strip road;

Thence N 14-29 E crossing said fork at 605.7 feet, crossing top of cliff at 1519.2 feet; crossing top of mountain at 1778.5 feet, in all 3570.6 feet to a 26 inch beech original corner;

Thence N 68-14 E 679.3 feet to a set stone with a 16 inch poplar, 11 inch poplar and a 6 inch hickory for pointers;

Thence N 20-59 E crossing Tye fork at 760.0 feet, in all 947.4 feet to a set stone;

Thence N 80-50 W 1242.5 feet to a set stone on the south railroad right of way;

Thence with said right of way S 80-30 W 231.0 feet to a stake;

Thence N 75-45 W 386.2 feet to a stake;

Thence N 57-00 W 384.2 feet to a stake;

Thence N 44-10 W 397.2 feet to a stake;

Thence N 27-00 W 593.0 feet to a stake;

Thence S 69-20 W 50.0 feet to a steel pin with a 30 inch beech and a 36 inch beech for pointers;

Thence S 61-40 W crossing Tye Fork at 135.6 feet, in all 861.5 feet to a locust marked for corner on the out crop of the Dean coal seam;

Thence with the out crop of the Dean coal seam N 34-50 W 303.8 feet to a stake;

Thence N 35-40 W 301.0 feet to a stake;

Thence N 14-10 W 247.0 feet to a stake;

Thence N 21-00 W 276.3 feet to a 30 inch maple;

Thence leaving the Dean coal seam N'89-10 W crossing the top of mountain at 475.2 feet, in all 1039.6 feet to a set stone with two (2) hickory pointers;

Thence N 85-47 W 967.0 feet to a set stone in the head of Eastridge Branch;

Thence N 12-24 W 474.7 feet to a set stone;

Thence N 29-30 W 1136.8 feet to a set stone;

Thence N 64-42 W 625.9 feet to a set stone on top of ridge between Eastridge Branch and Bennett Branch, both of Little Poplar Creek, with a 24 inch white oak and a 34 inch white oak;

Thence N 57-39 E 122.7 feet to a stake on said ridge;

Thence N 63-55 E 97.1 feet to a stake on said ridge;

Thence leaving top of said ridge N 35-54 E 241.3 feet to a poplar stump on north end of a cliff with a 22 inch poplar for pointer;

Thence N 10-34 W 127.9 feet to a stake on ridge;

Thence N 20-46 W 209.7 feet to a stake on ridge;

Thence N 30-01 W crossing strip pit at 885.8 feet, in all 1288.9 feet to a set stone;

Thence S 85-01 W 759.6 feet to a stake;

Thence N 19-57 W 213.0 feet to a stake in fork of hollow with a 30 inch cucumber pointer;

Thence S 67-20 W 229.6 feet to a black walnut stump in the hollow;

Thence S 54-51 W 219.9 feet to a 24 inch poplar in hollow;

Thence leaving hollow N 22-29 W 408.9 feet to a set stone on top ridge near the head of Sugar Tree Branch;

Thence N 68-46 W 60.2 feet to a 34 inch chestnut oak on top of ridge;

Thence N 23-23 E 247.8 feet to a hickory;

Thence N 26-31 E 178.6 feet to a set stone with a 7 Inch hickory and a 12 inch hickory pointers;

Thence N 33-44 E 145.3 feet to a stake;

Thence N 33-00 E 141.6 feet to a set stone;

Thence N 10-08 E 249.2 feet to a large chestnut oak;

Thence N 83-39 E 776.8 feet to a stump on top of ridge between the two forks of Sugar Tree Branch, with a 22 inch white oak pointer;

Thence N 13-18 W 335.4 feet to a 38 inch chestnut oak on top of ridge;

Thence N 37-05 W 265.0 feet to a set stone on top of ridge with a 12 inch black oak pointer;

Thence N 48-20 W 468.8 feet to a stake on top of ridge;

Thence N 41-44 W 521.9 feet to a stake on top of ridge;

Thence N 5-08 W 329.5 feet to a set stone on top ridge;

Thence N 42-47 E 352.5 feet to a stake;

Thence N 22-56 E 211.0 feet to a set stone on the south side of road;

Thence S 80-55 E 719.6 feet to a 30 inch water oak between the road and Sugar Tree Branch;

Thence N 74-30 E 460.5 feet to a stake in center of road 15.0 feet from said branch;

Thence N 88-26 E 359.8 feet to a set stone;

Thence S 70-12 E 180.6 feet to a black walnut stump near branch;

Thence S 40-38 E 491.0 feet to a stake near branch;

Thence S 27-49 E 171.8 feet to a stake in center of road;

Thence S 10-37 E 152.2 feet to a set stone on edge of road;

Thence N 77-19 E 199.1 feet to a stake;

Thence N 21-56 W 616.8 feet to a stake;

Thence N 43-45 E 135.5 feet to a set stone with a 10 inch mulberry stump and an 11 inch elm pointers;

Thence N 39-16 W 110.7 feet to a stake in a field;

Thence N 84-35 W 218.2 feet to a stake in a hollow;

Thence N 51-16 W 153.1 feet to a stake in a hollow;

Thence N 13-23 E 193.1 feet to a stake in a hollow;

Thence N 22-05 E 257.3 feet to a stake in a hollow;

Thence N 65-31 W 348.4 feet to a stone;

Thence S 18-47 W 222.4 feet to a stake in fence of graveyard;

Thence S 85-41 W 83.2 feet to a stake in said fence;

Thence S 15-10 W 213.0 feet to a walnut stump;

Thence S 82-27 W 297.0 feet to a stake;

Thence N 68-29 W 328.8 feet to a 10 inch beech;

Thence S 34-50 W 248.1 feet to a stake in field;

Thence S 88-11 W 299.4 feet to a stake;

Thence S 89-00 W 148.5 feet to a 30 inch water oak;

Thence N 12-09 E 584.2 feet to a 20 inch beech corner;

Thence N 13-47 W 253.7 feet to a 6 inch hickory in a hollow;

Thence N 13-55 W 675.1 feet to a set stone on top ridge with an 18 inch hickory and 18 inch water oak pointers;

Thence S 69-40 E 267.5 feet to a set stone on top of ridge with a 10 inch chestnut oak, 30 inch chestnut oak and a 7 inch hickory pointers;

Thence N 69-25 E 236.4 feet to a stake on top ridge ;

Thence N 55-32 E 154.8 feet to a stake on top of ridge with a 22 inch water oak;

Thence N 65-15 E 255.4 feet to a 26 inch water oak on ridge;

Thence N 60-11 E 228.2 feet to a 12 inch water oak on ridge;

Thence N 44-02 E 275.4 feet to a stake on ridge;

Thence N 29-14 E 91.1 feet to a set stone on a high knob;

Thence S 52-08 E 172.9 feet to a stake on ridge;

Thence S 73-10 E 182.9 feet to a 26 inch chestnut oak on ridge;

Thence S 42-31 E 130.6 feet to a stake on ridge;

Thence S 51-32 E 147.7 feet to a stake on ridge;

Thence S 88-38 E 116.6 feet to a stake on ridge;

Thence N 72-04 E 400.8 feet to an 18 inch black oak on ridge;

Thence N 88-40 E 96.1 feet to a 16 inch oak on ridge;

Thence S 57-48 E 242.6 feet to a stake on ridge;

Thence S 63-41 E 632.4 feet to a set stone on top of ridge with a 4 inch locust and three (3) chestnut oaks on same stump;

Thence S 28-34 E 347.0 feet to a stake on ridge;

Thence S 1-30 E 377.0 feet to a stake on ridge;

Thence S 34-43 E 177.2 feet to a 20 inch chestnut oak on ridge;

Thence S 2-45 W 324.8 feet to a stake on ridge;

Thence S 36-11 E 48.6 feet to a stake on ridge;

Thence S 11-40 E 314.7 feet to a 10 inch pine on ridge;

Thence S 20-44 E 227.7 feet to a 28 inch water oak in gap;

Thence leaving ridge S 63-41 E 595.0 feet to a set stone;

Thence S 13-25 E 378.2 feet to a set stone on spur with a 12 inch hickory pointer;

Thence N 25-35 E 800.7 feet to a set stone in hollow;

Thence S 16-12 E 771.0 feet to a set stone with a 4 inch dogwood and a 14 inch locust for pointers;

Thence S 72-16 E 208.3 feet to a set stone on top ridge;

Thence N 3-30 E 151.5 feet to a stake in center of road on top ridge;

Thence N 20-37 W 190.3 feet to a stake in center of road on top ridge;

Thence leaving ridge S 89-03 E 174.6 feet to a stake;

Thence S 68-44 E 253.3 feet to a set stone;

Thence S 24-14 W 277.0 feet to a stake;

Thence S 50-15 W 59.0 feet to a set stone with a 10 inch sassafras;

Thence S 69-42 E 492.7 feet to a set stone;

Thence S 56-26 W 910.0 feet to a set stone;

Thence N 69-42 W 19.0 feet to a stake on top of cliff;

Thence S 16-10 E 1257.4 feet to a 36 inch sugar tree between two (2) hollows;

Thence S 42-23 E 482.8 feet to a set stone;

Thence S 38-30 W crossing strip pit at 450.0 feet, in all 719.9 feet to a set stone in the edge of the road;

Thence S 84-57 E 786.0 feet to a set stone;

Thence N 10-00 E 65.0 feet to the center of road;

Thence N 82-10 E crossing strip pit at 220.0 feet, crossing strip pit again at 400.0 feet, in all 1875.2 feet to a set stone with a 14 inch maple, 6 inch and 8 inch beech, 5 inch dogwood and a 16 inch beech pointers;

Thence N 20-31 W crossing a spur at 892.6 feet, crossing another spur at 1262.5 feet, in all 1448.7 feet to a set stone 10.0 feet on west side of a spur;

Thence N 66-00 E crossing a hollow at 238.0 feet, in all 940.7 feet to a set stone;

Thence N 46-06 E crossing Catron Branch at 195.0 feet, crossing road at 377.8 feet, in all 457.6 feet to a set stone with a 7 inch white oak for pointer;

Thence S 25-30 E 555.4 feet to steel pin near large rock;

Thence N 61-10 E crossing strip pit at 1290.0 feet, in all 1727.6 feet to a set stone on north side of ridge;

Thence N 51-52 E 804.4 feet to a set stone on top mountain between Catron Branch and Granny Branch;

Thence N 3-09 W 129.4 feet to a stake on mountain;

Thence N 23-43 W 323.7 feet to a stake on mountain;

Thence N 22-07 W 106.0 feet to a stake on mountain;

Thence N 27-05 W 206.5 feet to a stake on mountain;

Thence N 31-49 W 138.6 feet to a stake on mountain;

Thence N 51-14 W 267.9 feet to a stake on mountain;

Thence N 68-20 W 258.4 feet to a stake on top mountain;

Thence N 76-19 W 281.2 feet to a stake on top mountain;

Thence N 67-54 W 185.1 feet to a stake on top mountain;

Thence N82-59 W 268.7 feet to a stake on top mountain;

Thence N 71-01 W 195.2 feet to a stake on top mountain;

Thence S 85-38 W 583.8 feet to a set stone on top mountain with a 14 inch hickory marked with three (3) hacks;

Thence N 40-54 W crossing strip pit at 200.0 feet, in all 3000.0 feet to a set stone on top ridge with a 14 inch Spanish oak pointer;

Thence down spur N 34-10 W 1311.5 feet to a steel pin oo south bank of the left hand fork of Little Poplar Creek;

Thence N 69-00 E 134.0 feet to a stake on south side of Little Poplar Creek;

Thence N 79-50 E 172.2 feet to a stake on south side of said creek;

Thence N 58-56 E 164.9 feet to a stake on south side of said creek;

Thence N 86-56 E 304.2 feet to a stake on south side of said creek;

Thence S 63-32 E 118.5 feet to a 24 inch buckeye 40.0 feet on the south side of branch just below the mouth of Granny Branch;

Thence N 85-00 E 263.8 feet to a stake on the southwest side of Granny Branch;

Thence S 63-05 E 300.5 feet to a stake on southwest side of Granny Branch;

Thence S 55-20 E 291.6 feet to a set stone on the south edge of road on the southwest side of Granny Branch;

Thence S 29-57 W 35.4 feet to a 22 inch poplar stump;

Thence S 41-58 E 664.0 feet to a set stone in an old field;

Thence S 43-22 E 598.9 feet to a set stone at the end of field;

Thence N 61-07 E crossing Granny Branch at 144.0 feet, in all 156.0 feet to a stake at the end of field;

Thence N 33-52 W 446.4 feet to a stake;

Thence N 60-00 W 132.2 feet to an 8 inch black walnut;

Thence N 86-10 W 60.7 feet to a 24 inch poplar on the northwest bank of Granny Branch;

Thence N 44-20 W 152.7 feet to a stake;

Thence N 36-53 W 526.3 feet to a 16 inch black gum;

Thence N 51-20 W 682.0 feet to a steel rail for corner on the southeast bank of left fork of Little Poplar Creek just above mouth of Granny Branch;

Thence up along side of said branch N 31-26 E 302.4 feet to a stake;

Thence still with said branch N 46-08 E 97.8 feet to a stake;

Thence N 62-16 E 247.8 feet to a steel pin 9.0 feet from a 24 inch poplar;

Thence N 63-26 E 98.9 feet to a stake;

Thence N 81-36 E 189.9 feet to a stake;

Thence N 12-05 W crossing a branch at 98.0 feet, in all 248.8 feet to a stake;

Thence S 69-15 W 256.3 feet to a steel pin in the center of a road;

Thence up said road N 0-50 W 161.1 feet to a stake;

Thence N 14-27 E 165.9 feet to a stake;

Thence N 43-27 E 157.3 feet to a stake;

Thence N 9-01 W 215.6 feet to a stake;

Thence N 15-41 E 292.7 feet to a stake;

Thence N 3-09 E 342.1 feet to a stake;

Thence N 38-01 W 170.1 feet to a stake;

Thence N 16-19 W 175.8 feet to a stake;

Thence N 23-00 W 207.3 feet to a stake;

Thence N 31-30 W 160.4 feet to a stake;

Thence N 19-00 W 132.9 feet to a stake;

Thence N 19-00 E 132.5 feet to a steel pin in bearing North 25.0 feet from gap on mountain, between Little Poplar and Little Brush Creeks;

Thence S 52-48 E 989.9 feet to a set stone on a spur with a 12 inch black gum, 16 inche Spanish oak and a 22 inch Spanish oak for pointers;

Thence S 89-00 E 517.7 feet to a set stone in gap;

Thence N 72-49 E 1051.1 feet to a set stone 20.0 feet on north side of ridge;

Thence S 74-37 E crossing strip pit at 920.2 feet, in all 1374.4 feet to a set stone with a 6 inch black walnut, 6 inch white walnut and a 7 inch lynn for pointers;

Thence S 4-30 W 452.7 feet to a set stone with a 7 inch chestnut oak on 7 inch hickory for pointers;

Thence S 11-03 E crossing strip area at 103.4 feet, in all 1506.6 feet to a set stone in Rich Gap, with a 30 inch white oak, and a 7 inch and 10 inch and 16 inch hickory for pointers;

Thence S 58-56 E crossing strip pit at 825.0 feet, in all 970.3 feet to a set stone on ridge, with a 14 inch maple and a 6 inch white oak for pointers;

Thence with top of ridge S 88-38 E 194.4 feet to a stake;

Thence still with top of ridge S 68-14 E 219.7 feet to a stake;

Thence S 71-03 E 207.1 feet to a set stone with a 14 inch maple for pointer;

Thence N 53-58 E 213.1 feet to a set stone in Mulberry Gap;

Thence N 71-03 E 176.8 feet to a stake;

Thence N 64-12 E 216.4 feet to a set stone on center of ridge with an 8 inch hickory for pointer;

Thence N 62-45 E 80.4 feet to a stake;

Thence leaving ridge S 72-05 E 234.8 feet to a set stone (the original chestnut stump still visable) with an 8 inch maple and 7 inch sassafras for pointers;

Thence N 88-58 E 175.1 feet to a stake;

Thence S 72-34 E 228.9 feet to a set stone, with an 18 inch buckeye in drain for pointer;

30

Thence S 67-40 E 265.6 feet to a set stone on the west bank of the left fork of Little Brush Creek;

Thence S 5-01 E 122.0 feet to a set stone on the east bank of said fork and by the north side of the mouth of a left hand hollow, witnessed by an 8 inch black walnut;

Thence S 87-47 E 224.0 feet to a steel rail in edge of county road, with a 5 inch and 4 inch dogwood for pointers;

Thence up old county road N 1-00 W 141.3 feet to a stake;

Thence still with said road N 2-30 E 215.1 feet to a stake;

Thence N 15-10 E 254.7 feet to a stake in said road;

Thence N 28-30 E 287.0 feet to a stake in said road;

Thence N 33-50 E 153.8 feet to a stake in said road;

Thence S 54-14 E 19.1 feet to a set stone in said road;

Thence leaving said road N 46-10 E crossing branch at 20.0 feet, crossing new county road at 95.0 feet, in all 175.6 feet to a stake;

Thence N 46-00 E crossing branch at 208.0 feet, in all 443.6 feet to a stake;

Thence N 49-10 E 214.4 feet to a set stone with a 20 inch beech marked for pointer;

Thence N 52-15 W 139.8 feet to a stake;

Thence N 51-15 W 125.1 feet to a set stone on bank of county road with a 4 inch white oak, 5 inch white oak and an 8 inch white oak for pointers;

Thence N 9-30 E 118.8 feet to a stake on east bank of road;

Thence N 20-30 E 153.3 feet to a stake on east bank of road 12.0 feet north of a hollow;

Thence N 15-50 W 435.6 feet to an x cut on a hickory root above road in front of a house;

Thence N 33-00 W 210.5 feet to a stake above road with a 14 inch white oak for pointer;

Thence N 26-50 W 219.2 feet to a stake above road;

Thence N 40-45 W 212.8 feet to a stake above road;

Thence N 55-40 W 100.2 feet to a stake above road;

Thence N 42-10 W 113.7 feet to a set stone;

Thence N 16-15 E 182.6 feet to a set stone;

Thence N 41-15 W 187.2 feet to a stake;

Thence N 22-10 W 108.0 feet to a stake;

Thence N 11-20 W crossing branch at 80.0 feet, in all 126.0 feet to a stake;

Thence N 1-20 W 147.3 feet to a stake;

Thence N 5-40 W 186.1 feet to a stake;

Thence N 3-50 W 82.7 feet to a set stone with a 20 inch Spanish oak marked with 3 hacks for pointer;

Thence N 50-00 W 252.8 feet to a stake on top of spur;

Thence N 43-00 W 76.9 feet to a stake;

Thence N 22-50 W 134.0 feet to a stake;

Thence N 21-00 W 180.0 feet to a stake;

Thence N 19-15 W 151.2 feet to a stake;

Thence N 23-00 E 107.0 feet to a stake;

Thence N 26-30 E 160.1 feet to a stake;

Thence N 24-40 E 283.7 feet to a stake;

Thence N 22-50 E crossing branch at 70.0 feet, in all 107.0 feet to a set stone with a 6 inch dogwood marked with 3 hacks for pointer;

Thence N 63-00 W 299.4 feet to a stake;

Thence N 64-15 W 187.9 feet to a stake;

Thence N 62-15 W 160.0 feet to a set stone with a 22 inch white oak marked with 3 hacks for pointer;

Thence N 35-50 W 340.7 feet to a stake;

Thence N 34-45 W 259.0 feet to a stake;

Thence N 34-50 W 293.5 feet to a stake in cemetery;

Thence N 35-40 W 134.1 feet to a stake;

Thence N 47-35 W 80.4 feet to a stake;

Thence N 62-10 W 118.4 feet to a stake in said road;

Thence N 0-15 E 288.0 feet to a stake in said road;

Thence N 63-10 E 73.7 feet to a stake;

Thence N 59-30 E 187.6 feet to a stake;

Thence N 59-05 E 184.4 feet to a stake;

Thence N 57-40 E 253.7 feet to a stake;

Thence N 59-45 E 281.9 feet to a stake;

Thence N 56-30 E 189.4 feet to a stake;

Thence N 55-45 E 167.7 feet to a stake;

Thence N 55-20 E 139.4 feet to a set stone with a 24 inch chestnut oak marked for pointer;

Thence S 62-00 E 241.0 feet to a stake;

Thence S 60-00 E 238.0 feet to a set stone with a 20 inch black gum stump for pointer;

Thence N 50-00 E 133.6 feet to a stake;

Thence N 57-10 E crossing top of mountain at 38.0 feet, in all 422.1 feet to a set stone on top of ridge with a 10 inch locust marked with 3 hacks for pointer;

Thence leaving ridge S 3-00 E 263.7 feet to a stake;

Thence S 56-30 E 181.4 feet to a stake;

Thence S 21-00 E 51.3 feet to a stake;

Thence S 20-30 W 120.7 feet to a stake;

Thence S 37-10 W 122.3 feet to a stake;

Thence S 19-45 E 106.1 feet to a stake;

Thence S 17-10 E 134.5 feet to a set stone with a 20 inch forked poplar marked with 3 hacks for pointer;

Thence S 66-10 E 255.9 feet to a stake;

Thence S 68-00 E 192.0 feet to a stake on top of ridge;

Thence S 61-45 E 39.4 feet to a set stone;

Thence S 36-50 E 174.5 feet to a stake;

Thence S 26-20 E 201.6 feet to a stake;

Thence S 23-50 E 137.1 feet to a stake;

Thence N 85-50 E 298.8 feet to a stake;

Thence N 88-00 E crossing spur at 25.0 feet, in all 72.2 feet to a set stone, with a beech marked with 3 hacks for pointers;

Thence S 56-00 E 51.4 feet to 14 inch beech marked with three hacks for pointers, corner to a 1/2 undivided interest tract;

Thence N 54-45 E 267.4 feet to a stake;

Thence N 55-00 E 261.1 feet to a stake;

Thence N 55-30 E crossing branch, 225.5 feet to a stake;

Thence N 54-30 E 267.1 feet to a stake;

Thence N 53-15 E 162.5 feet to a stake in fence line;

Thence with fence line S 75-30 E 166.2 feet to a stake;

Thence S 74-15 E 92.4 feet to a stake in fence line;

Thence S 29-15 E 187.0 feet to a stake in fence line;

Thence S 30-20 E 143.4 feet to a stake in fence line;

Thence N 86-30 E 224.5 feet to a stake in old railroad right-of-way and fence line;

Thence S 9-10 W 239.0 feet to a stake in said right-of-way;

Thence S 24-25 W 290.0 feet to a stake in said right-of-way;

Thence S 27-40 W 248.1 feet to a stake in said right-of-way;

Thence S 24-00 W 328.1 feet to a stake in said right-of-way;

Thence leaving said right-of-way N 85-40 W 116.7 feet to a stake in fence line;

4

Thence N 87-15 W 458.8 feet to a stake;

Thence N 86-40 W 658.8 feet to a stake with a 14 inch chestnut oak with 3 hacks marked for corner;

Thence N 88-20 W 128.1 feet to a set stone with a 14 inch water oak and 8 inch sourwood marked for pointers;

Thence S 23-00 E 130.0 feet to a stake;

Thence S 22-30 E 124.6 feet to a stake;

Thence S 19-00 W 168.9 feet to a stake;

Thence S 18-30 W 181.2 feet to a set stone with a 6 inch beech and 6 inch dogwood marked for pointers;

Thence N 84-50 W crossing branch at 73.0 feet, in all 127.0 feet to a stake;

Thence N 82-50 W 126.2 feet to a stake;

Thence N 86-30 W 273.3 feet to a stake;

Thence N 80-30 W 92.3 feet to a stake;

Thence N 86-00 W crossing strip at 115.0 feet, in all 188.6 feet to a stake;

Thence S 89-45 W 29.9 feet to a set stone on top of mountain between Little and Big Brush Creeks, with a 12 inch maple marked with 3 hacks for corner;

Thence S 6-45 W 201.0 feet to a stake on top of mountain;

Thence S 1-45 W 86.0 feet to a set stone on top of mountain with a 22 inch Spanish oak marked with 3 hacks for corner;

Thence leaving top of mountain S 49-10 E crossing strip road at 115.0 feet, in all 185.0 feet to a stake;

Thence S 51-50 E 232.6 feet to a stake;

Thence S 52-15 E 187.6 feet to a stake;

Thence S 48-50 E 140.8 feet to a stake;

Thence S 54-00 E 225.5 feet to a stake;

Thence S 49-30 E 181.1 feet to a stake;

Thence S 52-30 E 221.7 feet to a stake;

Thence S 51-40 E 171.5 feet to a stake;

Thence S 48-10 E 73.8 feet to a stake;

Thence S 54-50 E 101.2 feet to a stake with 6 lynns growing from old stump for pointers;

Thence S 28-00 E 431.0 feet to a stake;

Thence S 26-30 E 277.7 feet to a set stone;

Thence S 36-30 W 196.6 feet to a stake in lower edge of strip pit;

Thence S 39-30 W 119.7 feet to a stake;

Thence S 38-10 W 129.2 feet to a set stone on top of high point with a 20 inch Spanish oak and a 12 inch oak marked for pointers;

Thence with top of ridge S 35-30 E 224.8 feet to a stake;

Thence N 71-10 E 134.5 feet to a stake;

Thence N 64-40 E 107.7 feet to a stake;

Thence N 88-20 E 145.4 feet to a stake;

Thence N 69-15 E 173.3 feet to a stake on lower edge of strip pit;

Thence with fence line N 61-15 E 237.8 feet to a stake;

Thence N 54-20 E 166.3 feet to a stake;

Thence N 53-00 E 86.3 feet to a stake with an 8 inch sourwood and 8 inch hickory painted for corner;

Thence N 48-30 E 228.3 feet to a stake;

Thence N 52-45 E 109.6 feet to a stake, with an 18 inch beech for pointer;

Thence N 43-30 E 203.4 feet to a stake;

Thence N 53-40 E 164.3 feet to a stake;

Thence N 67-15 E 183.7 feet to a set stone in hollow with a forked sycamore marked for corner;

Thence still with fence line S 29-45 E 192.8 feet to a stake;

Thence S 38-10 E 204.1 feet to a stake;

36

Thence S 17-40 E 246.0 feet to a stake;

Thence S 23-15 E 152.5 feet to a stake;

Thence S 17-45 W 115.4 feet to a stake;

Thence S 17-40 W 189.7 feet to a stake;

Thence S 6-30 W 121.2 feet to a stake;

Thence leaving fence line S 34-00 W 300.0 feet to a stake in Orchard Branch;

Thence S 40-45 W 300.2 feet to a stake in said branch;

Thence S 52-15 W 185.4 feet to a set stone in said branch with a 12 inch poplar marked for corner;

Thence leaving said branch S 81-00 E 248.7 feet to a stake;

Thence S 77-10 E 224.5 feet to a stake;

Thence S 80-30 E 287.6 feet to a stake;

Thence S 79-20 E 172.2 feet to a stake;

Thence S 78-40 E crossing spur at 78.0 feet, in all 212.3 feet to a stake;

Thence S 87-20 E 223.6 feet to a stake;

Thence S 64-20 E crossing branch at 15.0 feet, in all 171.2 feet to a stake;

Thence N 69-40 E 101.7 feet to a set stone with a 22 inch beech marked for corner;

Thence S 78-50 E crossing spur at 97.6 feet, in all 145.3 feet to a stake;

Thence S 8-10 E 171.0 feet to a stake on spur;

Thence N 75-30 E 272.7 feet to a stake;

Thence N 76-30 E 182.1 feet to a set stone with a 14 inch black walnut marked for corner on top of spur;

Thence S 45-40 E 220.5 feet to a set stone with a mulberry marked for pointer;

37

Thence N 28-25 E 110.5 feet to a set stone with a 22 inch hickory marked for corner;

Thence S 31-58 E 137.4 feet to a stake on south bank of Lambert Branch or Carter Branch;

Thence N 69-56 E 140.0 feet to a stake in old fence line;

Thence N 68-10 E 587.7 feet to a stake in old fence line;

Thence N 69-00 E 157.5 feet to a stake in old fence line;

Thence N 70-40 E 176.7 feet to a stake in old fence line;

Thence N 67-15 E 57.8 feet to a stake in old fence line;

Thence N 68-10 E 193.5 feet to a stake in old fence line;

Thence N 65-40 E 20.0 feet to a set stone in Perry Lewellen's old fence line;

Thence S 14-18 E 219.9 feet to a set stone in said fence line with a 36 inch white oak marked for pointer;

Thence S 36-42 E 338.6 feet to a set stone with a 20 inch beech, and 22 inch cucumber marked for pointers;

Thence S 69-57 E crossing hollow at 85.0 feet, in all 165.0 feet to a stake;

Thence S 45-13 E 518.2 feet to a set stone on center of spur;

Thence S 26-24 E 195.8 feet to a stake on top of spur;

Thence S 38-21 E 138.1 feet to a stake on top of spur;

Thence S 33-22 E 321.4 feet to a stake on top of spur;

Thence S 27-07 E 46.0 feet to a set stone on top of spur, with a 22 inch maple marked for pointer;

Thence N 37-40 E 114.1 feet to a stake;

Thence N 27-30 E 114.3 feet to a stake in floor of strip pit;

Thence N 32-12 E crossing spur at 406.9 feet, in all 704.5 feet to a set stone with a 14 inch water oak for pointer;

Thence S 73-07 E crossing hollow at 192.9 feet and again at 247.9 feet, crossing ridge at 542.1, in all 708.8 feet to a set stone in edge of drain with water oak for pointer;

Thence N 5-12 E 170.4 feet to a set stone with a 6 inch and 14 inch hickory on top of ridge marked for corner;

Thence N 50-26 E 179.5 feet to a set stone with a 16 inch maple on top of ridge marked for corner;

Thence N 58-41 E 77.4 feet to a set stone on center of ridge;

Thence S 87-00 E 116.3 feet to a stake on top of ridge;

Thence N 73-28 E 89.9 feet to a stake on top of ridge;

Thence N 54-18 E 187.2 feet to a set stone with a locust stump on top of ridge marked for corner;

Thence N 58-00 E 94.1 feet to a stake on top of ridge;

Thence N 50-11 E 469.7 feet to a steel rail in corner of fence;

Thence S 45-43 E 115.1 feet to a steel rail in corner of fence;

Thence S 5-19 W 83.0 feet in the westerly line of right of way of the Cumberland Railroad Company;

Thence with said westerly line of right of way up Brush Creek S 12-37 W 90.1 feet to a stake;

Thence S 17-16 W 457.9 feet to a stake in said right of way;

Thence S 19-04 W 184.0 feet to a stake in said right of way;

Thence S 7-11 W 190.1 feet to a stake in the center of a drain in said line of right of way;

Thence S 86-15 E 53.5 feet to a stake in the easterly line of said right of way;

Thence S 1-55 W 726.0 feet to the S. W. corner of Lloyd Golden corner and N. W. corner of Paul Garland, and also the easterly right of way Cumberland Railroad, in all 866.0 feet to the S. W. Corner of Paul Garland and N. W. corner formerly owned by Earl Cross, but now owned by J. M. Huber Corporation;

Thence East 81.2 feet to a steel rail at the west end of bridge;

Thence N 43-30 E 145.0 feet to a steel rail, being the S. E. corner of Lloyd Golden's property;

Thence N 11-00 E 327.6 feet to a stake;

Thence N 10-30 E 307.9 feet to a steel rail, being the N. E. corner of Lloyd Golden's property;

Thence S 54-50 E 41.6 feet to a point in center line of Highway 225;

Thence S 56-20 E 172.5 feet to a stake in old road;

Thence S 74-16 E crossing branch at 190.7 feet, in all 1307.6 feet to a set stone on top of ridge;

Thence S 37-36 W leaving ridge at 220.5 feet, in all 610.4 feet to a set stone;

Thence S 79-30 W 681.6 feet to a set stone;

Thence N 66-49 W 70.6 feet to a stake in fence line;

Thence N 80-49 W 56.5 feet to a stake in said line;

Thence N 86-15 W 155.3 feet to a stake in said line in edge of hollow;

Thence S 82-40 W 123.1 feet to a point in Highway 225;

Thence S 13-43 E 247.2 feet to a point in Highway 225;

Thence N 73-20 E 308.1 feet to a set stone in rock fence with a 24 inch black oak and 16 inch hickory marked for pointers;

Thence S 25-35 E 161.0 feet to a point in said fence;

Thence S 48-37 E 79.3 feet to a point in said fence;

Thence S 65-55 E 203.8 feet to a set stone on south bank of hollow with a 16 inch black oak and 7 inch white oak marked for pointers;

Thence S 61-08 W crossing Highway 225 at 470.9 feet, in all 518.5 feet to a steel rail on northeast bank of Big Brush Creek with a 22 inch elm and 24 inch white oak for pointers;

Thence N 69-30 W 150.0 feet to a steel rail on the northeast bank of Big Brush Creek;

Thence S 23-30 E crossing Big Brush Creek at 15.0 feet, in all 600.0 feet to a set stone;

Thence S 55-18 W 291.7 feet to a stake;

Thence S 30-00 W 42.0 feet to a stake in drain;

Thence S 88-00 W 158.5 feet to a stake in old fence line;

Thence N 89-44 W crossing old railroad grade at 20.0 feet, in all 156.1 feet to a steel rail in edge of drain;

Thence S 14-05 E 300.5 feet to a stake;

Thence S 9-43 E 423.5 feet to a steel rail in north edge of railroad grade;

Thence S 48-47 E crossing railroad grade, crossing Big Brush Creek at 40.0 feet, in all 72.6 feet to a set stone on south bank of Big Brush Creek, the southwest corner of H. H. Sturdivant property;

Thence S 2-10 W 209.8 feet to a stake;

Thence S 20-00 E 121.9 feet to a set stone, the southeast corner of H. H. Sturdivant property;

Thence S 84-00 E 143.9 feet to a stake in said fence line;

Thence S 68-20 E 94.1 feet to a stake in fence line;

Thence S 64-40 E 169.6 feet to a stake in fence line;

Thence S 37-31 E 168.4 feet to a stake in fence line;

Thence S 65-19 E 80.9 feet to a stake in fence line;

Thence S 53-42 E 59.6 feet to a steel rail 8.0 feet on the west side of Highway 225;

Thence up fence line and west right of way of Highway 225 S 35-15 W 300.0 feet to a stake;

Thence still with same S 40-00 W 203.0 feet to a steel rail set for corner;

Thence with same S 46-11 W 154.5 feet to a stake;

Thence leaving said fence and said right of way S 28-47 W 385.7 feet to a point in Highway 225;

Thence S 47-13 W 78.5 feet to a point for corner in said highway;

Thence S 43-10 E 437.0 feet to a set stone on top of ridge, with a 12 inch hickory marked for pointer;

Thence N 87-30 W 536.8 feet to a steel rail, with a 16 inch white oak marked for pointer;

Thence S 12-44 E 385.7 feet to a point 4 feet from west side of Highway 225 for corner;

4

Thence N 72-55 E 593.4 feet to a set stone with a 10 inch hickory marked for pointer;

Thence S 19-30 E crossing ridge at 1156.5 feet, in all 1231.8 feet to a set stone with a 24 inch white oak marked for pointer;

Thence N 42-12 E 678.0 feet to a set stone on spur;

Thence N 75-07 E 180.2 feet to a set stone with a 12 inch black oak on point of spur marked for pointer;

Thence S 47-48 E 150.8 feet to a set stone with an 8 inch hickory marked for corner on top of ridge;

Thence S 54-03 E 165.9 feet to a stake on top of ridge;

Thence S 24-09 E 106.0 feet to a stake on top of ridge;

Thence S 17-33 E 70.4 feet to a corner of T. M. Perkins (with a 24 inch and 14 inch yellow oak and 14 inch hickory marked for corner), in all 120.4 feet to a stake on top of ridge;

Thence S 0-36 E 83.1 feet to a set stone on top of ridge with a 12 inch black walnut marked for pointer;

Thence S 8-10 E 178.9 feet to a 36 inch chestnut oak marked for corner on top of ridge;

Thence S 0-20 E 321.5 feet to a large locust stump partly burned;

Thence S 2-00 W 333.3 feet to a stake;

Thence S 1-12 W 182.9 feet to a stake;

Thence S 1-00 W 252.0 feet to a stake;

Thence S 2-20 W 81.1 feet to a stake;

Thence S 1-00 W 142.7 feet to a stake;

Thence S 2-30 W 209.1 feet to a stake;

Thence S 0-40 W 148.9 feet to a stake;

Thence S 0-45 W 180.5 feet to a stake;

Thence S 12-20 W 115.8 feet to a stake;

Thence S 0-30 W 226.0 feet to a stake;

Thence S 3-45 W 112.6 feet to a stake;

Thence S 2-05 W 291.9 feet to a stake;

Thence S 0-50 W 180.6 feet to a stake;

Thence S 19-20 W 169.1 feet to a set stone on top of mountain between Greasy Creek and Big Brush Creek;

Thence S

Thence S 13-50 W 152.2 feet to a stake on top of mountain;

Thence N

Thence leaving top of ridge, and on the Brush Creek side of the mountain S 1-00 W 478.0 feet to a 28 inch white oak original corner;

Thence N 88-58 W 1275.4 feet to a set stone;

Thence N 86-14 W 488.4 feet to a set stone with a 12 inch hickory marked for corner;

Thence N 5-24 W 60.5 feet to a set stone with a 5 inch poplar pointer;

Thence N 74-50 W 452.7 feet to a piece of steel rail on the east right of way line of Highway 225;

Thence with east right of way line N 20-20 E 188.8 feet to a piece of steel rail;

Thence S 76-12 E 365.2 feet to a 22 inch beech on the south side of a hollow original corner;

Thence N 1-40 W 73.9 feet to a white oak stump on the north bank of hollow;

Thence N 23-40 W 302.4 feet to a set stone with 10 inch and 12 inch white oaks for pointers;

Thence N 69-20 E 778.4 feet to a set stone with a 12 inch hickory pointer;

Thence N 56-10 W 599.9 feet to a set stone;

Thence N 38-45 E 279.6 feet to a set stone in a hollow;

Thence down hollow N 82-30 W crossing Highway 225 at 110.0 feet, in all 257.4 feet to a set stone on the east bank of Big Brush Creek;

Thence crossing Brush Creek S 50-57 W 203.1 feet to a piece of steel rail on west bank of Big Brush Creek with a 30 inch sycamore for pointer

Thence N 56-27 W 218.8 feet to a stake in hollow;

Thence N 42-49 W 142.5 feet to a stake in hollow;

Thence N 70-24 W 116.0 feet to a stake in hollow;

Thence N 86-30 W 136.3 feet to a stake in hollow;

Thence N 60-45 W 128.6 feet to a stake in hollow;

Thence N 71-16 W 108.7 feet to a stake in hollow;

Thence N 53-20 W 120.9 feet to a stake in hollow;

Thence N 84-20 W 99.2 feet to a stake in hollow;

Thence N 58-27 W 93.6 feet to a 6 inch dogwood and 20 inch white oak marked for corner in hollow;

Thence N 37-04 W 111.3 feet to a stake in hollow;

Thence N 63-53 W 174.6 feet to a stake in hollow;

Thence N 38-24 W 37.8 feet to a set stone with a 10 inch ash for pointer, this corner is in a slip, it may slide off;

Thence S 0-19 E 227.9 feet to a stake at south end of large rock, on top of steep bank;

Thence S 14-17 E 160.3 feet to a stake on top of rocky spur with a 10 inch Spanish oak and 14 inch hickory for pointers;

Thence S 27- 42 W 295.9 feet to a set stone, set for corner on upper edge of bench;

Thence S 10-46 E 217.9 feet to a set stone, on spur;

Thence S 8-00 E 167.0 feet to a stake;

Thence S 85-01 W crossing hollow at 694.7 feet, crossing spur at 721.1 feet, crossing drain at 810.2 feet, crossing hollow at 1099.2 feet, in all 1119.2 feet to a stake;

Thence S 34-14 W crossing hollow at 80.0 feet, in all 180.5 feet to a set stone on steep hillside;

Thence N 34-54 W 185.7 feet to a set stone on north side of hollow with a 20 inch hickory for pointers;

Thence S 85-01 W 641.9 feet to a set stone on center line of ridge;

Thence S 3-20 E 185.9 feet to a stake on ridge with an 18 inch black oak pointer;

Thence S 14-04 W 232.3 feet to a stake on ridge;

Thence S 16-28 E 272.0 feet to a stake on ridge;

Thence S 52-35 E 189.2 feet to a stake on ridge;

Thence S 32-34 E 231.4 feet to a stake on ridge;

Thence S 42-06 E 221.6 feet to a stake on ridge;

Thence S 33-54 E 211.4 feet to a stake on ridge;

Thence S 47-09 E 334.1 feet to a stake on ridge;

Thence S 55-54 E 152.9 feet to a set stone in center line of road with a 14 inch mulberry and 28 inch and 40 inch poplars for pointers;

Thence N 73-19 E 271.5 feet to a stake;

Thence S 42-18 E crossing railroad at 13.0 feet, in all 63.0 feet to set stone, being a corner between Ed Detherage, A. J. Cobb and J. M. Huber Corporation;

Thence with the railroad right of way and A. J. Cobb line S 60-55 W 109.0 feet to a stake;

Thence still with railroad right of way and Cobb's line S 62-20 W 115.0 feet to a stake;

Thence still with same S 69-45 W 196.4 feet to a stake;

Thence still with same S 80-35 W 151.5 feet to a stake;

Thence still with same S 87-45 W 238.1 feet to a stake;

Thence still with same S 89-45 W 155.1 feet to a stake;

Thence still with same S 85-50 W 192.2 feet to a stake;

Thence still with same S 85-00 W 263.1 feet to a stake;

Thence still with same S 84-10 W 500.0 feet to an iron rail set for corner;

Thence with line between Cobb and Huber, going through pasture field S 15-45 W, crossing branch at 295.0 feet, in all 393.5 feet to an iron rail being the right of way of Highway 225 beside a blook house (garage);

5

Thence with right of way of Highway 225 S 71-50 E 188.1 feet to a stake (still being line between A. J. Cobb and J. M. Huber Corp.);

Thence S 78-45 E 82.1 feet to a stake;

Thence S 87-25 E 103.8 feet to a stake;

Thence N 89-45 E 101.5 feet to a stake;

Thence N 77-25 E 427.5 feet to a stake;

Thence N 81-00 E 175.3 feet to a stake;

Thence N 82-50 E 128.9 feet to a stake;

Thence S 89-55 E 118.0 feet to a stake;

Thence S 77-00 E 303.0 feet to a stake;

Thence S 77-35 E 225.1 feet to a stake;

Thence S 89-05 E 166.5 feet to a stake;

Thence N 81-15 E 80.2 feet to a stake;

Thence N 72-00 E 115.0 feet to a stake;

Thence N 63-15 E 131.5 feet to a stake;

Thence N 60-40 E 145.5 feet to a stake;

Thence N 53-20 E 110.0 feet to a steel rail on the east right of way line of Highway 225;

Thence crossing said Highway S 34-20 E 158.7 feet to a stake in hollow;

Thence up hollow S 50-00 E 292.5 feet to a stake in branch;

Thence S 50-50 E 211.5 feet to a stake in branch;

Thence S 44-40 E 174.5 feet to a stake in branch;

Thence S 22-15 E 77.8 feet to a stake in branch;

Thence S 47-10 E 87.0 feet to a set stone at the foot of a steep bank in head of hollow;

Thence S 9-47 W 120.7 feet to a set stone with a 6 inch dogwood and 8 inch hickory for pointers;

Thence S 80-13 E 118.4 feet to a set stone in hole where hickory might have stood;

Thence S 88-45 E 209.1 feet to a set stone on top of spur with a 20 inch yellow oak pointer;

Thence N 38-55 W 103.5 feet to a stake on ridge;

Thence N 19-40 W 121.3 feet to a stake on ridge;

Thence N 0-25 E 263.8 feet to a stake on ridge;

Thence N 0-48 E 166.0 feet to a stake on ridge;

Thence N 27-55 E 207.9 feet to a stake on ridge;

Thence N 16-10 E 267.9 feet to a stake on ridge;

Thence N 22-55 W 182.2 feet to a stake on ridge;

Thence N 24-08 W 109.6 feet to a stake on ridge;

Thence N 16-57 W 166.4 feet to a set stone with a 20 inch maple marked for pointer;

Thence N 49-23 E 191.9 feet to a stake in Trace Branch;

Thence with said branch S 49-10 E 118.6 feet to a stake;

Thence with same S 45-50 E 172.8 feet to a stake;

Thence with same S 47-50 E 79.3 feet to a stake;

Thence with same S 30-30 E 58.0 feet to a stake;

Thence with same S 50-45 E 108.0 feet to a stake;

Thence with same N 81-20 E 150.0 feet to a stake;

Thence with same N 48-37 E 61.2 feet to a stake;

Thence with same N 74-31 E 227.3 feet to a stake;

Thence with same N 78-00 E 138.2 feet to a stake;

Thence with same N 71-30 E 103.2 feet to a stake;

Thence with same S 61-15 E 135.4 feet to a 10 inch black walnut;

Thence leaving said branch S 15-40 E 48.8 feet to a set stone;

7

Thence S 47-00 W 180.0 Feet to a stake;

Thence S 16-48 E 196.2 feet to a stake;

Thence S 55-29 W 239.0 feet to a stake;

Thence S 52-13 W 100.6 feet to a stake;

Thence S 37-06 E 216.7 feet to a stake in Trace Branch;

Thence S 13-32 E 206.0 feet to a stake in Trace Branch;

Thence S 25-16 E 162.1 feet to a stake on ridge;

Thence S 42-54 E 208.2 feet to a set stone with a 10 inch black gum marked for corner;

Thence S 27-50 E 104.6 feet to a stake on ridge;

Thence S 2-00 E 172.0 feet to a stake on ridge;

Thence S 0-50 E 247.2 feet to a stake on top of ridge;

Thence S 0-30 E 72.6 feet to a stake on top of ridge;

Thence S 15-30 W 139.4 feet to a stake on top of ridge;

Thence S 32-30 W 225.5 feet to a stake on top of ridge;

Thence S 36-45 W 278.8 feet to a stake on top of ridge;

Thence S 29-40 W 93.3 feet to a stake on top of ridge;

Thence leaving top of ridge, S 80-00 W 220.6 feet to a stake;

Thence S 84-00 W 175.7 feet to a stake;

Thence S 82-40 W 184.8 feet to a stake;

Thence N 79-40 W 100.3 feet to a stake;

Thence S 1-30 W 204.3 feet to a stake;

Thence South 127.1 feet to a stake;

Thence S 3-40 W 80.4 feet to a stake;

Thence S 0-20 W 104.9 feet to a stake;

Thence S 11-00 W 65.1 feet to a stake;

Thence S 1-15 W 122.4 feet to a stake;

Thence N 58-15 E 281.8 feet to a stake on top of ridge;

Thence N 58-50 E 109.1 feet to a set stone on spur with a 14 inch hickory marked for pointer;

Thence N 56-40 E 146.7 feet to a stake on top of spur;

Thence N 58-15 E 154.3 feet to a stake on top of spur;

Thence N 56-50 E 79.7 feet to a stake on top of spur;

Thence N 54-30 E 66.1 feet to a stake on top of spur;

Thence N 74-00 E 121.0 feet to a stake on top of spur;

Thence N 67-10 E 89.1 feet to a stake on top of mountain between Brush Creek and Greasy Creek;

Thence S 57-15 E 156.5 feet to a stake on top of mountain;

Thence S 41-15 E 258.7 feet to a stake on top of mountain;

Thence S 50-10 E 102.0 feet to the Beginning.

TRACT 38-2A

LOCATED ON LEWELLEN BRANCH, WATER OF HUBBS CREEK, WATERS OF POPULAR CREEK OF THE CUMBERLAND RIVER, IN KNOX COUNTY, KENTUCKY.

BEGINNING at a set stone in the Center Line of a public passway in Lewellen branch S83-15E crossing old log road at 1,329.0 ft. in all 1,931.0 ft. to a set stone on top of Ridge.
THENCE S84-45E crossing old log road at 150.6 ft. crossing branch at 1,028.3 ft. crossing road coming from a Strip pit at 1,427.6 ft. in all 1994.9 ft. to 2 original Maples marked for corner.
THENCE N38-00E 99.0 ft. to a Black Gum the original marked for corner.
THENCE N32-50W 396.7 ft. to a stake.
THENCE N31-20W 88.6 ft. to a 6'' Elm on top of Ridge marked for corner being the orginial corner.
THENCE N29-15E 266.3 ft. to a 8'' Sassafras marked for corner.
THENCE N1-00E following old marked line 412.5 ft. to a set stone.
THENCE N4-00W 132.0 ft. to a set stone.
THENCE N59-00W crossing Ridge at 235.0 ft. in all 449.6 ft. to a set stone.
THENCE N67-00E 259.1 ft. to a set stone on top of Ridge.
THENCE N4-00E 167.3 ft. with top of Ridge to a set stone.
THENCE N48-45W 95.3 ft. still with top of Ridge to a 22'' Spanish Oak marked for corner.
THENCE N32-20W 72.8 ft. still with top of Ridge to a set stone.
THENCE N17-00W 354.7 ft. with top of Ridge to a set stone.
THENCE N12-45W 157.5 ft with top of ridge to a set stone.
THENCE still with top of ridge N5-30W crossing Gap at 20.0 ft. in all 178.7 ft. to a stake.
THENCE with top of ridge N7-00W 139.3 ft. to a stake.
THENCE WITH SAME N22-10W 130.7 ft. to a set stone.
THENCE with same N33-20W 232.1 ft. to a set stone.
THENCE with same N25-15W 134.8 ft. to a set stone.
THENCE WITH SAME N16-30W 149.7 ft. to 3 Maples marked for corner.
THENCE with same N76-30W 128.3 ft. to a set stone.
THENCE with same N59-30W 384.1 ft. to a set stone.
THENCE WITH SAME N81-50W 124.3 ft. to a set stone.
THENCE with top of ridge N71-00W 165.0 ft to a set stone.
THENCE with same N66-15W 148.5 ft to a set stone.
THENCE with same N67-30W 94.9 ft. to a set stone.
THENCE with same N62-40W 82.5 ft. to a set stone.
THENCE with same N68-20W 53.6 ft to a set stone.
THENCE with same N70-40W 68.2 ft. to a 20'' Chestnut Oak marked for corner.
THENCE with same S39-30W 97.7 ft to a set stone.
THENCE with same S40-00W 163.7 ft. to a set stone.

THENCE with same S61-00W 228.5 ft. to a set stone.
THENCE with same S54-15W 71.1 ft. to a set stone.
THENCE with same S57-20W 30.2 ft. to a 24" White Oak in GAP.
THENCE with same S72-00W 162.7 ft. to a set stone.
THENCE with same S79-00W 113.0 ft. to a set stone.
THENCE with same N62-40W 108.6 ft to a set stone.
THENCE with same WEST 116.1 ft. to a set stone.
THENCE with same S52-15W 150.9 ft. to a set stone.
THENCE with same N85-45W 295.4 ft. to a set stone.
THENCE with same S86-30W 177.0 ft. to a set stone.
THENCE with same S68-15W 146.1 ft. to a set stone.
THENCE leaving top of Ridge S74-30E crossing spur at 355.5 ft. crossing branch at 522.2 ft., crossing spur again at 587.8 ft. crossing branch again at 717.0 ft. crossing spur again at 960.1 ft. an crossing branch again at 1318.9 ft. in all 1,392.5 ft. to a set stone in public passway.
THENCE with public passway S37-45W 124.2 ft. to a set stone.
THENCE with same S16-45W 169.5 ft to a set stone.
THENCE with same S0-40W 160.2 ft. to a set stone.
THENCE with same S62-15W 221.3 ft. to a set stone.
THENCE with same S64-20W 300.0 ft. to a set stone.
THENCE with same S59-30W 285.2 ft. to a set stone.
THENCE with same S48-10W 125.0 ft. to a set stone.
THENCE with same S53-10W 222.1 ft. to a set stone.

THENCE still with said public passway S47-00W 158.2 ft. to a set stone.
THENCE with same S40-30W 181.1 ft. to a set stone.
THENCE with same S36-20W 272.3 ft. to a set stone.
THENCE with same S27-10W 198.0 ft. to a set stone.
THENCE with same S19-50W 181.5 ft to a set stone.
THENCE with same S23-30W 115.5 ft. to a set stone.
THENCE with same S2-10W 106.0 ft. to a set stone.
THENCE with same S15-10W 146.0 ft. to the BEGINNING:

CONTAINING IN ALL (197.40) ACRES MORE OR LESS. SURVEYED JULY 1970 BY JAMES EVANS REG No. 971.

TRACT 38-3

BEGINNING at a stake in the easterly line of the right of way of the old Artemus-Jellico Railroad Company, said stake being in bearing N. 3° 00' East 86.4 feet from a bored well near the easterly side of said railroad right of way, which is the same point as the beginning point of the second tract as set out and described in deed dated March 4, 1938 from the K. C. Land Company to George Alford, which deed is of record in the Office of the Knox County Court Clerk in Deed Book 81 at page 29; thence S. 4° 25' West along and with the easterly right of way of said Railroad Company a distance of 30 feet to a stake; thence S. 85° 00' East a distance of 180 feet to a stake in the westerly line of the State Highway; thence along and with the westerly line of said State Highway N. 2° 00' East a distance of 180 feet to a stake in the Westerly line of said right of way; thence S. 43° 30' West a distance of 145 feet to a point, a fence post in the corner of W. M. Matlock line; thence due west a distance of 80 feet to a point in the Easterly line of said railroad right of way, a corner of Matlock; thence along and with the easterly line of said right of way S. 4° 25' West to the point of BEGINNING.

TRACT 38-4

BEGINNING on a steel on the East right-of-way of Highway 225, being the Northwest corner of the Thomas Hembree 2 Acre Tract; thence with East right-of-way of Highway 225, N 20-15 E 318.8 feet to a steel rail on said right-of-way; thence leaving said right-of-way, S 76-12 E 137.1 feet to a steel rail with 10" and 12" White Oaks marked for pointers; thence S 23-40 E 124.1 feet to a stake; thence S 21-40 E 179.7 feet to a White Oak stump (original corner), on the North side of hollow; thence S 01-40 E 73.9 feet to a 22" Beech the original corner to the Thomas Hembree 2 Acre Tract; thence with line of said Hembree tract N 76-40 W 255.6 feet to a stake; thence with same N 76-09 W 116.4 feet to the BEGINNING, containing 1.950 acres.

Unnumbered Tract No. 1

All that tract or parcel of land lying and being in Knox County, Kentucky, more particularly described as follows:

BEGINNING on a black oak; pine and post oak on top of the ridge; the beginning of the dividing line between J. C. and J. D. Black; thence running with the right hand Hollow from the forks of the branch as you go up by the name of Grassy Knob; thence around the top of said ridge to the Beginning, so as to include all said branch and being the same land conveyed to John Clouse by James Black and wife, and then to Leander Clouse and then to John Hammon,

Unnumbered Tract No. 2

All those tracts or parcels of land lying and being in Knox County, Kentucky, more particularly described as follows:

Parcel A:

BEGINNING on a stake in the line of J. M. Huber Corporation and a point in the line between corner No. 226c and corner No. 227c of the Gatliff Coal Company deed to Jack Stewart and Tommy Gambrel; thence with the third line of the Bennett patent N 68° 37' E, 689.10 feet to a stake, said point being corner No. 227c of the Stewart-Gambrel deed and also being the 4th corner of the Levi Bennett patent No. 53943; thence S 10° 28' W, 498.08 feet to an iron pin in the line from corner No. 227c to corner No. 228c, said pin set in line of J. M. Huber Corporation witnessed by a 4 inch black oak bearing N 6° 00' E at 5.0 feet with three hack marks and a 6 inch black oak bearing S 50° 00' E at 4.0 feet with three hack marks; thence with the Huber line N 66° 40' W, 600.32 feet to the BEGINNING, containing 3.28 acres more-or less.

Parcel B:

BEGINNING on a stake on the East of the old access road to the Dean Coal Seam, said stake witnessed by a 15 inch double buckeye with red paint and a 12 inch ash with yellow paint, a corner with J. M. Huber Corporation, Jack Stewart and Tom Gambrel on the headwaters of the left fork of Puncheon Camp Branch; thence down the hollow with the Huber line S 5° 52' W, 610.00 feet to a maple marked as a corner; thence leaving the hollow and with the Huber line S 66° 40' E, 161.74 feet to a stake in the Huber line; thence S 66° 40' E, 600.32 feet to an iron pin; thence S 66° 40' E, 669.52 feet to an iron pin set against a 3-1/2 x 5 foot flat sandstone rock on the east side of the access road on the surface mined area of the Dean Seam; thence across the pit floor S 41° 22' E, 79.04 feet to an iron pin; thence N 59° 17' E, 403.22 feet to a 12 inch hickory; thence N 68° 28' E, 93.37 feet to a stake.

BEING THE SAME PROPERTY CONVEYED BY J.M. HUBER CORPORATION TO BLC PROPERTIES, LLC BY DEED DATED JULY 5, 2001 AND RECORDED IN DEED BOOK 321, PAGE 373 IN THE OFFICE OF THE CLERK OF COURT OF KNOX COUNTY, KENTUCKY.

Exhibit "A" continued

Less and Except the Following:

LESS AND EXCEPT FROM THE REAL PROPERTY DESCRIBED IN EXHIBIT "A" THE FOLLOWING:

All that tract or parcel of land lying and being in Knox County, Kentucky, more particularly described as follows:

TRACT 1:

Being located on the west side of Highway 225, in the Community of Artemus, Knox County, Kentucky

Beginning at an iron pin (set) at the intersection of the south right-of-way line of the L & N Railroad and the south right-of-way line of the Artemus-Jellico Railroad; thence along a curve to the left having a radius of 1984.86 feet and an arc length of 593.26 feet, being subtended by a chord of South 82 degrees 14 minutes 48 seconds East for a distance of 591.06 feet leaving the Artemus-Jellico right-of-way line and with the South right-of-way line of the L & N Railroad to an iron pin (set) at the Northwest corner of a tract owned by Michael and Pamela Sowders; thence South 10 degrees 09 minutes 42 seconds East for a distance of 2.79 feet leaving the L & N Railroad right-of-way and now with the west line of Sowders to a steel rail (found) against a cross-tie fence line; thence South 10 degrees 09 minutes 42 seconds east for a distance of 133.93 feet continuing with the west line of Sowders to an iron pin (set) on the north side of a 15 foot (actual width) access road with this point being further described as being the southwest corner of the Sowders tract; thence south 77 degrees 56 minutes 29 seconds west for a distance of 78.37 feet leaving the Sowders tract and with the north side of the abovementioned access road to an iron pin (set); thence South 77 degrees 56 minutes 29 seconds west for a distance of 149.00 feet continuing with the north side of the access road to an iron pin (set) near a 12 foot high fence; thence south 13 degrees 07 minutes 34 seconds west for a distance of 28.04 feet crossing the access road to an iron pin (set) on the south edge of said road; thence North 78 degrees 14 minutes 47 seconds east for a distance of 151.00 feet to a steel rail (found) on the south side of the access road with this point being further described as being in the west line of a tract owned by Corb Hembree; thence south 15 degrees 54 minutes 53 seconds east for a distance of 223.26 feet leaving the access road and with the west line of Hembree to a tack (found) in the side of a 16 inch double Cherry tree; thence south 77 degrees 39 minutes 20 seconds west for a distance of 197.06 feet continuing with a line of Hembree to an iron pin (set) on the

Exhibit "B-1"

LESS AND EXCEPT FROM THE REAL PROPERTY DESCRIBED IN EXHIBIT "A" THE FOLLOWING:

All that tract or parcel of land lying and being in Knox County, Kentucky, more particularly described as follows:

TRACT 1:

Being located on the west side of Highway 225, in the Community of Artemus, Knox County, Kentucky

Beginning at an iron pin (set) at the intersection of the south right-of-way line of the L & N Railroad and the south right-of-way line of the Artemus-Jellico Railroad; thence along a curve to the left having a radius of 1984.86 feet and an arc length of 593.26 feet, being subtended by a chord of South 82 degrees 14 minutes 48 seconds East for a distance of 591.06 feet leaving the Artemus-Jellico right-of-way line and with the South right-of-way line of the L & N Railroad to an iron pin (set) at the Northwest corner of a tract owned by Michael and Pamela Sowders; thence South 10 degrees 09 minutes 42 seconds East for a distance of 2.79 feet leaving the L & N Railroad right-of-way and now with the west line of Sowders to a steel rail (found) against a cross-tie fence line; thence South 10 degrees 09 minutes 42 seconds east for a distance of 133.93 feet continuing with the west line of Sowders to an iron pin (set) on the north side of a 15 foot (actual width) access road with this point being further described as being the southwest corner of the Sowders tract; thence south 77 degrees 56 minutes 29 seconds west for a distance of 78.37 feet leaving the Sowders tract and with the north side of the abovementioned access road to an iron pin (set); thence South 77 degrees 56 minutes 29 seconds west for a distance of 149.00 feet continuing with the north side of the access road to an iron pin (set) near a 12 foot high fence; thence south 13 degrees 07 minutes 34 seconds west for a distance of 28.04 feet crossing the access road to an iron pin (set) on the south edge of said road; thence North 78 degrees 14 minutes 47 seconds east for a distance of 151.00 feet to a steel rail (found) on the south side of the access road with this point being further described as being in the west line of a tract owned by Corb Hembree; thence south 15 degrees 54 minutes 53 seconds east for a distance of 223.26 feet leaving the access road and with the west line of Hembree to a tack (found) in the side of a 16 inch double Cherry tree; thence south 77 degrees 39 minutes 20 seconds west for a distance of 197.06 feet continuing with a line of Hembree to an iron pin (set) on the

east side of an 18 foot (actual width) access road; thence south 04 degrees 03 minutes 45 seconds east for a distance of 233.71 feet to an iron pipe (found) on the east side of said access road with said pipe being further described as being 5 inches in diameter and approximately 4 feet high; thence south 85 degrees 46 minutes 03 seconds west for a distance of 39.01 feet to an iron pin (set) on the east right-of-way line of the Artemus-Jellico Railroad with said pin being 25 feet from the centerline of said railroad; thence south 04 degrees 05 minutes 15 seconds east for a distance of 516.63 feet with the east right-of-way line of the Artemnus-Jellio Railroad to an iron pin (set); thence south 85 degrees 54 minutes 45 seconds west for a distance of 50.00 feet crossing the Artemus-Jellico Railroad to an iron pin (set) on the west right-of-way line of said railroad width, said pin being 25 feet from the centerline of said railroad; thence north 04 degrees 05 minutes 22 seconds west for a distance of 523.29 feet with the west right of way line of the Artemus-Jellico Railroad to an iron pin (set) in a fence line with both new and old barbed wire fence in it; thence north 04 degrees 15 minutes 01 seconds west for a distance of 189.62 feet leaving the fence line and continuing with the west right-of-way line of the railroad to an iron pin (set) on said west right-of-way line; thence south 85 degrees 44 minutes 07 seconds west for a distance of 28.31 feet leaving the railroad to an iron pin (set); thence around a curve to the left having a length of 300 feet and a radius of 250.00 feet and being subtended by a long chord of north 44 degrees 40 minutes 09 seconds west for a distance of 282.30 feet crossing a large pond to an iron pin (set) on the south side of a 15 foot wide (actual width) access road with this point being further described as being a corner of the Fred Bays property; thence north 75 degrees 56 minutes 36 seconds east for a distance of 209.51 feet to an iron pin (set) on the west right-of-way line of the Artemus-Jellico Railroad with this point being further described as being 21 feet from the centerline of said railroad; thence crossing the access road and with the west right-of-way line of the railroad around a curve to the left having a length of 239.10 feet and a radius of 481.59 feet and being substended by a long chord of North 29 degrees 33 minutes 13 seconds West for a distance of 236.74 feet to an iron pin (set); thence continuing with the railroad right-of-way south 58 degrees 22 minutes 34 seconds west for a distance of 14.00 feet to an iron pin (set); thence continuing with the railroad right-of-way around a curve to the left having a length of 195.00 feet and a radius of 467.59 feet and being subtended by a long chord of north 55 degrees 03 minutes 31 seconds west for a distance of 193.59 feet to the point of beginning.

Said property contains 4.70 acres as determined by survey of Mark A. Comparoni, Ky. P.L.S. No. 2989 on 04/29/1997-05/08/1997.

TRACT II:

The part of Huber Tract 3-8-2T, which is held by adverse possession by the J. M. Huber Corporation:

Beginning at an iron pin (set) on the south side of a 15 foot wide (actual width) access road with this point being further described as being a corner

of the Fred Bays property; thence around a curve to the right having a length of 300.00 feet and a radius of 250.00 feet and being subtended by a long chord that bears south 44 degrees 40 minutes 09 seconds east for a distance of 282.30 feet leaving the access road and crossing a large pond, with the west line of a 4.70 acre tract owned by the J. M. Huber Corporation, to an iron pin (set); thence north 85 degrees 44 minutes 07 seconds east for a distance of 28.31 feet continuing with the west line of the 4.70 acre Huber tract to an iron pin (set) on the west right-of-way line of the Artemus-Jellico Railroad with said pin being 25 feet from the centerline of said railroad; thence south 04 degrees 15 minutes 01 seconds east for a distance of 189.62 feet continuing with the west line of Huber and the west right-of-way line of the railroad to an iron pin (set) in a barbed wire fence line; thence south 77 degrees 33 minutes 32 seconds west for a distance of 119.11 feet leaving Huber and the railroad right-of-way and now with the barbed wire fence to an iron pin (set) at the intersection of fences; thence north 16 degrees 45 minutes 00 seconds west for a distance of 431.74 feet leaving the fence that is standing and now with pieces of an old fence that are on the ground to the point of beginning.

Said property contains 1.17 acres as determined by survey of Mark A. Comparoni, Ky. P.L. S. No. 2989 on 04/29/1997 - 05/08/1997.

Being a portion of that property conveyed by J.M. Huber Corporation to Nally-Hamilton Enterprises, LLC, by Deed dated July 8, 1997 and recorded in Deed Book 295, Page 715, in the Office of the Clerk of Court of Knox County, Kentucky.

FURTHER LESS AND EXCEPT:

All that tract or parcel of land lying and being in Knox County, Kentucky, more particularly described as follows:

BEGINNING at a point in the eastern right of way line of the Artemus-Jellico Railroad Company (the right of way on which formerly there stood a trestle, and which right of way is the Artemus-Jellico Railroad Company's main right of way between Artemus, Kentucky, and Jellico, Kentucky, and which also is the right of way operated over by said Railroad Company to remove or haul coal from Wheeler, Knox County, at the time such coal was being mined and shipped over said railroad line. A survey and plat of which right of way is of record in the office of the Clerk of the County Court of Knox County, Kentucky) where said railroad right of way line intersects the line of the north right of way line of the highway at right angles to same at station 511 of said highway near Kay Jay, Kentucky; thence a northerly direction and with the east right of way line of the Artemus-Jellico Railroad Company to a point where said right of way line touches Brush

FURTHER LESS AND EXCEPT:

Tract No. 1

BEGINNING on an iron pin set on the Knox-Whitley County line on the divide between the left and right fork of Puncheon Camp Branch, said iron pin set for stake called for in corner number 226c in the deed from Gatliff Coal Company to Jack Stewart and Tommy Gambrel, dated October 21, 1972, said iron pin witnessed by an 8" white oak bearing N 15° 30' E 6.0 feet, an 8" black oak S 38° 00' E, 13.5 feet, and a 5" maple S 79° 00' W, 6.5 feet all witness trees bear three hack marks; thence with the Knox-Whitley county line crossing the left fork of Puncheon Camp Branch and going to the crest of Goldens Mountain N 58° 01' W, 817.94 feet to an iron pin; thence leaving said county line and following the crest of said mountain N 48° 27' E, 351.36 feet to an iron pin; thence leaving the crest of the mountain N 82° 26' E, 503.39 feet to a stake witnessed by a 15 inch double buckeye with red paint and 12 inch ash with yellow paint, a corner with J. M. Huber Corporation, Jack Stewart and Tom Gambrel; thence down the hollow with the Huber line S 5° 52' W, 610.00 feet to a maple makred as a corner; thence leaving the hollow and with the Huber line S 66° 40' E, 161.74 feet to a stake in the Huber line, also a corner of the Gatliff Coal Company deed, being a point in the third line of the Levi Bennett patent No. 53943; thence leaving the Huber line and following the third line of the Bennett patent S 68° 37' W, 166.24 feet to the BEGINNING, containing 7.34 acres, more or less.

Tract No. 2

BEGINNING on an iron pin at the intersection of the line corner No. 227c to corner No. 228c of the Stewart-Gambrel property with the line of J. M. Huber Corporation, being a corner of a tract conveyed by Stewart-Gambrel to Huber; thence leaving the Stewart-Gambrel line and with the J. M. Huber Corporation line S 66° 40' E, 669.52 feet to an iron pin set against a 3 1/2' X 5' flat sandstone rock on the east side of the access road on the surface mined area of the Dean seam; thence across the pit floor S 41° 22' E, 79.05 feet to an iron pin set at the base of the highwall; thence up over the highwall N 59° 17' E, 403.22 feet to a 12 inch hickory marked as a corner; thence N 68° 28' E, 93.37 feet to a stake in the stump south of the crest of Goldens Mountain, set for corner 236c which is a corner between J. M. Huber Corporation and Stewart-Gambrel; thence S 4° 30' E, 1391.28 feet to a white oak and hickory on top of Doolin Spur, corner No. 235c, near the head of the right fork of Puncheon Camp Branch; thence with the meanders of the branch descending N 25° 00' W,

264.00 feet (corner No. 234c); N 39° 15' W, 165.0 feet (corner No. 233c); N 20° 00' W, 181.5 feet (corner No. 232c); N 42° 00' W, 214.5 feet (corner No. 231c); N 26° 30' W, 313.5 feet (corner No. 230c); N 51° 57' W, 592.22 feet (corner No. 229c); S 81° 00' W, 214.5 feet to an iron pin set for corner No. 228c on the east side of the branch witnessed by a 8 inch poplar bearing S 32° 30' E, - 18.5 feet and an 8 inch double ash bearing S 6° 00' W, 18.0 feet, said trees having three hack marks. Thence leaving the branch N 10° 28' E, 165.00 feet up the hill to the BEGINNING, containing 10.09 acres more or less.

Tract No. 3

BEGINNING on a stake on the East of the old access road to the Dean Coal Seam, said stake witnessed by a 15 inch double buckeye with red paint and a 12 inch ash with yellow paint, a corner with J. M. Huber Corporation, Jack Stewart and Tom Gambrel on the headwaters of the left fork of Puncheon Camp Branch; thence down the hollow with the Huber line S 5°52' W, 610.00 feet to a maple marked as a corner; thence leaving the hollow and with the Huber line S 66° 40' E, 161.74 feet to a stake in the Huber line; thence S 66° 40' E, 600.32 feet to an iron pin; thence S 66° 40' E, 669.52 feet to an iron pin set against a 3-1/2 x 5 foot flat sandstone rock on the east side of the access road on the surface mined area of the Dean Seam; thence across the pit floor S 41° 22' E, 79.04 feet to an iron pin; thence N 59° 17' E, 403.22 feet to a 12 inch hick. ry; thence N 68° 28' E, 93.37 feet to a stake.

Being the same property conveyed by J.M. Huber Corporation to Jack Stewart et al., by deed dated May 27, 1980 and recorded in Deed Book 195, Page 8 in the Office of the Clerk of Court of Knox County, Kentucky.

FURTHER LESS AND EXCEPT:

All that tract or parcel of land lying and being in Knox County, Kentucky, more particularly described as follows:

Located on the East side of Highway 225, on Big Brush Creek, being about 440 feet from the mouth of Tallow Branch in Knox County, Kentucky, and being bounded and described as follows:

BEGINNING on a steel rail on the East right-of-way of Highway 225, being the Northwest corner of the Thomas Hembree 2 Acre tract; thence S 51-30 E 474.5 feet to a set stone, corner to Robert Johnson; thence with said Johnson's line N 74 50 W 452.7 feet to a steel rail on East right-of-way of Highway 225; thence with said right-of-way N 20 - 20 E 188.8 feet to the BEGINNING, containing .977 acres, more or less.

Creek; thence leaving the right of way line and following the center line of Brush Creek to a point in the Western right of way line of the state highway right of way line to the BEGINNING, containing six acres, more or less.

Being a portion of the same property conveyed by J.M. Huber Corporation to Knox County in Quitclaim Deed dated April 16, 1987 and recorded in Deed Book 231, Page 510, in the Office of the Clerk of Court of Knox County, Kentucky.

FURTHER LESS AND EXCEPT:

Any and all right, title and interest which the party of the first part now or might have had in and to the old railroad bridge (and the approaches thereto) crossing the Cumberland River above Davis Bend and near the mouth of Bush Creek, located near the community of Artemus, Knox County, Kentucky.

Being the same property conveyed by J.M. Huber Corporation to Knox County, Kentucky by Quitclaim Deed dated October 16, 1980 and recorded in Deed Book 197, Page 405 in the Office of the Clerk of Court of Knox County, Kentucky.

Being a portion of that property conveyed by J.M. Huber Corporation to Gloster Detherage by unrecorded Deed dated September 11, 1981.

FURTHER LESS AND EXCEPT:

All that tract or parcel of land lying and situated on Bee Camp Branch of Big Brush Creek, in Knox County, Kentucky, being the place where second parties now live and being more particularly described as follows, to-wit:

BEGINNING at a 12-inch weeping willow on the east bank of Bee Camp Branch of Big Brush Creek at the mouth of Bee Camp Hollow; thence N 40 E 225 feet to a stake; thence N 25 E 168 feet to a stake near a small willow on the east bank of Bee Camp Branch; thence East 120 feet to a 6-inch Black Oak on the lower side of a hill; thence South 68 feet to a 24 inch beech on the Hillside; thence S 25 W 404 feet to a stake in the Georgia-Kentucky Coal & Timber Company's line in bearing N 25 E 24 feet from a 15-inch white oak on the spur; thence N 57 W 191 feet to the point of beginning, and containing one and one-half acres, more or less.

Being a portion of that property conveyed by Georgia Kentucky Coal & Timber Company to Murph Brown and Freda Brown by Deed dated June 7, 1963 and recorded in Deed Book 122, Page 574, in the Office of the Clerk of Court of Knox County, Kentucky.

FURTHER LESS AND EXCEPT:

All that tract or parcel of land lying and situated in Knox County, Kentucky, and more particularly described as follows:

BEGINNING on a stake on the north right-of-way line of the old A & J Railroad which stake bears S 8-40 E 39.50 feet from a power pole and S 22-50 W. 74.11 feet from a 28-inch sycamore on the west side of a drain; thence N 25-02 E 348.65 feet up and with said branch to an "X" on 3 feet by 5 feet rock on the south edge of an old road 14 feet left of center of said branch; thence S 80-45 E 73.52 feet crossing the branch and with the south side of an old roadway to a stake; thence S 3-32 E 105.85 feet with the lower edge of said road to a stake; thence S 44-07 E 45.39 feet with lower edge of said road to a stake; thence S 74-25 E 342.92 feet with lower edge of road to a stake which is 45 feet west of a small drain; thence S 10-00 W 104.74 feet to a stake on the north right-of-way line of the A & J railroad 68 feet west of a culvert under the old railroad bed; thence S 89-12 W 272.19 feet with the north side of said railroad right-of-way to a stake; thence N 83-40 W 300.00 feet with the north right-of-way line of said railroad to the Beginning; containing 2.42 acres, more or less, surveyed by Gordon Sams March 27, 1964, and all bearings refer to the magnetic meridian of this date.

Being a portion of that property conveyed by Georgia-Kentucky Coal & Timber Company to Richard Ross by Deed dated August 7, 1964 and recorded in Deed Book 126, Page 111, in the Office of the Clerk of Court of Knox County, Kentucky.

FURTHER LESS AND EXCEPT:

A certain tract or parcel of land lying in Knox County, Kentucky, on Figuting Creek on U. S. Highway 25 in Knox Lounty, Kentuckym and bounded thus:

Beginning at the northeast corner of the Ralph Mays' lot and a stone, thence westward with the road 236 feet and 3 inches to a stone; thence northwardly and parallel with Mays' line 418 feet to Wm. Lock's old line; thence with the Lock line 236 feet and 3 inchess to the Mays' corner; thence wit the Mays' line southwardly 418 feet to the point of beginning, containing 2 1/4 acres.

Being the same property conveyed by L.B. Martin and Florence Martin to Anthony Epperson and Elsie Epperson by that certain Warranty Deed dated April 13, 1957 and recorded in Deed Book 113, Page 80 in the Office of the Clerk of Court of Knox County, Kentucky

FURTHER LESS AND EXCEPT:

All that tract or parcel of land lying and being in Knox County, Kentucky, more particularly described as follows:

Beginning at two points in the property line between said party of the first part and H. H. Davidson, Trustee which said property line passes through station 500/50 in the center line of survey made by the State Highway Department, said points being the intersections of the said property line with the boundary line of the right of way herein granted, and the said center line of survey, and being a strip along the left side of said center line of survey; running thence in a southwestern direction, 35 feet from and parallel with the said center line of survey, in andthrough the property of the party of the first part to two similarly located points in the property line between said party of the first part and Artemus Jellico Railroad Co. which said property line passes through station 510/75 in the center line of said survey, said points being intersections of the last named property line with the boundary line of the right of way herein conveyed and the center line of said survey, as shown by plans on file at the office of the State Highway Department, Frankfort, Kentucky.

Being the same property conveyed by K.C. Land Company to the Commonwealth of Kentucky by Deed dated April 8, 1938 and recorded in Deed Book 80, Page 615 in the Office of the Clerk of Court of Knox County, Kentucky

FURTHER LESS AND EXCEPT:

Beginning on a 26 inch black walnut by the west side of the old county road near the present church of second party; thence S 65-05 W 141.0 feet to a stake in road, said stake in bearing S 21- 30 E 24 feet to a 10 inch elm thence N 8 -00 E 256 feet to a stake in the line of K.C. Land Company; thence with its line and the creek a southeast direction to a stake in bearing N 9-20 W 13.8 feet from the northwest corner of said Big Brush Baptist Chrch house; thence S 24-40 W 154.8 feet to the Beginning.

Being the same property conveyed by K.C. Land Company to Big Brush Baptist Church by Deed dated June 22, 1953 and recorded in Deed Book 108, Page 107 in the Office of the Clerk of Court of Knox County, Kentucky

FURTHER LESS AND EXCEPT:

Beginning at two points in the property line between said party of the first part and K-C. Land Company which said property line passes through station 500/80 in the center line of survey made by the State Highway Department, said points being the intersections of the said property line with the boundary line of the right of way herein granted, and the said center lineof survey, and being a strip along the right side of said center line of survey; running thence in a southwestern direction, 35 feet from and parallel with the said center line of survey, in and through the property of the party of the first part to two similarly located points in the property line between said party of the first part and Artemus-Jellico Railroad Co., which said property line passes through station 510/75 in the center line of said survey, said points being intersections of the last named property line with the boundary line of the right of way herein conveyed and the center line of said survey, as shown by plans on file at the office of the State Highway Department, Frankfort, Kentucky.

It is understood that the said strip of land herein conveyed by the party of the first part is not to be in excess of 35 feet in width, except due to height of fill; depths of cut or borrow pits widths additional to the above minimum widths are hereby granted as follows:

Between station 500 plus 50 and station 510 plus 00, seventy five feet on right side of road.

Being the same property conveyed by M.H. Davidson, Trustee to the Commonwealth of Kentucky by that certain Deed dated April 8, 1938 and recorded in Deed Book 80, Page 618 in the Office of the Clerk of Court of Knox County, Kentucky

FURTHER LESS AND EXCEPT:

the following parcel of land lying on the waters of Big Chestnut Branch, a tributary of Brush Creek, in Knox County, Kentucky, and bounded as follows:

Beginning at two points in the property line between the said party of the first part and the party of the second part, which said property line passes through station 2 plus 00 (ahead) and station 7 plus 00 (ahead) in the center line of said survey made by the Artemus-Jellico Railroad Company, said points being the intersections of the said property line with the boundary line of the right-of-way herein granted, and the said center line of survey, and being a strip along the right side of said center line 65 feet in width to station 6 plus 00 and binding on the property line between the party of the first part and the party of the second part on the left to a point in said line at right angles to station 6 plus 00; running thence in a westerly direction with the Artemus-Jellico Railroad Company's right of way on the left and 75 feet from and parallel with the said center line of survey in and through the property of the party of the first part on the right of said center line to a similarly located point in the property line between said first party and the right of wey herein granted, at right angles to Station 7 plus 00; thence at said point on the left running in a northerly direction to a located point in the property line and the right of wey herein granted 25 feet fron the center line of said survey and at right angles to Station 7 plus 00; thence ruhning in a westerly direction 25 feet on the left and 75 feet on the right, fron and parallel with the said center line of survey in and through the property of the party of the first part to similarly located points in the property line between said first party and the right of way herein granted, at right angles to Station 11 plus 00; running thence in a westerly and northerly direction 25 feet on the left and 25 feet on the right, from and parallel with the said center line of survey in and through the property of the party of the first part to similarly located points in the property line between said firstmparty and the right of way herein granted, at right angles to Station 46 plus 00, continuing thence in a northerly direction 40 feet on the left to Station 47 plus 00 - continuing from station 47 plus 00 on the left 65 feet to Station 53 plus 00, continuing from Station 53 plus 00 on the left 50 feet to Station 54 plus 00, continuing from Station 54 plus 00, on the left 40 feet to Station 55 plus 00, continuing from Station 55 plus 00 on the left 25 feet to Station 64 plus 00, and on the right from Stetion 46 plus 00 25 feet from and parallel with the said center line of survey in and through the property to similarly located points in the property line between said first party and the right of way herein granted, at right angles to Station 64 plus 00,

This conveyance is made with the special reservation which is a material part of the consideration, that the above described premises shall be used for railroad purposes, and if abandoned by the party of the second part for such purposes, then and in that event said premises shall revert back to the party of the first part.

Being the same property conveyed by K.C. Land Company to the Artemus-Jellico Railroad Company by that certain Deed dated December 6, 1939 and recorded in Deed Book 83, Page 180 in the Office of the Clerk of Court of Knox County, Kentucky

THIS PAGE IS

INTENTIONALLY DELETED

THIS PAGE IS

INTENTIONALLY DELETED

EXHIBIT "B"

As to KNOX COUNTY, KENTUCKY - TOGETHER WITH all the rights, title and interest, *to the extent that they affect surface rights,* in the following:

Easement agreement between J.B. Gatliff, Sr., et al and Georgia-Kentucky Coal & Timber Company, Inc., recorded in Lease Book 004, Page 117, in the Office of the Clerk of Knox County, Kentucky.

Agreement to pay the actual damages which may occur to growing crops while exercising the rights associated with easement recorded in Deed Book 80, Page 150, in the Office of the Clerk of Knox County, Kentucky.

Easements or right-of-ways for transmission line, roadways or other purposes including right-of-way granted to Commonwealth of Kentucky in Deed Book 80, Page 616, in the Office of the Clerk of Knox County, Kentucky.

Reversionary rights in favor of K.C. Land Company in Deed Book 107, Page 559, in the Office of the Clerk of Knox County, Kentucky.

Rights to use the surveyed passway, sixteen (16) feet wide, onto the lands of others contained in Deed Book 121, Page 310, in the Office of the Clerk of Knox County, Kentucky.

Reversionary rights in favor of K.C. Land Company in Deed Book 108, Page 107, in the Office of the Clerk of Knox County, Kentucky.

General Warranty Deed from Gloster Detherage to J.M. Huber Corporation dated September 16, 1981.

Reversionary right in favor of K.C. Land Company in Deed Book 83, Page 180 in the Office of the Clerk of Knox County, Kentucky.

Exhibit "C"

Permitted Exceptions

1. Encroachments, overlaps, boundary line disputes, public roads, railroads, paths, rights-of way, streets, highways, cemeteries, graveyards, easements and any other matters that would be disclosed by an accurate survey or inspection of the Premises;

2. Any "rollback" or additional taxes, penalties or interest imposed on the Premises under the provisions of any applicable state or local law of the jurisdiction where the Premises are located for any year and the current year's real property taxes, assessments and other charges of any kind or nature imposed upon or levied against or on account of the Premises by any Governmental Authority, which taxes, assessments and other charges are not yet due and payable but are liens on the Premises; provided, however, that any "rollback" or additional taxes, penalties or interest imposed on the Premises for any year prior to Closing caused by Grantor's use of the Premises shall not be a Permitted Exception;

3. Restrictions on Grantee's ability to build upon or use the Premises imposed by any current or future building or zoning ordinances or any other law or regulation (including environmental protection laws and regulations) of any Governmental Authority, except for any such restrictions which would prohibit the use of the Premises for forestry management and the harvesting of timber from the Premises;

4. Mineral Leases and all previous reservations, exceptions and conveyances of record of any oil, gas, associated hydrocarbons, minerals and mineral substances, and royalty and other minerals rights and interests, and water rights and water royalty rights, including, without limitation, the following:

OIL AND GAS LEASES

a. Declaration – Notice of Unitization dated April 24, 2002 by Columbia Natural Resources

b. Lease dated May 1, 1999 between J. M. Huber Corporation and Columbia Natural Resources, Inc. (CNR) .
Declaration - Notice of Unitization dated June 15, 1999
Memorandum dated July 27, 1999

c. Pipeline Right of Way Agreements between J. M. Huber Corporation and Daugherty Petroleum, Inc. dated April 21, 1997, July 30, 1997, December 8, 1997, February 13, 1998, May 13, 1998, September 17, 1998, and September 28, 1998
Pipeline Right of Way Agreements dated November 20, 2001(11 separate ROW Agreements)

COAL LEASES

a. Lease dated August 31, 1994 between J.M. Huber Corporation and Gatliff Co. Company (Gatliff 4)
Letter dated February 6, 1995
Amendment dated April 20, 1995
Letter Agreement dated October 31, 1995
Letter Agreement dated September 12, 1996
Letter Agreement dated January 20, 1997
Letter Agreement dated April 3, 1997
Letter Agreement dated March 19, 1998
Letter dated May 28, 1998
Letter Agreement dated June 7, 1999
Letter Agreement dated July 21, 1999
Letter Agreement dated November 9, 1999
Letter dated February 24, 2000
Letter Agreement dated September 17, 2002

b. Agreement recorded September 8, 1954 among K.C. Land Company, White Log Jellico Coal Company, and West Virginia Mining and Consulting Co., Inc.

c. Lease dated October 2, 2006 between WPP LLC and Girdner Mining Company, Inc.

d. Lease dated September 1, 2005 between WPP LLC and Nally and Hamilton Enterprises, Inc.

e. Lease dated January 13, 2005 between WPP LLC and Whymore Coal Company, Inc.

f. Assignment and Assumption of Lease Agreement dated July 1, 2003 between Gatliff Coal Company and Blue Gem Coal, Inc.

g. First Amendment dated June 6, 2007 to Deep Coal Mining Agreement dated June 1, 2002, between BLC Properties, LLC and Straight Creek Coal Resources.

5. Liens for 2008 State and County property taxes, and subsequent years; and

6. Title to that portion of the Premises which is or may be within the bounds of any public roads, paths, rights-of-way, streets and/or highways set forth in the legal descriptions of the Premises or running through the Premises.

7. All claims of Governmental Authorities in and to any portion of the Premises lying in the bed of any streams, creeks or waterways, filled-in land, or any portion of the Premises which lies below the mean high water mark of any river or tidal body of water or other submerged lands and any portion of the Premises now or formerly subject to the ebb and flow of tidal waters or any claims of riparian rights in and to, and held by owners of the

land adjacent to, the waters of any creeks, streams, forks and/or rivers running through the Premises;

8. a. All outstanding easements, servitudes, rights-of-way, flowage rights and other rights in third parties of record or acquired through prescription or adverse possession except for any such matters as would materially interfere with or prohibit the use of the Premises for forestry management and the harvesting of timber from the Premises;

b. The following Contracts, licenses or leases whether or not filed of record that do not materially interfere with or prohibit the use of the Premises for commercial forestry management and harvesting from the Premises:

PAY-AS-CUT CONTRACTS

A. Timber Cutting Agreement dated August 25, 2005 between Ataya Hardwoods, LLC and Forest Products, Inc.; as amended as follows (expires December 31, 2007):

1) First Amendment dated February 13, 2006 to Timber Cutting Agreement dated August 25, 2005 between Ataya Hardwoods, LLC and Forest Products, Inc.

2) Second Amendment dated May 24, 2006 to Timber Cutting Agreement dated August 25, 2005 between Ataya Hardwoods, LLC and Forest Products, Inc.

3) Third Amendment dated September 12, 2006 to Timber Cutting Agreement dated August 25, 2005 between Ataya Hardwoods, LLC and Forest Products, Inc.

4) Fourth Amendment dated December 31, 2006 to Timber Cutting Agreement dated August 25, 2005 between Ataya Hardwoods, LLC and Forest Products, Inc.

5) Fifth Amendment dated April 30, 2007 to Timber Cutting Agreement dated August 25, 2005 between Ataya Hardwoods, LLC and Forest Products, Inc.

6) Sixth Amendment dated September 27, 2007 to Timber Cutting Agreement dated August 25, 2005 between Ataya Hardwoods, LLC and Forest Products, Inc.

B. Timber Cutting Agreement dated September 12, 2006 between Ataya Hardwoods, LLC and Forest Products, Inc.; as amended as follows (expires December 31, 2007):

1) First Amendment dated December 31, 2006 to Timber Cutting Agreement dated September 12, 2006 between Ataya Hardwoods, LLC and Forest Products, Inc.

2) Second Amendment dated September 27, 2007 to Timber Cutting Agreement dated September 12, 2006 between Ataya Hardwoods, LLC

MISCELLANEOUS AGREEMENTS

A. Surface Use and Damage Agreement dated December 5, 2003 between Ataya Hardwoods, LLC and Daugherty Petroleum (continues during the period of time when Ataya Hardwoods, LLC and Daugherty Petroleum maintain their ownership of the surface, and gas and oil rights, respectively)

B. General Service Contract dated July 27, 2007 between Ataya Hardwoods, LLC and Chadwell Enterprises, LLC (expires May 31, 2008)

C. Construction Right-of-Way and Permanent Easement Agreement dated March 20, 2006 between Ataya Hardwoods, LLC and Nami Resources Company, LLC (perpetual)

D. General Service Contract dated August 15, 2006 between Ataya Hardwoods, LLC and Beaver Creek Engineering & Environmental Services, PLLC (December 31, 2007)

E. Access Agreement dated October 25, 2004 between Ataya Hardwoods, LLC and WPP LLC (perpetual)

F. Mutual Easement Agreements dated July 1, 2003 between Ataya Hardwoods, LLC and BLC Properties Inc. over Claiborne and Campbell County, Tennessee and Bell, Leslie and Knox County, Kentucky (perpetual)

G. Memorandum of Understanding for Development of a Wildlife Management Area of Certain Properties in Bell, Leslie and Knox Counties, Kentucky dated June 10, 2005 (expires March 31, 2008);

c. All other restrictions, reservations, covenants and other agreements that do not materially interfere with or prohibit the use of the Premises for commercial forestry management and harvesting from the Premises;

d. Any and all restrictions on use of the Premises due to environmental protection laws, including, without limitation, wetlands protection laws, rules, regulations and orders which are of general application;

9. Lack of legal access to the Premises unless to Grantor's Actual Knowledge, Grantor has been refused access or has been notified by an adjoining landowner that Grantor will

be denied permission for continued access for commercial forestry purposes to the tract lacking access;

10. The following other matters disclosed on the Title Commitment:

A. Memorandum of Oil and Gas Lease between J. M. Huber Corporation and Columbia Natural Resources, Inc, dated July 27,1999, recorded in Lease Book 92, Page 557, in the Office of the Clerk of Knox County, Kentucky.

B. Declaration-Notice of Unitization, Well 823576, to Equitable Resources Energy Company, J.M. Huber Corporation and Begley Lumber Company, Inc. from Columbia Natural Resources, Inc., dated June 15,1999, recorded in Miscellaneous Instrument Book 21, Page 121, in the Office of the Clerk of Knox County, Kentucky.

C. Pole line agreement (rural lines) from Georgia Kentucky Coal & Timber Company to Kentucky Utilities Company, dated November 26, 1962, recorded in Deed Book 126, Page 423, in the Office of the Clerk of Knox County, Kentucky.

D. Transmission Line Easement Agreement dated, July 20, 1939, from K.C. Land Company, et al, to Kentucky Utilities Company recorded in Deed Book 84, Page 91, in the Office of the Clerk of Knox County, Kentucky.

E. Right-of-way, station grounds at Warren, Kentucky, and Taros, Kentucky, owned by Cumberland Railroad Company (now Artemus-Jellico Railroad Company); as described in the certain deed from Carter Coal Company to K.C. Land Company recorded in Deed Book 78, Page 1, in the Office aforesaid.

F. Ingress, egress and surface rights to graveyards as referenced in the certain Deed from Carter Coal Company to K.C. Land Company recorded in Book 78, Page 1 and as described in deeds to Cumberland Coal Company, contained in chain of title of Deed Book 130, Page 308, both in the Office aforesaid.

G. Rights of others to a 1/3 undivided interest in 61.4 acre tract of property on West side of ridge between Brush Creek and Greasy Creek, contained in the chain of title of Deed Book 130. Page 308(Tract 1,with source reference Deed 110, Page 338, and Deed 78 Page 001) all in the Office aforesaid.

H. Right-of-way for vehicular and pedestrian use only and related conditions from Artemus-Jellico Railroad Company to Commonwealth of Kentucky, dated April 4, 1938, and recorded in Deed Book 80, Page 616, in the Office of the Clerk of Knox County, Kentucky. This document contains a provision for the rights granted therein to revert to the grantor upon cessation of use or abandonment by the Grantee.

I. Boundary line agreement described in deed of conveyance dated March 23, 1939, between George Little Tye, et al, and M.H. Davidson, as Trustee, recorded in

Deed Book 82, Page 416, in the Office of Clerk of Knox County, Kentucky.

J. Rights of others to use a surveyed passway, contained in Deed of Conveyance from Wharton Gibson to Georgia-Kentucky Coal and Timber Company, Inc., dated June 29, 1962, of record in Deed Book 121, Page 310, in the Office of the Clerk of Knox County, Kentucky.

K. Ingress, egress and surface rights 9/100 of one (1) acre embracing the family graveyard of A.D. Fox which is contained in Deed of Conveyance recorded in Deed Book 129, Page 555, in the Office of the Clerk of Knox County, Kentucky.

L. A pole line agreement dated October 26, 1950, between Fayette Jellico Coal Company and Kentucky Utilities Company, recorded in Deed Book 104, Page 269, in the Office of the Clerk of Knox County, Kentucky.

M. Right-of-way Easement dated October 19, 1999, from J.M. Huber Corporation to East Knox Water District recorded in Deed Book 316, Page 412, in the Office of the Clerk of Knox County, Kentucky.

N. Declaration-Notice of Unitization Well 824493, by Columbia Natural Resources, Inc. to Begley Properties, LLC, BLC Properties LLC, and Equitable Resources Energy Company, (Equitable Production Company), dated April 24, 2002, recorded in Miscellaneous Book 23, Page 338, in the Office of the Clerk of Knox County, Kentucky.

O. Riparian rights in and to, and held by owners of the land adjacent to, the water of any creeks, streams forks and/or rivers running through the property.

P. Title to that portion of the property which is or may be filled-in land, or which is under water, or which lies below the mean high-water mark of any river or tidal body of water set forth in the legal description hereof or running through or lying adjacent to the property.

Q. Title to that portion of the property which is or may be within the bounds of any public roads, public paths, public right-of ways, public streets and/or public highways set forth in the legal descriptions hereof or running through the property.

R. Boundary line established in Agreed Judgment styled J.M. Huber Corporation v. Cox, No. 78-5, filed on July 5,1978.

DOCUMENT NO: 133372
RECORDED ON: DECEMBER 26,2007 03:04:29PM
TOTAL FEES: $266.00
TRANSFER TAX: $9329.50
COUNTY CLERK: MIKE COREY
COUNTY: KNOX COUNTY CLERK
DEPUTY CLERK: SANDRA K CREIGHTON
BOOK D368 PAGES 615 - 700

THE PURPOSE OF THIS CORRECTION DEED IS TO CLEAR TITLE ONLY.

CORRECTION DEED

Witnesseth this correction deed ("Correction Deed") by and between **Ataya Hardwoods, LLC, a Delaware limited liability company** and **Corrigan TLP LLC,** a **Delaware limited liability company**:

RECITALS

1. **Ataya Hardwoods, LLC** ("Grantor") is a Delaware limited liability company, with a mailing address at c/o RMK Timberland Group, 260 Peachtree Street, Suite 1800, Atlanta, Georgia 30303.

2. **Corrigan TLP LLC** ("Grantee") is a Delaware limited liability company with a mailing address at c/o Molpus Woodlands Group, LLC, 654 North State Street, Jackson, Mississippi 39202.

3. By Special Warranty Deed ("Original Deed") dated December 17, 2007, and recorded in Deed Book 368, Page 615 in the Knox County, Kentucky Court Clerk's Office, Grantor conveyed to Grantee, the surface of certain lands and the timber thereon located in Knox County, Kentucky (the "Property").

4. The description of the Property in the Original Deed contained a scrivener's error in that it did not refer to Grantor's source of title.

5. Grantor and Grantee now desire to execute and deliver this Correction Deed in order to clarify the description, thereby eliminating confusion in the title to and ownership of the Property.

6. All recording references in this Correction Deed are to the records appearing in the Knox County, Kentucky Court Clerk's Office.

CORRECTION AMENDMENT

Now therefore, know all by these presents that for and in consideration of the premises, Grantor and Grantee hereby adopt and incorporate the recitals set forth above and do further agree as follows:

1. Grantor and Grantee hereby amend, reform and correct the description of the Property in the Original Deed by adding the Grantor's source of title at the end of the legal description as follows:

BEING A PART OF THE SAME property acquired by Ataya Hardwoods, LLC, a Delaware limited liability company, by Special Warranty Deed dated July 1, 2003, of record in Deed Book D334, Page 328, in the records of the Knox County, Kentucky Court Clerk's Office.

2. No other provisions in the Original Deed shall be affected by this Correction Deed.

3. **CONSIDERATION CERTIFICATE:** We, the undersigned, do hereby certify, pursuant to KRS Chapter 382, that this Correction Deed is executed solely for the purpose of correcting a scrivener's error made in the Original Deed and without monetary consideration. We further certify the consideration as stated in the Original Deed is the true, correct and full consideration paid for the Property and we understand that falsification of the stated consideration is a Class D felony, subject to one to five years imprisonment and fines up to $10,000.00.

As amended, reformed and corrected, the Original Deed remains in full force and effect.

[Signature Pages Follow]

IN WITNESS WHEREOF, the undersigned have caused their names to be duly executed to this Correction Deed by their duly authorized representatives on this the 13 day of February, 2008.

GRANTOR:

ATAYA HARDWOODS, LLC, a Delaware limited liability company

By: Regions Bank, its Manager

By: _____
Print Name: Michael T. Shearer
Its: Senior Vice President

STATE OF Georgia

COUNTY OF Fulton

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared Michael Shearer, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his/her oath, acknowledged herself/himself to be the SVP of Regions Bank which is the Manager of Ataya Hardwoods, LLC, a Delaware limited liability company, the within named Grantor, and that she/he, on behalf of such Manager, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Ataya Hardwoods, LLC, a Delaware limited liability company, by himself/herself as SVP of such Manager, as his/her free act and deed.

Witness my hand and seal at office this the 13th day of February, 2008.

_____
NOTARY PUBLIC, STATE OF Georgia

My Commission Expires:
FREDELL A BLAKENEY
Notary Public
Douglas County, Georgia
My Commission Expires September 25, 2010

(SEAL)

[Additional Signature Page Follows]

GRANTEE:

CORRIGAN TLP LLC
A Delaware limited liability company

Bob Lyle

By: BOB LYLE
Its: AUTHORIZED SIGNATORY

STATE OF MISSISSIPPI

COUNTY OF ~~FORREST~~ HINDS

Before me, the undersigned Notary Public in and for the State and County aforesaid, personally appeared BOB LYLE, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence, and who, upon his/her oath, acknowledged herself/himself to be the AUTHORIZED SIGNATORY of Corrigan TLP LLC, a Delaware limited liability company, the within named Grantee, and that she/he, on behalf of said Grantee, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing the name of Corrigan TLP LLC, a Delaware limited liability company, by himself/herself as her/his free act and deed.

Witness my hand and seal at office this the 13th day of FEBRUARY, 2008.

Laura A. Hall

NOTARY PUBLIC, STATE OF MISSISSIPPI

My Commission Expires:

MISSISSIPPI STATEWIDE NOTARY PUBLIC
MY COMMISSION EXPIRES MAY 27, 2009
BONDED THRU STEGALL NOTARY SERVICE

(SEAL)

LAURA A. HALL NOTARY PUBLIC RANKIN COUNTY, MS

INSTRUMENT PREPARED BY:
Candace D. Johnson
Adams and Reese LLP
11 North Water Street, Suite 23200
Mobile, Alabama 36602
(251) 433-3234

By: Candace D. Johnson

DOCUMENT NO: 134340
RECORDED ON: FEBRUARY 21,2008 10:39:03AM
TOTAL FEES: $16.00
COUNTY CLERK: MIKE COREY
COUNTY: KNOX COUNTY CLERK
DEPUTY CLERK: LESLEY LYNN EPPERSON
BOOK D369 PAGES 716 - 719

Correction Deed
Knox County, Kentucky

After recording, return to:
William C. Stambaugh, Esq.
Commonwealth Land Title
500 W Jefferson St, Ste. 500
Louisville, KY 40202